

DelphiGamekit

Make 2D Game in Delphi

Table of Contents

DelphiGamekit	1
Classes	14
EBufferException Class	16
ELuaException Class	16
ELuaRuntimeException Class	16
ELuaSyntaxError Class	16
TAIActor Class	17
Fields	17
TAIActor.FStateMachine Field	17
Methods	17
TAIActor.Create Constructor	17
TAIActor.Destroy Destructor	18
TAIActor.OnRender Method	18
TAIActor.OnUpdate Method	18
Properties	18
TAIActor.StateMachine Property	18
TAIEntityActor Class	19
Fields	19
TAIEntityActor.FStateMachine Field	19
Methods	19
TAIEntityActor.Create Constructor	19
TAIEntityActor.Destroy Destructor	20
TAIEntityActor.OnRender Method	20
TAIEntityActor.OnUpdate Method	20
Properties	20
TAIEntityActor.StateMachine Property	20
TAIState Class	21
Fields	21
TAIState.FChildren Field	21
TAIState.FOwner Field	21
TAIState.FStateMachine Field	21
Methods	22
TAIState.Create Constructor	22
TAIState.Destroy Destructor	22
TAIState.OnEnter Method	22
TAIState.OnExit Method	22
TAIState.OnRender Method	23
TAIState.OnUpdate Method	23

Properties	23
TAIState.Children Property	23
TAIState.Owner Property	23
TAIState.StateMachine Property	23
TAIStateMachine Class	24
Fields	24
TAIStateMachine.FCurrentState Field	24
TAIStateMachine.FGlobalState Field	24
TAIStateMachine.FOwner Field	25
TAIStateMachine.FPreviousState Field	25
TAIStateMachine.FStateIndex Field	25
TAIStateMachine.FStateList Field	25
Methods	25
TAIStateMachine.AddState Method	26
TAIStateMachine.ChangeState Method	26
TAIStateMachine.ChangeStateObj Method	26
TAIStateMachine.ClearStates Method	27
TAIStateMachine.Create Constructor	27
TAIStateMachine.Destroy Destructor	27
TAIStateMachine.GetCurrentState Method	27
TAIStateMachine.GetGlobalState Method	27
TAIStateMachine.GetPreviousState Method	27
TAIStateMachine.GetStateCount Method	28
TAIStateMachine.GetStateIndex Method	28
TAIStateMachine.GetStates Method	28
TAIStateMachine.NextState Method	28
TAIStateMachine.PrevState Method	28
TAIStateMachine.RemoveState Method	29
TAIStateMachine.RemoveStateObj Method	29
TAIStateMachine.Render Method	29
TAIStateMachine.RevertToPreviousState Method	29
TAIStateMachine.SetCurrentState Method	29
TAIStateMachine.SetCurrentStateObj Method	30
TAIStateMachine.SetGlobalState Method	30
TAIStateMachine.SetGlobalStateObj Method	30
TAIStateMachine.SetPreviousState Method	30
TAIStateMachine.SetPreviousStateObj Method	30
TAIStateMachine.Update Method	31
Properties	31
TAIStateMachine.CurrentState Property	31
TAIStateMachine.GlobalState Property	31
TAIStateMachine.Owner Property	31

TAIStateMachine.PreviousState Property	32
TAIStateMachine.StateCount Property	32
TAIStateMachine.StateIndex Property	32
TAIStateMachine.States Property	32
TAScreenshake Class	32
Fields	33
TAScreenshake.FActive Field	33
TAScreenshake.FDuration Field	33
TAScreenshake.FMagnitude Field	33
TAScreenshake.FPos Field	33
TAScreenshake.FTimer Field	34
Methods	34
TAScreenshake.Create Constructor	34
TAScreenshake.Destroy Destructor	34
TAScreenshake.Process Method	34
Properties	35
TAScreenshake.Active Property	35
TActor Class	35
Fields	35
TActor.FActorList Field	36
TActor.FAttributes Field	36
TActor.FCanCollide Field	36
TActor.FChildren Field	36
TActor.FNext Field	36
TActor.FOwner Field	36
TActor.FPrev Field	37
TActor.FTerminated Field	37
Methods	37
TActor.AttributesAreSet Method	37
TActor.Collide Method	38
TActor.Create Constructor	38
TActor.Destroy Destructor	38
TActor.GetAttribute Method	38
TActor.GetAttributes Method	38
TActor.OnCollide Method	39
TActor.OnMessage Method	39
TActor.OnRender Method	39
TActor.OnUpdate Method	39
TActor.OnVisit Method	39
TActor.Overlap Method (Single, Single, Single, Single)	40
TActor.Overlap Method (TActor)	40
TActor.SetAttribute Method	40

TActor.SetAttributes Method	40
Properties	41
TActor.ActorList Property	41
TActor.Attribute Property	41
TActor.Attributes Property	41
TActor.CanCollide Property	41
TActor.Children Property	42
TActor.Next Property	42
TActor.Owner Property	42
TActor.Prev Property	42
TActor.Terminated Property	42
TActorList Class	43
Fields	43
TActorList.FCount Field	43
TActorList.FHead Field	43
TActorList.FTail Field	43
Methods	44
TActorList.Add Method	44
TActorList.CheckCollision Method	44
TActorList.Clean Method	44
TActorList.Clear Method	45
TActorList.Create Constructor	45
TActorList.Destroy Destructor	45
TActorList.ForEach Method	45
TActorList.Remove Method	45
TActorList.Render Method	46
TActorList.SendMessage Method	46
TActorList.Update Method	46
Properties	46
TActorList.Count Property	46
TActorScene Class	47
Fields	47
TActorScene.FCount Field	47
TActorScene.FLists Field	47
Methods	47
TActorScene.Alloc Method	48
TActorScene.Clean Method	48
TActorScene.Clear Method	48
TActorScene.ClearAll Method	48
TActorScene.Create Constructor	49
TActorScene.Dealloc Method	49
TActorScene.Destroy Destructor	49

TActorScene.GetCount Method	49
TActorScene.GetList Method	49
TActorScene.Render Method	50
TActorScene.SendMessage Method	50
TActorScene.Update Method	50
Properties	50
TActorScene.Count Property	50
TActorScene.Lists Property	51
TArchive Class	51
Methods	51
TArchive.Build Method	51
TArchive.Close Method	52
TArchive.Create Constructor	52
TArchive.Destroy Destructor	52
TArchive.FileExist Method	52
TArchive.IsOpen Method	52
TArchive.Open Method	53
TArchive.OpenFile Method	53
TArchive.OpenFileBuffer Method	53
TArchive.OpenFileRWops Method	53
TArchive.OpenRes Method	54
TArchiveFile Class	54
Methods	54
TArchiveFile.Close Method	54
TArchiveFile.Create Constructor	55
TArchiveFile.Destroy Destructor	55
TArchiveFile.GetPos Method	55
TArchiveFile.GetRWops Method	55
TArchiveFile.GetRWopsRes Method	55
TArchiveFile.IsOpen Method	56
TArchiveFile.Open Method	56
TArchiveFile.OpenRes Method	56
TArchiveFile.ReadData Method	56
TArchiveFile.SaveToBuffer Method	57
TArchiveFile.SaveToFile Method	57
TArchiveFile.SetPos Method	57
TArchiveFile.Size Method	57
TAsync Record	57
Methods	58
TAsync.Busy Method	58
TAsync.Enter Method	58
TAsync.Leave Method	58

TAsync.Process Method	58
TAsync.Resume Method	59
TAsync.Run Method	59
TAsync.Suspend Method	59
Operators	59
TAsync.Finalize Operator	59
TAsync.Initialize Operator	60
TAsyncThread Class	60
Fields	60
TAsyncThread.FFinished Field	60
TAsyncThread.FTask Field	60
TAsyncThread.FWait Field	61
Methods	61
TAsyncThread.Create Constructor	61
TAsyncThread.Destroy Destructor	61
TAsyncThread.Execute Method	61
Properties	62
TAsyncThread.Finished Property	62
TAsyncThread.TaskProc Property	62
TAsyncThread.WaitProc Property	62
TAudio Record	62
Methods	63
TAudio.AllocateSoundChannels Method	63
TAudio.ExpireSound Method	63
TAudio.FadeInSound Method	64
TAudio.FadeOutSound Method	64
TAudio.FadingSound Method	64
TAudio.GetMusicVolume Method	64
TAudio.GetSoundVolume Method	65
TAudio.IsSoundPaused Method	65
TAudio.IsSoundPlaying Method	65
TAudio.LoadMusic Method	65
TAudio.LoadPlayMusic Method	65
TAudio.LoadSound Method	66
TAudio.PauseSound Method	66
TAudio.PlayMusic Method	66
TAudio.PlaySound Method	66
TAudio.ReserveSoundChannels Method	67
TAudio.ResumeSound Method	67
TAudio.SetMusicVolume Method	67
TAudio.SetSoundPosition Method	67
TAudio.SetSoundVolume Method	67

TAudio.StopSound Method	68
TAudio.UnloadMusic Method	68
TAudio.UnloadSound Method	68
Operators	68
TAudio.Finalize Operator	68
TAudio.Initialize Operator	69
TBaseObject Class	69
Methods	69
TBaseObject.Create Constructor	69
TBaseObject.Destroy Destructor	70
TBuffer Class	70
Fields	70
TBuffer.FHandle Field	70
TBuffer.FName Field	70
Methods	71
TBuffer.Clear Method	71
TBuffer.Create Constructor	71
TBuffer.Destroy Destructor	71
TBuffer.Eof Method	71
TBuffer.LoadFromFile Method	72
TBuffer.ReadString Method	72
TBuffer.SaveToFile Method	72
TBuffer.Write Method (, Longint)	72
TBuffer.Write Method (TBytes, Longint, Longint)	72
Properties	73
TBuffer.Name Property	73
TCamera Class	73
Constants	73
TCamera.ZOOM_MAX Constant	73
TCamera.ZOOM_MIN Constant	74
Methods	74
TCamera.Create Constructor	74
TCamera.Destroy Destructor	74
TCamera.Init Method	74
TCamera.IsVisible Method	75
TCamera.SetBounds Method	75
TCamera.WorldToScreen Method (Single, Single, Single, Single, Single, Single, Single, Single, Single)	75
TCamera.WorldToScreen Method (TTransform, TTransform)	75
Properties	76
TCamera.Active Property	76
TCamera.Angle Property	76
TCamera.Bounds Property	76

TCamera.PosX Property	76
TCamera.PosY Property	77
TCamera.Zoom Property	77
TCloudDb Class	77
Constants	77
TCloudDb.cURL Constant	77
Fields	78
TCloudDb.FApiKey Field	78
TCloudDb.FDatabase Field	78
TCloudDb.FDataset Field	78
TCloudDb.FHttp Field	79
TCloudDb.FJSON Field	79
TCloudDb.FLastError Field	79
TCloudDb.FMacros Field	79
TCloudDb.FParams Field	79
TCloudDb.FPreparedSQL Field	79
TCloudDb.FResponseText Field	80
TCloudDb.FSQL Field	80
TCloudDb.FUrl Field	80
Methods	80
TCloudDb.AddSQLText Method	81
TCloudDb.ClearSQLText Method	81
TCloudDb.Create Constructor	81
TCloudDb.Destroy Destructor	81
TCloudDb.Execute Method	82
TCloudDb.ExecuteSQL Method	82
TCloudDb.GetField Method	82
TCloudDb.GetLastError Method	82
TCloudDb.GetMacro Method	82
TCloudDb.GetParam Method	83
TCloudDb.GetPreparedSQL Method	83
TCloudDb.GetQueryURL Method	83
TCloudDb.GetResponseText Method	83
TCloudDb.GetSQLText Method	83
TCloudDb.Prepare Method	84
TCloudDb.RecordCount Method	84
TCloudDb.SetMacro Method	84
TCloudDb.SetMacroValue Method	84
TCloudDb.SetParam Method	84
TCloudDb.SetParamValue Method	85
TCloudDb.SetSQLText Method	85
TCloudDb.Setup Method	85

TCmdLine Record	85
Methods	85
TCmdLine.AddParam Method	86
TCmdLine.AddParams Method	86
TCmdLine.Clear Method	86
TCmdLine.Count Method ()	86
TCmdLine.Count Method (string)	87
TCmdLine.Param Method (Integer)	87
TCmdLine.Param Method (string, Integer)	87
TCmdLine.ParamExist Method	87
TCmdLine.ParamIndex Method	87
TCmdLine.ParamValue Method	88
TCmdLine.Reset Method	88
TCmdLine.Str Method	88
Operators	88
TCmdLine.Finalize Operator	88
TCmdLine.Initialize Operator	89
TColor Record	89
Fields	89
TColor.Alpha Field	89
TColor.Blue Field	90
TColor.Green Field	90
TColor.Red Field	90
Methods	90
TColor.Clear Method	90
TColor.Equal Method	90
TColor.Fade Method	91
TColor.Make Method	91
TColor.Makef Method	91
Operators	91
TColor.Implicit Operator (SDL_Color)	92
TColor.Implicit Operator (TColor)	92
TConfigFile Class	92
Methods	92
TConfigFile.Close Method	93
TConfigFile.Create Constructor	93
TConfigFile.Destroy Destructor	93
TConfigFile.GetSectionValue Method (Integer, Boolean)	93
TConfigFile.GetSectionValue Method (Integer, Integer)	94
TConfigFile.GetSectionValue Method (Integer, string)	94
TConfigFile.GetSectionValues Method	94
TConfigFile.GetValue Method (string, string, Boolean)	94

TConfigFile.GetValue Method (string, string, Integer)	95
TConfigFile.GetValue Method (string, string, Pointer, Cardinal)	95
TConfigFile.GetValue Method (string, string, string)	95
TConfigFile.Open Method	95
TConfigFile.Opened Method	95
TConfigFile.RemoveKey Method	96
TConfigFile.RemoveSection Method	96
TConfigFile.SetValue Method (string, string, Boolean)	96
TConfigFile.SetValue Method (string, string, Integer)	96
TConfigFile.SetValue Method (string, string, Pointer, Cardinal)	97
TConfigFile.SetValue Method (string, string, string)	97
TConfigFile.Update Method	97
TController Record	97
Methods	97
TController.ButtonDown Method	98
TController.ButtonPressed Method	98
TController.ButtonReleased Method	98
TController.Clear Method	98
TController.Close Method	99
TController.GetAxis Method	99
TController.Open Method	99
TController.Shutdown Method	99
TController.Startup Method	99
TController.Update Method	100
TEntity Class	100
Fields	100
TEntity.FAngle Field	101
TEntity.FAngleOffset Field	101
TEntity.FBlendMode Field	101
TEntity.FColor Field	101
TEntity.FDir Field	101
TEntity.FFirstFrame Field	102
TEntity.FFlipMode Field	102
TEntity.FFrame Field	102
TEntity.FFrameFPS Field	102
TEntity.FFrameTimer Field	102
TEntity.FGroup Field	102
TEntity.FHeight Field	103
TEntity.FLastFrame Field	103
TEntity.FLoopFrame Field	103
TEntity.FOrigin Field	103
TEntity.FPos Field	103

TEntity.FRadius Field	104
TEntity.FRenderPolyPoint Field	104
TEntity.FScale Field	104
TEntity.FShrinkFactor Field	104
TEntity.FSprite Field	104
TEntity.FWidth Field	104
Methods	105
TEntity.Angle Method	106
TEntity.AngleOffset Method	106
TEntity.CollidePolyPoint Method	106
TEntity.CollidePolyPointPoint Method	107
TEntity.Color Method	107
TEntity.Create Constructor	107
TEntity.CreateEntity Method	107
TEntity.Destroy Destructor	107
TEntity.Dir Method	108
TEntity.FirstFrame Method	108
TEntity.FlipMode Method	108
TEntity.Frame Method	108
TEntity.FrameFPS Method	108
TEntity.FullyVisible Method	108
TEntity.Group Method	109
TEntity.Height Method	109
TEntity.Init Method	109
TEntity.LastFrame Method	109
TEntity.LoopFrame Method	109
TEntity.NextFrame Method	110
TEntity.Overlap Method (Single, Single, Single, Single)	110
TEntity.Overlap Method (TEntity)	110
TEntity.Pos Method	110
TEntity.PrevFrame Method	110
TEntity.Radius Method	111
TEntity.Render Method	111
TEntity.RenderAt Method	111
TEntity.RotateAbs Method	111
TEntity.RotateRel Method	111
TEntity.RotateToAngle Method	112
TEntity.RotateToPos Method	112
TEntity.RotateToPosAt Method	112
TEntity.Scale Method	112
TEntity.ScaleAbs Method	113
TEntity.ScaleRel Method	113

TEntity.SetAngleOffset Method	113
TEntity.SetColor Method	113
TEntity.SetFlipMode Method	113
TEntity.SetFrame Method	114
TEntity.SetFrameFPS Method	114
TEntity.SetFrameRange Method	114
TEntity.SetLoopFrame Method	114
TEntity.SetPosAbs Method	114
TEntity.SetPosRel Method	115
TEntity.SetRenderPolyPoint Method	115
TEntity.SetShrinkFactor Method	115
TEntity.ShrinkFactor Method	115
TEntity.Sprite Method	116
TEntity.Thrust Method	116
TEntity.ThrustAngle Method	116
TEntity.ThrustToPos Method	116
TEntity.TracePolyPoint Method	116
TEntity.Visible Method	117
TEntity.Width Method	117
Properties	117
TEntity.BlendMode Property	117
TEntityActor Class	118
Fields	118
TEntityActor.FEntity Field	118
Methods	118
TEntityActor.Collide Method	118
TEntityActor.Create Constructor	119
TEntityActor.Destroy Destructor	119
TEntityActor.Init Method	119
TEntityActor.OnRender Method	119
TEntityActor.Overlap Method (Single, Single, Single, Single)	119
TEntityActor.Overlap Method (TActor)	120
Properties	120
TEntityActor.Entity Property	120
TFont Class	120
Records	120
TFont.TGlyph Record	121
Constants	121
TFont.cDefaultGlyphs Constant	121
Fields	121
TFont.FAtlas Field	121
TFont.FAtlasSize Field	122

TFont.FBaseLine Field	122
TFont.FGeometry Field	122
TFont.FGlyph Field	122
TFont.FUseVertexBuffer Field	122
TFont.FVertexBufferSize Field	123
Methods	123
TFont.Create Constructor	123
TFont.Destroy Destructor	123
TFont.DrawText Method (Single, Single, Single, TColor, THAlign, string, array of const)	124
TFont.DrawText Method (Single, Single, TColor, THAlign, string, array of const)	124
TFont.GetUseVertexBuffer Method	124
TFont.GetVertexBufferSize Method	124
TFont.Load Method (PSDL_RWops, Cardinal, string)	124
TFont.Load Method (TArchive, string, Cardinal, string)	125
TFont.LoadDefault Method	125
TFont.RenderVertices Method	125
TFont.SetUseVertexBuffer Method	125
TFont.SetVertexBufferSize Method	126
TFont.TextHeight Method	126
TFont.TextLength Method	126
TFont.Unload Method	126
Properties	126
TFont.Atlas Property	127
TFont.AtlasSize Property	127
Nested Types	127
TFont.PGlyph Nested Type	127
TGame Class	127
Records	128
TGame.TSettings Record	128
Fields	128
TGame.FArchive Field	129
TGame.FAsync Field	129
TGame.FAudio Field	129
TGame.FCmdLine Field	129
TGame.FConfigFile Field	130
TGame.FDefaultFont Field	130
TGame.FHud Field	130
TGame.FInput Field	130
TGame.FLog Field	130
TGame.FMousePos Field	130
TGame.FPrefs Field	131
TGame.FReady Field	131

TGame.FScene Field	131
TGame.FScreenshake Field	131
TGame.FSettings Field	131
TGame.FSpeech Field	132
TGame.FSprite Field	132
TGame.FTerminate Field	132
TGame.FTimer Field	132
TGame.FVideo Field	132
TGame.FWindow Field	132
Methods	133
TGame.Create Constructor	133
TGame.Destroy Destructor	134
TGame.OnAfterRenderScene Method	134
TGame.OnApplySettings Method	134
TGame.OnBeforeRenderScene Method	134
TGame.OnBuildArchiveProgress Method	134
TGame.OnClearWindow Method	135
TGame.OnFixedUpdate Method	135
TGame.OnLoadConfig Method	135
TGame.OnPostLuaReset Method	135
TGame.OnPreLuaReset Method	135
TGame.OnReady Method	136
TGame.OnRender Method	136
TGame.OnRenderHud Method	136
TGame.OnSaveConfig Method	136
TGame.OnSetSettings Method	136
TGame.OnShowWindow Method	136
TGame.OnShutdown Method	137
TGame.OnSpeechWord Method	137
TGame.OnStartup Method	137
TGame.OnUnapplySettings Method	137
TGame.OnUpdate Method	137
TGame.OnVideoStatus Method	138
TGame.Process Method	138
TGame.Run Method	138
TGame.SDKVersion Method	138
TGame.Settings Method	138
TGame.Shutdown Method	139
TGame.Startup Method	139
Properties	139
TGame.Archive Property	139
TGame.Async Property	140

TGame.Audio Property	140
TGame.CmdLine Property	140
TGame.ConfigFile Property	140
TGame.DefaultFont Property	140
TGame.Hud Property	141
TGame.Input Property	141
TGame.Log Property	141
TGame.MousePos Property	141
TGame.Prefs Property	141
TGame.Scene Property	141
TGame.Screenshake Property	142
TGame.Speech Property	142
TGame.Sprite Property	142
TGame.Terminate Property	142
TGame.Timer Property	142
TGame.Video Property	143
TGame.Window Property	143
Nested Types	143
TGame.PSettings Nested Type	143
TGeometry Class	143
Methods	144
TGeometry.AddVertex Method	144
TGeometry.Alloc Method	144
TGeometry.Create Constructor	144
TGeometry.Destroy Destructor	144
TGeometry.Render Method	145
TGeometry.Reset Method	145
THud Record	145
Methods	145
THud.ResetPos Method	146
THud.SetLineSpace Method	146
THud.SetPos Method	146
THud.SetTextItemPadWidth Method	146
THud.Text Method	146
THud.TextItem Method	147
Operators	147
THud.Finalize Operator	147
THud.Initialize Operator	147
TInput Record	147
Methods	148
TInput.Clear Method	148
TInput.Close Method	148

TInput.ControllerDown Method	148
TInput.ControllerPosition Method	149
TInput.ControllerPressed Method	149
TInput.ControllerReleased Method	149
TInput.GetMouseInfo Method	149
TInput.KeyDown Method	150
TInput.KeyPressed Method	150
TInput.KeyReleased Method	150
TInput.MouseDown Method	150
TInput.MousePressed Method	150
TInput.MouseReleased Method	151
TInput.Open Method	151
TInput.SetMousePos Method	151
TInput.Update Method	151
Operators	151
TInput.Finalize Operator	152
TInput.Initialize Operator	152
TInputMap Class	152
Records	152
TInputMap.TAction Record	152
TInputMap.TInput Record	153
Fields	153
TInputMap.FList Field	153
Methods	153
TInputMap.Add Method	154
TInputMap.Clear Method	154
TInputMap.Create Constructor	154
TInputMap.Destroy Destructor	154
TInputMap.Down Method	154
TInputMap.Load Method	155
TInputMap.NewAction Method	155
TInputMap.Pressed Method	155
TInputMap.Released Method	155
TInputMap.Remove Method (string)	155
TInputMap.Remove Method (string, TInputDevice, Integer)	156
TInputMap.Save Method	156
TInputMap.SetupDefaults Method	156
TLog Record	156
Methods	157
TLog.Add Method	157
TLog.Close Method	157
TLog.Fatal Method	157

TLog.GetConsoleOutput Method	158
TLog.GetFilename Method	158
TLog.Open Method	158
TLog.Opened Method	158
TLog.Reset Method	158
TLog.SetConsoleOutput Method	158
TLog.View Method	159
Operators	159
TLog.Finalize Operator	159
TLog.Initialize Operator	159
TLua Class	160
Fields	160
TLua.FContext Field	160
TLua.FGCStep Field	160
TLua.FState Field	160
Methods	161
TLua.Bundle Method	162
TLua.Call Method (Integer)	162
TLua.Call Method (string, array of TLuaValue)	162
TLua.CallFunction Method	162
TLua.CheckLuaError Method	162
TLua.CleanStack Method	163
TLua.Close Method	163
TLua.CollectGarbage Method	163
TLua.CompileToStream Method	163
TLua.Create Constructor	163
TLua.Destroy Destructor	164
TLua.DoCall Method (Integer)	164
TLua.DoCall Method (array of TLuaValue)	164
TLua.GetGCMemoryUsed Method	164
TLua.GetGCStepSize Method	164
TLua.GetLuaValue Method	165
TLua.GetVariable Method	165
TLua.LoadBuffer Method	165
TLua.LoadByteCode Method	165
TLua.LoadFile Method	166
TLua.LoadStream Method	166
TLua.LoadString Method	166
TLua.Open Method	166
TLua.PrepareCall Method	166
TLua.PushGlobalTableForGet Method	167
TLua.PushGlobalTableForSet Method	167

TLua.PushLuaValue Method	167
TLua.PushTValue Method	167
TLua.RegisterRoutine Method (string, Pointer, Pointer)	167
TLua.RegisterRoutine Method (string, TLuaFunction)	168
TLua.RegisterRoutines Method (TClass)	168
TLua.RegisterRoutines Method (TObject)	168
TLua.RegisterRoutines Method (string, TClass, string)	168
TLua.RegisterRoutines Method (string, TObject, string)	169
TLua.Reset Method	169
TLua.RoutineExist Method	169
TLua.Run Method	169
TLua.SaveByteCode Method	169
TLua.SetGCStepSize Method	170
TLua.SetVariable Method	170
TLua.VariableExist Method	170
Properties	170
TLua.Context Property	170
TLua.State Property	171
TLuaContext Class	171
Fields	171
TLuaContext.FLua Field	171
TLuaContext.FPushCount Field	171
TLuaContext.FPushFlag Field	172
Methods	172
TLuaContext.ArgCount Method	172
TLuaContext.Check Method	173
TLuaContext.Cleanup Method	173
TLuaContext.ClearStack Method	173
TLuaContext.Create Constructor	173
TLuaContext.Destroy Destructor	173
TLuaContext.GetStackType Method	173
TLuaContext.GetTableFieldValue Method	174
TLuaContext.GetTableIndexValue Method	174
TLuaContext.GetValue Method	174
TLuaContext.IncStackPushCount Method	174
TLuaContext.PopStack Method	175
TLuaContext.PushCount Method	175
TLuaContext.PushTableForGet Method	175
TLuaContext.PushTableForSet Method	175
TLuaContext.PushValue Method	175
TLuaContext.SetTableFieldValue Method	176
TLuaContext.SetTableIndexValue Method	176

TLuaContext.Setup Method	176
TLuaValue Record	176
Fields	177
TLuaValue.AsBoolean Field	177
TLuaValue.AsInteger Field	177
TLuaValue.AsNumber Field	177
TLuaValue.AsPointer Field	177
TLuaValue.AsString Field	178
TLuaValue.AsTable Field	178
TLuaValue.AsType Field	178
Operators	178
TLuaValue.Implicit Operator (Boolean)	178
TLuaValue.Implicit Operator (Double)	179
TLuaValue.Implicit Operator (Integer)	179
TLuaValue.Implicit Operator (Pointer)	179
TLuaValue.Implicit Operator (System.PChar)	179
TLuaValue.Implicit Operator (TLuaTable)	179
TLuaValue.Implicit Operator (TLuaValue)	180
TPoint Record	180
Fields	180
TPoint.X Field	180
TPoint.Y Field	180
TPoint.Z Field	181
Methods	181
TPoint.Create Constructor	181
Operators	181
TPoint.Implicit Operator (SDL_FPoint)	181
TPoint.Implicit Operator (SDL_Point)	182
TPoint.Implicit Operator (TPoint)	182
TPoint.Implicit Operator (TVector)	182
TPoint.Initialize Operator	182
TPolyPoint Class	183
Fields	183
TPolyPoint.FCount Field	183
TPolyPoint.FPolygon Field	183
Methods	183
TPolyPoint.AddPoint Method	184
TPolyPoint.Clear Method	184
TPolyPoint.Collide Method	184
TPolyPoint.CollidePoint Method	185
TPolyPoint.CopyFrom Method	185
TPolyPoint.Count Method	185

TPolyPoint.Create Constructor	185
TPolyPoint.Destroy Destructor	186
TPolyPoint.Load Method	186
TPolyPoint.Polygon Method	186
TPolyPoint.Render Method	186
TPolyPoint.Save Method	186
TPolyPoint.TraceFromSprite Method	187
TPolyPoint.TraceFromTexture Method	187
TPolyPoint.Valid Method	187
TPolygon Class	188
Records	188
TPolygon.TSegment Record	188
Fields	188
TPolygon.FItemCount Field	188
TPolygon.FSegment Field	189
TPolygon.FWorldPoint Field	189
Methods	189
TPolygon.AddLocalPoint Method	189
TPolygon.Clear Method	190
TPolygon.CopyFrom Method	190
TPolygon.Create Constructor	190
TPolygon.Destroy Destructor	190
TPolygon.Load Method	190
TPolygon.LocalPoint Method	191
TPolygon.PointCount Method	191
TPolygon.Render Method	191
TPolygon.Save Method	191
TPolygon.SegmentVisible Method	191
TPolygon.SetSegmentVisible Method	192
TPolygon.Transform Method	192
TPolygon.WorldPoint Method	192
TPolypointTrace Record	192
Methods	193
TPolypointTrace.AddPoint Method	193
TPolypointTrace.ApplyPolyPoint Method	193
TPolypointTrace.DelPoint Method	193
TPolypointTrace.Done Method	194
TPolypointTrace.GetPointCount Method	194
TPolypointTrace.Init Method	194
TPolypointTrace.PrimaryTrace Method	194
TPolypointTrace.SimplifyPoly Method	194
TPrefs Record	195

Methods	195
TPrefs.GetAppName Method	195
TPrefs.GetOrgName Method	195
TPrefs.GetPath Method	195
TPrefs.GotoPath Method	196
TPrefs.SetAppName Method	196
TPrefs.SetOrgName Method	196
Operators	196
TPrefs.Finalize Operator	196
TPrefs.Initialize Operator	197
TRange Record	197
Fields	197
TRange.MaxX Field	197
TRange.MaxY Field	197
TRange.MinX Field	198
TRange.MinY Field	198
Operators	198
TRange.Initialize Operator	198
TRect Record	198
Fields	199
TRect.Height Field	199
TRect.Width Field	199
TRect.X Field	199
TRect.Y Field	199
Methods	200
TRect.Assign Method	200
TRect.Create Constructor	200
TRect.Intersect Method	200
Operators	200
TRect.Implicit Operator (SDL_FRect)	201
TRect.Implicit Operator (SDL_Rect)	201
TRect.Implicit Operator (TRect)	201
TRect.Initialize Operator	201
TScreenshake Record	202
Methods	202
TScreenshake.Active Method	202
TScreenshake.Clear Method	202
TScreenshake.Process Method	202
TScreenshake.Start Method	203
Operators	203
TScreenshake.Finalize Operator	203
TScreenshake.Initialize Operator	203

TSpeech Record	203
Methods	204
TSpeech.Active Method	204
TSpeech.ChangeVoice Method	204
TSpeech.Clear Method	204
TSpeech.GetRate Method	205
TSpeech.GetVoice Method	205
TSpeech.GetVoiceAttribute Method	205
TSpeech.GetVoiceCount Method	205
TSpeech.GetVolume Method	205
TSpeech.Pause Method	206
TSpeech.Reset Method	206
TSpeech.Resume Method	206
TSpeech.Say Method	206
TSpeech.SetRate Method	206
TSpeech.SetVolume Method	207
TSpeech.SubstituteWord Method	207
Operators	207
TSpeech.Finalize Operator	207
TSpeech.Initialize Operator	207
TSprite Class	208
Records	208
TSprite.TSpriteGroup Record	208
TSprite.TSpriteImageRect Record	208
Fields	208
TSprite.FGroup Field	209
TSprite.FGroupCount Field	209
TSprite.FPageCount Field	209
TSprite.FTexture Field	209
Methods	209
TSprite.AddGroup Method	210
TSprite.AddImageFromGrid Method	210
TSprite.AddImageFromRect Method	210
TSprite.Clear Method	211
TSprite.Create Constructor	211
TSprite.Destroy Destructor	211
TSprite.GroupPolyPoint Method	211
TSprite.GroupPolyPointCollide Method	211
TSprite.GroupPolyPointCollidePoint Method	212
TSprite.GroupPolyPointTrace Method	212
TSprite.ImageCount Method	212
TSprite.ImageHeight Method	213

TSprite.ImageRect Method	213
TSprite.ImageTexture Method	213
TSprite.ImageWidth Method	213
TSprite.LoadPage Method	214
TSprite.RenderImage Method	214
Nested Types	214
TSprite.PSpriteGroup Nested Type	214
TSprite.PSpriteImageRect Nested Type	214
Texture Class	215
Fields	215
TTexture.FHandle Field	215
TTexture.FHeight Field	215
TTexture.FLockRect Field	216
TTexture.FPitch Field	216
TTexture.FPixelFormat Field	216
TTexture.FPixels Field	216
TTexture.FWidth Field	216
Methods	216
TTexture.Alloc Method	217
TTexture.Create Constructor	217
TTexture.Destroy Destructor	217
TTexture.GetColor Method	218
TTexture.GetPixel Method	218
TTexture.GetSize Method	218
TTexture.Load Method	218
TTexture.LoadTexture Method	218
TTexture.Lock Method	219
TTexture.Render Method	219
TTexture.RenderTiled Method	219
TTexture.Save Method	219
TTexture.SetColor Method	220
TTexture.SetPixel Method	220
TTexture.Unload Method	220
TTexture.Unlock Method	220
Properties	220
TTexture.Handle Property	221
TTexture.Height Property	221
TTexture.Width Property	221
Timer Record	221
Methods	221
TTimer.Elapsed Method	222
TTimer.FrameElapsed Method	222

TTimer.FrameRate Method	222
TTimer.FrameSpeed Method	222
TTimer.Reset Method	223
TTimer.Update Method	223
Operators	223
TTimer.Finalize Operator	223
TTimer.Initialize Operator	223
TTransform Record	224
Fields	224
TTransform.Angle Field	224
TTransform.Height Field	224
TTransform.Origin Field	225
TTransform.Visible Field	225
TTransform.Width Field	225
TTransform.X Field	225
TTransform.Y Field	225
TTransform.Zoom Field	225
Methods	226
TTransform.Assign Method (Single, Single)	226
TTransform.Assign Method (Single, Single, Single, Single)	226
TTransform.Create Constructor (Single, Single)	226
TTransform.Create Constructor (Single, Single, Single, Single)	227
TTransform.Intersect Method	227
Operators	227
TTransform.Finalize Operator	227
TTransform.Implicit Operator (SDL_FRect)	227
TTransform.Implicit Operator (SDL_Rect)	228
TTransform.Implicit Operator (TTransform)	228
TTransform.Initialize Operator	228
TVector Record	228
Fields	229
TVector.W Field	229
TVector.X Field	229
TVector.Y Field	229
TVector.Z Field	229
Methods	229
TVector.Add Method	230
TVector.Angle Method	230
TVector.Assign Method (Single, Single)	230
TVector.Assign Method (Single, Single, Single)	231
TVector.Assign Method (Single, Single, Single, Single)	231
TVector.Assign Method (TVector)	231

TVector.Clear Method	231
TVector.Create Constructor	232
TVector.Distance Method	232
TVector.Divide Method	232
TVector.DivideBy Method	232
TVector.DotProduct Method	232
TVector.Magnitude Method	233
TVector.MagnitudeSquared Method	233
TVector.MagnitudeTruncate Method	233
TVector.Multiply Method	233
TVector.Negate Method	233
TVector.Normalize Method	234
TVector.Project Method	234
TVector.Scale Method	234
TVector.Subtract Method	234
TVector.Thrust Method	234
Operators	235
TVector.Initialize Operator	235
TVideo Record	235
Methods	235
TVideo.Draw Method	236
TVideo.GetFrameRate Method	236
TVideo.GetHeight Method	236
TVideo.GetStatus Method	236
TVideo.GetVolume Method	236
TVideo.GetWidth Method	237
TVideo.Load Method	237
TVideo.LoadPlay Method	237
TVideo.Pause Method	237
TVideo.Play Method	237
TVideo.Rewind Method	238
TVideo.SetVolume Method	238
TVideo.Stop Method	238
TVideo.Unload Method	238
TVideo.Update Method	238
Operators	239
TVideo.Finalize Operator	239
TVideo.Initialize Operator	239
TWindow Record	239
Methods	239
TWindow.Clear Method	240
TWindow.Close Method	240

TWindow.DrawFilledRect Method	241
TWindow.DrawLine Method	241
TWindow.DrawPoint Method	241
TWindow.DrawRect Method	241
TWindow.GetDDPI Method	242
TWindow.GetHDPI Method	242
TWindow.GetRenderBufferPos Method	242
TWindow.GetRendererHandle Method	242
TWindow.GetRendererInfo Method	242
TWindow.GetRendererScale Method	243
TWindow.GetRendererSize Method	243
TWindow.GetTitle Method	243
TWindow.GetVDPI Method	243
TWindow.GetViewport Method	243
TWindow.GetWindowHandle Method	243
TWindow.GetWindowSize Method	244
TWindow.IsOpen Method	244
TWindow.Open Method	244
TWindow.Save Method	244
TWindow.SetRenderBufferPos Method	244
TWindow.SetTitle Method	245
TWindow.Show Method	245
TWindow.ShowRenderBuffer Method	245
Operators	245
TWindow.Finalize Operator	245
TWindow.Initialize Operator	246
Interfaces	246
ILua Interface	246
Methods	246
ILua.Call Method (Integer)	247
ILua.Call Method (string, array of TLuaValue)	247
ILua.GetVariable Method	247
ILua.LoadBuffer Method	247
ILua.LoadFile Method	248
ILua.LoadStream Method	248
ILua.LoadString Method	248
ILua.PrepCall Method	248
ILua.RegisterRoutine Method (string, Pointer, Pointer)	249
ILua.RegisterRoutine Method (string, TLuaFunction)	249
ILua.RegisterRoutines Method (TClass)	249
ILua.RegisterRoutines Method (TObject)	249
ILua.RegisterRoutines Method (string, TClass, string)	249

ILua.RegisterRoutines Method (string, TObject, string)	250
ILua.Reset Method	250
ILua.RoutineExist Method	250
ILua.Run Method	250
ILua.SetVariable Method	251
ILua.VariableExist Method	251
ILuaContext Interface	251
Methods	251
ILuaContext.ArgCount Method	252
ILuaContext.ClearStack Method	252
ILuaContext.GetStackType Method	252
ILuaContext.GetTableFieldValue Method	252
ILuaContext.GetTableIndexValue Method	252
ILuaContext.GetValue Method	253
ILuaContext.PopStack Method	253
ILuaContext.PushCount Method	253
ILuaContext.PushValue Method	253
ILuaContext.SetTableFieldValue Method	254
ILuaContext.SetTableIndexValue Method	254
Functions	254
AddSelfToUserPath Function	256
AngleCos Function	256
AngleDiff Function	256
AngleRotatePos Function	257
AngleSin Function	257
CaptureConsoleOutput Function	257
CircleInRectangle Function	257
CirclesOverlap Function	258
ClipVaLue Function	258
ClipVaLuef Function	258
CreateDirsInPath Function	259
EasePosition Function	259
EaseValue Function	259
ExpandRelDirectory Function	259
ExpandRelFilename Function	260
ExtractRelativeDirectory Function	260
ExtractRelativeFilename Function	260
FreeNilObject Function	260
GetDirName Function	261
GetEnvVarValue Function	261
GetExeBasePath Function	261
GetExePath Function	261

GetFileRWops Function	262
GetMemRWops Function	262
GetRandomSeed Function	262
GetSemVerStr Function	262
GetUUID Function	263
GetVersionInfo Function	263
GetVersionInfo Function	263
HasConsoleOutput Function	263
HttpGet Function	264
IsCurrentDir Function	264
IsSingleInstance Function	264
IsValidFilename Function	264
Lerp Function	265
LineIntersection Function	265
Pause Function	265
PointInCircle Function	266
PointInRectangle Function	266
PointInTriangle Function	266
Print Function	266
Print Function	267
PrintLn Function	267
PrintLn Function	267
PrintLn Function	267
ProcessMessages Function	268
RadiusOverlap Function	268
RandomBool Function	268
RandomRange Function	268
RandomRangef Function	269
ReadStringFromStream Function	269
RectangleIntersection Function	269
RectanglesOverlap Function	269
RemoveDuplicates Function	270
RemoveDuplicates2 Function	270
RemoveQuotes Function	270
RemoveSelfFromUserPath Function	270
ResourceExists Function	271
RunGame Function	271
SameSign Function	271
SameSignf Function	271
SameVaLue Function	272
SameVaLuef Function	272
SetEnvVarValue Function	272

SetGlobalEnvironment Function	272
SetRandomSeed Function	273
ShellOpen Function	273
SmoothMove Function	273
UnitToScalarValue Function	274
WaitForAnyKey Function	274
WasRunFromConsole Function	274
WriteStringToStream Function	274
Structs, Records, Enums	275
TActorMessage Record	275
TAudioFading Enumeration	275
TBlendMode Enumeration	276
TEaseType Enumeration	276
TFlipMode Enumeration	277
THAlign Enumeration	277
TInputDevice Enumeration	277
TLineIntersection Enumeration	277
TLuaTable Enumeration	278
TLuaType Enumeration	278
TLuaValueType Enumeration	278
TSpeechVoiceAttribute Enumeration	279
TTextureAccess Enumeration	279
TVAlign Enumeration	279
TVideoStatus Enumeration	279
Types	280
PActorMessage Type	280
PColor Type	280
PPoint Type	281
PRange Type	281
PRect Type	281
PTransform Type	281
PVector Type	282
PVideo Type	282
TActorAttributeSet Type	282
TActorSceneEvent Type	282
TAsyncProc Type	282
TCaptureConsoleOutputEvent Type	283
TGameClass Type	283
TLuaFunction Type	283
TMusic Type	283
TSound Type	284

Variables	284
Game Variable	284
Marshaller Variable	284
Constants	284
ALICEBLUE Constant	294
ANTIQUWHITE Constant	295
AQUA Constant	295
AQUAMARINE Constant	295
ARCEXT Constant	295
AUDIO_CHANNEL_DYNAMIC Constant	295
AUDIO_CHANNEL_FADINGIN Constant	296
AUDIO_CHANNEL_FADINGOUT Constant	296
AUDIO_CHANNEL_LOOP Constant	296
AUDIO_CHANNEL_MAX Constant	296
AUDIO_CHANNEL_NOFADING Constant	297
AZURE Constant	297
BEIGE Constant	297
BISQUE Constant	297
BLACK Constant	297
BLANCHDALMOND Constant	298
BLANK Constant	298
BLUE Constant	298
BLUEVIOLET Constant	298
BROWN Constant	299
BURLYWOOD Constant	299
BUTTON_LEFT Constant	299
BUTTON_MIDDLE Constant	299
BUTTON_RIGHT Constant	299
BUTTON_X1 Constant	300
BUTTON_X2 Constant	300
CADETBBLUE Constant	300
CHARTREUSE Constant	300
CHOCOLATE Constant	301
COLORKEY Constant	301
CONTROLLER_AXIS_LEFTX Constant	301
CONTROLLER_AXIS_LEFTY Constant	301
CONTROLLER_AXIS_RIGHTX Constant	301
CONTROLLER_AXIS_RIGHTY Constant	302
CONTROLLER_AXIS_TRIGGERLEFT Constant	302
CONTROLLER_AXIS_TRIGGERRIGHT Constant	302
CONTROLLER_BUTTON_A Constant	302

CONTROLLER_BUTTON_B Constant	303
CONTROLLER_BUTTON_BACK Constant	303
CONTROLLER_BUTTON_DPAD_DOWN Constant	303
CONTROLLER_BUTTON_DPAD_LEFT Constant	303
CONTROLLER_BUTTON_DPAD_RIGHT Constant	303
CONTROLLER_BUTTON_DPAD_UP Constant	304
CONTROLLER_BUTTON_GUIDE Constant	304
CONTROLLER_BUTTON_LEFTSHOULDER Constant	304
CONTROLLER_BUTTON_LEFTSTICK Constant	304
CONTROLLER_BUTTON_MISC1 Constant	305
CONTROLLER_BUTTON_PADDLE1 Constant	305
CONTROLLER_BUTTON_PADDLE2 Constant	305
CONTROLLER_BUTTON_PADDLE3 Constant	305
CONTROLLER_BUTTON_PADDLE4 Constant	305
CONTROLLER_BUTTON_RIGHTSHOULDER Constant	306
CONTROLLER_BUTTON_RIGHTSTICK Constant	306
CONTROLLER_BUTTON_START Constant	306
CONTROLLER_BUTTON_TOUCHPAD Constant	306
CONTROLLER_BUTTON_X Constant	307
CONTROLLER_BUTTON_Y Constant	307
CORAL Constant	307
CORNFLOWERBLUE Constant	307
CORNSILK Constant	307
CR Constant	308
CRIMSON Constant	308
CRLF Constant	308
CYAN Constant	308
DARKBLUE Constant	309
DARKCYAN Constant	309
DARKGOLDENROD Constant	309
DARKGRAY Constant	309
DARKGREEN Constant	309
DARKGREY Constant	310
DARKKHAKI Constant	310
DARKMAGENTA Constant	310
DARKOLIVEGREEN Constant	310
DARKORANGE Constant	311
DARKORCHID Constant	311
DARKRED Constant	311
DARKSALMON Constant	311
DARKSEAGREEN Constant	311
DARKSLATEBLUE Constant	312

DARKSLATEBROWN Constant	312
DARKSLATEGRAY Constant	312
DARKTURQUOISE Constant	312
DARKVIOLET Constant	313
DEEPPINK Constant	313
DEEPSKYBLUE Constant	313
DEGTORAD Constant	313
DIMGRAY Constant	313
DIMWHITE Constant	314
DODGERBLUE Constant	314
EPSILON Constant	314
FIREBRICK Constant	314
FLORALWHITE Constant	315
FORESTGREEN Constant	315
FUCHSIA Constant	315
GAINSBORO Constant	315
GHOSTWHITE Constant	315
GOLD Constant	316
GOLDENROD Constant	316
GRAY Constant	316
GREEN Constant	316
GREENYELLOW Constant	317
GREY Constant	317
HONEYDEW Constant	317
HOTPINK Constant	317
INDIANRED Constant	317
INDIGO Constant	318
INIEXT Constant	318
IVORY Constant	318
KEY_0 Constant	318
KEY_1 Constant	319
KEY_2 Constant	319
KEY_3 Constant	319
KEY_4 Constant	319
KEY_5 Constant	319
KEY_6 Constant	320
KEY_7 Constant	320
KEY_8 Constant	320
KEY_9 Constant	320
KEY_A Constant	321
KEY_AC_BACK Constant	321
KEY_AC_BOOKMARKS Constant	321

KEY_AC_FORWARD Constant	321
KEY_AC_HOME Constant	321
KEY_AC_REFRESH Constant	322
KEY_AC_SEARCH Constant	322
KEY_AC_STOP Constant	322
KEY_AGAIN Constant	322
KEY_ALTERASE Constant	323
KEY_APOSTROPHE Constant	323
KEY_APP1 Constant	323
KEY_APP2 Constant	323
KEY_APPLICATION Constant	323
KEY_AUDIOFASTFORWARD Constant	324
KEY_AUDIOMUTE Constant	324
KEY_AUDIONEXT Constant	324
KEY_AUDIOPLAY Constant	324
KEY_AUDIOPREV Constant	325
KEY_AUDIOREWIND Constant	325
KEY_AUDIOSTOP Constant	325
KEY_B Constant	325
KEY_BACKSLASH Constant	325
KEY_BACKSPACE Constant	326
KEY_BRIGHTNESSDOWN Constant	326
KEY_BRIGHTNESSUP Constant	326
KEY_C Constant	326
KEY_CALCULATOR Constant	327
KEY_CALL Constant	327
KEY_CANCEL Constant	327
KEY_CAPSLOCK Constant	327
KEY_CLEAR Constant	327
KEY_CLEARAGAIN Constant	328
KEY_COMMA Constant	328
KEY_COMPUTER Constant	328
KEY_COPY Constant	328
KEY_CRSEL Constant	329
KEY_CURRENCYSUBUNIT Constant	329
KEY_CURRENCYUNIT Constant	329
KEY_CUT Constant	329
KEY_D Constant	329
KEY_DECIMALSEPARATOR Constant	330
KEY_DELETE Constant	330
KEY_DISPLAYSWITCH Constant	330
KEY_DOWN Constant	330

KEY_E Constant	331
KEY_EJECT Constant	331
KEY_END Constant	331
KEY_ENDCALL Constant	331
KEY_EQUALS Constant	331
KEY_ESCAPE Constant	332
KEY_EXECUTE Constant	332
KEY_F Constant	332
KEY_F1 Constant	332
KEY_F10 Constant	333
KEY_F11 Constant	333
KEY_F12 Constant	333
KEY_F13 Constant	333
KEY_F14 Constant	333
KEY_F15 Constant	334
KEY_F16 Constant	334
KEY_F17 Constant	334
KEY_F18 Constant	334
KEY_F19 Constant	335
KEY_F2 Constant	335
KEY_F20 Constant	335
KEY_F21 Constant	335
KEY_F22 Constant	335
KEY_F23 Constant	336
KEY_F24 Constant	336
KEY_F3 Constant	336
KEY_F4 Constant	336
KEY_F5 Constant	337
KEY_F6 Constant	337
KEY_F7 Constant	337
KEY_F8 Constant	337
KEY_F9 Constant	337
KEY_FIND Constant	338
KEY_G Constant	338
KEY_GRAVE Constant	338
KEY_H Constant	338
KEY_HELP Constant	339
KEY_HOME Constant	339
KEY_I Constant	339
KEY_INSERT Constant	339
KEY_INTERNATIONAL1 Constant	339
KEY_INTERNATIONAL2 Constant	340

KEY_INTERNATIONAL3 Constant	340
KEY_INTERNATIONAL4 Constant	340
KEY_INTERNATIONAL5 Constant	340
KEY_INTERNATIONAL6 Constant	341
KEY_INTERNATIONAL7 Constant	341
KEY_INTERNATIONAL8 Constant	341
KEY_INTERNATIONAL9 Constant	341
KEY_J Constant	341
KEY_K Constant	342
KEY_KBDILLUMDOWN Constant	342
KEY_KBDILLUMTOGGLE Constant	342
KEY_KBDILLUMUP Constant	342
KEY_KP_0 Constant	343
KEY_KP_00 Constant	343
KEY_KP_000 Constant	343
KEY_KP_1 Constant	343
KEY_KP_2 Constant	343
KEY_KP_3 Constant	344
KEY_KP_4 Constant	344
KEY_KP_5 Constant	344
KEY_KP_6 Constant	344
KEY_KP_7 Constant	345
KEY_KP_8 Constant	345
KEY_KP_9 Constant	345
KEY_KP_A Constant	345
KEY_KP_AMPERSAND Constant	345
KEY_KP_AT Constant	346
KEY_KP_B Constant	346
KEY_KP_BACKSPACE Constant	346
KEY_KP_BINARY Constant	346
KEY_KP_C Constant	347
KEY_KP_CLEAR Constant	347
KEY_KP_CLEARENTRY Constant	347
KEY_KP_COLON Constant	347
KEY_KP_COMMA Constant	347
KEY_KP_D Constant	348
KEY_KP_DBLAMPERSAND Constant	348
KEY_KP_DBLVERTICALBAR Constant	348
KEY_KP_DECIMAL Constant	348
KEY_KP_DIVIDE Constant	349
KEY_KP_E Constant	349
KEY_KP_ENTER Constant	349

KEY_KP_EQUALS Constant	349
KEY_KP_EQUALSAS400 Constant	349
KEY_KP_EXCLAM Constant	350
KEY_KP_F Constant	350
KEY_KP_GREATER Constant	350
KEY_KP_HASH Constant	350
KEY_KP_HEXADECIMAL Constant	351
KEY_KP_LEFTBRACE Constant	351
KEY_KP_LEFTPAREN Constant	351
KEY_KP_LESS Constant	351
KEY_KP_MEMADD Constant	351
KEY_KP_MEMCLEAR Constant	352
KEY_KP_MEMDIVIDE Constant	352
KEY_KP_MEMMULTIPLY Constant	352
KEY_KP_MEMRECALL Constant	352
KEY_KP_MEMSTORE Constant	353
KEY_KP_MEMSUBTRACT Constant	353
KEY_KP_MINUS Constant	353
KEY_KP_MULTIPLY Constant	353
KEY_KP_OCTAL Constant	353
KEY_KP_PERCENT Constant	354
KEY_KP_PERIOD Constant	354
KEY_KP_PLUS Constant	354
KEY_KP_PLUSMINUS Constant	354
KEY_KP_POWER Constant	355
KEY_KP_RIGHTBRACE Constant	355
KEY_KP_RIGHTPAREN Constant	355
KEY_KP_SPACE Constant	355
KEY_KP_TAB Constant	355
KEY_KP_VERTICALBAR Constant	356
KEY_KP_XOR Constant	356
KEY_L Constant	356
KEY_LALT Constant	356
KEY_LANG1 Constant	357
KEY_LANG2 Constant	357
KEY_LANG3 Constant	357
KEY_LANG4 Constant	357
KEY_LANG5 Constant	357
KEY_LANG6 Constant	358
KEY_LANG7 Constant	358
KEY_LANG8 Constant	358
KEY_LANG9 Constant	358

KEY_LCTRL Constant	359
KEY_LEFT Constant	359
KEY_LEFTBRACKET Constant	359
KEY_LGUI Constant	359
KEY_LSHIFT Constant	359
KEY_M Constant	360
KEY_MAIL Constant	360
KEY_MEDIASELECT Constant	360
KEY_MENU Constant	360
KEY_MINUS Constant	361
KEY_MODE Constant	361
KEY_MUTE Constant	361
KEY_N Constant	361
KEY_NONUSBACKSLASH Constant	361
KEY_NONUSHASH Constant	362
KEY_NUMLOCKCLEAR Constant	362
KEY_O Constant	362
KEY_OPER Constant	362
KEY_OUT Constant	363
KEY_P Constant	363
KEY_PAGEDOWN Constant	363
KEY_PAGEUP Constant	363
KEY_PASTE Constant	363
KEY_PAUSE Constant	364
KEY_PERIOD Constant	364
KEY_POWER Constant	364
KEY_PRINTSCREEN Constant	364
KEY_PRIOR Constant	365
KEY_Q Constant	365
KEY_R Constant	365
KEY_RALT Constant	365
KEY_RCTRL Constant	365
KEY_RETURN Constant	366
KEY_RETURN2 Constant	366
KEY_RGUI Constant	366
KEY_RIGHT Constant	366
KEY_RIGHTBRACKET Constant	367
KEY_RSHIFT Constant	367
KEY_S Constant	367
KEY_SCROLLLOCK Constant	367
KEY_SELECT Constant	367
KEY_SEMICOLON Constant	368

KEY_SEPARATOR Constant	368
KEY_SLASH Constant	368
KEY_SLEEP Constant	368
KEY_SOFTLEFT Constant	369
KEY_SOFTRIGHT Constant	369
KEY_SPACE Constant	369
KEY_STOP Constant	369
KEY_SYSREQ Constant	369
KEY_T Constant	370
KEY_TAB Constant	370
KEY_THOUSANDSSEPARATOR Constant	370
KEY_U Constant	370
KEY_UNDO Constant	371
KEY_UP Constant	371
KEY_V Constant	371
KEY_VOLUMEDOWN Constant	371
KEY_VOLUMEUP Constant	371
KEY_W Constant	372
KEY_WWW Constant	372
KEY_X Constant	372
KEY_Y Constant	372
KEY_Z Constant	373
KHAKI Constant	373
LAVENDER Constant	373
LAVENDERBLUSH Constant	373
LAWNGREEN Constant	373
LEMONCHIFFON Constant	374
LF Constant	374
LIGHTBLUE Constant	374
LIGHTCORAL Constant	374
LIGHTCYAN Constant	375
LIGHTGOLDENRODYELLOW Constant	375
LIGHTGRAY Constant	375
LIGHTGREEN Constant	375
LIGHTGREY Constant	375
LIGHTPINK Constant	376
LIGHTSALMON Constant	376
LIGHTSEAGREEN Constant	376
LIGHTSKYBLUE Constant	376
LIGHTSLATEGRAY Constant	377
LIGHTSLATEGREY Constant	377
LIGHTSTEELBLUE Constant	377

LIGHTYELLOW Constant	377
LIME Constant	377
LIMEGREEN Constant	378
LINEN Constant	378
LOGEXT Constant	378
LUACEXT Constant	378
LUAEXT Constant	379
LuSCANCODE_EXSEL Constant	379
MAGENTA Constant	379
MAROON Constant	379
MEDIUMAQUAMARINE Constant	379
MEDIUMBLUE Constant	380
MEDIUMORCHID Constant	380
MEDIUMPURPLE Constant	380
MEDIUMSEAGREEN Constant	380
MEDIUMSLATEBLUE Constant	381
MEDIUMSPRINGGREEN Constant	381
MEDIUMTURQUOISE Constant	381
MEDIUMVIOLETRED Constant	381
MIDNIGHTBLUE Constant	381
MINTCREAM Constant	382
MISTYROSE Constant	382
MOCCASIN Constant	382
MPGEXT Constant	382
NAN Constant	383
NAVAJOWHITE Constant	383
NAVY Constant	383
OGGEXT Constant	383
OLDLACE Constant	383
OLIVE Constant	384
OLIVEDRAB Constant	384
ORANGE Constant	384
ORANGERED Constant	384
ORCHID Constant	385
OVERLAY1 Constant	385
OVERLAY2 Constant	385
PALEGOLDENROD Constant	385
PALEGREEN Constant	385
PALETURQUOISE Constant	386
PALEVIOLETRED Constant	386
PAPAYAWHIP Constant	386
PEACHPUFF Constant	386

PERU Constant	387
PINK Constant	387
PLUM Constant	387
PNGEXT Constant	387
POWDERBLUE Constant	387
PURPLE Constant	388
RADTODEG Constant	388
REBECCAPURPLE Constant	388
RED Constant	388
RED2 Constant	389
ROSYBROWN Constant	389
ROYALBLUE Constant	389
SADDLEBROWN Constant	389
SALMON Constant	389
SANDYBROWN Constant	390
SEAGREEN Constant	390
SEASHELL Constant	390
SIENNA Constant	390
SILVER Constant	391
SKYBLUE Constant	391
SLATEBLUE Constant	391
SLATEGRAY Constant	391
SLATEGREY Constant	391
SNOW Constant	392
SPRINGGREEN Constant	392
STEELBLUE Constant	392
TAN Constant	392
TEAL Constant	393
THISTLE Constant	393
TIMER_FIXEDUPDATE_SPEED Constant	393
TIMER_UPDATE_SPEED Constant	393
TOMATO Constant	393
TURQUOISE Constant	394
VERSION_MAJOR Constant	394
VERSION_MINOR Constant	394
VERSION_PATCH Constant	394
VIDEO_SAMPLEBUFFERSIZE Constant	395
VIOLET Constant	395
WHEAT Constant	395
WHITE Constant	395
WHITE2 Constant	395
WHITESMOKE Constant	396













WINDOW_HEIGHT Constant	396
WINDOW_WIDTH Constant	396
YELLOW Constant	396
YELLOWGREEN Constant	397
Files	397
DelphiGamekit.pas	397

Index **a**

1 Symbol Reference

Classes

	EBufferException (see page 16)	This is class EBufferException.
	ELuaException (see page 16)	This is class ELuaException.
	ELuaRuntimeError (see page 16)	This is class ELuaRuntimeError.
	ELuaSyntaxError (see page 16)	This is class ELuaSyntaxError.
	TAIActor (see page 17)	This is class TAIActor.
	TAIActorEntity (see page 19)	This is class TAIActorEntity.
	TAIState (see page 21)	This is class TAIState.
	TAIStateMachine (see page 24)	This is class TAIStateMachine.
	TAScreenshake (see page 32)	This is class TAScreenshake.
	TActor (see page 35)	This is class TActor.
	TActorList (see page 43)	This is class TActorList.
	TActorScene (see page 47)	This is class TActorScene.
	TArchive (see page 51)	This is class TArchive.
	TArchiveFile (see page 54)	This is class TArchiveFile.
	TAsync (see page 57)	This is class TAsync.
	TAsyncThread (see page 60)	This is class TAsyncThread.
	TAudio (see page 62)	This is class TAudio.
	TBaseObject (see page 69)	This is class TBaseObject.
	TBuffer (see page 70)	This is class TBuffer.
	TCamera (see page 73)	This is class TCamera.
	TCloudDb (see page 77)	This is class TCloudDb.
	TCmdLine (see page 85)	This is class TCmdLine.
	TColor (see page 89)	This is class TColor.
	TConfigFile (see page 92)	This is class TConfigFile.
	TController (see page 97)	This is class TController.
	TEntity (see page 100)	This is class TEntity.
	TEntityActor (see page 118)	This is class TEntityActor.
	TFont (see page 120)	This is class TFont.
	TGame (see page 127)	This is class TGame.
	TGeometry (see page 143)	This is class TGeometry.
	THud (see page 145)	This is class THud.
	TInput (see page 147)	This is class TInput.
	TInputMap (see page 152)	This is class TInputMap.
	TLog (see page 156)	This is class TLog.
	TLua (see page 160)	This is class TLua.
	TLuaContext (see page 171)	This is class TLuaContext.
	TLuaValue (see page 176)	This is class TLuaValue.
	TPoint (see page 180)	This is class TPoint.
	TPolyPoint (see page 183)	This is class TPolyPoint.
	TPolygon (see page 188)	This is class TPolygon.
	TPolypointTrace (see page 192)	This is class TPolypointTrace.

	TPrefs (see page 195)	This is class TPrefs.
	TRange (see page 197)	This is class TRange.
	TRect (see page 198)	This is class TRect.
	TScreenshake (see page 202)	This is class TScreenshake.
	TSpeech (see page 203)	This is class TSpeech.
	TSprite (see page 208)	This is class TSprite.
	TTexture (see page 215)	This is class TTexture.
	TTimer (see page 221)	This is class TTimer.
	TTransform (see page 224)	This is class TTransform.
	TVector (see page 228)	This is class TVector.
	TVideo (see page 235)	This is class TVideo.
	TWindow (see page 239)	This is class TWindow.

Constants

ALICEBLUE (see page 294)	This is constant ALICEBLUE.
ANTIQUEWHITE (see page 295)	This is constant ANTIQUEWHITE.
AQUA (see page 295)	This is constant AQUA.
AQUAMARINE (see page 295)	This is constant AQUAMARINE.
ARCEXT (see page 295)	This is constant ARCEXT.
AUDIO_CHANNEL_DYNAMIC (see page 295)	This is constant AUDIO_CHANNEL_DYNAMIC.
AUDIO_CHANNEL_FADINGIN (see page 296)	This is constant AUDIO_CHANNEL_FADINGIN.
AUDIO_CHANNEL_FADINGOUT (see page 296)	This is constant AUDIO_CHANNEL_FADINGOUT.
AUDIO_CHANNEL_LOOP (see page 296)	This is constant AUDIO_CHANNEL_LOOP.
AUDIO_CHANNEL_MAX (see page 296)	This is constant AUDIO_CHANNEL_MAX.
AUDIO_CHANNEL_NOFADING (see page 297)	This is constant AUDIO_CHANNEL_NOFADING.
AZURE (see page 297)	This is constant AZURE.
BEIGE (see page 297)	This is constant BEIGE.
BISQUE (see page 297)	This is constant BISQUE.
BLACK (see page 297)	This is constant BLACK.
BLANCHEDALMOND (see page 298)	This is constant BLANCHEDALMOND.
BLANK (see page 298)	This is constant BLANK.
BLUE (see page 298)	This is constant BLUE.
BLUEVIOLET (see page 298)	This is constant BLUEVIOLET.
BROWN (see page 299)	This is constant BROWN.
BURLYWOOD (see page 299)	This is constant BURLYWOOD.
BUTTON_LEFT (see page 299)	This is constant BUTTON_LEFT.
BUTTON_MIDDLE (see page 299)	This is constant BUTTON_MIDDLE.
BUTTON_RIGHT (see page 299)	This is constant BUTTON_RIGHT.
BUTTON_X1 (see page 300)	This is constant BUTTON_X1.
BUTTON_X2 (see page 300)	This is constant BUTTON_X2.
CADETBBLUE (see page 300)	This is constant CADETBBLUE.
CHARTREUSE (see page 300)	This is constant CHARTREUSE.
CHOCOLATE (see page 301)	This is constant CHOCOLATE.
COLORKEY (see page 301)	This is constant COLORKEY.
CONTROLLER_AXIS_LEFTX (see page 301)	This is constant CONTROLLER_AXIS_LEFTX.
CONTROLLER_AXIS_LEFTY (see page 301)	This is constant CONTROLLER_AXIS_LEFTY.
CONTROLLER_AXIS_RIGHTX (see page 301)	This is constant CONTROLLER_AXIS_RIGHTX.
CONTROLLER_AXIS_RIGHTY (see page 302)	This is constant CONTROLLER_AXIS_RIGHTY.

CONTROLLER_AXIS_TRIGGERLEFT (see page 302)	This is constant CONTROLLER_AXIS_TRIGGERLEFT.
CONTROLLER_AXIS_TRIGGERRIGHT (see page 302)	This is constant CONTROLLER_AXIS_TRIGGERRIGHT.
CONTROLLER_BUTTON_A (see page 302)	This is constant CONTROLLER_BUTTON_A.
CONTROLLER_BUTTON_B (see page 303)	This is constant CONTROLLER_BUTTON_B.
CONTROLLER_BUTTON_BACK (see page 303)	This is constant CONTROLLER_BUTTON_BACK.
CONTROLLER_BUTTON_DPAD_DOWN (see page 303)	This is constant CONTROLLER_BUTTON_DPAD_DOWN.
CONTROLLER_BUTTON_DPAD_LEFT (see page 303)	This is constant CONTROLLER_BUTTON_DPAD_LEFT.
CONTROLLER_BUTTON_DPAD_RIGHT (see page 303)	This is constant CONTROLLER_BUTTON_DPAD_RIGHT.
CONTROLLER_BUTTON_DPAD_UP (see page 304)	This is constant CONTROLLER_BUTTON_DPAD_UP.
CONTROLLER_BUTTON_GUIDE (see page 304)	This is constant CONTROLLER_BUTTON_GUIDE.
CONTROLLER_BUTTON_LEFTSHOULDER (see page 304)	This is constant CONTROLLER_BUTTON_LEFTSHOULDER.
CONTROLLER_BUTTON_LEFTSTICK (see page 304)	This is constant CONTROLLER_BUTTON_LEFTSTICK.
CONTROLLER_BUTTON_MISC1 (see page 305)	This is constant CONTROLLER_BUTTON_MISC1.
CONTROLLER_BUTTON_PADDLE1 (see page 305)	This is constant CONTROLLER_BUTTON_PADDLE1.
CONTROLLER_BUTTON_PADDLE2 (see page 305)	This is constant CONTROLLER_BUTTON_PADDLE2.
CONTROLLER_BUTTON_PADDLE3 (see page 305)	This is constant CONTROLLER_BUTTON_PADDLE3.
CONTROLLER_BUTTON_PADDLE4 (see page 305)	This is constant CONTROLLER_BUTTON_PADDLE4.
CONTROLLER_BUTTON_RIGHTSHOULDER (see page 306)	This is constant CONTROLLER_BUTTON_RIGHTSHOULDER.
CONTROLLER_BUTTON_RIGHTSTICK (see page 306)	This is constant CONTROLLER_BUTTON_RIGHTSTICK.
CONTROLLER_BUTTON_START (see page 306)	This is constant CONTROLLER_BUTTON_START.
CONTROLLER_BUTTON_TOUCHPAD (see page 306)	This is constant CONTROLLER_BUTTON_TOUCHPAD.
CONTROLLER_BUTTON_X (see page 307)	This is constant CONTROLLER_BUTTON_X.
CONTROLLER_BUTTON_Y (see page 307)	This is constant CONTROLLER_BUTTON_Y.
CORAL (see page 307)	This is constant CORAL.
CORNFLOWERBLUE (see page 307)	This is constant CORNFLOWERBLUE.
CORNSILK (see page 307)	This is constant CORNSILK.
CR (see page 308)	This is constant CR.
CRIMSON (see page 308)	This is constant CRIMSON.
CRLF (see page 308)	This is constant CRLF.
CYAN (see page 308)	This is constant CYAN.
DARKBLUE (see page 309)	This is constant DARKBLUE.
DARKCYAN (see page 309)	This is constant DARKCYAN.
DARKGOLDENROD (see page 309)	This is constant DARKGOLDENROD.
DARKGRAY (see page 309)	This is constant DARKGRAY.
DARKGREEN (see page 309)	This is constant DARKGREEN.

DARKGREY (see page 310)	This is constant DARKGREY.
DARKKHAKI (see page 310)	This is constant DARKKHAKI.
DARKMAGENTA (see page 310)	This is constant DARKMAGENTA.
DARKOLIVEGREEN (see page 310)	This is constant DARKOLIVEGREEN.
DARKORANGE (see page 311)	This is constant DARKORANGE.
DARKORCHID (see page 311)	This is constant DARKORCHID.
DARKRED (see page 311)	This is constant DARKRED.
DARKSALMON (see page 311)	This is constant DARKSALMON.
DARKSEAGREEN (see page 311)	This is constant DARKSEAGREEN.
DARKSLATEBLUE (see page 312)	This is constant DARKSLATEBLUE.
DARKSLATEBROWN (see page 312)	This is constant DARKSLATEBROWN.
DARKSLATEGRAY (see page 312)	This is constant DARKSLATEGRAY.
DARKTURQUOISE (see page 312)	This is constant DARKTURQUOISE.
DARKVIOLET (see page 313)	This is constant DARKVIOLET.
DEEPPINK (see page 313)	This is constant DEEPPINK.
DEEPSKYBLUE (see page 313)	This is constant DEEPSKYBLUE.
DEGTORAD (see page 313)	This is constant DEGTORAD.
DIMGRAY (see page 313)	This is constant DIMGRAY.
DIMWHITE (see page 314)	This is constant DIMWHITE.
DODGERBLUE (see page 314)	This is constant DODGERBLUE.
EPSILON (see page 314)	This is constant EPSILON.
FIREBRICK (see page 314)	This is constant FIREBRICK.
FLORALWHITE (see page 315)	This is constant FLORALWHITE.
FORESTGREEN (see page 315)	This is constant FORESTGREEN.
FUCHSIA (see page 315)	This is constant FUCHSIA.
GAINSBORO (see page 315)	This is constant GAINSBORO.
GHOSTWHITE (see page 315)	This is constant GHOSTWHITE.
GOLD (see page 316)	This is constant GOLD.
GOLDENROD (see page 316)	This is constant GOLDENROD.
GRAY (see page 316)	This is constant GRAY.
GREEN (see page 316)	This is constant GREEN.
GREENYELLOW (see page 317)	This is constant GREENYELLOW.
GREY (see page 317)	This is constant GREY.
HONEYDEW (see page 317)	This is constant HONEYDEW.
HOTPINK (see page 317)	This is constant HOTPINK.
INDIANRED (see page 317)	This is constant INDIANRED.
INDIGO (see page 318)	This is constant INDIGO.
INIEXT (see page 318)	This is constant INIEXT.
IVORY (see page 318)	This is constant IVORY.
KEY_0 (see page 318)	This is constant KEY_0.
KEY_1 (see page 319)	This is constant KEY_1.
KEY_2 (see page 319)	This is constant KEY_2.
KEY_3 (see page 319)	This is constant KEY_3.
KEY_4 (see page 319)	This is constant KEY_4.
KEY_5 (see page 319)	This is constant KEY_5.
KEY_6 (see page 320)	This is constant KEY_6.
KEY_7 (see page 320)	This is constant KEY_7.
KEY_8 (see page 320)	This is constant KEY_8.
KEY_9 (see page 320)	This is constant KEY_9.

KEY_A (see page 321)	This is constant KEY_A.
KEY_AC_BACK (see page 321)	This is constant KEY_AC_BACK.
KEY_AC_BOOKMARKS (see page 321)	This is constant KEY_AC_BOOKMARKS.
KEY_AC_FORWARD (see page 321)	This is constant KEY_AC_FORWARD.
KEY_AC_HOME (see page 321)	This is constant KEY_AC_HOME.
KEY_AC_REFRESH (see page 322)	This is constant KEY_AC_REFRESH.
KEY_AC_SEARCH (see page 322)	This is constant KEY_AC_SEARCH.
KEY_AC_STOP (see page 322)	This is constant KEY_AC_STOP.
KEY_AGAIN (see page 322)	This is constant KEY_AGAIN.
KEY_ALTERASE (see page 323)	This is constant KEY_ALTERASE.
KEY_APOSTROPHE (see page 323)	This is constant KEY_APOSTROPHE.
KEY_APP1 (see page 323)	This is constant KEY_APP1.
KEY_APP2 (see page 323)	This is constant KEY_APP2.
KEY_APPLICATION (see page 323)	This is constant KEY_APPLICATION.
KEY_AUDIOFASTFORWARD (see page 324)	This is constant KEY_AUDIOFASTFORWARD.
KEY_AUDIOMUTE (see page 324)	This is constant KEY_AUDIOMUTE.
KEY_AUDIONEXT (see page 324)	This is constant KEY_AUDIONEXT.
KEY_AUDIOPLAY (see page 324)	This is constant KEY_AUDIOPLAY.
KEY_AUDIOPREV (see page 325)	This is constant KEY_AUDIOPREV.
KEY_AUDIOREWIND (see page 325)	This is constant KEY_AUDIOREWIND.
KEY_AUDIOSTOP (see page 325)	This is constant KEY_AUDIOSTOP.
KEY_B (see page 325)	This is constant KEY_B.
KEY_BACKSLASH (see page 325)	This is constant KEY_BACKSLASH.
KEY_BACKSPACE (see page 326)	This is constant KEY_BACKSPACE.
KEY_BRIGHTNESSDOWN (see page 326)	This is constant KEY_BRIGHTNESSDOWN.
KEY_BRIGHTNESSUP (see page 326)	This is constant KEY_BRIGHTNESSUP.
KEY_C (see page 326)	This is constant KEY_C.
KEY_CALCULATOR (see page 327)	This is constant KEY_CALCULATOR.
KEY_CALL (see page 327)	This is constant KEY_CALL.
KEY_CANCEL (see page 327)	This is constant KEY_CANCEL.
KEY_CAPSLOCK (see page 327)	This is constant KEY_CAPSLOCK.
KEY_CLEAR (see page 327)	This is constant KEY_CLEAR.
KEY_CLEARAGAIN (see page 328)	This is constant KEY_CLEARAGAIN.
KEY_COMMA (see page 328)	This is constant KEY_COMMA.
KEY_COMPUTER (see page 328)	This is constant KEY_COMPUTER.
KEY_COPY (see page 328)	This is constant KEY_COPY.
KEY_CRSEL (see page 329)	This is constant KEY_CRSEL.
KEY_CURRENCYSUBUNIT (see page 329)	This is constant KEY_CURRENCYSUBUNIT.
KEY_CURRENCYUNIT (see page 329)	This is constant KEY_CURRENCYUNIT.
KEY_CUT (see page 329)	This is constant KEY_CUT.
KEY_D (see page 329)	This is constant KEY_D.
KEY_DECIMALSEPARATOR (see page 330)	This is constant KEY_DECIMALSEPARATOR.
KEY_DELETE (see page 330)	This is constant KEY_DELETE.
KEY_DISPLAYSWITCH (see page 330)	This is constant KEY_DISPLAYSWITCH.
KEY_DOWN (see page 330)	This is constant KEY_DOWN.
KEY_E (see page 331)	This is constant KEY_E.
KEY_EJECT (see page 331)	This is constant KEY_EJECT.
KEY_END (see page 331)	This is constant KEY_END.
KEY_ENDCALL (see page 331)	This is constant KEY_ENDCALL.

KEY_EQUALS (see page 331)	This is constant KEY_EQUALS.
KEY_ESCAPE (see page 332)	This is constant KEY_ESCAPE.
KEY_EXECUTE (see page 332)	This is constant KEY_EXECUTE.
KEY_F (see page 332)	This is constant KEY_F.
KEY_F1 (see page 332)	This is constant KEY_F1.
KEY_F10 (see page 333)	This is constant KEY_F10.
KEY_F11 (see page 333)	This is constant KEY_F11.
KEY_F12 (see page 333)	This is constant KEY_F12.
KEY_F13 (see page 333)	This is constant KEY_F13.
KEY_F14 (see page 333)	This is constant KEY_F14.
KEY_F15 (see page 334)	This is constant KEY_F15.
KEY_F16 (see page 334)	This is constant KEY_F16.
KEY_F17 (see page 334)	This is constant KEY_F17.
KEY_F18 (see page 334)	This is constant KEY_F18.
KEY_F19 (see page 335)	This is constant KEY_F19.
KEY_F2 (see page 335)	This is constant KEY_F2.
KEY_F20 (see page 335)	This is constant KEY_F20.
KEY_F21 (see page 335)	This is constant KEY_F21.
KEY_F22 (see page 335)	This is constant KEY_F22.
KEY_F23 (see page 336)	This is constant KEY_F23.
KEY_F24 (see page 336)	This is constant KEY_F24.
KEY_F3 (see page 336)	This is constant KEY_F3.
KEY_F4 (see page 336)	This is constant KEY_F4.
KEY_F5 (see page 337)	This is constant KEY_F5.
KEY_F6 (see page 337)	This is constant KEY_F6.
KEY_F7 (see page 337)	This is constant KEY_F7.
KEY_F8 (see page 337)	This is constant KEY_F8.
KEY_F9 (see page 337)	This is constant KEY_F9.
KEY_FIND (see page 338)	This is constant KEY_FIND.
KEY_G (see page 338)	This is constant KEY_G.
KEY_GRAVE (see page 338)	This is constant KEY_GRAVE.
KEY_H (see page 338)	This is constant KEY_H.
KEY_HELP (see page 339)	This is constant KEY_HELP.
KEY_HOME (see page 339)	This is constant KEY_HOME.
KEY_I (see page 339)	This is constant KEY_I.
KEY_INSERT (see page 339)	This is constant KEY_INSERT.
KEY_INTERNATIONAL1 (see page 339)	This is constant KEY_INTERNATIONAL1.
KEY_INTERNATIONAL2 (see page 340)	This is constant KEY_INTERNATIONAL2.
KEY_INTERNATIONAL3 (see page 340)	This is constant KEY_INTERNATIONAL3.
KEY_INTERNATIONAL4 (see page 340)	This is constant KEY_INTERNATIONAL4.
KEY_INTERNATIONAL5 (see page 340)	This is constant KEY_INTERNATIONAL5.
KEY_INTERNATIONAL6 (see page 341)	This is constant KEY_INTERNATIONAL6.
KEY_INTERNATIONAL7 (see page 341)	This is constant KEY_INTERNATIONAL7.
KEY_INTERNATIONAL8 (see page 341)	This is constant KEY_INTERNATIONAL8.
KEY_INTERNATIONAL9 (see page 341)	This is constant KEY_INTERNATIONAL9.
KEY_J (see page 341)	This is constant KEY_J.
KEY_K (see page 342)	This is constant KEY_K.
KEY_KBDILLUMDOWN (see page 342)	This is constant KEY_KBDILLUMDOWN.
KEY_KBDILLUMTOGGLE (see page 342)	This is constant KEY_KBDILLUMTOGGLE.

KEY_KBDILLUMUP (see page 342)	This is constant KEY_KBDILLUMUP.
KEY_KP_0 (see page 343)	This is constant KEY_KP_0.
KEY_KP_00 (see page 343)	This is constant KEY_KP_00.
KEY_KP_000 (see page 343)	This is constant KEY_KP_000.
KEY_KP_1 (see page 343)	This is constant KEY_KP_1.
KEY_KP_2 (see page 343)	This is constant KEY_KP_2.
KEY_KP_3 (see page 344)	This is constant KEY_KP_3.
KEY_KP_4 (see page 344)	This is constant KEY_KP_4.
KEY_KP_5 (see page 344)	This is constant KEY_KP_5.
KEY_KP_6 (see page 344)	This is constant KEY_KP_6.
KEY_KP_7 (see page 345)	This is constant KEY_KP_7.
KEY_KP_8 (see page 345)	This is constant KEY_KP_8.
KEY_KP_9 (see page 345)	This is constant KEY_KP_9.
KEY_KP_A (see page 345)	This is constant KEY_KP_A.
KEY_KP_AMPERSAND (see page 345)	This is constant KEY_KP_AMPERSAND.
KEY_KP_AT (see page 346)	This is constant KEY_KP_AT.
KEY_KP_B (see page 346)	This is constant KEY_KP_B.
KEY_KP_BACKSPACE (see page 346)	This is constant KEY_KP_BACKSPACE.
KEY_KP_BINARY (see page 346)	This is constant KEY_KP_BINARY.
KEY_KP_C (see page 347)	This is constant KEY_KP_C.
KEY_KP_CLEAR (see page 347)	This is constant KEY_KP_CLEAR.
KEY_KP_CLEARENTRY (see page 347)	This is constant KEY_KP_CLEARENTRY.
KEY_KP_COLON (see page 347)	This is constant KEY_KP_COLON.
KEY_KP_COMMA (see page 347)	This is constant KEY_KP_COMMA.
KEY_KP_D (see page 348)	This is constant KEY_KP_D.
KEY_KP_DBLAMPERSAND (see page 348)	This is constant KEY_KP_DBLAMPERSAND.
KEY_KP_DBLVERTICALBAR (see page 348)	This is constant KEY_KP_DBLVERTICALBAR.
KEY_KP_DECIMAL (see page 348)	This is constant KEY_KP_DECIMAL.
KEY_KP_DIVIDE (see page 349)	This is constant KEY_KP_DIVIDE.
KEY_KP_E (see page 349)	This is constant KEY_KP_E.
KEY_KP_ENTER (see page 349)	This is constant KEY_KP_ENTER.
KEY_KP_EQUALS (see page 349)	This is constant KEY_KP_EQUALS.
KEY_KP_EQUALSAS400 (see page 349)	This is constant KEY_KP_EQUALSAS400.
KEY_KP_EXCLAM (see page 350)	This is constant KEY_KP_EXCLAM.
KEY_KP_F (see page 350)	This is constant KEY_KP_F.
KEY_KP_GREATER (see page 350)	This is constant KEY_KP_GREATER.
KEY_KP_HASH (see page 350)	This is constant KEY_KP_HASH.
KEY_KP_HEXADECEMAL (see page 351)	This is constant KEY_KP_HEXADECEMAL.
KEY_KP_LEFTBRACE (see page 351)	This is constant KEY_KP_LEFTBRACE.
KEY_KP_LEFTPAREN (see page 351)	This is constant KEY_KP_LEFTPAREN.
KEY_KP_LESS (see page 351)	This is constant KEY_KP_LESS.
KEY_KP_MEMADD (see page 351)	This is constant KEY_KP_MEMADD.
KEY_KP_MEMCLEAR (see page 352)	This is constant KEY_KP_MEMCLEAR.
KEY_KP_MEMDIVIDE (see page 352)	This is constant KEY_KP_MEMDIVIDE.
KEY_KP_MEMMULTIPLY (see page 352)	This is constant KEY_KP_MEMMULTIPLY.
KEY_KP_MEMRECALL (see page 352)	This is constant KEY_KP_MEMRECALL.
KEY_KP_MEMSTORE (see page 353)	This is constant KEY_KP_MEMSTORE.
KEY_KP_MEMSUBTRACT (see page 353)	This is constant KEY_KP_MEMSUBTRACT.
KEY_KP_MINUS (see page 353)	This is constant KEY_KP_MINUS.

KEY_KP_MULTIPLY (see page 353)	This is constant KEY_KP_MULTIPLY.
KEY_KP_OCTAL (see page 353)	This is constant KEY_KP_OCTAL.
KEY_KP_PERCENT (see page 354)	This is constant KEY_KP_PERCENT.
KEY_KP_PERIOD (see page 354)	This is constant KEY_KP_PERIOD.
KEY_KP_PLUS (see page 354)	This is constant KEY_KP_PLUS.
KEY_KP_PLUSMINUS (see page 354)	This is constant KEY_KP_PLUSMINUS.
KEY_KP_POWER (see page 355)	This is constant KEY_KP_POWER.
KEY_KP_RIGHTBRACE (see page 355)	This is constant KEY_KP_RIGHTBRACE.
KEY_KP_RIGHTPAREN (see page 355)	This is constant KEY_KP_RIGHTPAREN.
KEY_KP_SPACE (see page 355)	This is constant KEY_KP_SPACE.
KEY_KP_TAB (see page 355)	This is constant KEY_KP_TAB.
KEY_KP_VERTICALBAR (see page 356)	This is constant KEY_KP_VERTICALBAR.
KEY_KP_XOR (see page 356)	This is constant KEY_KP_XOR.
KEY_L (see page 356)	This is constant KEY_L.
KEY_LALT (see page 356)	This is constant KEY_LALT.
KEY_LANG1 (see page 357)	This is constant KEY_LANG1.
KEY_LANG2 (see page 357)	This is constant KEY_LANG2.
KEY_LANG3 (see page 357)	This is constant KEY_LANG3.
KEY_LANG4 (see page 357)	This is constant KEY_LANG4.
KEY_LANG5 (see page 357)	This is constant KEY_LANG5.
KEY_LANG6 (see page 358)	This is constant KEY_LANG6.
KEY_LANG7 (see page 358)	This is constant KEY_LANG7.
KEY_LANG8 (see page 358)	This is constant KEY_LANG8.
KEY_LANG9 (see page 358)	This is constant KEY_LANG9.
KEY_LCTRL (see page 359)	This is constant KEY_LCTRL.
KEY_LEFT (see page 359)	This is constant KEY_LEFT.
KEY_LEFTBRACKET (see page 359)	This is constant KEY_LEFTBRACKET.
KEY_LGUI (see page 359)	This is constant KEY_LGUI.
KEY_LSHIFT (see page 359)	This is constant KEY_LSHIFT.
KEY_M (see page 360)	This is constant KEY_M.
KEY_MAIL (see page 360)	This is constant KEY_MAIL.
KEY_MEDIASELECT (see page 360)	This is constant KEY_MEDIASELECT.
KEY_MENU (see page 360)	This is constant KEY_MENU.
KEY_MINUS (see page 361)	This is constant KEY_MINUS.
KEY_MODE (see page 361)	This is constant KEY_MODE.
KEY_MUTE (see page 361)	This is constant KEY_MUTE.
KEY_N (see page 361)	This is constant KEY_N.
KEY_NONUSBACKSLASH (see page 361)	This is constant KEY_NONUSBACKSLASH.
KEY_NONUSHASH (see page 362)	This is constant KEY_NONUSHASH.
KEY_NUMLOCKCLEAR (see page 362)	This is constant KEY_NUMLOCKCLEAR.
KEY_O (see page 362)	This is constant KEY_O.
KEY_OPER (see page 362)	This is constant KEY_OPER.
KEY_OUT (see page 363)	This is constant KEY_OUT.
KEY_P (see page 363)	This is constant KEY_P.
KEY_PAGEDOWN (see page 363)	This is constant KEY_PAGEDOWN.
KEY_PAGEUP (see page 363)	This is constant KEY_PAGEUP.
KEY_PASTE (see page 363)	This is constant KEY_PASTE.
KEY_PAUSE (see page 364)	This is constant KEY_PAUSE.
KEY_PERIOD (see page 364)	This is constant KEY_PERIOD.

KEY_POWER (see page 364)	This is constant KEY_POWER.
KEY_PRINTSCREEN (see page 364)	This is constant KEY_PRINTSCREEN.
KEY_PRIOR (see page 365)	This is constant KEY_PRIOR.
KEY_Q (see page 365)	This is constant KEY_Q.
KEY_R (see page 365)	This is constant KEY_R.
KEY_RALT (see page 365)	This is constant KEY_RALT.
KEY_RCTRL (see page 365)	This is constant KEY_RCTRL.
KEY_RETURN (see page 366)	This is constant KEY_RETURN.
KEY_RETURN2 (see page 366)	This is constant KEY_RETURN2.
KEY_RGUI (see page 366)	This is constant KEY_RGUI.
KEY_RIGHT (see page 366)	This is constant KEY_RIGHT.
KEY_RIGHTBRACKET (see page 367)	This is constant KEY_RIGHTBRACKET.
KEY_RSHIFT (see page 367)	This is constant KEY_RSHIFT.
KEY_S (see page 367)	This is constant KEY_S.
KEY_SCROLLLOCK (see page 367)	This is constant KEY_SCROLLLOCK.
KEY_SELECT (see page 367)	This is constant KEY_SELECT.
KEY_SEMICOLON (see page 368)	This is constant KEY_SEMICOLON.
KEY_SEPARATOR (see page 368)	This is constant KEY_SEPARATOR.
KEY_SLASH (see page 368)	This is constant KEY_SLASH.
KEY_SLEEP (see page 368)	This is constant KEY_SLEEP.
KEY_SOFTLEFT (see page 369)	This is constant KEY_SOFTLEFT.
KEY_SOFTRIGHT (see page 369)	This is constant KEY_SOFTRIGHT.
KEY_SPACE (see page 369)	This is constant KEY_SPACE.
KEY_STOP (see page 369)	This is constant KEY_STOP.
KEY_SYSREQ (see page 369)	This is constant KEY_SYSREQ.
KEY_T (see page 370)	This is constant KEY_T.
KEY_TAB (see page 370)	This is constant KEY_TAB.
KEY_THOUSANDSSEPARATOR (see page 370)	This is constant KEY_THOUSANDSSEPARATOR.
KEY_U (see page 370)	This is constant KEY_U.
KEY_UNDO (see page 371)	This is constant KEY_UNDO.
KEY_UP (see page 371)	This is constant KEY_UP.
KEY_V (see page 371)	This is constant KEY_V.
KEY_VOLUMEDOWN (see page 371)	This is constant KEY_VOLUMEDOWN.
KEY_VOLUMEUP (see page 371)	This is constant KEY_VOLUMEUP.
KEY_W (see page 372)	This is constant KEY_W.
KEY_WWW (see page 372)	This is constant KEY_WWW.
KEY_X (see page 372)	This is constant KEY_X.
KEY_Y (see page 372)	This is constant KEY_Y.
KEY_Z (see page 373)	This is constant KEY_Z.
KHAKI (see page 373)	This is constant KHAKI.
LAVENDER (see page 373)	This is constant LAVENDER.
LAVENDERBLUSH (see page 373)	This is constant LAVENDERBLUSH.
LAWNGREEN (see page 373)	This is constant LAWNGREEN.
LEMONCHIFFON (see page 374)	This is constant LEMONCHIFFON.
LF (see page 374)	This is constant LF.
LIGHTBLUE (see page 374)	This is constant LIGHTBLUE.
LIGHTCORAL (see page 374)	This is constant LIGHTCORAL.
LIGHTCYAN (see page 375)	This is constant LIGHTCYAN.

LIGHTGOLDENRODYELLOW (see page 375)	This is constant LIGHTGOLDENRODYELLOW.
LIGHTGRAY (see page 375)	This is constant LIGHTGRAY.
LIGHTGREEN (see page 375)	This is constant LIGHTGREEN.
LIGHTGREY (see page 375)	This is constant LIGHTGREY.
LIGHTPINK (see page 376)	This is constant LIGHTPINK.
LIGHTSALMON (see page 376)	This is constant LIGHTSALMON.
LIGHTSEAGREEN (see page 376)	This is constant LIGHTSEAGREEN.
LIGHTSKYBLUE (see page 376)	This is constant LIGHTSKYBLUE.
LIGHTSLATEGRAY (see page 377)	This is constant LIGHTSLATEGRAY.
LIGHTSLATEGREY (see page 377)	This is constant LIGHTSLATEGREY.
LIGHTSTEELBLUE (see page 377)	This is constant LIGHTSTEELBLUE.
LIGHTYELLOW (see page 377)	This is constant LIGHTYELLOW.
LIME (see page 377)	This is constant LIME.
LIMEGREEN (see page 378)	This is constant LIMEGREEN.
LINEN (see page 378)	This is constant LINEN.
LOGEXT (see page 378)	This is constant LOGEXT.
LUACEXT (see page 378)	This is constant LUACEXT.
LUAEXT (see page 379)	This is constant LUAEXT.
LuSCANCODE_EXSEL (see page 379)	This is constant LuSCANCODE_EXSEL.
MAGENTA (see page 379)	This is constant MAGENTA.
MAROON (see page 379)	This is constant MAROON.
MEDIUMAQUAMARINE (see page 379)	This is constant MEDIUMAQUAMARINE.
MEDIUMBLUE (see page 380)	This is constant MEDIUMBLUE.
MEDIUMORCHID (see page 380)	This is constant MEDIUMORCHID.
MEDIUMPURPLE (see page 380)	This is constant MEDIUMPURPLE.
MEDIUMSEAGREEN (see page 380)	This is constant MEDIUMSEAGREEN.
MEDIUMSLATEBLUE (see page 381)	This is constant MEDIUMSLATEBLUE.
MEDIUMSPRINGGREEN (see page 381)	This is constant MEDIUMSPRINGGREEN.
MEDIUMTURQUOISE (see page 381)	This is constant MEDIUMTURQUOISE.
MEDIUMVIOLETRED (see page 381)	This is constant MEDIUMVIOLETRED.
MIDNIGHTBLUE (see page 381)	This is constant MIDNIGHTBLUE.
MINTCREAM (see page 382)	This is constant MINTCREAM.
MISTYROSE (see page 382)	This is constant MISTYROSE.
MOCCASIN (see page 382)	This is constant MOCCASIN.
MPGEXT (see page 382)	This is constant MPGEXT.
NAN (see page 383)	This is constant NAN.
NAVAJOWHITE (see page 383)	This is constant NAVAJOWHITE.
NAVY (see page 383)	This is constant NAVY.
OGGEXT (see page 383)	This is constant OGGEXT.
OLDLACE (see page 383)	This is constant OLDLACE.
OLIVE (see page 384)	This is constant OLIVE.
OLIVEDRAB (see page 384)	This is constant OLIVEDRAB.
ORANGE (see page 384)	This is constant ORANGE.
ORANGERED (see page 384)	This is constant ORANGERED.
ORCHID (see page 385)	This is constant ORCHID.
OVERLAY1 (see page 385)	This is constant OVERLAY1.
OVERLAY2 (see page 385)	This is constant OVERLAY2.
PALEGOLDENROD (see page 385)	This is constant PALEGOLDENROD.
PALEGREEN (see page 385)	This is constant PALEGREEN.



PALETURQUOISE (see page 386)	This is constant PALETURQUOISE.
PALEVIOLETRED (see page 386)	This is constant PALEVIOLETRED.
PAPAYAWHIP (see page 386)	This is constant PAPAYAWHIP.
PEACHPUFF (see page 386)	This is constant PEACHPUFF.
PERU (see page 387)	This is constant PERU.
PINK (see page 387)	This is constant PINK.
PLUM (see page 387)	This is constant PLUM.
PNGEXT (see page 387)	This is constant PNGEXT.
POWDERBLUE (see page 387)	This is constant POWDERBLUE.
PURPLE (see page 388)	This is constant PURPLE.
RADTODEG (see page 388)	This is constant RADTODEG.
REBECCAPURPLE (see page 388)	This is constant REBECCAPURPLE.
RED (see page 388)	This is constant RED.
RED2 (see page 389)	This is constant RED2.
ROSYBROWN (see page 389)	This is constant ROSYBROWN.
ROYALBLUE (see page 389)	This is constant ROYALBLUE.
SADDLEBROWN (see page 389)	This is constant SADDLEBROWN.
SALMON (see page 389)	This is constant SALMON.
SANDYBROWN (see page 390)	This is constant SANDYBROWN.
SEAGREEN (see page 390)	This is constant SEAGREEN.
SEASHELL (see page 390)	This is constant SEASHELL.
SIENNA (see page 390)	This is constant SIENNA.
SILVER (see page 391)	This is constant SILVER.
SKYBLUE (see page 391)	This is constant SKYBLUE.
SLATEBLUE (see page 391)	This is constant SLATEBLUE.
SLATEGRAY (see page 391)	This is constant SLATEGRAY.
SLATEGREY (see page 391)	This is constant SLATEGREY.
SNOW (see page 392)	This is constant SNOW.
SPRINGGREEN (see page 392)	This is constant SPRINGGREEN.
STEELBLUE (see page 392)	This is constant STEELBLUE.
TAN (see page 392)	This is constant TAN.
TEAL (see page 393)	This is constant TEAL.
THISTLE (see page 393)	This is constant THISTLE.
TIMER_FIXEDUPDATE_SPEED (see page 393)	This is constant TIMER_FIXEDUPDATE_SPEED.
TIMER_UPDATE_SPEED (see page 393)	This is constant TIMER_UPDATE_SPEED.
TOMATO (see page 393)	This is constant TOMATO.
TURQUOISE (see page 394)	This is constant TURQUOISE.
VERSION_MAJOR (see page 394)	This is constant VERSION_MAJOR.
VERSION_MINOR (see page 394)	This is constant VERSION_MINOR.
VERSION_PATCH (see page 394)	This is constant VERSION_PATCH.
VIDEO_SAMPLEBUFFERSIZE (see page 395)	This is constant VIDEO_SAMPLEBUFFERSIZE.
VIOLET (see page 395)	This is constant VIOLET.
WHEAT (see page 395)	This is constant WHEAT.
WHITE (see page 395)	This is constant WHITE.
WHITE2 (see page 395)	This is constant WHITE2.
WHITESMOKE (see page 396)	This is constant WHITESMOKE.
WINDOW_HEIGHT (see page 396)	This is constant WINDOW_HEIGHT.
WINDOW_WIDTH (see page 396)	This is constant WINDOW_WIDTH.

YELLOW (see page 396)	This is constant YELLOW.
YELLOWGREEN (see page 397)	This is constant YELLOWGREEN.
















Files

DelphiGamekit.pas (see page 397)	This is file DelphiGamekit.pas.
-----------------------------------	---------------------------------

Interfaces

 ILua (see page 246)	This is class ILua.
 ILuaContext (see page 251)	This is class ILuaContext.

Structs, Records, Enums

 TActorMessage (see page 275)	This is record TActorMessage.
 TAudioFading (see page 275)	This is record TAudioFading.
 TBlendMode (see page 276)	This is record TBlendMode.
 TEaseType (see page 276)	This is record TEaseType.
 TFlipMode (see page 277)	This is record TFlipMode.
 THAlign (see page 277)	This is record THAlign.
 TInputDevice (see page 277)	This is record TInputDevice.
 TLineIntersection (see page 277)	This is record TLineIntersection.
 TLuaTable (see page 278)	This is record TLuaTable.
 TLuaType (see page 278)	This is record TLuaType.
 TLuaValueType (see page 278)	This is record TLuaValueType.
 TSpeechVoiceAttribute (see page 279)	This is record TSpeechVoiceAttribute.
 TTextureAccess (see page 279)	This is record TTextureAccess.
 TVAlign (see page 279)	This is record TVAlign.
 TVideoStatus (see page 279)	This is record TVideoStatus.

Types

PActorMessage (see page 280)	This is type PActorMessage.
PColor (see page 280)	This is type PColor.
PPoint (see page 281)	This is type PPoint.
PRange (see page 281)	This is type PRange.
PRect (see page 281)	This is type PRect.
PTransform (see page 281)	This is type PTransform.
PVector (see page 282)	This is type PVector.
PVideo (see page 282)	This is type PVideo.
TActorAttributeSet (see page 282)	This is type TActorAttributeSet.
TActorSceneEvent (see page 282)	This is type TActorSceneEvent.
TAsyncProc (see page 282)	This is type TAsyncProc.
TCaptureConsoleOutputEvent (see page 283)	This is type TCaptureConsoleOutputEvent.
TGameClass (see page 283)	This is type TGameClass.
TLuaFunction (see page 283)	This is type TLuaFunction.
TMusic (see page 283)	This is type TMusic.
TSound (see page 284)	This is type TSound.

Variables

Game (see page 284)	This is variable Game.
Marshaller (see page 284)	This is variable Marshaller.

Functions








◆	AddSelfToUserPath (see page 256)	This is function AddSelfToUserPath.
◆	AngleCos (see page 256)	This is function AngleCos.
◆	AngleDiff (see page 256)	This is function AngleDiff.
◆	AngleRotatePos (see page 257)	This is function AngleRotatePos.
◆	AngleSin (see page 257)	This is function AngleSin.
◆	CaptureConsoleOutput (see page 257)	This is function CaptureConsoleOutput.
◆	CircleInRectangle (see page 257)	This is function CircleInRectangle.
◆	CirclesOverlap (see page 258)	This is function CirclesOverlap.
◆	ClipVaLue (see page 258)	This is function ClipVaLue.
◆	ClipVaLuef (see page 258)	This is function ClipVaLuef.
◆	CreateDirsInPath (see page 259)	This is function CreateDirsInPath.
◆	EasePosition (see page 259)	This is function EasePosition.
◆	EaseValue (see page 259)	This is function EaseValue.
◆	ExpandRelDirectory (see page 259)	This is function ExpandRelDirectory.
◆	ExpandRelFilename (see page 260)	This is function ExpandRelFilename.
◆	ExtractRelativeDirectory (see page 260)	This is function ExtractRelativeDirectory.
◆	ExtractRelativeFilename (see page 260)	This is function ExtractRelativeFilename.
◆	FreeNilObject (see page 260)	This is function FreeNilObject.
◆	GetDirName (see page 261)	This is function GetDirName.
◆	GetEnvVarValue (see page 261)	This is function GetEnvVarValue.
◆	GetExeBasePath (see page 261)	This is function GetExeBasePath.
◆	GetExePath (see page 261)	This is function GetExePath.
◆	GetFileRWops (see page 262)	This is function GetFileRWops.
◆	GetMemRWops (see page 262)	This is function GetMemRWops.
◆	GetRandomSeed (see page 262)	This is function GetRandomSeed.
◆	GetSemVerStr (see page 262)	This is function GetSemVerStr.
◆	GetUUID (see page 263)	This is function GetUUID.
◆	GetVersionInfo (see page 263)	This is function GetVersionInfo.
◆	GetVersionInfo (see page 263)	This is function GetVersionInfo.
◆	HasConsoleOutput (see page 263)	This is function HasConsoleOutput.
◆	HttpGet (see page 264)	This is function HttpGet.
◆	IsCurrentDir (see page 264)	This is function IsCurrentDir.
◆	IsSingleInstance (see page 264)	This is function IsSingleInstance.
◆	IsValidFilename (see page 264)	This is function IsValidFilename.
◆	Lerp (see page 265)	This is function Lerp.
◆	LineIntersection (see page 265)	This is function LineIntersection.
◆	Pause (see page 265)	This is function Pause.
◆	PointInCircle (see page 266)	This is function PointInCircle.
◆	PointInRectangle (see page 266)	This is function PointInRectangle.
◆	PointInTriangle (see page 266)	This is function PointInTriangle.
◆	Print (see page 266)	This is function Print.
◆	Print (see page 267)	This is function Print.
◆	PrintLn (see page 267)	This is function PrintLn.
◆	PrintLn (see page 267)	This is function PrintLn.

	PrintLn (see page 267)	This is function PrintLn.
	ProcessMessages (see page 268)	This is function ProcessMessages.
	RadiusOverlap (see page 268)	This is function RadiusOverlap.
	RandomBool (see page 268)	This is function RandomBool.
	RandomRange (see page 268)	This is function RandomRange.
	RandomRangeF (see page 269)	This is function RandomRangeF.
	ReadStringFromStream (see page 269)	This is function ReadStringFromStream.
	RectangleIntersection (see page 269)	This is function RectangleIntersection.
	RectanglesOverlap (see page 269)	This is function RectanglesOverlap.
	RemoveDuplicates (see page 270)	This is function RemoveDuplicates.
	RemoveDuplicates2 (see page 270)	This is function RemoveDuplicates2.
	RemoveQuotes (see page 270)	This is function RemoveQuotes.
	RemoveSelfFromUserPath (see page 270)	This is function RemoveSelfFromUserPath.
	ResourceExists (see page 271)	This is function ResourceExists.
	RunGame (see page 271)	This is function RunGame.
	SameSign (see page 271)	This is function SameSign.
	SameSignf (see page 271)	This is function SameSignf.
	SameVaLue (see page 272)	This is function SameVaLue.
	SameVaLuef (see page 272)	This is function SameVaLuef.
	SetEnvVarValue (see page 272)	This is function SetEnvVarValue.
	SetGlobalEnvironment (see page 272)	This is function SetGlobalEnvironment.
	SetRandomSeed (see page 273)	This is function SetRandomSeed.
	ShellOpen (see page 273)	This is function ShellOpen.
	SmoothMove (see page 273)	This is function SmoothMove.
	UnitToScalarValue (see page 274)	This is function UnitToScalarValue.
	WaitForAnyKey (see page 274)	This is function WaitForAnyKey.
	WasRunFromConsole (see page 274)	This is function WasRunFromConsole.
	WriteStringToStream (see page 274)	This is function WriteStringToStream.

1.1 Classes






















The following table lists classes in this documentation.

Classes

	EBufferException (see page 16)	This is class EBufferException.
	ELuaException (see page 16)	This is class ELuaException.
	ELuaRuntimeException (see page 16)	This is class ELuaRuntimeException.
	ELuaSyntaxError (see page 16)	This is class ELuaSyntaxError.
	TAIActor (see page 17)	This is class TAIActor.
	TAIEntityActor (see page 19)	This is class TAIEntityActor.
	TAIState (see page 21)	This is class TAIState.


	TAIStateMachine (see page 24)	This is class TAIStateMachine.
	TAScreenshake (see page 32)	This is class TAScreenshake.
	TActor (see page 35)	This is class TActor.
	TActorList (see page 43)	This is class TActorList.
	TActorScene (see page 47)	This is class TActorScene.
	TArchive (see page 51)	This is class TArchive.
	TArchiveFile (see page 54)	This is class TArchiveFile.
	TAsyncThread (see page 60)	This is class TAsyncThread.
	TBaseObject (see page 69)	This is class TBaseObject.
	TBuffer (see page 70)	This is class TBuffer.
	TCamera (see page 73)	This is class TCamera.
	TCloudDb (see page 77)	This is class TCloudDb.
	TConfigFile (see page 92)	This is class TConfigFile.
	TEntity (see page 100)	This is class TEntity.
	TEntityActor (see page 118)	This is class TEntityActor.
	TFont (see page 120)	This is class TFont.
	TGame (see page 127)	This is class TGame.
	TGeometry (see page 143)	This is class TGeometry.
	TInputMap (see page 152)	This is class TInputMap.
	TLua (see page 160)	This is class TLua.
	TLuaContext (see page 171)	This is class TLuaContext.
	TPolyPoint (see page 183)	This is class TPolyPoint.
	TPolygon (see page 188)	This is class TPolygon.
	TSprite (see page 208)	This is class TSprite.
	TTexture (see page 215)	This is class TTexture.

Records

	TAsync (see page 57)	This is class TAsync.
	TAudio (see page 62)	This is class TAudio.
	TCmdLine (see page 85)	This is class TCmdLine.
	TColor (see page 89)	This is class TColor.
	TController (see page 97)	This is class TController.
	THud (see page 145)	This is class THud.
	TInput (see page 147)	This is class TInput.
	TLog (see page 156)	This is class TLog.
	TLuaValue (see page 176)	This is class TLuaValue.
	TPoint (see page 180)	This is class TPoint.
	TPolypointTrace (see page 192)	This is class TPolypointTrace.
	TPrefs (see page 195)	This is class TPrefs.
	TRange (see page 197)	This is class TRange.
	TRect (see page 198)	This is class TRect.
	TScreenshake (see page 202)	This is class TScreenshake.
	TSpeech (see page 203)	This is class TSpeech.
	TTimer (see page 221)	This is class TTimer.
	TTransform (see page 224)	This is class TTransform.
	TVector (see page 228)	This is class TVector.
	TVideo (see page 235)	This is class TVideo.
	TWindow (see page 239)	This is class TWindow.

1.1.1 EBufferException

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi


```
EBufferException = class(Exception);
```

Description

This is class EBufferException.

1.1.2 ELuaException

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi


```
ELuaException = class(Exception);
```

Description

This is class ELuaException.

1.1.3 ELuaRuntimeException

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi


```
ELuaRuntimeException = class(Exception);
```

Description

This is class ELuaRuntimeException.

1.1.4 ELuaSyntaxError

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi


```
ELuaSyntaxError = class(Exception);
```

Description

This is class ELuaSyntaxError.

1.1.5 TAIActor

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TAIActor = class(TActor);
```

Description

This is class TAIActor.

1.1.5.1 TAIActor Fields

The fields of the TAIActor class are listed here.

Fields

	FStateMachine (see page 17)	This is FStateMachine, a member of class TAIActor.
---	------------------------------	--

1.1.5.1.1 TAIActor.FStateMachine

File: DelphiGamekit.pas (see page 397)

Delphi

```
FStateMachine: TAIStateMachine;
```





Description

This is FStateMachine, a member of class TAIActor.

1.1.5.2 TAIActor Methods

The methods of the TAIActor class are listed here.

Methods

	Create (see page 17)	This is Create, a member of class TAIActor.
	Destroy (see page 18)	This is Destroy, a member of class TAIActor.
	OnRender (see page 18)	This is OnRender, a member of class TAIActor.
	OnUpdate (see page 18)	This is OnUpdate, a member of class TAIActor.

1.1.5.2.1 TAIActor.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TAIActor.

1.1.5.2.2 TAIActor.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TAIActor.

1.1.5.2.3 TAIActor.OnRender

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnRender; override;
```

Description

This is OnRender, a member of class TAIActor.

1.1.5.2.4 TAIActor.OnUpdate

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnUpdate(  
    const aDeltaTime: Double  
); override;
```

Description

This is OnUpdate, a member of class TAIActor.

1.1.5.3 TAIActor Properties

The properties of the TAIActor class are listed here.

Properties

StateMachine (see page 18)

This is StateMachine, a member of class TAIActor.

1.1.5.3.1 TAIActor.StateMachine

File: DelphiGamekit.pas (see page 397)

Delphi


```
property StateMachine: TAISStateMachine;
```

Description

This is StateMachine, a member of class TAIActor.

1.1.6 TAIEntityActor

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TAIEntityActor = class(TEntityActor);
```

Description

This is class TAIEntityActor.

1.1.6.1 TAIEntityActor Fields

The fields of the TAIEntityActor class are listed here.

Fields

	FStateMachine (see page 19)	This is FStateMachine, a member of class TAIEntityActor.
---	------------------------------	--

1.1.6.1.1 TAIEntityActor.FStateMachine

File: DelphiGamekit.pas (see page 397)

Delphi

```
FStateMachine: TAIStateMachine;
```





Description

This is FStateMachine, a member of class TAIEntityActor.

1.1.6.2 TAIEntityActor Methods

The methods of the TAIEntityActor class are listed here.

Methods

	Create (see page 19)	This is Create, a member of class TAIEntityActor.
	Destroy (see page 20)	This is Destroy, a member of class TAIEntityActor.
	OnRender (see page 20)	This is OnRender, a member of class TAIEntityActor.
	OnUpdate (see page 20)	This is OnUpdate, a member of class TAIEntityActor.

1.1.6.2.1 TAIEntityActor.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TAIEntityActor.

1.1.6.2.2 TAIEntityActor.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TAIEntityActor.

1.1.6.2.3 TAIEntityActor.OnRender

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnRender; override;
```

Description

This is OnRender, a member of class TAIEntityActor.

1.1.6.2.4 TAIEntityActor.OnUpdate

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnUpdate(  
    const aDeltaTime: Double  
); override;
```

Description

This is OnUpdate, a member of class TAIEntityActor.

1.1.6.3 TAIEntityActor Properties

The properties of the TAIEntityActor class are listed here.

Properties

	StateMachine (see page 20)	This is StateMachine, a member of class TAIEntityActor.
---	-----------------------------	---

1.1.6.3.1 TAIEntityActor.StateMachine

File: DelphiGamekit.pas (see page 397)

Delphi


```
property StateMachine: TAIStateMachine;
```

Description

This is StateMachine, a member of class TAIEntityActor.

1.1.7 TAIState

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TAIState = class(TBaseObject);
```




Description

This is class TAIState.

1.1.7.1 TAIState Fields

The fields of the TAIState class are listed here.

Fields

	FChildren (see page 21)	This is FChildren, a member of class TAIState.
	FOwner (see page 21)	This is FOwner, a member of class TAIState.
	FStateMachine (see page 21)	This is FStateMachine, a member of class TAIState.

1.1.7.1.1 TAIState.FChildren

File: DelphiGamekit.pas (see page 397)

Delphi

```
FChildren: TActorList;
```

Description

This is FChildren, a member of class TAIState.

1.1.7.1.2 TAIState.FOwner

File: DelphiGamekit.pas (see page 397)

Delphi

```
FOwner: TObject;
```

Description

This is FOwner, a member of class TAIState.

1.1.7.1.3 TAIState.FStateMachine

File: DelphiGamekit.pas (see page 397)

Delphi

```
FStateMachine: TAIStateMachine;
```







Description

This is FStateMachine, a member of class TAIState.

1.1.7.2 TAIState Methods

The methods of the TAIState class are listed here.

Methods

	Create (see page 22)	This is Create, a member of class TAIState.
	Destroy (see page 22)	This is Destroy, a member of class TAIState.
	OnEnter (see page 22)	This is OnEnter, a member of class TAIState.
	OnExit (see page 22)	This is OnExit, a member of class TAIState.
	OnRender (see page 23)	This is OnRender, a member of class TAIState.
	OnUpdate (see page 23)	This is OnUpdate, a member of class TAIState.

1.1.7.2.1 TAIState.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TAIState.

1.1.7.2.2 TAIState.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TAIState.

1.1.7.2.3 TAIState.OnEnter

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnEnter; virtual;
```

Description

This is OnEnter, a member of class TAIState.

1.1.7.2.4 TAIState.OnExit

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnExit; virtual;
```

Description

This is OnExit, a member of class TAIState.

1.1.7.2.5 TAIState.OnRender

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnRender; virtual;
```

Description

This is OnRender, a member of class TAIState.

1.1.7.2.6 TAIState.OnUpdate

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnUpdate(  
    const aDeltaTime: Double  
); virtual;
```




Description

This is OnUpdate, a member of class TAIState.

1.1.7.3 TAIState Properties

The properties of the TAIState class are listed here.

Properties

	Children (see page 23)	This is Children, a member of class TAIState.
	Owner (see page 23)	This is Owner, a member of class TAIState.
	StateMachine (see page 23)	This is StateMachine, a member of class TAIState.

1.1.7.3.1 TAIState.Children

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Children: TActorList;
```

Description

This is Children, a member of class TAIState.

1.1.7.3.2 TAIState.Owner

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Owner: TObject;
```

Description

This is Owner, a member of class TAIState.

1.1.7.3.3 TAIState.StateMachine

File: DelphiGamekit.pas (see page 397)


Delphi

```
property StateMachine: TAIStateMachine;
```

Description

This is StateMachine, a member of class TAIState.

1.1.8 TAIStateMachine



File: DelphiGamekit.pas (see page 397)

Delphi

```
TAIStateMachine = class(TBaseObject);
```

Description

This is class TAIStateMachine.

1.1.8.1 TAIStateMachine Fields

The fields of the TAIStateMachine class are listed here.

Fields

	FCurrentState (see page 24)	This is FCurrentState, a member of class TAIStateMachine.
	FGlobalState (see page 24)	This is FGlobalState, a member of class TAIStateMachine.
	FOwner (see page 25)	This is FOwner, a member of class TAIStateMachine.
	FPreviousState (see page 25)	This is FPreviousState, a member of class TAIStateMachine.
	FStateIndex (see page 25)	This is FStateIndex, a member of class TAIStateMachine.
	FStateList (see page 25)	This is FStateList, a member of class TAIStateMachine.

1.1.8.1.1 TAIStateMachine.FCurrentState

File: DelphiGamekit.pas (see page 397)

Delphi

```
FCurrentState: TAIState;
```

Description

This is FCurrentState, a member of class TAIStateMachine.

1.1.8.1.2 TAIStateMachine.FGlobalState

File: DelphiGamekit.pas (see page 397)

Delphi

```
FGlobalState: TAIState;
```

Description

This is FGlobalState, a member of class TAIStateMachine.

1.1.8.1.3 TAIStateMachine.FOwner

File: DelphiGamekit.pas (see page 397)

Delphi

```
FOwner: TActor;
```

Description

This is FOwner, a member of class TAIStateMachine.

1.1.8.1.4 TAIStateMachine.FPreviousState

File: DelphiGamekit.pas (see page 397)

Delphi

```
FPreviousState: TAIState;
```

Description

This is FPreviousState, a member of class TAIStateMachine.

1.1.8.1.5 TAIStateMachine.FStateIndex

File: DelphiGamekit.pas (see page 397)

Delphi

```
FStateIndex: Integer;
```

Description

This is FStateIndex, a member of class TAIStateMachine.

1.1.8.1.6 TAIStateMachine.FStateList

File: DelphiGamekit.pas (see page 397)

Delphi

```
FStateList: TObjectList;
```









Description
















This is FStateList, a member of class TAIStateMachine.

1.1.8.2 TAIStateMachine Methods

The methods of the TAIStateMachine class are listed here.

Methods

	AddState (see page 26)	This is AddState, a member of class TAIStateMachine.
	ChangeState (see page 26)	This is ChangeState, a member of class TAIStateMachine.
	ChangeStateObj (see page 26)	This is ChangeStateObj, a member of class TAIStateMachine.
	ClearStates (see page 27)	This is ClearStates, a member of class TAIStateMachine.
	Create (see page 27)	This is Create, a member of class TAIStateMachine.
	Destroy (see page 27)	This is Destroy, a member of class TAIStateMachine.
	GetCurrentState (see page 27)	This is GetCurrentState, a member of class TAIStateMachine.
	GetGlobalState (see page 27)	This is GetGlobalState, a member of class TAIStateMachine.

	GetPreviousState (see page 27)	This is GetPreviousState, a member of class TAIStateMachine.
	GetStateCount (see page 28)	This is GetStateCount, a member of class TAIStateMachine.
	GetStateIndex (see page 28)	This is GetStateIndex, a member of class TAIStateMachine.
	GetStates (see page 28)	This is GetStates, a member of class TAIStateMachine.
	NextState (see page 28)	This is NextState, a member of class TAIStateMachine.
	PrevState (see page 28)	This is PrevState, a member of class TAIStateMachine.
	RemoveState (see page 29)	This is RemoveState, a member of class TAIStateMachine.
	RemoveStateObj (see page 29)	This is RemoveStateObj, a member of class TAIStateMachine.
	Render (see page 29)	This is Render, a member of class TAIStateMachine.
	RevertToPreviousState (see page 29)	This is RevertToPreviousState, a member of class TAIStateMachine.
	SetCurrentState (see page 29)	This is SetCurrentState, a member of class TAIStateMachine.
	SetCurrentStateObj (see page 30)	This is SetCurrentStateObj, a member of class TAIStateMachine.
	SetGlobalState (see page 30)	This is SetGlobalState, a member of class TAIStateMachine.
	SetGlobalStateObj (see page 30)	This is SetGlobalStateObj, a member of class TAIStateMachine.
	SetPreviousState (see page 30)	This is SetPreviousState, a member of class TAIStateMachine.
	SetPreviousStateObj (see page 30)	This is SetPreviousStateObj, a member of class TAIStateMachine.
	Update (see page 31)	This is Update, a member of class TAIStateMachine.

1.1.8.2.1 TAIStateMachine.AddState

File: DelphiGamekit.pas (see page 397)

Delphi

```
function AddState(
    const aState: TAIState
): Integer;
```

Description

This is AddState, a member of class TAIStateMachine.

1.1.8.2.2 TAIStateMachine.ChangeState

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure ChangeState(
    const aIndex: Integer
);
```

Description

This is ChangeState, a member of class TAIStateMachine.

1.1.8.2.3 TAIStateMachine.ChangeStateObj

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure ChangeStateObj(
    aValue: TAIState
);
```

Description

This is ChangeStateObj, a member of class TAIStateMachine.

1.1.8.2.4 TAIStateMachine.ClearStates

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure ClearStates;
```

Description

This is ClearStates, a member of class TAIStateMachine.

1.1.8.2.5 TAIStateMachine.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TAIStateMachine.

1.1.8.2.6 TAIStateMachine.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TAIStateMachine.

1.1.8.2.7 TAIStateMachine.GetCurrentState

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetCurrentState: Integer;
```

Description

This is GetCurrentState, a member of class TAIStateMachine.

1.1.8.2.8 TAIStateMachine.GetGlobalState

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetGlobalState: Integer;
```

Description

This is GetGlobalState, a member of class TAIStateMachine.

1.1.8.2.9 TAIStateMachine.GetPreviousState

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetPreviousState: Integer;
```

Description

This is GetPreviousState, a member of class TAIStateMachine.

1.1.8.2.10 TAIStateMachine.GetStateCount

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetStateCount: Integer;
```

Description

This is GetStateCount, a member of class TAIStateMachine.

1.1.8.2.11 TAIStateMachine.GetStateIndex

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetStateIndex: Integer;
```

Description

This is GetStateIndex, a member of class TAIStateMachine.

1.1.8.2.12 TAIStateMachine.GetStates

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetStates(  
    aIndex: Integer  
): TAIState;
```

Description

This is GetStates, a member of class TAIStateMachine.

1.1.8.2.13 TAIStateMachine.NextState

File: DelphiGamekit.pas (see page 397)

Delphi

```
function NextState(  
    const aWrap: Boolean  
): Integer;
```

Description

This is NextState, a member of class TAIStateMachine.

1.1.8.2.14 TAIStateMachine.PrevState

File: DelphiGamekit.pas (see page 397)

Delphi

```
function PrevState(  

```

```
    const aWrap: Boolean  
): Integer;
```

Description

This is PrevState, a member of class TAIStateMachine.

1.1.8.2.15 TAIStateMachine.RemoveState

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RemoveState(  
    const aIndex: Integer  
);
```

Description

This is RemoveState, a member of class TAIStateMachine.

1.1.8.2.16 TAIStateMachine.RemoveStateObj

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RemoveStateObj(  
    aState: TAIState  
);
```

Description

This is RemoveStateObj, a member of class TAIStateMachine.

1.1.8.2.17 TAIStateMachine.Render

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Render;
```

Description

This is Render, a member of class TAIStateMachine.

1.1.8.2.18 TAIStateMachine.RevertToPreviousState

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RevertToPreviousState;
```

Description

This is RevertToPreviousState, a member of class TAIStateMachine.

1.1.8.2.19 TAIStateMachine.SetCurrentState

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetCurrentState(  
    aIndex: Integer  
);
```

Description

This is SetCurrentState, a member of class TAIStateMachine.

1.1.8.2.20 TAIStateMachine.SetCurrentStateObj

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetCurrentStateObj(  
    aValue: TAIState  
);
```

Description

This is SetCurrentStateObj, a member of class TAIStateMachine.

1.1.8.2.21 TAIStateMachine.SetGlobalState

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetGlobalState(  
    aIndex: Integer  
);
```

Description

This is SetGlobalState, a member of class TAIStateMachine.

1.1.8.2.22 TAIStateMachine.SetGlobalStateObj

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetGlobalStateObj(  
    aValue: TAIState  
);
```

Description

This is SetGlobalStateObj, a member of class TAIStateMachine.

1.1.8.2.23 TAIStateMachine.SetPreviousState

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetPreviousState(  
    aIndex: Integer  
);
```

Description

This is SetPreviousState, a member of class TAIStateMachine.

1.1.8.2.24 TAIStateMachine.SetPreviousStateObj

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetPreviousStateObj(  

```



```
    aValue: TAIState
);
```

Description

This is SetPreviousStateObj, a member of class TAIStateMachine.

1.1.8.2.25 TAIStateMachine.Update

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Update(
    const aDeltaTime: Double
);
```








Description

This is Update, a member of class TAIStateMachine.

1.1.8.3 TAIStateMachine Properties

The properties of the TAIStateMachine class are listed here.

Properties

	CurrentState (see page 31)	This is CurrentState, a member of class TAIStateMachine.
	GlobalState (see page 31)	This is GlobalState, a member of class TAIStateMachine.
	Owner (see page 31)	This is Owner, a member of class TAIStateMachine.
	PreviousState (see page 32)	This is PreviousState, a member of class TAIStateMachine.
 R	StateCount (see page 32)	This is StateCount, a member of class TAIStateMachine.
 R	StateIndex (see page 32)	This is StateIndex, a member of class TAIStateMachine.
 R	States (see page 32)	This is States, a member of class TAIStateMachine.

1.1.8.3.1 TAIStateMachine.CurrentState

File: DelphiGamekit.pas (see page 397)

Delphi

```
property CurrentState: Integer;
```

Description

This is CurrentState, a member of class TAIStateMachine.

1.1.8.3.2 TAIStateMachine.GlobalState

File: DelphiGamekit.pas (see page 397)

Delphi

```
property GlobalState: Integer;
```

Description

This is GlobalState, a member of class TAIStateMachine.

1.1.8.3.3 TAIStateMachine.Owner

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Owner: TActor;
```

Description

This is Owner, a member of class TAIStateMachine.

1.1.8.3.4 TAIStateMachine.PreviousState

File: DelphiGamekit.pas (see page 397)

Delphi

```
property PreviousState: Integer;
```

Description

This is PreviousState, a member of class TAIStateMachine.

1.1.8.3.5 TAIStateMachine.StateCount

File: DelphiGamekit.pas (see page 397)

Delphi

```
property StateCount: Integer;
```

Description

This is StateCount, a member of class TAIStateMachine.

1.1.8.3.6 TAIStateMachine.StateIndex

File: DelphiGamekit.pas (see page 397)

Delphi

```
property StateIndex: Integer;
```

Description

This is StateIndex, a member of class TAIStateMachine.

1.1.8.3.7 TAIStateMachine.States

File: DelphiGamekit.pas (see page 397)

Delphi

```
property States [aIndex: Integer]: TAIState;
```

Description

This is States, a member of class TAIStateMachine.

1.1.9 TAScreenshake

Class Hierarchy

```
TAScreenshake
```

File: DelphiGamekit.pas (see page 397)

Delphi

```
TAScreenshake = class;
```






Description

This is class TAScreenshake.

1.1.9.1 TAScreenshake Fields

The fields of the TAScreenshake class are listed here.

Fields

	FActive (see page 33)	This is FActive, a member of class TAScreenshake.
	FDuration (see page 33)	This is FDuration, a member of class TAScreenshake.
	FMagnitude (see page 33)	This is FMagnitude, a member of class TAScreenshake.
	FPos (see page 33)	This is FPos, a member of class TAScreenshake.
	FTimer (see page 34)	This is FTimer, a member of class TAScreenshake.

1.1.9.1.1 TAScreenshake.FActive

File: DelphiGamekit.pas (see page 397)

Delphi

```
FActive: Boolean;
```

Description

This is FActive, a member of class TAScreenshake.

1.1.9.1.2 TAScreenshake.FDuration

File: DelphiGamekit.pas (see page 397)

Delphi

```
FDuration: Single;
```

Description

This is FDuration, a member of class TAScreenshake.

1.1.9.1.3 TAScreenshake.FMagnitude

File: DelphiGamekit.pas (see page 397)

Delphi

```
FMagnitude: Single;
```

Description

This is FMagnitude, a member of class TAScreenshake.

1.1.9.1.4 TAScreenshake.FPos

File: DelphiGamekit.pas (see page 397)

Delphi

```
FPos: TPoint;
```

Description

This is FPos, a member of class TAScreenshake.

1.1.9.1.5 TAScreenshake.FTimer

File: DelphiGamekit.pas (see page 397)

Delphi

```
FTimer: Single;
```




Description

This is FTimer, a member of class TAScreenshake.

1.1.9.2 TAScreenshake Methods

The methods of the TAScreenshake class are listed here.

Methods

	Create (see page 34)	This is Create, a member of class TAScreenshake.
	Destroy (see page 34)	This is Destroy, a member of class TAScreenshake.
	Process (see page 34)	This is Process, a member of class TAScreenshake.

1.1.9.2.1 TAScreenshake.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create(  
    aDuration: Single;  
    aMagnitude: Single  
);
```

Description

This is Create, a member of class TAScreenshake.

1.1.9.2.2 TAScreenshake.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TAScreenshake.

1.1.9.2.3 TAScreenshake.Process

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Process(  
    aSpeed: Single;  
    aDeltaTime: Double  
);
```

Description

This is Process, a member of class TAScreenshake.

1.1.9.3 TAScreenshake Properties

The properties of the TAScreenshake class are listed here.

Properties

	Active (see page 35)	This is Active, a member of class TAScreenshake.
---	-----------------------	--

1.1.9.3.1 TAScreenshake.Active

File: DelphiGamekit.pas (see page 397)

Delphi


```
property Active: Boolean;
```

Description

This is Active, a member of class TAScreenshake.

1.1.10 TActor

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TActor = class(TBaseObject);
```









Description

This is class TActor.

1.1.10.1 TActor Fields

The fields of the TActor class are listed here.

Fields

	FActorList (see page 36)	This is FActorList, a member of class TActor.
	FAttributes (see page 36)	This is FAttributes, a member of class TActor.
	FCanCollide (see page 36)	This is FCanCollide, a member of class TActor.
	FChildren (see page 36)	This is FChildren, a member of class TActor.
	FNext (see page 36)	This is FNext, a member of class TActor.
	FOwner (see page 36)	This is FOwner, a member of class TActor.
	FPrev (see page 37)	This is FPrev, a member of class TActor.
	FTerminated (see page 37)	This is FTerminated, a member of class TActor.

1.1.10.1.1 TActor.FActorList

File: DelphiGamekit.pas (see page 397)

Delphi

```
FActorList: TActorList;
```

Description

This is FActorList, a member of class TActor.

1.1.10.1.2 TActor.FAttributes

File: DelphiGamekit.pas (see page 397)

Delphi

```
FAttributes: TActorAttributeSet;
```

Description

This is FAttributes, a member of class TActor.

1.1.10.1.3 TActor.FCanCollide

File: DelphiGamekit.pas (see page 397)

Delphi

```
FCanCollide: Boolean;
```

Description

This is FCanCollide, a member of class TActor.

1.1.10.1.4 TActor.FChildren

File: DelphiGamekit.pas (see page 397)

Delphi

```
FChildren: TActorList;
```

Description

This is FChildren, a member of class TActor.

1.1.10.1.5 TActor.FNext

File: DelphiGamekit.pas (see page 397)

Delphi

```
FNext: TActor;
```

Description

This is FNext, a member of class TActor.

1.1.10.1.6 TActor.FOwner

File: DelphiGamekit.pas (see page 397)

Delphi

```
FOwner: TActorList;
```

Description

This is FOwner, a member of class TActor.

1.1.10.1.7 TActor.FPrev

File: DelphiGamekit.pas (see page 397)

Delphi

```
FPrev: TActor;
```

Description

This is FPrev, a member of class TActor.

1.1.10.1.8 TActor.FTerminated

File: DelphiGamekit.pas (see page 397)

Delphi

```
FTerminated: Boolean;
```
















Description

This is FTerminated, a member of class TActor.

1.1.10.2 TActor Methods

The methods of the TActor class are listed here.

Methods

	AttributesAreSet (see page 37)	This is AttributesAreSet, a member of class TActor.
	Collide (see page 38)	This is Collide, a member of class TActor.
	Create (see page 38)	This is Create, a member of class TActor.
	Destroy (see page 38)	This is Destroy, a member of class TActor.
	GetAttribute (see page 38)	This is GetAttribute, a member of class TActor.
	GetAttributes (see page 38)	This is GetAttributes, a member of class TActor.
	OnCollide (see page 39)	This is OnCollide, a member of class TActor.
	OnMessage (see page 39)	This is OnMessage, a member of class TActor.
	OnRender (see page 39)	This is OnRender, a member of class TActor.
	OnUpdate (see page 39)	This is OnUpdate, a member of class TActor.
	OnVisit (see page 39)	This is OnVisit, a member of class TActor.
	Overlap (see page 40)	This is Overlap, a member of class TActor.
	Overlap (see page 40)	This is Overlap, a member of class TActor.
	SetAttribute (see page 40)	This is SetAttribute, a member of class TActor.
	SetAttributes (see page 40)	This is SetAttributes, a member of class TActor.

1.1.10.2.1 TActor.AttributesAreSet

File: DelphiGamekit.pas (see page 397)

Delphi

```
function AttributesAreSet(  
    const aAttrs: TActorAttributeSet  
): Boolean;
```

Description

This is AttributesAreSet, a member of class TActor.

1.1.10.2.2 TActor.Collide

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Collide(  
    const aActor: TActor;  
    var aHitPos: TPoint  
): Boolean; virtual;
```

Description

This is Collide, a member of class TActor.

1.1.10.2.3 TActor.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TActor.

1.1.10.2.4 TActor.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TActor.

1.1.10.2.5 TActor.GetAttribute

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetAttribute(  
    aIndex: Byte  
): Boolean;
```

Description

This is GetAttribute, a member of class TActor.

1.1.10.2.6 TActor.GetAttributes

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetAttributes: TActorAttributeSet;
```

Description

This is GetAttributes, a member of class TActor.

1.1.10.2.7 TActor.OnCollide

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnCollide(  
    const aActor: TActor;  
    const aHitPos: TPoint  
); virtual;
```

Description

This is OnCollide, a member of class TActor.

1.1.10.2.8 TActor.OnMessage

File: DelphiGamekit.pas (see page 397)

Delphi

```
function OnMessage(  
    const aMsg: PActorMessage  
): TActor; virtual;
```

Description

This is OnMessage, a member of class TActor.

1.1.10.2.9 TActor.OnRender

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnRender; virtual;
```

Description

This is OnRender, a member of class TActor.

1.1.10.2.10 TActor.OnUpdate

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnUpdate(  
    const aDeltaTime: Double  
); virtual;
```

Description

This is OnUpdate, a member of class TActor.

1.1.10.2.11 TActor.OnVisit

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnVisit(  
    const aSender: TActor;  
    const aEventId: Integer;  
    var aDone: Boolean  
); virtual;
```

Description

This is OnVisit, a member of class TActor.

1.1.10.2.12 TActor.Overlap

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Overlap(  
    const aX: Single;  
    const aY: Single;  
    const aRadius: Single;  
    const aShrinkFactor: Single  
): Boolean; virtual; overload;
```

Description

This is Overlap, a member of class TActor.

1.1.10.2.13 TActor.Overlap

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Overlap(  
    const aActor: TActor  
): Boolean; virtual; overload;
```

Description

This is Overlap, a member of class TActor.

1.1.10.2.14 TActor.SetAttribute

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetAttribute(  
    aIndex: Byte;  
    aValue: Boolean  
);
```

Description

This is SetAttribute, a member of class TActor.

1.1.10.2.15 TActor.SetAttributes

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetAttributes(  
    aValue: TActorAttributeSet  
);
```










Description

This is SetAttributes, a member of class TActor.

1.1.10.3 TActor Properties

The properties of the TActor class are listed here.

Properties

	ActorList (see page 41)	This is ActorList, a member of class TActor.
	Attribute (see page 41)	This is Attribute, a member of class TActor.
	Attributes (see page 41)	This is Attributes, a member of class TActor.
	CanCollide (see page 41)	This is CanCollide, a member of class TActor.
	Children (see page 42)	This is Children, a member of class TActor.
	Next (see page 42)	This is Next, a member of class TActor.
	Owner (see page 42)	This is Owner, a member of class TActor.
	Prev (see page 42)	This is Prev, a member of class TActor.
	Terminated (see page 42)	This is Terminated, a member of class TActor.

1.1.10.3.1 TActor.ActorList

File: DelphiGamekit.pas (see page 397)

Delphi

```
property ActorList: TActorList;
```

Description

This is ActorList, a member of class TActor.

1.1.10.3.2 TActor.Attribute

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Attribute [aIndex: Byte]: Boolean;
```

Description

This is Attribute, a member of class TActor.

1.1.10.3.3 TActor.Attributes

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Attributes: TActorAttributeSet;
```

Description

This is Attributes, a member of class TActor.

1.1.10.3.4 TActor.CanCollide

File: DelphiGamekit.pas (see page 397)

Delphi

```
property CanCollide: Boolean;
```

Description

This is CanCollide, a member of class TActor.

1.1.10.3.5 TActor.Children

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Children: TActorList;
```

Description

This is Children, a member of class TActor.

1.1.10.3.6 TActor.Next

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Next: TActor;
```

Description

This is Next, a member of class TActor.

1.1.10.3.7 TActor.Owner

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Owner: TActorList;
```

Description

This is Owner, a member of class TActor.

1.1.10.3.8 TActor.Prev

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Prev: TActor;
```

Description

This is Prev, a member of class TActor.

1.1.10.3.9 TActor.Terminated

File: DelphiGamekit.pas (see page 397)

Delphi


```
property Terminated: Boolean;
```

Description

This is Terminated, a member of class TActor.

1.1.11 TActorList

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TActorList = class(TBaseObject);
```

Description

This is class TActorList.

1.1.11.1 TActorList Fields

The fields of the TActorList class are listed here.

Fields

	FCount (see page 43)	This is FCount, a member of class TActorList.
	FHead (see page 43)	This is FHead, a member of class TActorList.
	FTail (see page 43)	This is FTail, a member of class TActorList.

1.1.11.1.1 TActorList.FCount

File: DelphiGamekit.pas (see page 397)

Delphi

```
FCount: Integer;
```

Description

This is FCount, a member of class TActorList.

1.1.11.1.2 TActorList.FHead

File: DelphiGamekit.pas (see page 397)

Delphi

```
FHead: TActor;
```

Description

This is FHead, a member of class TActorList.

1.1.11.1.3 TActorList.FTail

File: DelphiGamekit.pas (see page 397)

Delphi

```
FTail: TActor;
```












Description

This is FTail, a member of class TActorList.

1.1.11.2 TActorList Methods

The methods of the TActorList class are listed here.

Methods

	Add (see page 44)	This is Add, a member of class TActorList.
	CheckCollision (see page 44)	This is CheckCollision, a member of class TActorList.
	Clean (see page 44)	This is Clean, a member of class TActorList.
	Clear (see page 45)	This is Clear, a member of class TActorList.
	Create (see page 45)	This is Create, a member of class TActorList.
	Destroy (see page 45)	This is Destroy, a member of class TActorList.
	ForEach (see page 45)	This is ForEach, a member of class TActorList.
	Remove (see page 45)	This is Remove, a member of class TActorList.
	Render (see page 46)	This is Render, a member of class TActorList.
	SendMessage (see page 46)	This is SendMessage, a member of class TActorList.
	Update (see page 46)	This is Update, a member of class TActorList.

1.1.11.2.1 TActorList.Add

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Add(  
    const aActor: TActor  
);
```

Description

This is Add, a member of class TActorList.

1.1.11.2.2 TActorList.CheckCollision

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure CheckCollision(  
    const aAttrs: TActorAttributeSet;  
    const aActor: TActor  
);
```

Description

This is CheckCollision, a member of class TActorList.

1.1.11.2.3 TActorList.Clean

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Clean;
```

Description

This is Clean, a member of class TActorList.

1.1.11.2.4 TActorList.Clear

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Clear(  
    const aAttrs: TActorAttributeSet  
);
```

Description

This is Clear, a member of class TActorList.

1.1.11.2.5 TActorList.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TActorList.

1.1.11.2.6 TActorList.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TActorList.

1.1.11.2.7 TActorList.ForEach

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure ForEach(  
    const aSender: TActor;  
    const aAttrs: TActorAttributeSet;  
    const aEventId: Integer;  
    var aDone: Boolean  
);
```

Description

This is ForEach, a member of class TActorList.

1.1.11.2.8 TActorList.Remove

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Remove(  
    const aActor: TActor;  
    const aDispose: Boolean  
);
```

Description

This is Remove, a member of class TActorList.

1.1.11.2.9 TActorList.Render

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Render(  
    const aAttrs: TActorAttributeSet  
);
```

Description

This is Render, a member of class TActorList.

1.1.11.2.10 TActorList.SendMessage

File: DelphiGamekit.pas (see page 397)

Delphi

```
function SendMessage(  
    const aAttrs: TActorAttributeSet;  
    const aMsg: PActorMessage;  
    const aBroadcast: Boolean  
): TActor;
```

Description

This is SendMessage, a member of class TActorList.

1.1.11.2.11 TActorList.Update

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Update(  
    const aAttrs: TActorAttributeSet;  
    const aDeltaTime: Double  
);
```

Description

This is Update, a member of class TActorList.

1.1.11.3 TActorList Properties

The properties of the TActorList class are listed here.

Properties

	Count (see page 46)	This is Count, a member of class TActorList.
---	----------------------	--

1.1.11.3.1 TActorList.Count

File: DelphiGamekit.pas (see page 397)


Delphi

```
property Count: Integer;
```


Description

This is Count, a member of class TActorList.

1.1.12 TActorScene



File: DelphiGamekit.pas (see page 397)

Delphi



```
TActorScene = class(TBaseObject);
```

Description

This is class TActorScene.

1.1.12.1 TActorScene Fields

The fields of the TActorScene class are listed here.

Fields		
	FCount (see page 47)	This is FCount, a member of class TActorScene.
	FLists (see page 47)	This is FLists, a member of class TActorScene.

1.1.12.1.1 TActorScene.FCount

File: DelphiGamekit.pas (see page 397)

Delphi

```
FCount: Integer;
```

Description

This is FCount, a member of class TActorScene.

1.1.12.1.2 TActorScene.FLists

File: DelphiGamekit.pas (see page 397)

Delphi

```
FLists: array of TActorList;
```













Description

This is FLists, a member of class TActorScene.

1.1.12.2 TActorScene Methods

The methods of the TActorScene class are listed here.

Methods

	Alloc (see page 48)	This is Alloc, a member of class TActorScene.
	Clean (see page 48)	This is Clean, a member of class TActorScene.
	Clear (see page 48)	This is Clear, a member of class TActorScene.
	ClearAll (see page 48)	This is ClearAll, a member of class TActorScene.
	Create (see page 49)	This is Create, a member of class TActorScene.
	Dealloc (see page 49)	This is Dealloc, a member of class TActorScene.
	Destroy (see page 49)	This is Destroy, a member of class TActorScene.
	GetCount (see page 49)	This is GetCount, a member of class TActorScene.
	GetList (see page 49)	This is GetList, a member of class TActorScene.
	Render (see page 50)	This is Render, a member of class TActorScene.
	SendMessage (see page 50)	This is SendMessage, a member of class TActorScene.
	Update (see page 50)	This is Update, a member of class TActorScene.

1.1.12.2.1 TActorScene.Alloc

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Alloc(  
    const aNum: Integer  
);
```

Description

This is Alloc, a member of class TActorScene.

1.1.12.2.2 TActorScene.Clean

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Clean(  
    const aIndex: Integer  
);
```

Description

This is Clean, a member of class TActorScene.

1.1.12.2.3 TActorScene.Clear

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Clear(  
    const aIndex: Integer;  
    const aAttrs: TActorAttributeSet  
);
```

Description

This is Clear, a member of class TActorScene.

1.1.12.2.4 TActorScene.ClearAll

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure ClearAll;
```

Description

This is ClearAll, a member of class TActorScene.

1.1.12.2.5 TActorScene.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TActorScene.

1.1.12.2.6 TActorScene.Dealloc

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Dealloc;
```

Description

This is Dealloc, a member of class TActorScene.

1.1.12.2.7 TActorScene.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TActorScene.

1.1.12.2.8 TActorScene.GetCount

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetCount: Integer;
```

Description

This is GetCount, a member of class TActorScene.

1.1.12.2.9 TActorScene.GetList

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetList(  
    aIndex: Integer  
): TActorList;
```

Description

This is GetList, a member of class TActorScene.

1.1.12.2.10 TActorScene.Render

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Render(  
  const aAttrs: TActorAttributeSet;  
  const aBefore: TActorSceneEvent;  
  const aAfter: TActorSceneEvent  
);
```

Description

This is Render, a member of class TActorScene.

1.1.12.2.11 TActorScene.SendMessage

File: DelphiGamekit.pas (see page 397)

Delphi

```
function SendMessage(  
  const aAttrs: TActorAttributeSet;  
  const aMsg: PActorMessage;  
  const aBroadcast: Boolean  
): TActor;
```

Description

This is SendMessage, a member of class TActorScene.

1.1.12.2.12 TActorScene.Update

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Update(  
  const aAttrs: TActorAttributeSet;  
  const aDeltaTime: Double  
);
```



Description

This is Update, a member of class TActorScene.

1.1.12.3 TActorScene Properties

The properties of the TActorScene class are listed here.

Properties

	Count (see page 50)	This is Count, a member of class TActorScene.
	Lists (see page 51)	This is Lists, a member of class TActorScene.

1.1.12.3.1 TActorScene.Count

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Count: Integer;
```

Description

This is Count, a member of class TActorScene.

1.1.12.3.2 TActorScene.Lists

File: DelphiGamekit.pas (see page 397)

Delphi


```
property Lists [aIndex: Integer]: TActorList;
```

Description

This is Lists, a member of class TActorScene.

1.1.13 TArchive

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TArchive = class(TBaseObject);
```

Description

This is class TArchive.

1.1.13.1 TArchive Methods

The methods of the TArchive class are listed here.

Methods

≡	Build (see page 51)	This is Build, a member of class TArchive.
≡	Close (see page 52)	This is Close, a member of class TArchive.
≡ V	Create (see page 52)	This is Create, a member of class TArchive.
≡ V	Destroy (see page 52)	This is Destroy, a member of class TArchive.
≡	FileExist (see page 52)	This is FileExist, a member of class TArchive.
≡	IsOpen (see page 52)	This is IsOpen, a member of class TArchive.
≡	Open (see page 53)	This is Open, a member of class TArchive.
≡	OpenFile (see page 53)	This is OpenFile, a member of class TArchive.
≡	OpenFileBuffer (see page 53)	This is OpenFileBuffer, a member of class TArchive.
≡	OpenFileRWops (see page 53)	This is OpenFileRWops, a member of class TArchive.
≡	OpenRes (see page 54)	This is OpenRes, a member of class TArchive.

1.1.13.1.1 TArchive.Build

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Build(  
    const aPassword: string;  
    const aArchive: string;  
    const aFolder: string  
): Boolean;
```

Description

This is Build, a member of class TArchive.

1.1.13.1.2 TArchive.Close

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Close;
```

Description

This is Close, a member of class TArchive.

1.1.13.1.3 TArchive.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TArchive.

1.1.13.1.4 TArchive.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TArchive.

1.1.13.1.5 TArchive.FileExist

File: DelphiGamekit.pas (see page 397)

Delphi

```
function FileExist(  
    const aFilename: string  
): Boolean;
```

Description

This is FileExist, a member of class TArchive.

1.1.13.1.6 TArchive.IsOpen

File: DelphiGamekit.pas (see page 397)

Delphi

```
function IsOpen: Boolean;
```

Description

This is IsOpen, a member of class TArchive.

1.1.13.1.7 TArchive.Open

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Open(  
    const aPassword: string;  
    const aArchive: string  
): Boolean; overload;
```

Description

This is Open, a member of class TArchive.

1.1.13.1.8 TArchive.OpenFile

File: DelphiGamekit.pas (see page 397)

Delphi

```
function OpenFile(  
    const aFilename: string  
): TArchiveFile;
```

Description

This is OpenFile, a member of class TArchive.

1.1.13.1.9 TArchive.OpenFileBuffer

File: DelphiGamekit.pas (see page 397)

Delphi

```
function OpenFileBuffer(  
    const aFilename: string  
): TBuffer;
```

Description

This is OpenFileBuffer, a member of class TArchive.

1.1.13.1.10 TArchive.OpenFileRWops

File: DelphiGamekit.pas (see page 397)

Delphi

```
function OpenFileRWops(  
    const aFilename: string  
): PSDL_RWops;
```

Description

This is OpenFileRWops, a member of class TArchive.

1.1.13.1.11 TArchive.OpenRes

File: DelphiGamekit.pas (see page 397)

Delphi

```
function OpenRes (
    const aPassword: string;
    const aResName: string
): Boolean; overload;
```

Description

This is OpenRes, a member of class TArchive.

1.1.14 TArchiveFile

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TArchiveFile = class(TBaseObject);
```

Description

This is class TArchiveFile.

1.1.14.1 TArchiveFile Methods

The methods of the TArchiveFile class are listed here.

Methods

	Close (see page 54)	This is Close, a member of class TArchiveFile.
	Create (see page 55)	This is Create, a member of class TArchiveFile.
	Destroy (see page 55)	This is Destroy, a member of class TArchiveFile.
	GetPos (see page 55)	This is GetPos, a member of class TArchiveFile.
	GetRWops (see page 55)	This is GetRWops, a member of class TArchiveFile.
	GetRWopsRes (see page 55)	This is GetRWopsRes, a member of class TArchiveFile.
	IsOpen (see page 56)	This is IsOpen, a member of class TArchiveFile.
	Open (see page 56)	This is Open, a member of class TArchiveFile.
	OpenRes (see page 56)	This is OpenRes, a member of class TArchiveFile.
	ReadData (see page 56)	This is ReadData, a member of class TArchiveFile.
	SaveToBuffer (see page 57)	This is SaveToBuffer, a member of class TArchiveFile.
	SaveToFile (see page 57)	This is SaveToFile, a member of class TArchiveFile.
	SetPos (see page 57)	This is SetPos, a member of class TArchiveFile.
	Size (see page 57)	This is Size, a member of class TArchiveFile.

1.1.14.1.1 TArchiveFile.Close

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Close;
```

Description

This is Close, a member of class TArchiveFile.

1.1.14.1.2 TArchiveFile.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TArchiveFile.

1.1.14.1.3 TArchiveFile.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TArchiveFile.

1.1.14.1.4 TArchiveFile.GetPos

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetPos: Int64;
```

Description

This is GetPos, a member of class TArchiveFile.

1.1.14.1.5 TArchiveFile.GetRWops

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetRWops(  
    const aPassword: string;  
    const aArchive: string;  
    const aFilename: string  
): PSDL_RWops;
```

Description

This is GetRWops, a member of class TArchiveFile.

1.1.14.1.6 TArchiveFile.GetRWopsRes

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetRWopsRes(  

```

```
const aPassword: string;  
const aResName: string;  
const aFilename: string  
) : PSDL_RWops;
```

Description

This is GetRWopsRes, a member of class TArchiveFile.

1.1.14.1.7 TArchiveFile.IsOpen

File: DelphiGamekit.pas (see page 397)

Delphi

```
function IsOpen: Boolean;
```

Description

This is IsOpen, a member of class TArchiveFile.

1.1.14.1.8 TArchiveFile.Open

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Open(  
    const aPassword: string;  
    const aArchive: string;  
    const aFilename: string  
) : Boolean; overload;
```

Description

This is Open, a member of class TArchiveFile.

1.1.14.1.9 TArchiveFile.OpenRes

File: DelphiGamekit.pas (see page 397)

Delphi

```
function OpenRes(  
    const aPassword: string;  
    const aResName: string;  
    const aFilename: string  
) : Boolean; overload;
```

Description

This is OpenRes, a member of class TArchiveFile.

1.1.14.1.10 TArchiveFile.ReadData

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ReadData(  
    aBuffer: Pointer;  
    aCount: NativeInt  
) : NativeInt;
```

Description

This is ReadData, a member of class TArchiveFile.

1.1.14.1.11 TArchiveFile.SaveToBuffer

File: DelphiGamekit.pas (see page 397)

Delphi

```
function SaveToBuffer: TBuffer;
```

Description

This is SaveToBuffer, a member of class TArchiveFile.

1.1.14.1.12 TArchiveFile.SaveToFile

File: DelphiGamekit.pas (see page 397)

Delphi

```
function SaveToFile(  
    const aFilename: string  
): Boolean;
```

Description

This is SaveToFile, a member of class TArchiveFile.

1.1.14.1.13 TArchiveFile.SetPos

File: DelphiGamekit.pas (see page 397)

Delphi

```
function SetPos(  
    aPos: Int64  
): Int64;
```

Description

This is SetPos, a member of class TArchiveFile.

1.1.14.1.14 TArchiveFile.Size

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Size: Int64;
```

Description

This is Size, a member of class TArchiveFile.

1.1.15 TAsync

File: DelphiGamekit.pas (see page 397)

Delphi

```
TAsync = record  
end;
```








Description

This is class TAsync.

1.1.15.1 TAsync Methods

The methods of the TAsync class are listed here.

Methods

	Busy (see page 58)	This is Busy, a member of class TAsync.
	Enter (see page 58)	This is Enter, a member of class TAsync.
	Leave (see page 58)	This is Leave, a member of class TAsync.
	Process (see page 58)	This is Process, a member of class TAsync.
	Resume (see page 59)	This is Resume, a member of class TAsync.
	Run (see page 59)	This is Run, a member of class TAsync.
	Suspend (see page 59)	This is Suspend, a member of class TAsync.

1.1.15.1.1 TAsync.Busy

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function Busy(  
    const aName: string  
): Boolean; static;
```

Description

This is Busy, a member of class TAsync.

1.1.15.1.2 TAsync.Enter

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Enter; static;
```

Description

This is Enter, a member of class TAsync.

1.1.15.1.3 TAsync.Leave

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Leave; static;
```

Description

This is Leave, a member of class TAsync.

1.1.15.1.4 TAsync.Process

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Process; static;
```

Description

This is Process, a member of class TAsync.

1.1.15.1.5 TAsync.Resume

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Resume; static;
```

Description

This is Resume, a member of class TAsync.

1.1.15.1.6 TAsync.Run

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Run(  
    const aName: string;  
    const aBackgroundTask: TAsyncProc;  
    const aWaitForgroundTask: TAsyncProc  
); static;
```

Description

This is Run, a member of class TAsync.

1.1.15.1.7 TAsync.Suspend

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Suspend; static;
```



Description

This is Suspend, a member of class TAsync.

1.1.15.2 TAsync Operators

The operators of the TAsync class are listed here.

Operators

	Finalize (see page 59)	This is Finalize, a member of class TAsync.
	Initialize (see page 60)	This is Initialize, a member of class TAsync.

1.1.15.2.1 TAsync.Finalize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Finalize(  
    var aDest: TAsync  
);
```

Description

This is Finalize, a member of class TAsync.

1.1.15.2.2 TAsync.Initialize

File: DelphiGamekit.pas (see page 397)

Delphi


```
class operator Initialize(  
    out aDest: TAsync  
);
```

Description

This is Initialize, a member of class TAsync.

1.1.16 TAsyncThread

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TAsyncThread = class(TThread);
```




Description

This is class TAsyncThread.

1.1.16.1 TAsyncThread Fields

The fields of the TAsyncThread class are listed here.

Fields

	FFinished (see page 60)	This is FFinished, a member of class TAsyncThread.
	FTask (see page 60)	This is FTask, a member of class TAsyncThread.
	FWait (see page 61)	This is FWait, a member of class TAsyncThread.

1.1.16.1.1 TAsyncThread.FFinished

File: DelphiGamekit.pas (see page 397)

Delphi

```
FFinished: Boolean;
```

Description

This is FFinished, a member of class TAsyncThread.

1.1.16.1.2 TAsyncThread.FTask

File: DelphiGamekit.pas (see page 397)

Delphi

```
FTask: TAsyncProc;
```

Description

This is FTask, a member of class TAsyncThread.

1.1.16.1.3 TAsyncThread.FWait

File: DelphiGamekit.pas (see page 397)

Delphi

```
FWait: TAsyncProc;
```




Description

This is FWait, a member of class TAsyncThread.

1.1.16.2 TAsyncThread Methods

The methods of the TAsyncThread class are listed here.

Methods

	Create (see page 61)	This is Create, a member of class TAsyncThread.
	Destroy (see page 61)	This is Destroy, a member of class TAsyncThread.
	Execute (see page 61)	This is Execute, a member of class TAsyncThread.

1.1.16.2.1 TAsyncThread.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; virtual;
```

Description

This is Create, a member of class TAsyncThread.

1.1.16.2.2 TAsyncThread.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TAsyncThread.

1.1.16.2.3 TAsyncThread.Execute

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Execute; override;
```




Description

This is Execute, a member of class TAsyncThread.

1.1.16.3 TAsyncThread Properties

The properties of the TAsyncThread class are listed here.

Properties

	Finished (see page 62)	This is Finished, a member of class TAsyncThread.
	TaskProc (see page 62)	This is TaskProc, a member of class TAsyncThread.
	WaitProc (see page 62)	This is WaitProc, a member of class TAsyncThread.

1.1.16.3.1 TAsyncThread.Finished

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Finished: Boolean;
```

Description

This is Finished, a member of class TAsyncThread.

1.1.16.3.2 TAsyncThread.TaskProc

File: DelphiGamekit.pas (see page 397)

Delphi

```
property TaskProc: TAsyncProc;
```

Description

This is TaskProc, a member of class TAsyncThread.

1.1.16.3.3 TAsyncThread.WaitProc

File: DelphiGamekit.pas (see page 397)

Delphi

```
property WaitProc: TAsyncProc;
```

Description

This is WaitProc, a member of class TAsyncThread.

1.1.17 TAudio

File: DelphiGamekit.pas (see page 397)

Delphi

```
TAudio = record
end;
```

Description

This is class TAudio.

1.1.17.1 TAudio Methods

The methods of the TAudio class are listed here.

Methods

✦	AllocateSoundChannels (see page 63)	This is AllocateSoundChannels, a member of class TAudio.
✦	ExpireSound (see page 63)	This is ExpireSound, a member of class TAudio.
✦	FadeInSound (see page 64)	This is FadeInSound, a member of class TAudio.
✦	FadeOutSound (see page 64)	This is FadeOutSound, a member of class TAudio.
✦	FadingSound (see page 64)	This is FadingSound, a member of class TAudio.
✦	GetMusicVolume (see page 64)	This is GetMusicVolume, a member of class TAudio.
✦	GetSoundVolume (see page 65)	This is GetSoundVolume, a member of class TAudio.
✦	IsSoundPaused (see page 65)	This is IsSoundPaused, a member of class TAudio.
✦	IsSoundPlaying (see page 65)	This is IsSoundPlaying, a member of class TAudio.
✦	LoadMusic (see page 65)	This is LoadMusic, a member of class TAudio.
✦	LoadPlayMusic (see page 65)	This is LoadPlayMusic, a member of class TAudio.
✦	LoadSound (see page 66)	This is LoadSound, a member of class TAudio.
✦	PauseSound (see page 66)	This is PauseSound, a member of class TAudio.
✦	PlayMusic (see page 66)	This is PlayMusic, a member of class TAudio.
✦	PlaySound (see page 66)	This is PlaySound, a member of class TAudio.
✦	ReserveSoundChannels (see page 67)	This is ReserveSoundChannels, a member of class TAudio.
✦	ResumeSound (see page 67)	This is ResumeSound, a member of class TAudio.
✦	SetMusicVolume (see page 67)	This is SetMusicVolume, a member of class TAudio.
✦	SetSoundPosition (see page 67)	This is SetSoundPosition, a member of class TAudio.
✦	SetSoundVolume (see page 67)	This is SetSoundVolume, a member of class TAudio.
✦	StopSound (see page 68)	This is StopSound, a member of class TAudio.
✦	UnloadMusic (see page 68)	This is UnloadMusic, a member of class TAudio.
✦	UnloadSound (see page 68)	This is UnloadSound, a member of class TAudio.

1.1.17.1.1 TAudio.AllocateSoundChannels

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure AllocateSoundChannels(
    const aCount: Integer
); static;
```

Description

This is AllocateSoundChannels, a member of class TAudio.

1.1.17.1.2 TAudio.ExpireSound

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure ExpireSound(
    const aChannel: Integer;
    const aMilliseconds: Integer
); static;
```

Description

This is ExpireSound, a member of class TAudio.

1.1.17.1.3 TAudio.FadeInSound

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function FadeInSound(  
    const aSound: TSound;  
    const aChannel: Integer;  
    const aVolume: Single;  
    const aLoops: Integer;  
    const aMilliseconds: Integer  
): Integer; static;
```

Description

This is FadeInSound, a member of class TAudio.

1.1.17.1.4 TAudio.FadeOutSound

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure FadeOutSound(  
    const aChannel: Integer;  
    const aMilliseconds: Integer  
); static;
```

Description

This is FadeOutSound, a member of class TAudio.

1.1.17.1.5 TAudio.FadingSound

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function FadingSound(  
    const aChannel: Integer  
): TAudioFading; static;
```

Description

This is FadingSound, a member of class TAudio.

1.1.17.1.6 TAudio.GetMusicVolume

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetMusicVolume(  
    const aMusic: TMusic  
): Single; static;
```

Description

This is GetMusicVolume, a member of class TAudio.

1.1.17.1.7 TAudio.GetSoundVolume

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetSoundVolume(  
    const aChannel: Integer  
): Single; static;
```

Description

This is GetSoundVolume, a member of class TAudio.

1.1.17.1.8 TAudio.IsSoundPaused

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function IsSoundPaused(  
    const aChannel: Integer  
): Boolean; static;
```

Description

This is IsSoundPaused, a member of class TAudio.

1.1.17.1.9 TAudio.IsSoundPlaying

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function IsSoundPlaying(  
    const aChannel: Integer  
): Boolean; static;
```

Description

This is IsSoundPlaying, a member of class TAudio.

1.1.17.1.10 TAudio.LoadMusic

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function LoadMusic(  
    const aArchive: TArchive;  
    const aFilename: string;  
    const aUseBuffer: Boolean = False  
): TMusic; static;
```

Description

This is LoadMusic, a member of class TAudio.

1.1.17.1.11 TAudio.LoadPlayMusic

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function LoadPlayMusic(  
    const aArchive: TArchive;  
    const aFilename: string;
```

```
    const aVolume: Single;  
    const aLoop: Integer;  
    const aUseBuffer: Boolean = False  
  ): TMusic; static;
```

Description

This is LoadPlayMusic, a member of class TAudio.

1.1.17.1.12 TAudio.LoadSound

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function LoadSound(  
    const aArchive: TArchive;  
    const aFilename: string  
): TSound; static;
```

Description

This is LoadSound, a member of class TAudio.

1.1.17.1.13 TAudio.PauseSound

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure PauseSound(  
    const aChannel: Integer  
); static;
```

Description

This is PauseSound, a member of class TAudio.

1.1.17.1.14 TAudio.PlayMusic

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function PlayMusic(  
    const aMusic: TMusic;  
    const aVolume: Single;  
    const aLoop: Integer  
): Boolean; static;
```

Description

This is PlayMusic, a member of class TAudio.

1.1.17.1.15 TAudio.PlaySound

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function PlaySound(  
    const aSound: TSound;  
    const aChannel: Integer;  
    const aVolume: Single;  
    const aLoops: Integer  
): Integer; static;
```

Description

This is PlaySound, a member of class TAudio.

1.1.17.1.16 TAudio.ReserveSoundChannels

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure ReserveSoundChannels(  
    const aCount: Integer  
); static;
```

Description

This is ReserveSoundChannels, a member of class TAudio.

1.1.17.1.17 TAudio.ResumeSound

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure ResumeSound(  
    const aChannel: Integer  
); static;
```

Description

This is ResumeSound, a member of class TAudio.

1.1.17.1.18 TAudio.SetMusicVolume

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure SetMusicVolume(  
    const aVolume: Single  
); static;
```

Description

This is SetMusicVolume, a member of class TAudio.

1.1.17.1.19 TAudio.SetSoundPosition

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function SetSoundPosition(  
    const aChannel: Integer;  
    const aAngle: SmallInt;  
    const aDistance: Byte  
): Boolean; static;
```

Description

This is SetSoundPosition, a member of class TAudio.

1.1.17.1.20 TAudio.SetSoundVolume

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure SetSoundVolume(  
    const aChannel: Integer;  
    const aVolume: Single  
); static;
```

Description

This is SetSoundVolume, a member of class TAudio.

1.1.17.1.21 TAudio.StopSound

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure StopSound(  
    const aChannel: Integer  
); static;
```

Description

This is StopSound, a member of class TAudio.

1.1.17.1.22 TAudio.UnloadMusic

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure UnloadMusic(  
    var aMusic: TMusic  
); static;
```

Description

This is UnloadMusic, a member of class TAudio.

1.1.17.1.23 TAudio.UnloadSound

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure UnloadSound(  
    var aSound: TSound  
); static;
```



Description

This is UnloadSound, a member of class TAudio.

1.1.17.2 TAudio Operators

The operators of the TAudio class are listed here.

Operators

	Finalize (see page 68)	This is Finalize, a member of class TAudio.
	Initialize (see page 69)	This is Initialize, a member of class TAudio.

1.1.17.2.1 TAudio.Finalize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Finalize(  
    var aDest: TAudio  
) ;
```

Description

This is Finalize, a member of class TAudio.

1.1.17.2.2 TAudio.Initialize

File: DelphiGamekit.pas (see page 397)

Delphi


```
class operator Initialize(  
    out aDest: TAudio  
) ;
```

Description

This is Initialize, a member of class TAudio.

1.1.18 TBaseObject

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TBaseObject = class ;
```

Description

This is class TBaseObject.

1.1.18.1 TBaseObject Methods

The methods of the TBaseObject class are listed here.

Methods

	Create (see page 69)	This is Create, a member of class TBaseObject.
	Destroy (see page 70)	This is Destroy, a member of class TBaseObject.

1.1.18.1.1 TBaseObject.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; virtual;
```

Description

This is Create, a member of class TBaseObject.

1.1.18.1.2 TBaseObject.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi


```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TBaseObject.

1.1.19 TBuffer

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TBuffer = class(TCustomMemoryStream);
```

Description

This is class TBuffer.

1.1.19.1 TBuffer Fields

The fields of the TBuffer class are listed here.

Fields

	FHandle (see page 70)	This is FHandle, a member of class TBuffer.
	FName (see page 70)	This is FName, a member of class TBuffer.

1.1.19.1.1 TBuffer.FHandle

File: DelphiGamekit.pas (see page 397)

Delphi

```
FHandle: THandle;
```

Description

This is FHandle, a member of class TBuffer.

1.1.19.1.2 TBuffer.FName

File: DelphiGamekit.pas (see page 397)

Delphi

```
FName: string;
```










Description

This is FName, a member of class TBuffer.

1.1.19.2 TBuffer Methods

The methods of the TBuffer class are listed here.

Methods

	Clear (see page 71)	This is Clear, a member of class TBuffer.
	Create (see page 71)	This is Create, a member of class TBuffer.
	Destroy (see page 71)	This is Destroy, a member of class TBuffer.
	Eof (see page 71)	This is Eof, a member of class TBuffer.
	LoadFromFile (see page 72)	This is LoadFromFile, a member of class TBuffer.
	ReadString (see page 72)	This is ReadString, a member of class TBuffer.
	SaveToFile (see page 72)	This is SaveToFile, a member of class TBuffer.
	Write (see page 72)	This is Write, a member of class TBuffer.
	Write (see page 72)	This is Write, a member of class TBuffer.

1.1.19.2.1 TBuffer.Clear

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Clear;
```

Description

This is Clear, a member of class TBuffer.

1.1.19.2.2 TBuffer.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create(  
    aSize: Cardinal  
);
```

Description

This is Create, a member of class TBuffer.

1.1.19.2.3 TBuffer.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TBuffer.

1.1.19.2.4 TBuffer.Eof

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Eof: Boolean;
```

Description

This is Eof, a member of class TBuffer.

1.1.19.2.5 TBuffer.LoadFromFile

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function LoadFromFile(  
    const aFilename: string  
): TBuffer;
```

Description

This is LoadFromFile, a member of class TBuffer.

1.1.19.2.6 TBuffer.ReadString

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ReadString: WideString;
```

Description

This is ReadString, a member of class TBuffer.

1.1.19.2.7 TBuffer.SaveToFile

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SaveToFile(  
    aFilename: string  
);
```

Description

This is SaveToFile, a member of class TBuffer.

1.1.19.2.8 TBuffer.Write

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Write(  
    const aBuffer;  
    aCount: Longint  
): Longint; override;
```

Description

This is Write, a member of class TBuffer.

1.1.19.2.9 TBuffer.Write

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Write(  
    const aBuffer: TBytes;
```

```
    aOffset: Longint;  
    aCount: Longint  
): Longint; override;
```

Description
This is Write, a member of class TBuffer.

1.1.19.3 TBuffer Properties

The properties of the TBuffer class are listed here.

Properties

	Name (see page 73)	This is Name, a member of class TBuffer.
---	---------------------	--

1.1.19.3.1 TBuffer.Name

File: DelphiGamekit.pas (see page 397)


Delphi

```
property Name: string;
```

Description
This is Name, a member of class TBuffer.

1.1.20 TCamera

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi



```
TCamera = class(TBaseObject);
```

Description
This is class TCamera.

1.1.20.1 TCamera Constants

The constants of the TCamera class are listed here.

Constants

	ZOOM_MAX (see page 73)	This is ZOOM_MAX, a member of class TCamera.
	ZOOM_MIN (see page 74)	This is ZOOM_MIN, a member of class TCamera.

1.1.20.1.1 TCamera.ZOOM_MAX

File: DelphiGamekit.pas (see page 397)

Delphi

```
const ZOOM_MAX = 10.0;
```

Description

This is ZOOM_MAX, a member of class TCamera.

1.1.20.1.2 TCamera.ZOOM_MIN

File: DelphiGamekit.pas (see page 397)

Delphi

```
const ZOOM_MIN = 0.01;
```








Description

This is ZOOM_MIN, a member of class TCamera.

1.1.20.2 TCamera Methods

The methods of the TCamera class are listed here.

Methods

	Create (see page 74)	This is Create, a member of class TCamera.
	Destroy (see page 74)	This is Destroy, a member of class TCamera.
	Init (see page 74)	This is Init, a member of class TCamera.
	IsVisible (see page 75)	This is IsVisible, a member of class TCamera.
	SetBounds (see page 75)	This is SetBounds, a member of class TCamera.
	WorldToScreen (see page 75)	This is WorldToScreen, a member of class TCamera.
	WorldToScreen (see page 75)	This is WorldToScreen, a member of class TCamera.

1.1.20.2.1 TCamera.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TCamera.

1.1.20.2.2 TCamera.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TCamera.

1.1.20.2.3 TCamera.Init

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Init(  
  const aPosX: Single;  
  const aPosY: Single;
```

```
const aBoundsX: Single;  
const aBoundsY: Single;  
const aBoundsWidth: Single;  
const aBoundsHeight: Single  
);
```

Description

This is Init, a member of class TCamera.

1.1.20.2.4 TCamera.IsVisible

File: DelphiGamekit.pas (see page 397)

Delphi

```
function IsVisible(  
    const aTransform: TTransform  
): Boolean;
```

Description

This is IsVisible, a member of class TCamera.

1.1.20.2.5 TCamera.SetBounds

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetBounds(  
    const aX: Single;  
    const aY: Single;  
    const aWidth: Single;  
    const aHeight: Single  
);
```

Description

This is SetBounds, a member of class TCamera.

1.1.20.2.6 TCamera.WorldToScreen

File: DelphiGamekit.pas (see page 397)

Delphi

```
function WorldToScreen(  
    var aX: Single;  
    var aY: Single;  
    var aWidth: Single;  
    var aHeight: Single;  
    var aAngle: Single;  
    var aScale: Single;  
    const aOriginX: Single;  
    const aOriginY: Single  
): Boolean; overload;
```

Description

This is WorldToScreen, a member of class TCamera.

1.1.20.2.7 TCamera.WorldToScreen

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure WorldToScreen(  
    const aWorld: TTransform;  
    var aScreen: TTransform  
); overload;
```







Description

This is WorldToScreen, a member of class TCamera.

1.1.20.3 TCamera Properties

The properties of the TCamera class are listed here.

Properties

	Active (see page 76)	This is Active, a member of class TCamera.
	Angle (see page 76)	This is Angle, a member of class TCamera.
	Bounds (see page 76)	This is Bounds, a member of class TCamera.
	PosX (see page 76)	This is PosX, a member of class TCamera.
	PosY (see page 77)	This is PosY, a member of class TCamera.
	Zoom (see page 77)	This is Zoom, a member of class TCamera.

1.1.20.3.1 TCamera.Active

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Active: Boolean;
```

Description

This is Active, a member of class TCamera.

1.1.20.3.2 TCamera.Angle

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Angle: Single;
```

Description

This is Angle, a member of class TCamera.

1.1.20.3.3 TCamera.Bounds

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Bounds: TRect;
```

Description

This is Bounds, a member of class TCamera.

1.1.20.3.4 TCamera.PosX

File: DelphiGamekit.pas (see page 397)

Delphi

```
property PosX: Single;
```

Description

This is PosX, a member of class TCamera.

1.1.20.3.5 TCamera.PosY

File: DelphiGamekit.pas (see page 397)

Delphi

```
property PosY: Single;
```

Description

This is PosY, a member of class TCamera.

1.1.20.3.6 TCamera.Zoom

File: DelphiGamekit.pas (see page 397)

Delphi


```
property Zoom: Single;
```

Description

This is Zoom, a member of class TCamera.

1.1.21 TCloudDb

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TCloudDb = class(TBaseObject);
```

Description

This is class TCloudDb.

1.1.21.1 TCloudDb Constants

The constants of the TCloudDb class are listed here.

Constants

	cURL (see page 77)	This is cURL, a member of class TCloudDb.
---	---------------------	---

1.1.21.1.1 TCloudDb.cURL

File: DelphiGamekit.pas (see page 397)

Delphi

```
const cURL = '/?apikey=%s&keyspace=%s&query=%s';
```













Description

This is cURL, a member of class TCloudDb.

1.1.21.2 TCloudDb Fields

The fields of the TCloudDb class are listed here.

Fields

	FApiKey (see page 78)	This is FApiKey, a member of class TCloudDb.
	FDatabase (see page 78)	This is FDatabase, a member of class TCloudDb.
	FDataset (see page 78)	This is FDataset, a member of class TCloudDb.
	FHttp (see page 79)	This is FHttp, a member of class TCloudDb.
	FJSON (see page 79)	This is FJSON, a member of class TCloudDb.
	FLastError (see page 79)	This is FLastError, a member of class TCloudDb.
	FMacros (see page 79)	This is FMacros, a member of class TCloudDb.
	FParams (see page 79)	This is FParams, a member of class TCloudDb.
	FPreparedSQL (see page 79)	This is FPreparedSQL, a member of class TCloudDb.
	FResponseText (see page 80)	This is FResponseText, a member of class TCloudDb.
	FSQL (see page 80)	This is FSQL, a member of class TCloudDb.
	FUrl (see page 80)	This is FUrl, a member of class TCloudDb.

1.1.21.2.1 TCloudDb.FApiKey

File: DelphiGamekit.pas (see page 397)

Delphi

```
FApiKey: string;
```

Description

This is FApiKey, a member of class TCloudDb.

1.1.21.2.2 TCloudDb.FDatabase

File: DelphiGamekit.pas (see page 397)

Delphi

```
FDatabase: string;
```

Description

This is FDatabase, a member of class TCloudDb.

1.1.21.2.3 TCloudDb.FDataset

File: DelphiGamekit.pas (see page 397)

Delphi

```
FDataset: TJSONArray;
```

Description

This is FDataset, a member of class TCloudDb.

1.1.21.2.4 TCloudDb.FHttp

File: DelphiGamekit.pas (see page 397)

Delphi

```
FHttp: THTTPClient;
```

Description

This is FHttp, a member of class TCloudDb.

1.1.21.2.5 TCloudDb.FJSON

File: DelphiGamekit.pas (see page 397)

Delphi

```
FJSON: TJSONObject;
```

Description

This is FJSON, a member of class TCloudDb.

1.1.21.2.6 TCloudDb.FLastError

File: DelphiGamekit.pas (see page 397)

Delphi

```
FLastError: string;
```

Description

This is FLastError, a member of class TCloudDb.

1.1.21.2.7 TCloudDb.FMacros

File: DelphiGamekit.pas (see page 397)

Delphi

```
FMacros: TDictionary<string, string>;
```

Description

This is FMacros, a member of class TCloudDb.

1.1.21.2.8 TCloudDb.FParams

File: DelphiGamekit.pas (see page 397)

Delphi

```
FParams: TDictionary<string, string>;
```

Description

This is FParams, a member of class TCloudDb.

1.1.21.2.9 TCloudDb.FPreparedSQL

File: DelphiGamekit.pas (see page 397)

Delphi

FPreparedSQL: `string`;

Description

This is FPreparedSQL, a member of class TCloudDb.

1.1.21.2.10 TCloudDb.FResponseText

File: DelphiGamekit.pas (see page 397)

Delphi

FResponseText: `string`;

Description

This is FResponseText, a member of class TCloudDb.

1.1.21.2.11 TCloudDb.FSQL

File: DelphiGamekit.pas (see page 397)

Delphi

FSQL: `TStringList`;

Description

This is FSQL, a member of class TCloudDb.

1.1.21.2.12 TCloudDb.FUrl

File: DelphiGamekit.pas (see page 397)

Delphi

FUrl: `string`;













Description











This is FUrl, a member of class TCloudDb.

1.1.21.3 TCloudDb Methods

The methods of the TCloudDb class are listed here.

Methods

	AddSQLText (see page 81)	This is AddSQLText, a member of class TCloudDb.
	ClearSQLText (see page 81)	This is ClearSQLText, a member of class TCloudDb.
	Create (see page 81)	This is Create, a member of class TCloudDb.
	Destroy (see page 81)	This is Destroy, a member of class TCloudDb.
	Execute (see page 82)	This is Execute, a member of class TCloudDb.
	ExecuteSQL (see page 82)	This is ExecuteSQL, a member of class TCloudDb.
	GetField (see page 82)	This is GetField, a member of class TCloudDb.
	GetLastError (see page 82)	This is GetLastError, a member of class TCloudDb.
	GetMacro (see page 82)	This is GetMacro, a member of class TCloudDb.
	GetParam (see page 83)	This is GetParam, a member of class TCloudDb.
	GetPreparedSQL (see page 83)	This is GetPreparedSQL, a member of class TCloudDb.
	GetQueryURL (see page 83)	This is GetQueryURL, a member of class TCloudDb.

	GetResponseText (see page 83)	This is GetResponseText, a member of class TCloudDb.
	GetSQLText (see page 83)	This is GetSQLText, a member of class TCloudDb.
	Prepair (see page 84)	This is Prepair, a member of class TCloudDb.
	RecordCount (see page 84)	This is RecordCount, a member of class TCloudDb.
	SetMacro (see page 84)	This is SetMacro, a member of class TCloudDb.
	SetMacroValue (see page 84)	This is SetMacroValue, a member of class TCloudDb.
	SetParam (see page 84)	This is SetParam, a member of class TCloudDb.
	SetParamValue (see page 85)	This is SetParamValue, a member of class TCloudDb.
	SetSQLText (see page 85)	This is SetSQLText, a member of class TCloudDb.
	Setup (see page 85)	This is Setup, a member of class TCloudDb.

1.1.21.3.1 TCloudDb.AddSQLText

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure AddSQLText (
  const aText: string;
  const aArgs: array of const
);
```

Description

This is AddSQLText, a member of class TCloudDb.

1.1.21.3.2 TCloudDb.ClearSQLText

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure ClearSQLText;
```

Description

This is ClearSQLText, a member of class TCloudDb.

1.1.21.3.3 TCloudDb.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TCloudDb.

1.1.21.3.4 TCloudDb.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TCloudDb.

1.1.21.3.5 TCloudDb.Execute

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Execute: Boolean;
```

Description

This is Execute, a member of class TCloudDb.

1.1.21.3.6 TCloudDb.ExecuteSQL

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ExecuteSQL(  
    const aSQL: string  
): Boolean;
```

Description

This is ExecuteSQL, a member of class TCloudDb.

1.1.21.3.7 TCloudDb.GetField

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetField(  
    const aIndex: Cardinal;  
    const aName: string  
): string;
```

Description

This is GetField, a member of class TCloudDb.

1.1.21.3.8 TCloudDb.GetLastError

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetLastError: string;
```

Description

This is GetLastError, a member of class TCloudDb.

1.1.21.3.9 TCloudDb.GetMacro

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetMacro(  
    const aName: string  
): string;
```

Description

This is GetMacro, a member of class TCloudDb.

1.1.21.3.10 TCloudDb.GetParam

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetParam(  
    const aName: string  
): string;
```

Description

This is GetParam, a member of class TCloudDb.

1.1.21.3.11 TCloudDb.GetPreparedSQL

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetPreparedSQL: string;
```

Description

This is GetPreparedSQL, a member of class TCloudDb.

1.1.21.3.12 TCloudDb.GetQueryURL

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetQueryURL(  
    const aSQL: string  
): string;
```

Description

This is GetQueryURL, a member of class TCloudDb.

1.1.21.3.13 TCloudDb.GetResponseText

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetResponseText: string;
```

Description

This is GetResponseText, a member of class TCloudDb.

1.1.21.3.14 TCloudDb.GetSQLText

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetSQLText: string;
```

Description

This is GetSQLText, a member of class TCloudDb.

1.1.21.3.15 TCloudDb.Prepare

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Prepare;
```

Description

This is Prepare, a member of class TCloudDb.

1.1.21.3.16 TCloudDb.RecordCount

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RecordCount: Integer;
```

Description

This is RecordCount, a member of class TCloudDb.

1.1.21.3.17 TCloudDb.SetMacro

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetMacro(  
    const aName: string;  
    const aValue: string  
);
```

Description

This is SetMacro, a member of class TCloudDb.

1.1.21.3.18 TCloudDb.SetMacroValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetMacroValue(  
    const aName: string;  
    const aValue: string  
);
```

Description

This is SetMacroValue, a member of class TCloudDb.

1.1.21.3.19 TCloudDb.SetParam

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetParam(  
    const aName: string;  
    const aValue: string  
);
```

Description

This is SetParam, a member of class TCloudDb.

1.1.21.3.20 TCloudDb.SetParamValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetParamValue(  
    const aName: string;  
    const aValue: string  
);
```

Description

This is SetParamValue, a member of class TCloudDb.

1.1.21.3.21 TCloudDb.SetSQLText

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetSQLText(  
    const aText: string  
);
```

Description

This is SetSQLText, a member of class TCloudDb.

1.1.21.3.22 TCloudDb.Setup

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Setup(  
    const aURL: string;  
    const aApiKey: string;  
    const aDatabase: string  
);
```

Description

This is Setup, a member of class TCloudDb.

1.1.22 TCmdLine

File: DelphiGamekit.pas (see page 397)

Delphi

```
TCmdLine = record  
end;
```













Description

This is class TCmdLine.

1.1.22.1 TCmdLine Methods

The methods of the TCmdLine class are listed here.

Methods

	AddParam (see page 86)	This is AddParam, a member of class TCmdLine.
	AddParams (see page 86)	This is AddParams, a member of class TCmdLine.
	Clear (see page 86)	This is Clear, a member of class TCmdLine.
	Count (see page 86)	This is Count, a member of class TCmdLine.
	Count (see page 87)	This is Count, a member of class TCmdLine.
	Param (see page 87)	This is Param, a member of class TCmdLine.
	Param (see page 87)	This is Param, a member of class TCmdLine.
	ParamExist (see page 87)	This is ParamExist, a member of class TCmdLine.
	ParamIndex (see page 87)	This is ParamIndex, a member of class TCmdLine.
	ParamValue (see page 88)	This is ParamValue, a member of class TCmdLine.
	Reset (see page 88)	This is Reset, a member of class TCmdLine.
	Str (see page 88)	This is Str, a member of class TCmdLine.

1.1.22.1.1 TCmdLine.AddParam

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure AddParam(
    const aParam: string
); static;
```

Description

This is AddParam, a member of class TCmdLine.

1.1.22.1.2 TCmdLine.AddParams

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure AddParams(
    const aParams: array of string
); static;
```

Description

This is AddParams, a member of class TCmdLine.

1.1.22.1.3 TCmdLine.Clear

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Clear; static;
```

Description

This is Clear, a member of class TCmdLine.

1.1.22.1.4 TCmdLine.Count

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function Count: Integer; overload; static;
```


Description

This is Count, a member of class TCmdLine.

1.1.22.1.5 TCmdLine.Count

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function Count(  
    const aName: string  
): Integer; overload; static;
```

Description

This is Count, a member of class TCmdLine.

1.1.22.1.6 TCmdLine.Param

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function Param(  
    const aIndex: Integer  
): string; overload; static;
```

Description

This is Param, a member of class TCmdLine.

1.1.22.1.7 TCmdLine.Param

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function Param(  
    const aName: string;  
    const aIndex: Integer  
): string; overload; static;
```

Description

This is Param, a member of class TCmdLine.

1.1.22.1.8 TCmdLine.ParamExist

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function ParamExist(  
    const aName: string  
): Boolean; static;
```

Description

This is ParamExist, a member of class TCmdLine.

1.1.22.1.9 TCmdLine.ParamIndex

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function ParamIndex(  
    const aName: string  
): Integer; static;
```

Description

This is ParamIndex, a member of class TCmdLine.

1.1.22.1.10 TCmdLine.ParamValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function ParamValue(  
    const aName: string;  
    var aValue: string  
): Boolean; static;
```

Description

This is ParamValue, a member of class TCmdLine.

1.1.22.1.11 TCmdLine.Reset

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Reset; static;
```

Description

This is Reset, a member of class TCmdLine.

1.1.22.1.12 TCmdLine.Str

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function Str: string; static;
```



Description

This is Str, a member of class TCmdLine.

1.1.22.2 TCmdLine Operators

The operators of the TCmdLine class are listed here.

Operators

	Finalize (see page 88)	This is Finalize, a member of class TCmdLine.
	Initialize (see page 89)	This is Initialize, a member of class TCmdLine.

1.1.22.2.1 TCmdLine.Finalize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Finalize(  
    var aDest: TCmdLine
```

);

Description

This is Finalize, a member of class TCmdLine.

1.1.22.2 TCmdLine.Initialize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Initialize(  
    out aDest: TCmdLine  
);
```

Description

This is Initialize, a member of class TCmdLine.

1.1.23 TColor

File: DelphiGamekit.pas (see page 397)

Delphi

```
TColor = record  
    Alpha: Byte;  
    Blue: Byte;  
    Green: Byte;  
    Red: Byte;  
end;
```





Description

This is class TColor.

1.1.23.1 TColor Fields

The fields of the TColor class are listed here.

Fields

	Alpha (see page 89)	This is Alpha, a member of class TColor.
	Blue (see page 90)	This is Blue, a member of class TColor.
	Green (see page 90)	This is Green, a member of class TColor.
	Red (see page 90)	This is Red, a member of class TColor.

1.1.23.1.1 TColor.Alpha

File: DelphiGamekit.pas (see page 397)

Delphi

```
Alpha: Byte;
```

Description

This is Alpha, a member of class TColor.

1.1.23.1.2 TColor.Blue

File: DelphiGamekit.pas (see page 397)

Delphi

`Blue: Byte;`

Description

This is Blue, a member of class TColor.

1.1.23.1.3 TColor.Green

File: DelphiGamekit.pas (see page 397)

Delphi

`Green: Byte;`

Description

This is Green, a member of class TColor.

1.1.23.1.4 TColor.Red

File: DelphiGamekit.pas (see page 397)

Delphi

`Red: Byte;`

Description

This is Red, a member of class TColor.

1.1.23.2 TColor Methods

The methods of the TColor class are listed here.

Methods

✦	Clear (see page 90)	This is Clear, a member of class TColor.
✦	Equal (see page 90)	This is Equal, a member of class TColor.
✦	Fade (see page 91)	This is Fade, a member of class TColor.
✦	Make (see page 91)	This is Make, a member of class TColor.
✦	Makef (see page 91)	This is Makef, a member of class TColor.

1.1.23.2.1 TColor.Clear

File: DelphiGamekit.pas (see page 397)

Delphi

`procedure Clear;`

Description

This is Clear, a member of class TColor.

1.1.23.2.2 TColor.Equal

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Equal(  
    const aColor: TColor  
): Boolean;
```

Description

This is Equal, a member of class TColor.

1.1.23.2.3 TColor.Fade

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Fade(  
    const aTo: TColor;  
    const aPos: Single  
): TColor;
```

Description

This is Fade, a member of class TColor.

1.1.23.2.4 TColor.Make

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Make(  
    const aRed: Byte;  
    const aGreen: Byte;  
    const aBlue: Byte;  
    const aAlpha: Byte  
): TColor;
```

Description

This is Make, a member of class TColor.

1.1.23.2.5 TColor.Makef

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Makef(  
    const aRed: Single;  
    const aGreen: Single;  
    const aBlue: Single;  
    const aAlpha: Single  
): TColor;
```



Description

This is Makef, a member of class TColor.

1.1.23.3 TColor Operators

The operators of the TColor class are listed here.

Operators

	Implicit (see page 92)	This is Implicit, a member of class TColor.
	Implicit (see page 92)	This is Implicit, a member of class TColor.

1.1.23.3.1 TColor.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  
    aValue: SDL_Color  
);
```

Description

This is Implicit, a member of class TColor.

1.1.23.3.2 TColor.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  
    aValue: TColor  
);
```

Description

This is Implicit, a member of class TColor.

1.1.24 TConfigFile

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TConfigFile = class(TBaseObject);
```






Description

This is class TConfigFile.

1.1.24.1 TConfigFile Methods

The methods of the TConfigFile class are listed here.

Methods

	Close (see page 93)	This is Close, a member of class TConfigFile.
	Create (see page 93)	This is Create, a member of class TConfigFile.
	Destroy (see page 93)	This is Destroy, a member of class TConfigFile.
	GetSectionValue (see page 93)	This is GetSectionValue, a member of class TConfigFile.
	GetSectionValue (see page 94)	This is GetSectionValue, a member of class TConfigFile.

◆	GetSectionValue (see page 94)	This is GetSectionValue, a member of class TConfigFile.
◆	GetSectionValues (see page 94)	This is GetSectionValues, a member of class TConfigFile.
◆	GetValue (see page 94)	This is GetValue, a member of class TConfigFile.
◆	GetValue (see page 95)	This is GetValue, a member of class TConfigFile.
◆	GetValue (see page 95)	This is GetValue, a member of class TConfigFile.
◆	GetValue (see page 95)	This is GetValue, a member of class TConfigFile.
◆	Open (see page 95)	This is Open, a member of class TConfigFile.
◆	Opened (see page 95)	This is Opened, a member of class TConfigFile.
◆	RemoveKey (see page 96)	This is RemoveKey, a member of class TConfigFile.
◆	RemoveSection (see page 96)	This is RemoveSection, a member of class TConfigFile.
◆	SetValue (see page 96)	This is SetValue, a member of class TConfigFile.
◆	SetValue (see page 96)	This is SetValue, a member of class TConfigFile.
◆	SetValue (see page 97)	This is SetValue, a member of class TConfigFile.
◆	SetValue (see page 97)	This is SetValue, a member of class TConfigFile.
◆	Update (see page 97)	This is Update, a member of class TConfigFile.

1.1.24.1.1 TConfigFile.Close

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Close;
```

Description

This is Close, a member of class TConfigFile.

1.1.24.1.2 TConfigFile.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TConfigFile.

1.1.24.1.3 TConfigFile.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TConfigFile.

1.1.24.1.4 TConfigFile.GetSectionValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetSectionValue(
  const aIndex: Integer;
  const aDefaultValue: Boolean
```

```
) : Boolean; overload;
```

Description

This is GetSectionValue, a member of class TConfigFile.

1.1.24.1.5 TConfigFile.GetSectionValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetSectionValue(  
    const aIndex: Integer;  
    const aDefaultValue: Integer  
): Integer; overload;
```

Description

This is GetSectionValue, a member of class TConfigFile.

1.1.24.1.6 TConfigFile.GetSectionValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetSectionValue(  
    const aIndex: Integer;  
    const aDefaultValue: string  
): string; overload;
```

Description

This is GetSectionValue, a member of class TConfigFile.

1.1.24.1.7 TConfigFile.GetSectionValues

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetSectionValues(  
    const aSection: string  
): Integer;
```

Description

This is GetSectionValues, a member of class TConfigFile.

1.1.24.1.8 TConfigFile.GetValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetValue(  
    const aSection: string;  
    const aKey: string;  
    aDefaultValue: Boolean  
): Boolean; overload;
```

Description

This is GetValue, a member of class TConfigFile.

1.1.24.1.9 TConfigFile.GetValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetValue(  
    const aSection: string;  
    const aKey: string;  
    aDefaultValue: Integer  
): Integer; overload;
```

Description

This is GetValue, a member of class TConfigFile.

1.1.24.1.10 TConfigFile.GetValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure GetValue(  
    const aSection: string;  
    const aKey: string;  
    aValue: Pointer;  
    aValueSize: Cardinal  
); overload;
```

Description

This is GetValue, a member of class TConfigFile.

1.1.24.1.11 TConfigFile.GetValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetValue(  
    const aSection: string;  
    const aKey: string;  
    const aDefaultValue: string  
): string; overload;
```

Description

This is GetValue, a member of class TConfigFile.

1.1.24.1.12 TConfigFile.Open

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Open(  
    const aFilename: string = ''  
): Boolean;
```

Description

This is Open, a member of class TConfigFile.

1.1.24.1.13 TConfigFile.Opened

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Opened: Boolean;
```

Description

This is Opened, a member of class TConfigFile.

1.1.24.1.14 TConfigFile.RemoveKey

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RemoveKey(  
    const aSection: string;  
    const aKey: string  
): Boolean;
```

Description

This is RemoveKey, a member of class TConfigFile.

1.1.24.1.15 TConfigFile.RemoveSection

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RemoveSection(  
    const aName: string  
): Boolean;
```

Description

This is RemoveSection, a member of class TConfigFile.

1.1.24.1.16 TConfigFile.SetValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetValue(  
    const aSection: string;  
    const aKey: string;  
    aValue: Boolean  
); overload;
```

Description

This is SetValue, a member of class TConfigFile.

1.1.24.1.17 TConfigFile.SetValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetValue(  
    const aSection: string;  
    const aKey: string;  
    aValue: Integer  
); overload;
```

Description

This is SetValue, a member of class TConfigFile.

1.1.24.1.18 TConfigFile.SetValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetValue(  
    const aSection: string;  
    const aKey: string;  
    aValue: Pointer;  
    aValueSize: Cardinal  
); overload;
```

Description

This is SetValue, a member of class TConfigFile.

1.1.24.1.19 TConfigFile.SetValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetValue(  
    const aSection: string;  
    const aKey: string;  
    const aValue: string  
); overload;
```

Description

This is SetValue, a member of class TConfigFile.

1.1.24.1.20 TConfigFile.Update

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Update;
```

Description

This is Update, a member of class TConfigFile.

1.1.25 TController

File: DelphiGamekit.pas (see page 397)

Delphi

```
TController = record  
end;
```

Description

This is class TController.

1.1.25.1 TController Methods

The methods of the TController class are listed here.

Methods

✚	ButtonDown (see page 98)	This is ButtonDown, a member of class TController.
✚	ButtonPressed (see page 98)	This is ButtonPressed, a member of class TController.
✚	ButtonReleased (see page 98)	This is ButtonReleased, a member of class TController.
✚	Clear (see page 98)	This is Clear, a member of class TController.
✚	Close (see page 99)	This is Close, a member of class TController.
✚	GetAxis (see page 99)	This is GetAxis, a member of class TController.
✚	Open (see page 99)	This is Open, a member of class TController.
✚	Shutdown (see page 99)	This is Shutdown, a member of class TController.
✚	Startup (see page 99)	This is Startup, a member of class TController.
✚	Update (see page 100)	This is Update, a member of class TController.

1.1.25.1.1 TController.ButtonDown

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function ButtonDown(  
    const aButton: Cardinal  
): Boolean; static;
```

Description

This is ButtonDown, a member of class TController.

1.1.25.1.2 TController.ButtonPressed

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function ButtonPressed(  
    const aButton: Cardinal  
): Boolean; static;
```

Description

This is ButtonPressed, a member of class TController.

1.1.25.1.3 TController.ButtonReleased

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function ButtonReleased(  
    const aButton: Cardinal  
): Boolean; static;
```

Description

This is ButtonReleased, a member of class TController.

1.1.25.1.4 TController.Clear

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Clear; static;
```

Description

This is Clear, a member of class TController.

1.1.25.1.5 TController.Close

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Close; static;
```

Description

This is Close, a member of class TController.

1.1.25.1.6 TController.GetAxis

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetAxis(  
    const aAxis: Cardinal  
): Single; static;
```

Description

This is GetAxis, a member of class TController.

1.1.25.1.7 TController.Open

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function Open(  
    const aIndex: Cardinal  
): Boolean; static;
```

Description

This is Open, a member of class TController.

1.1.25.1.8 TController.Shutdown

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Shutdown; static;
```

Description

This is Shutdown, a member of class TController.

1.1.25.1.9 TController.Startup

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function Startup: Boolean; static;
```

Description

This is Startup, a member of class TController.

1.1.25.1.10 TController.Update

File: DelphiGamekit.pas (see page 397)

Delphi


```
class procedure Update(  
    const aEvent: PSDL_Event  
); static;
```

Description

This is Update, a member of class TController.

1.1.26 TEntity

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TEntity = class(TBaseObject);
```

Description




This is class TEntity.

1.1.26.1 TEntity Fields

The fields of the TEntity class are listed here.

Fields

	FAngle (see page 101)	This is FAngle, a member of class TEntity.
	FAngleOffset (see page 101)	This is FAngleOffset, a member of class TEntity.
	FBlendMode (see page 101)	This is FBlendMode, a member of class TEntity.
	FColor (see page 101)	This is FColor, a member of class TEntity.
	FDir (see page 101)	This is FDir, a member of class TEntity.
	FFirstFrame (see page 102)	This is FFirstFrame, a member of class TEntity.
	FFlipMode (see page 102)	This is FFlipMode, a member of class TEntity.
	FFrame (see page 102)	This is FFrame, a member of class TEntity.
	FFrameFPS (see page 102)	This is FFrameFPS, a member of class TEntity.
	FFrameTimer (see page 102)	This is FFrameTimer, a member of class TEntity.
	FGroup (see page 102)	This is FGroup, a member of class TEntity.
	FHeight (see page 103)	This is FHeight, a member of class TEntity.
	FLastFrame (see page 103)	This is FLastFrame, a member of class TEntity.
	FLoopFrame (see page 103)	This is FLoopFrame, a member of class TEntity.
	FOrigin (see page 103)	This is FOrigin, a member of class TEntity.
	FPos (see page 103)	This is FPos, a member of class TEntity.
	FRadius (see page 104)	This is FRadius, a member of class TEntity.
	FRenderPolyPoint (see page 104)	This is FRenderPolyPoint, a member of class TEntity.
	FScale (see page 104)	This is FScale, a member of class TEntity.

	FShrinkFactor (see page 104)	This is FShrinkFactor, a member of class TEntity.
	FSprite (see page 104)	This is FSprite, a member of class TEntity.
	FWidth (see page 104)	This is FWidth, a member of class TEntity.

1.1.26.1.1 TEntity.FAngle

File: DelphiGamekit.pas (see page 397)

Delphi

```
FAngle: Single;
```

Description

This is FAngle, a member of class TEntity.

1.1.26.1.2 TEntity.FAngleOffset

File: DelphiGamekit.pas (see page 397)

Delphi

```
FAngleOffset: Single;
```

Description

This is FAngleOffset, a member of class TEntity.

1.1.26.1.3 TEntity.FBlendMode

File: DelphiGamekit.pas (see page 397)

Delphi

```
FBlendMode: TBlendMode;
```

Description

This is FBlendMode, a member of class TEntity.

1.1.26.1.4 TEntity.FColor

File: DelphiGamekit.pas (see page 397)

Delphi

```
FColor: TColor;
```

Description

This is FColor, a member of class TEntity.

1.1.26.1.5 TEntity.FDir

File: DelphiGamekit.pas (see page 397)

Delphi

```
FDir: TVector;
```

Description

This is FDir, a member of class TEntity.

1.1.26.1.6 TEntity.FFirstFrame

File: DelphiGamekit.pas (see page 397)

Delphi

```
FFirstFrame: Integer;
```

Description

This is FFirstFrame, a member of class TEntity.

1.1.26.1.7 TEntity.FFlipMode

File: DelphiGamekit.pas (see page 397)

Delphi

```
FFlipMode: TFlipMode;
```

Description

This is FFlipMode, a member of class TEntity.

1.1.26.1.8 TEntity.FFrame

File: DelphiGamekit.pas (see page 397)

Delphi

```
FFrame: Integer;
```

Description

This is FFrame, a member of class TEntity.

1.1.26.1.9 TEntity.FFrameFPS

File: DelphiGamekit.pas (see page 397)

Delphi

```
FFrameFPS: Single;
```

Description

This is FFrameFPS, a member of class TEntity.

1.1.26.1.10 TEntity.FFrameTimer

File: DelphiGamekit.pas (see page 397)

Delphi

```
FFrameTimer: Single;
```

Description

This is FFrameTimer, a member of class TEntity.

1.1.26.1.11 TEntity.FGroup

File: DelphiGamekit.pas (see page 397)

Delphi

```
FGroup: Integer;
```

Description

This is FGroup, a member of class TEntity.

1.1.26.1.12 TEntity.FHeight

File: DelphiGamekit.pas (see page 397)

Delphi

```
FHeight: Single;
```

Description

This is FHeight, a member of class TEntity.

1.1.26.1.13 TEntity.FLastFrame

File: DelphiGamekit.pas (see page 397)

Delphi

```
FLastFrame: Integer;
```

Description

This is FLastFrame, a member of class TEntity.

1.1.26.1.14 TEntity.FLoopFrame

File: DelphiGamekit.pas (see page 397)

Delphi

```
FLoopFrame: Boolean;
```

Description

This is FLoopFrame, a member of class TEntity.

1.1.26.1.15 TEntity.FOrigin

File: DelphiGamekit.pas (see page 397)

Delphi

```
FOrigin: TPoint;
```

Description

This is FOrigin, a member of class TEntity.

1.1.26.1.16 TEntity.FPos

File: DelphiGamekit.pas (see page 397)

Delphi

```
FPos: TVector;
```

Description

This is FPos, a member of class TEntity.

1.1.26.1.17 TEntity.FRadius

File: DelphiGamekit.pas (see page 397)

Delphi

```
FRadius: Single;
```

Description

This is FRadius, a member of class TEntity.

1.1.26.1.18 TEntity.FRenderPolyPoint

File: DelphiGamekit.pas (see page 397)

Delphi

```
FRenderPolyPoint: Boolean;
```

Description

This is FRenderPolyPoint, a member of class TEntity.

1.1.26.1.19 TEntity.FScale

File: DelphiGamekit.pas (see page 397)

Delphi

```
FScale: Single;
```

Description

This is FScale, a member of class TEntity.

1.1.26.1.20 TEntity.FShrinkFactor

File: DelphiGamekit.pas (see page 397)

Delphi

```
FShrinkFactor: Single;
```

Description

This is FShrinkFactor, a member of class TEntity.

1.1.26.1.21 TEntity.FSprite

File: DelphiGamekit.pas (see page 397)

Delphi

```
FSprite: TSprite;
```

Description

This is FSprite, a member of class TEntity.

1.1.26.1.22 TEntity.FWidth

File: DelphiGamekit.pas (see page 397)

Delphi

FWidth: Single;

Description

This is FWidth, a member of class TEntity.

1.1.26.2 TEntity Methods

The methods of the TEntity class are listed here.

Methods

◆	Angle (see page 106)	This is Angle, a member of class TEntity.
◆	AngleOffset (see page 106)	This is AngleOffset, a member of class TEntity.
◆	CollidePolyPoint (see page 106)	This is CollidePolyPoint, a member of class TEntity.
◆	CollidePolyPointPoint (see page 107)	This is CollidePolyPointPoint, a member of class TEntity.
◆	Color (see page 107)	This is Color, a member of class TEntity.
◆ V	Create (see page 107)	This is Create, a member of class TEntity.
◆	CreateEntity (see page 107)	This is CreateEntity, a member of class TEntity.
◆ V	Destroy (see page 107)	This is Destroy, a member of class TEntity.
◆	Dir (see page 108)	This is Dir, a member of class TEntity.
◆	FirstFrame (see page 108)	This is FirstFrame, a member of class TEntity.
◆	FlipMode (see page 108)	This is FlipMode, a member of class TEntity.
◆	Frame (see page 108)	This is Frame, a member of class TEntity.
◆	FrameFPS (see page 108)	This is FrameFPS, a member of class TEntity.
◆	FullyVisible (see page 108)	This is FullyVisible, a member of class TEntity.
◆	Group (see page 109)	This is Group, a member of class TEntity.
◆	Height (see page 109)	This is Height, a member of class TEntity.
◆	Init (see page 109)	This is Init, a member of class TEntity.
◆	LastFrame (see page 109)	This is LastFrame, a member of class TEntity.
◆	LoopFrame (see page 109)	This is LoopFrame, a member of class TEntity.
◆	NextFrame (see page 110)	This is NextFrame, a member of class TEntity.
◆	Overlap (see page 110)	This is Overlap, a member of class TEntity.
◆	Overlap (see page 110)	This is Overlap, a member of class TEntity.
◆	Pos (see page 110)	This is Pos, a member of class TEntity.
◆	PrevFrame (see page 110)	This is PrevFrame, a member of class TEntity.
◆	Radius (see page 111)	This is Radius, a member of class TEntity.
◆	Render (see page 111)	This is Render, a member of class TEntity.
◆	RenderAt (see page 111)	This is RenderAt, a member of class TEntity.
◆	RotateAbs (see page 111)	This is RotateAbs, a member of class TEntity.
◆	RotateRel (see page 111)	This is RotateRel, a member of class TEntity.
◆	RotateToAngle (see page 112)	This is RotateToAngle, a member of class TEntity.
◆	RotateToPos (see page 112)	This is RotateToPos, a member of class TEntity.
◆	RotateToPosAt (see page 112)	This is RotateToPosAt, a member of class TEntity.
◆	Scale (see page 112)	This is Scale, a member of class TEntity.
◆	ScaleAbs (see page 113)	This is ScaleAbs, a member of class TEntity.
◆	ScaleRel (see page 113)	This is ScaleRel, a member of class TEntity.
◆	SetAngleOffset (see page 113)	This is SetAngleOffset, a member of class TEntity.
◆	SetColor (see page 113)	This is SetColor, a member of class TEntity.

◆	SetFlipMode (see page 113)	This is SetFlipMode, a member of class TEntity.
◆	SetFrame (see page 114)	This is SetFrame, a member of class TEntity.
◆	SetFrameFPS (see page 114)	This is SetFrameFPS, a member of class TEntity.
◆	SetFrameRange (see page 114)	This is SetFrameRange, a member of class TEntity.
◆	SetLoopFrame (see page 114)	This is SetLoopFrame, a member of class TEntity.
◆	SetPosAbs (see page 114)	This is SetPosAbs, a member of class TEntity.
◆	SetPosRel (see page 115)	This is SetPosRel, a member of class TEntity.
◆	SetRenderPolyPoint (see page 115)	This is SetRenderPolyPoint, a member of class TEntity.
◆	SetShrinkFactor (see page 115)	This is SetShrinkFactor, a member of class TEntity.
◆	ShrinkFactor (see page 115)	This is ShrinkFactor, a member of class TEntity.
◆	Sprite (see page 116)	This is Sprite, a member of class TEntity.
◆	Thrust (see page 116)	This is Thrust, a member of class TEntity.
◆	ThrustAngle (see page 116)	This is ThrustAngle, a member of class TEntity.
◆	ThrustToPos (see page 116)	This is ThrustToPos, a member of class TEntity.
◆	TracePolyPoint (see page 116)	This is TracePolyPoint, a member of class TEntity.
◆	Visible (see page 117)	This is Visible, a member of class TEntity.
◆	Width (see page 117)	This is Width, a member of class TEntity.

1.1.26.2.1 TEntity.Angle

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Angle: Single;
```

Description

This is Angle, a member of class TEntity.

1.1.26.2.2 TEntity.AngleOffset

File: DelphiGamekit.pas (see page 397)

Delphi

```
function AngleOffset: Single;
```

Description

This is AngleOffset, a member of class TEntity.

1.1.26.2.3 TEntity.CollidePolyPoint

File: DelphiGamekit.pas (see page 397)

Delphi

```
function CollidePolyPoint(
  const aEntity: TEntity;
  var aHitPos: TPoint
): Boolean;
```

Description

This is CollidePolyPoint, a member of class TEntity.

1.1.26.2.4 TEntity.CollidePolyPointPoint

File: DelphiGamekit.pas (see page 397)

Delphi

```
function CollidePolyPointPoint(  
    var aPoint: TPoint  
): Boolean;
```

Description

This is CollidePolyPointPoint, a member of class TEntity.

1.1.26.2.5 TEntity.Color

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Color: TColor;
```

Description

This is Color, a member of class TEntity.

1.1.26.2.6 TEntity.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TEntity.

1.1.26.2.7 TEntity.CreateEntity

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function CreateEntity(  
    const aSprite: TSprite;  
    const aGroup: Integer  
): TEntity;
```

Description

This is CreateEntity, a member of class TEntity.

1.1.26.2.8 TEntity.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TEntity.

1.1.26.2.9 TEntity.Dir

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Dir: TVector;
```

Description

This is Dir, a member of class TEntity.

1.1.26.2.10 TEntity.FirstFrame

File: DelphiGamekit.pas (see page 397)

Delphi

```
function FirstFrame: Integer;
```

Description

This is FirstFrame, a member of class TEntity.

1.1.26.2.11 TEntity.FlipMode

File: DelphiGamekit.pas (see page 397)

Delphi

```
function FlipMode: TFlipMode;
```

Description

This is FlipMode, a member of class TEntity.

1.1.26.2.12 TEntity.Frame

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Frame: Integer;
```

Description

This is Frame, a member of class TEntity.

1.1.26.2.13 TEntity.FrameFPS

File: DelphiGamekit.pas (see page 397)

Delphi

```
function FrameFPS: Single;
```

Description

This is FrameFPS, a member of class TEntity.

1.1.26.2.14 TEntity.FullyVisible

File: DelphiGamekit.pas (see page 397)

Delphi

```
function FullyVisible(  
    const aVirtualX: Single;  
    const aVirtualY: Single  
): Boolean;
```

Description

This is FullyVisible, a member of class TEntity.

1.1.26.2.15 TEntity.Group

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Group: Integer;
```

Description

This is Group, a member of class TEntity.

1.1.26.2.16 TEntity.Height

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Height: Single;
```

Description

This is Height, a member of class TEntity.

1.1.26.2.17 TEntity.Init

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Init(  
    const aSprite: TSprite;  
    const aGroup: Integer  
);
```

Description

This is Init, a member of class TEntity.

1.1.26.2.18 TEntity.LastFrame

File: DelphiGamekit.pas (see page 397)

Delphi

```
function LastFrame: Integer;
```

Description

This is LastFrame, a member of class TEntity.

1.1.26.2.19 TEntity.LoopFrame

File: DelphiGamekit.pas (see page 397)

Delphi

```
function LoopFrame: Boolean;
```

Description

This is LoopFrame, a member of class TEntity.

1.1.26.2.20 TEntity.NextFrame

File: DelphiGamekit.pas (see page 397)

Delphi

```
function NextFrame: Boolean;
```

Description

This is NextFrame, a member of class TEntity.

1.1.26.2.21 TEntity.Overlap

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Overlap(  
    const aX: Single;  
    const aY: Single;  
    const aRadius: Single;  
    const aShrinkFactor: Single  
): Boolean; overload;
```

Description

This is Overlap, a member of class TEntity.

1.1.26.2.22 TEntity.Overlap

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Overlap(  
    const aEntity: TEntity  
): Boolean; overload;
```

Description

This is Overlap, a member of class TEntity.

1.1.26.2.23 TEntity.Pos

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Pos: TVector;
```

Description

This is Pos, a member of class TEntity.

1.1.26.2.24 TEntity.PrevFrame

File: DelphiGamekit.pas (see page 397)

Delphi

```
function PrevFrame: Boolean;
```

Description

This is PrevFrame, a member of class TEntity.

1.1.26.2.25 TEntity.Radius

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Radius: Single;
```

Description

This is Radius, a member of class TEntity.

1.1.26.2.26 TEntity.Render

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Render(  
    const aVirtualX: Single;  
    const aVirtualY: Single  
);
```

Description

This is Render, a member of class TEntity.

1.1.26.2.27 TEntity.RenderAt

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RenderAt(  
    const aX: Single;  
    const aY: Single  
);
```

Description

This is RenderAt, a member of class TEntity.

1.1.26.2.28 TEntity.RotateAbs

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RotateAbs(  
    const aAngle: Single  
);
```

Description

This is RotateAbs, a member of class TEntity.

1.1.26.2.29 TEntity.RotateRel

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RotateRel(  
    const aAngle: Single  
);
```

Description

This is RotateRel, a member of class TEntity.

1.1.26.2.30 TEntity.RotateToAngle

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RotateToAngle(  
    const aAngle: Single;  
    const aSpeed: Single  
): Boolean;
```

Description

This is RotateToAngle, a member of class TEntity.

1.1.26.2.31 TEntity.RotateToPos

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RotateToPos(  
    const aX: Single;  
    const aY: Single;  
    const aSpeed: Single  
): Boolean;
```

Description

This is RotateToPos, a member of class TEntity.

1.1.26.2.32 TEntity.RotateToPosAt

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RotateToPosAt(  
    const aSrcX: Single;  
    const aSrcY: Single;  
    const aDestX: Single;  
    const aDestY: Single;  
    const aSpeed: Single  
): Boolean;
```

Description

This is RotateToPosAt, a member of class TEntity.

1.1.26.2.33 TEntity.Scale

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Scale: Single;
```

Description

This is Scale, a member of class TEntity.

1.1.26.2.34 TEntity.ScaleAbs

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure ScaleAbs(  
    const aScale: Single  
);
```

Description

This is ScaleAbs, a member of class TEntity.

1.1.26.2.35 TEntity.ScaleRel

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure ScaleRel(  
    const aScale: Single  
);
```

Description

This is ScaleRel, a member of class TEntity.

1.1.26.2.36 TEntity.SetAngleOffset

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetAngleOffset(  
    const aAngle: Single  
);
```

Description

This is SetAngleOffset, a member of class TEntity.

1.1.26.2.37 TEntity.SetColor

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetColor(  
    const aColor: TColor  
);
```

Description

This is SetColor, a member of class TEntity.

1.1.26.2.38 TEntity.SetFlipMode

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetFlipMode(  

```

```
    const aFlipMode: TFlipMode  
);
```

Description

This is SetFlipMode, a member of class TEntity.

1.1.26.2.39 TEntity.SetFrame

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetFrame(  
    const aFrame: Integer  
);
```

Description

This is SetFrame, a member of class TEntity.

1.1.26.2.40 TEntity.SetFrameFPS

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetFrameFPS(  
    const aFrameFPS: Single  
);
```

Description

This is SetFrameFPS, a member of class TEntity.

1.1.26.2.41 TEntity.SetFrameRange

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetFrameRange(  
    const aFirst: Integer;  
    const aLast: Integer  
);
```

Description

This is SetFrameRange, a member of class TEntity.

1.1.26.2.42 TEntity.SetLoopFrame

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetLoopFrame(  
    const aLoop: Boolean  
);
```

Description

This is SetLoopFrame, a member of class TEntity.

1.1.26.2.43 TEntity.SetPosAbs

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetPosAbs(  
    const aX: Single;  
    const aY: Single  
);
```

Description

This is SetPosAbs, a member of class TEntity.

1.1.26.2.44 TEntity.SetPosRel

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetPosRel(  
    const aX: Single;  
    const aY: Single  
);
```

Description

This is SetPosRel, a member of class TEntity.

1.1.26.2.45 TEntity.SetRenderPolyPoint

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetRenderPolyPoint(  
    const aValue: Boolean  
);
```

Description

This is SetRenderPolyPoint, a member of class TEntity.

1.1.26.2.46 TEntity.SetShrinkFactor

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetShrinkFactor(  
    const aShrinkFactor: Single  
);
```

Description

This is SetShrinkFactor, a member of class TEntity.

1.1.26.2.47 TEntity.ShrinkFactor

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ShrinkFactor: Single;
```

Description

This is ShrinkFactor, a member of class TEntity.

1.1.26.2.48 TEntity.Sprite

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Sprite: TSprite;
```

Description

This is Sprite, a member of class TEntity.

1.1.26.2.49 TEntity.Thrust

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Thrust(  
    const aSpeed: Single  
);
```

Description

This is Thrust, a member of class TEntity.

1.1.26.2.50 TEntity.ThrustAngle

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure ThrustAngle(  
    const aAngle: Single;  
    const aSpeed: Single  
);
```

Description

This is ThrustAngle, a member of class TEntity.

1.1.26.2.51 TEntity.ThrustToPos

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ThrustToPos(  
    const aThrustSpeed: Single;  
    const aRotSpeed: Single;  
    const aDestX: Single;  
    const aDestY: Single;  
    const aSlowdownDist: Single;  
    const aStopDist: Single;  
    const aStopSpeed: Single;  
    const aStopSpeedEpsilon: Single;  
    const aDeltaTime: Double  
): Boolean;
```

Description

This is ThrustToPos, a member of class TEntity.

1.1.26.2.52 TEntity.TracePolyPoint

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure TracePolyPoint(  
  const aMju: Single = 6;  
  const aMaxStepBack: Integer = 12;  
  const aAlphaThreshold: Integer = 70;  
  const aOrigin: PPoint = nil  
);
```

Description

This is TracePolyPoint, a member of class TEntity.

1.1.26.2.53 TEntity.Visible

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Visible(  
  const aVirtualX: Single;  
  const aVirtualY: Single  
): Boolean;
```

Description

This is Visible, a member of class TEntity.

1.1.26.2.54 TEntity.Width

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Width: Single;
```


Description

This is Width, a member of class TEntity.

1.1.26.3 TEntity Properties

The properties of the TEntity class are listed here.

Properties

	BlendMode (see page 117)	This is BlendMode, a member of class TEntity.
---	---------------------------	---

1.1.26.3.1 TEntity.BlendMode

File: DelphiGamekit.pas (see page 397)

Delphi


```
property BlendMode: TBlendMode;
```

Description

This is BlendMode, a member of class TEntity.

1.1.27 TEntityActor

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TEntityActor = class(TActor);
```

Description

This is class TEntityActor.

1.1.27.1 TEntityActor Fields

The fields of the TEntityActor class are listed here.

Fields

	FEntity (see page 118)	This is FEntity, a member of class TEntityActor.
---	-------------------------	--

1.1.27.1.1 TEntityActor.FEntity

File: DelphiGamekit.pas (see page 397)

Delphi

```
FEntity: TEntity;
```








Description

This is FEntity, a member of class TEntityActor.

1.1.27.2 TEntityActor Methods

The methods of the TEntityActor class are listed here.

Methods

	Collide (see page 118)	This is Collide, a member of class TEntityActor.
	Create (see page 119)	This is Create, a member of class TEntityActor.
	Destroy (see page 119)	This is Destroy, a member of class TEntityActor.
	Init (see page 119)	This is Init, a member of class TEntityActor.
	OnRender (see page 119)	This is OnRender, a member of class TEntityActor.
	Overlap (see page 119)	This is Overlap, a member of class TEntityActor.
	Overlap (see page 120)	This is Overlap, a member of class TEntityActor.

1.1.27.2.1 TEntityActor.Collide

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Collide(  
    const aActor: TActor;
```



```
    var aHitPos: TPoint  
  ): Boolean; override;
```

Description

This is Collide, a member of class TEntityActor.

1.1.27.2.2 TEntityActor.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
    constructor Create; override;
```

Description

This is Create, a member of class TEntityActor.

1.1.27.2.3 TEntityActor.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
    destructor Destroy; override;
```

Description

This is Destroy, a member of class TEntityActor.

1.1.27.2.4 TEntityActor.Init

File: DelphiGamekit.pas (see page 397)

Delphi

```
    procedure Init(  
      const aSprite: TSprite;  
      const aGroup: Integer  
    ); virtual;
```

Description

This is Init, a member of class TEntityActor.

1.1.27.2.5 TEntityActor.OnRender

File: DelphiGamekit.pas (see page 397)

Delphi

```
    procedure OnRender; override;
```

Description

This is OnRender, a member of class TEntityActor.

1.1.27.2.6 TEntityActor.Overlap

File: DelphiGamekit.pas (see page 397)

Delphi

```
    function Overlap(  
      const aX: Single;  
      const aY: Single;  
      const aRadius: Single;
```

```
const aShrinkFactor: Single
): Boolean; override;
```

Description
This is Overlap, a member of class TEntityActor.

1.1.27.2.7 TEntityActor.Overlap

File: DelphiGamekit.pas (see page 397)

Delphi


```
function Overlap(
const aActor: TActor
): Boolean; override;
```

Description
This is Overlap, a member of class TEntityActor.

1.1.27.3 TEntityActor Properties

The properties of the TEntityActor class are listed here.

Properties

	Entity (see page 120)	This is Entity, a member of class TEntityActor.
---	------------------------	---

1.1.27.3.1 TEntityActor.Entity


File: DelphiGamekit.pas (see page 397)

Delphi

```
property Entity: TEntity;
```

Description
This is Entity, a member of class TEntityActor.

1.1.28 TFont



File: DelphiGamekit.pas (see page 397)

Delphi


```
TFont = class(TBaseObject);
```

Description
This is class TFont.

1.1.28.1 TFont Records

The records of the TFont class are listed here.

Records

	TGlyph (see page 121)	This is record TFont.TGlyph.
---	------------------------	------------------------------

1.1.28.1.1 TFont.TGlyph

File: DelphiGamekit.pas (see page 397)

Delphi

```
TGlyph = record
  SrcRect: SDL_Rect;
  DstRect: SDL_FRect;
  XAdvance: Single;
end;
```

Description

This is record TFont.TGlyph.

1.1.28.2 TFont Constants

The constants of the TFont class are listed here.

Constants

	cDefaultGlyphs (see page 121)	This is cDefaultGlyphs, a member of class TFont.
---	--------------------------------	--

1.1.28.2.1 TFont.cDefaultGlyphs

File: DelphiGamekit.pas (see page 397)

Delphi

```
const cDefaultGlyphs = '
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A B C D E F G H I J K L M N O P Q R S T U V W X Y Z [ \ ] ^ _ ` a b c d e f g h i j k l m n o p q r s t u v w x y z {
| } ~ ¯ ° ' ;
```








Description

This is cDefaultGlyphs, a member of class TFont.

1.1.28.3 TFont Fields

The fields of the TFont class are listed here.

Fields

	FAtlas (see page 121)	This is FAtlas, a member of class TFont.
	FAtlasSize (see page 122)	This is FAtlasSize, a member of class TFont.
	FBaseLine (see page 122)	This is FBaseLine, a member of class TFont.
	FGeometry (see page 122)	This is FGeometry, a member of class TFont.
	FGlyph (see page 122)	This is FGlyph, a member of class TFont.
	FUseVertexBuffer (see page 122)	This is FUseVertexBuffer, a member of class TFont.
	FVertexBufferSize (see page 123)	This is FVertexBufferSize, a member of class TFont.

1.1.28.3.1 TFont.FAtlas

File: DelphiGamekit.pas (see page 397)

Delphi

```
FAtlas: PSDL_Texture;
```

Description

This is FAtlas, a member of class TFont.

1.1.28.3.2 TFont.FAtlasSize

File: DelphiGamekit.pas (see page 397)

Delphi

```
FAtlasSize: Integer;
```

Description

This is FAtlasSize, a member of class TFont.

1.1.28.3.3 TFont.FBaseLine

File: DelphiGamekit.pas (see page 397)

Delphi

```
FBaseLine: Single;
```

Description

This is FBaseLine, a member of class TFont.

1.1.28.3.4 TFont.FGeometry

File: DelphiGamekit.pas (see page 397)

Delphi

```
FGeometry: TGeometry;
```

Description

This is FGeometry, a member of class TFont.

1.1.28.3.5 TFont.FGlyph

File: DelphiGamekit.pas (see page 397)

Delphi

```
FGlyph: TDictionary<Integer, TGlyph>;
```

Description

This is FGlyph, a member of class TFont.

1.1.28.3.6 TFont.FUseVertexBuffer

File: DelphiGamekit.pas (see page 397)

Delphi

```
FUseVertexBuffer: Boolean;
```

Description

This is FUseVertexBuffer, a member of class TFont.

1.1.28.3.7 TFont.FVertexBufferSize

File: DelphiGamekit.pas (see page 397)

Delphi

```
FVertexBufferSize: UInt64;
```
















Description

This is FVertexBufferSize, a member of class TFont.

1.1.28.4 TFont Methods

The methods of the TFont class are listed here.

Methods

	Create (see page 123)	This is Create, a member of class TFont.
	Destroy (see page 123)	This is Destroy, a member of class TFont.
	DrawText (see page 124)	This is DrawText, a member of class TFont.
	DrawText (see page 124)	This is DrawText, a member of class TFont.
	GetUseVertexBuffer (see page 124)	This is GetUseVertexBuffer, a member of class TFont.
	GetVertexBufferSize (see page 124)	This is GetVertexBufferSize, a member of class TFont.
	Load (see page 124)	This is Load, a member of class TFont.
	Load (see page 125)	This is Load, a member of class TFont.
	LoadDefault (see page 125)	This is LoadDefault, a member of class TFont.
	RenderVertices (see page 125)	This is RenderVertices, a member of class TFont.
	SetUseVertexBuffer (see page 125)	This is SetUseVertexBuffer, a member of class TFont.
	SetVertexBufferSize (see page 126)	This is SetVertexBufferSize, a member of class TFont.
	TextHeight (see page 126)	This is TextHeight, a member of class TFont.
	TextLength (see page 126)	This is TextLength, a member of class TFont.
	Unload (see page 126)	This is Unload, a member of class TFont.

1.1.28.4.1 TFont.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TFont.

1.1.28.4.2 TFont.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TFont.

1.1.28.4.3 TFont.DrawText

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure DrawText(  
  const aX: Single;  
  var aY: Single;  
  const aLineSpace: Single;  
  const aColor: TColor;  
  aHAlign: THAlign;  
  const aMsg: string;  
  const aArgs: array of const  
); overload;
```

Description

This is DrawText, a member of class TFont.

1.1.28.4.4 TFont.DrawText

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure DrawText(  
  const aX: Single;  
  const aY: Single;  
  const aColor: TColor;  
  aHAlign: THAlign;  
  const aMsg: string;  
  const aArgs: array of const  
); overload;
```

Description

This is DrawText, a member of class TFont.

1.1.28.4.5 TFont.GetUseVertexBuffer

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetUseVertexBuffer: Boolean;
```

Description

This is GetUseVertexBuffer, a member of class TFont.

1.1.28.4.6 TFont.GetVertexBufferSize

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetVertexBufferSize: UInt64;
```

Description

This is GetVertexBufferSize, a member of class TFont.

1.1.28.4.7 TFont.Load

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Load(  
    const aRWops: PSDL_RWops;  
    const aSize: Cardinal;  
    const aGlyphs: string = ''  
): Boolean; overload;
```

Description

This is Load, a member of class TFont.

1.1.28.4.8 TFont.Load

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Load(  
    const aArchive: TArchive;  
    const aFilename: string;  
    const aSize: Cardinal;  
    const aGlyphs: string = ''  
): Boolean; overload;
```

Description

This is Load, a member of class TFont.

1.1.28.4.9 TFont.LoadDefault

File: DelphiGamekit.pas (see page 397)

Delphi

```
function LoadDefault(  
    const aSize: Cardinal;  
    const aGlyphs: string = ''  
): Boolean;
```

Description

This is LoadDefault, a member of class TFont.

1.1.28.4.10 TFont.RenderVertices

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RenderVertices(  
    const aReset: Boolean = True  
);
```

Description

This is RenderVertices, a member of class TFont.

1.1.28.4.11 TFont.SetUseVertexBuffer

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetUseVertexBuffer(  
    const aEnable: Boolean  
);
```

Description

This is SetUseVertexBuffer, a member of class TFont.

1.1.28.4.12 TFont.SetVertexBufferSize

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetVertexBufferSize(  
    const aSize: UInt64  
);
```

Description

This is SetVertexBufferSize, a member of class TFont.

1.1.28.4.13 TFont.TextHeight

File: DelphiGamekit.pas (see page 397)

Delphi

```
function TextHeight: Single;
```

Description

This is TextHeight, a member of class TFont.

1.1.28.4.14 TFont.TextLength

File: DelphiGamekit.pas (see page 397)

Delphi

```
function TextLength(  
    const aMsg: string;  
    const aArgs: array of const  
): Single;
```

Description

This is TextLength, a member of class TFont.

1.1.28.4.15 TFont.Unload

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Unload;
```



Description

This is Unload, a member of class TFont.

1.1.28.5 TFont Properties

The properties of the TFont class are listed here.

Properties

 R	Atlas (see page 127)	This is Atlas, a member of class TFont.
 R	AtlasSize (see page 127)	This is AtlasSize, a member of class TFont.

1.1.28.5.1 TFont.Atlas

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Atlas: PSDL_Texture;
```

Description

This is Atlas, a member of class TFont.

1.1.28.5.2 TFont.AtlasSize

File: DelphiGamekit.pas (see page 397)

Delphi

```
property AtlasSize: Integer;
```

Description

This is AtlasSize, a member of class TFont.

1.1.28.6 TFont Nested Types

The nested types of the TFont class are listed here.

Nested Types

	PGlyph (see page 127)	This is nested type TFont.PGlyph.
---	------------------------	-----------------------------------

1.1.28.6.1 TFont.PGlyph

File: DelphiGamekit.pas (see page 397)

Delphi

```
PGlyph = ^TGlyph;
```

Description

This is nested type TFont.PGlyph.

1.1.29 TGame

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TGame = class(TBaseObject);
```

Description

This is class TGame.

1.1.29.1 TGame Records

The records of the TGame class are listed here.

Records

	TSettings (see page 128)	This is record TGame.TSettings.
---	---------------------------	---------------------------------

1.1.29.1.1 TGame.TSettings

File: DelphiGamekit.pas (see page 397)

Delphi

```
TSettings = record
  OrgName: string;
  AppName: string;
  LogToConsole: Boolean;
  ConfigFilename: string;
  ArchivePassword: string;
  ArchiveFilename: string;
  WindowTitle: string;
  WindowPosX: Integer;
  WindowPosY: Integer;
  WindowWidth: Integer;
  WindowHeight: Integer;
  WindowClearColor: TColor;
  WindowUpdateOnLostFocus: Boolean;
  DefaultFontSize: Integer;
  DefaultFontGlyphs: string;
  HudTextItemPadWidth: Integer;
  HudPosX: Integer;
  HudPosY: Integer;
  HudLineSpace: Integer;
  AllocateSoundChannels: Integer;
  ReserveSoundChannels: Integer;
  TimerUpdateRate: Cardinal;
  TimerFixedUpdateRate: Cardinal;
  SceneCount: Integer;
  SceneActorAttrs: TActorAttributeSet;
end;
```











Description












This is record TGame.TSettings.

1.1.29.2 TGame Fields

The fields of the TGame class are listed here.

Fields

	FArchive (see page 129)	This is FArchive, a member of class TGame.
	FAsync (see page 129)	This is FAsync, a member of class TGame.
	FAudio (see page 129)	This is FAudio, a member of class TGame.
	FCmdLine (see page 129)	This is FCmdLine, a member of class TGame.
	FConfigFile (see page 130)	This is FConfigFile, a member of class TGame.
	FDefaultFont (see page 130)	This is FDefaultFont, a member of class TGame.
	FHud (see page 130)	This is FHud, a member of class TGame.
	FInput (see page 130)	This is FInput, a member of class TGame.
	FLog (see page 130)	This is FLog, a member of class TGame.
	FMousePos (see page 130)	This is FMousePos, a member of class TGame.

	FPrefs (see page 131)	This is FPrefs, a member of class TGame.
	FReady (see page 131)	This is FReady, a member of class TGame.
	FScene (see page 131)	This is FScene, a member of class TGame.
	FScreenshake (see page 131)	This is FScreenshake, a member of class TGame.
	FSettings (see page 131)	This is FSettings, a member of class TGame.
	FSpeech (see page 132)	This is FSpeech, a member of class TGame.
	FSprite (see page 132)	This is FSprite, a member of class TGame.
	FTerminate (see page 132)	This is FTerminate, a member of class TGame.
	FTimer (see page 132)	This is FTimer, a member of class TGame.
	FVideo (see page 132)	This is FVideo, a member of class TGame.
	FWindow (see page 132)	This is FWindow, a member of class TGame.

1.1.29.2.1 TGame.FArchive

File: DelphiGamekit.pas (see page 397)

Delphi

```
FArchive: TArchive;
```

Description

This is FArchive, a member of class TGame.

1.1.29.2.2 TGame.FAsync

File: DelphiGamekit.pas (see page 397)

Delphi

```
FAsync: TAsync;
```

Description

This is FAsync, a member of class TGame.

1.1.29.2.3 TGame.FAudio

File: DelphiGamekit.pas (see page 397)

Delphi

```
FAudio: TAudio;
```

Description

This is FAudio, a member of class TGame.

1.1.29.2.4 TGame.FCmdLine

File: DelphiGamekit.pas (see page 397)

Delphi

```
FCmdLine: TCmdLine;
```

Description

This is FCmdLine, a member of class TGame.

1.1.29.2.5 TGame.FConfigFile

File: DelphiGamekit.pas (see page 397)

Delphi

```
FConfigFile: TConfigFile;
```

Description

This is FConfigFile, a member of class TGame.

1.1.29.2.6 TGame.FDefaultFont

File: DelphiGamekit.pas (see page 397)

Delphi

```
FDefaultFont: TFont;
```

Description

This is FDefaultFont, a member of class TGame.

1.1.29.2.7 TGame.FHud

File: DelphiGamekit.pas (see page 397)

Delphi

```
FHud: THud;
```

Description

This is FHud, a member of class TGame.

1.1.29.2.8 TGame.FInput

File: DelphiGamekit.pas (see page 397)

Delphi

```
FInput: TInput;
```

Description

This is FInput, a member of class TGame.

1.1.29.2.9 TGame.FLog

File: DelphiGamekit.pas (see page 397)

Delphi

```
FLog: TLog;
```

Description

This is FLog, a member of class TGame.

1.1.29.2.10 TGame.FMousePos

File: DelphiGamekit.pas (see page 397)

Delphi

```
FMousePos: TPoint;
```

Description

This is FMousePos, a member of class TGame.

1.1.29.2.11 TGame.FPrefs

File: DelphiGamekit.pas (see page 397)

Delphi

```
FPrefs: TPrefs;
```

Description

This is FPrefs, a member of class TGame.

1.1.29.2.12 TGame.FReady

File: DelphiGamekit.pas (see page 397)

Delphi

```
FReady: Boolean;
```

Description

This is FReady, a member of class TGame.

1.1.29.2.13 TGame.FScene

File: DelphiGamekit.pas (see page 397)

Delphi

```
FScene: TActorScene;
```

Description

This is FScene, a member of class TGame.

1.1.29.2.14 TGame.FScreenshake

File: DelphiGamekit.pas (see page 397)

Delphi

```
FScreenshake: TScreenshake;
```

Description

This is FScreenshake, a member of class TGame.

1.1.29.2.15 TGame.FSettings

File: DelphiGamekit.pas (see page 397)

Delphi

```
FSettings: TSettings;
```

Description

This is FSettings, a member of class TGame.

1.1.29.2.16 TGame.FSpeech

File: DelphiGamekit.pas (see page 397)

Delphi

```
FSpeech: TSpeech;
```

Description

This is FSpeech, a member of class TGame.

1.1.29.2.17 TGame.FSprite

File: DelphiGamekit.pas (see page 397)

Delphi

```
FSprite: TSprite;
```

Description

This is FSprite, a member of class TGame.

1.1.29.2.18 TGame.FTerminate

File: DelphiGamekit.pas (see page 397)

Delphi

```
FTerminate: Boolean;
```

Description

This is FTerminate, a member of class TGame.

1.1.29.2.19 TGame.FTimer

File: DelphiGamekit.pas (see page 397)

Delphi

```
FTimer: TTimer;
```

Description

This is FTimer, a member of class TGame.

1.1.29.2.20 TGame.FVideo

File: DelphiGamekit.pas (see page 397)

Delphi

```
FVideo: TVideo;
```

Description

This is FVideo, a member of class TGame.

1.1.29.2.21 TGame.FWindow

File: DelphiGamekit.pas (see page 397)

Delphi

FWindow: TWindow;

Description

This is FWindow, a member of class TGame.

1.1.29.3 TGame Methods

The methods of the TGame class are listed here.

Methods

	Create (see page 133)	This is Create, a member of class TGame.
	Destroy (see page 134)	This is Destroy, a member of class TGame.
	OnAfterRenderScene (see page 134)	This is OnAfterRenderScene, a member of class TGame.
	OnApplySettings (see page 134)	This is OnApplySettings, a member of class TGame.
	OnBeforeRenderScene (see page 134)	This is OnBeforeRenderScene, a member of class TGame.
	OnBuildArchiveProgress (see page 134)	This is OnBuildArchiveProgress, a member of class TGame.
	OnClearWindow (see page 135)	This is OnClearWindow, a member of class TGame.
	OnFixedUpdate (see page 135)	This is OnFixedUpdate, a member of class TGame.
	OnLoadConfig (see page 135)	This is OnLoadConfig, a member of class TGame.
	OnPostLuaReset (see page 135)	This is OnPostLuaReset, a member of class TGame.
	OnPreLuaReset (see page 135)	This is OnPreLuaReset, a member of class TGame.
	OnReady (see page 136)	This is OnReady, a member of class TGame.
	OnRender (see page 136)	This is OnRender, a member of class TGame.
	OnRenderHud (see page 136)	This is OnRenderHud, a member of class TGame.
	OnSaveConfig (see page 136)	This is OnSaveConfig, a member of class TGame.
	OnSetSettings (see page 136)	This is OnSetSettings, a member of class TGame.
	OnShowWindow (see page 136)	This is OnShowWindow, a member of class TGame.
	OnShutdown (see page 137)	This is OnShutdown, a member of class TGame.
	OnSpeechWord (see page 137)	This is OnSpeechWord, a member of class TGame.
	OnStartup (see page 137)	This is OnStartup, a member of class TGame.
	OnUnapplySettings (see page 137)	This is OnUnapplySettings, a member of class TGame.
	OnUpdate (see page 137)	This is OnUpdate, a member of class TGame.
	OnVideoStatus (see page 138)	This is OnVideoStatus, a member of class TGame.
	Process (see page 138)	This is Process, a member of class TGame.
	Run (see page 138)	This is Run, a member of class TGame.
	SDKVersion (see page 138)	This is SDKVersion, a member of class TGame.
	Settings (see page 138)	This is Settings, a member of class TGame.
	Shutdown (see page 139)	This is Shutdown, a member of class TGame.
	Startup (see page 139)	This is Startup, a member of class TGame.

1.1.29.3.1 TGame.Create

File: DelphiGamekit.pas (see page 397)

Delphi

constructor Create; **override**;

Description

This is Create, a member of class TGame.

1.1.29.3.2 TGame.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TGame.

1.1.29.3.3 TGame.OnAfterRenderScene

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnAfterRenderScene(  
    const aSceneNum: Integer  
); virtual;
```

Description

This is OnAfterRenderScene, a member of class TGame.

1.1.29.3.4 TGame.OnApplySettings

File: DelphiGamekit.pas (see page 397)

Delphi

```
function OnApplySettings: Boolean; virtual;
```

Description

This is OnApplySettings, a member of class TGame.

1.1.29.3.5 TGame.OnBeforeRenderScene

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnBeforeRenderScene(  
    const aSceneNum: Integer  
); virtual;
```

Description

This is OnBeforeRenderScene, a member of class TGame.

1.1.29.3.6 TGame.OnBuildArchiveProgress

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnBuildArchiveProgress(  
    const aFilename: string;  
    const aProgress: Cardinal;  
    const aNewFile: Boolean  
); virtual;
```


Description

This is OnBuildArchiveProgress, a member of class TGame.

1.1.29.3.7 TGame.OnClearWindow

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnClearWindow; virtual;
```

Description

This is OnClearWindow, a member of class TGame.

1.1.29.3.8 TGame.OnFixedUpdate

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnFixedUpdate(  
    const aFixedUpdateSpeed: Single  
); virtual;
```

Description

This is OnFixedUpdate, a member of class TGame.

1.1.29.3.9 TGame.OnLoadConfig

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnLoadConfig; virtual;
```

Description

This is OnLoadConfig, a member of class TGame.

1.1.29.3.10 TGame.OnPostLuaReset

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnPostLuaReset; virtual;
```

Description

This is OnPostLuaReset, a member of class TGame.

1.1.29.3.11 TGame.OnPreLuaReset

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnPreLuaReset; virtual;
```

Description

This is OnPreLuaReset, a member of class TGame.

1.1.29.3.12 TGame.OnReady

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnReady(  
    const aReady: Boolean  
); virtual;
```

Description

This is OnReady, a member of class TGame.

1.1.29.3.13 TGame.OnRender

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnRender; virtual;
```

Description

This is OnRender, a member of class TGame.

1.1.29.3.14 TGame.OnRenderHud

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnRenderHud; virtual;
```

Description

This is OnRenderHud, a member of class TGame.

1.1.29.3.15 TGame.OnSaveConfig

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnSaveConfig; virtual;
```

Description

This is OnSaveConfig, a member of class TGame.

1.1.29.3.16 TGame.OnSetSettings

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnSetSettings; virtual;
```

Description

This is OnSetSettings, a member of class TGame.

1.1.29.3.17 TGame.OnShowWindow

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnShowWindow; virtual;
```

Description

This is OnShowWindow, a member of class TGame.

1.1.29.3.18 TGame.OnShutdown

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnShutdown; virtual;
```

Description

This is OnShutdown, a member of class TGame.

1.1.29.3.19 TGame.OnSpeechWord

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnSpeechWord(  
    const aWord: string;  
    const aText: string  
); virtual;
```

Description

This is OnSpeechWord, a member of class TGame.

1.1.29.3.20 TGame.OnStartup

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnStartup; virtual;
```

Description

This is OnStartup, a member of class TGame.

1.1.29.3.21 TGame.OnUnapplySettings

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnUnapplySettings; virtual;
```

Description

This is OnUnapplySettings, a member of class TGame.

1.1.29.3.22 TGame.OnUpdate

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnUpdate(  
    const aDeltaTime: Double
```

```
); virtual;
```

Description

This is OnUpdate, a member of class TGame.

1.1.29.3.23 TGame.OnVideoStatus

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure OnVideoStatus(  
    const aStatus: TVideoStatus;  
    const aFilename: string  
); virtual;
```

Description

This is OnVideoStatus, a member of class TGame.

1.1.29.3.24 TGame.Process

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Process; virtual;
```

Description

This is Process, a member of class TGame.

1.1.29.3.25 TGame.Run

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Run; virtual;
```

Description

This is Run, a member of class TGame.

1.1.29.3.26 TGame.SDKVersion

File: DelphiGamekit.pas (see page 397)

Delphi

```
function SDKVersion: string;
```

Description

This is SDKVersion, a member of class TGame.

1.1.29.3.27 TGame.Settings

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Settings: PSettings; virtual;
```

Description

This is Settings, a member of class TGame.

1.1.29.3.28 TGame.Shutdown

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Shutdown; virtual;
```

Description

This is Shutdown, a member of class TGame.

1.1.29.3.29 TGame.Startup

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Startup: Boolean; virtual;
```




















Description

This is Startup, a member of class TGame.

1.1.29.4 TGame Properties

The properties of the TGame class are listed here.

Properties

	Archive (see page 139)	This is Archive, a member of class TGame.
	Async (see page 140)	This is Async, a member of class TGame.
	Audio (see page 140)	This is Audio, a member of class TGame.
	CmdLine (see page 140)	This is CmdLine, a member of class TGame.
	ConfigFile (see page 140)	This is ConfigFile, a member of class TGame.
	DefaultFont (see page 140)	This is DefaultFont, a member of class TGame.
	Hud (see page 141)	This is Hud, a member of class TGame.
	Input (see page 141)	This is Input, a member of class TGame.
	Log (see page 141)	This is Log, a member of class TGame.
	MousePos (see page 141)	This is MousePos, a member of class TGame.
	Prefs (see page 141)	This is Prefs, a member of class TGame.
	Scene (see page 141)	This is Scene, a member of class TGame.
	Screenshake (see page 142)	This is Screenshake, a member of class TGame.
	Speech (see page 142)	This is Speech, a member of class TGame.
	Sprite (see page 142)	This is Sprite, a member of class TGame.
	Terminate (see page 142)	This is Terminate, a member of class TGame.
	Timer (see page 142)	This is Timer, a member of class TGame.
	Video (see page 143)	This is Video, a member of class TGame.
	Window (see page 143)	This is Window, a member of class TGame.

1.1.29.4.1 TGame.Archive

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Archive: TArchive;
```

Description

This is Archive, a member of class TGame.

1.1.29.4.2 TGame.Async

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Async: TAsync;
```

Description

This is Async, a member of class TGame.

1.1.29.4.3 TGame.Audio

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Audio: TAudio;
```

Description

This is Audio, a member of class TGame.

1.1.29.4.4 TGame.CmdLine

File: DelphiGamekit.pas (see page 397)

Delphi

```
property CmdLine: TCmdLine;
```

Description

This is CmdLine, a member of class TGame.

1.1.29.4.5 TGame.ConfigFile

File: DelphiGamekit.pas (see page 397)

Delphi

```
property ConfigFile: TConfigFile;
```

Description

This is ConfigFile, a member of class TGame.

1.1.29.4.6 TGame.DefaultFont

File: DelphiGamekit.pas (see page 397)

Delphi

```
property DefaultFont: TFont;
```

Description

This is DefaultFont, a member of class TGame.

1.1.29.4.7 TGame.Hud

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Hud: THud;
```

Description

This is Hud, a member of class TGame.

1.1.29.4.8 TGame.Input

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Input: TInput;
```

Description

This is Input, a member of class TGame.

1.1.29.4.9 TGame.Log

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Log: TLog;
```

Description

This is Log, a member of class TGame.

1.1.29.4.10 TGame.MousePos

File: DelphiGamekit.pas (see page 397)

Delphi

```
property MousePos: TPoint;
```

Description

This is MousePos, a member of class TGame.

1.1.29.4.11 TGame.Prefs

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Prefs: TPrefs;
```

Description

This is Prefs, a member of class TGame.

1.1.29.4.12 TGame.Scene

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Scene: TActorScene;
```

Description

This is Scene, a member of class TGame.

1.1.29.4.13 TGame.Screenshake

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Screenshake: TScreenshake;
```

Description

This is Screenshake, a member of class TGame.

1.1.29.4.14 TGame.Speech

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Speech: TSpeech;
```

Description

This is Speech, a member of class TGame.

1.1.29.4.15 TGame.Sprite

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Sprite: TSprite;
```

Description

This is Sprite, a member of class TGame.

1.1.29.4.16 TGame.Terminate

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Terminate: Boolean;
```

Description

This is Terminate, a member of class TGame.

1.1.29.4.17 TGame.Timer

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Timer: TTimer;
```

Description

This is Timer, a member of class TGame.

1.1.29.4.18 TGame.Video

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Video: TVideo;
```

Description

This is Video, a member of class TGame.

1.1.29.4.19 TGame.Window

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Window: TWindow;
```

Description

This is Window, a member of class TGame.

1.1.29.5 TGame Nested Types

The nested types of the TGame class are listed here.

Nested Types

	PSettings (see page 143)	This is nested type TGame.PSettings.
---	---------------------------	--------------------------------------

1.1.29.5.1 TGame.PSettings

File: DelphiGamekit.pas (see page 397)

Delphi


```
PSettings = ^TSettings;
```

Description

This is nested type TGame.PSettings.

1.1.30 TGeometry

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TGeometry = class(TBaseObject);
```







Description

This is class TGeometry.

1.1.30.1 TGeometry Methods

The methods of the TGeometry class are listed here.

Methods

	AddVertex (see page 144)	This is AddVertex, a member of class TGeometry.
	Alloc (see page 144)	This is Alloc, a member of class TGeometry.
	Create (see page 144)	This is Create, a member of class TGeometry.
	Destroy (see page 144)	This is Destroy, a member of class TGeometry.
	Render (see page 145)	This is Render, a member of class TGeometry.
	Reset (see page 145)	This is Reset, a member of class TGeometry.

1.1.30.1.1 TGeometry.AddVertex

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure AddVertex(  
  const aX: Single;  
  const aY: Single;  
  const aColor: SDL_Color;  
  const aTX: Single;  
  const aTY: Single  
);
```

Description

This is AddVertex, a member of class TGeometry.

1.1.30.1.2 TGeometry.Alloc

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Alloc(  
  const aNumTriangles: UInt64  
);
```

Description

This is Alloc, a member of class TGeometry.

1.1.30.1.3 TGeometry.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TGeometry.

1.1.30.1.4 TGeometry.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TGeometry.

1.1.30.1.5 TGeometry.Render

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Render(  
  const aTexture: PSDL_Texture;  
  const aReset: Boolean = True  
);
```

Description

This is Render, a member of class TGeometry.

1.1.30.1.6 TGeometry.Reset

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Reset;
```

Description

This is Reset, a member of class TGeometry.

1.1.31 THud

File: DelphiGamekit.pas (see page 397)

Delphi

```
THud = record  
end;
```

Description

This is class THud.

1.1.31.1 THud Methods

The methods of the THud class are listed here.

Methods

≡	ResetPos (see page 146)	This is ResetPos, a member of class THud.
≡	SetLineSpace (see page 146)	This is SetLineSpace, a member of class THud.
≡	SetPos (see page 146)	This is SetPos, a member of class THud.
≡	SetTextItemPadWidth (see page 146)	This is SetTextItemPadWidth, a member of class THud.
≡	Text (see page 146)	This is Text, a member of class THud.
≡	TextItem (see page 147)	This is TextItem, a member of class THud.

1.1.31.1.1 THud.ResetPos

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure ResetPos; static;
```

Description

This is ResetPos, a member of class THud.

1.1.31.1.2 THud.SetLineSpace

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure SetLineSpace(  
    const aLineSpace: Integer  
); static;
```

Description

This is SetLineSpace, a member of class THud.

1.1.31.1.3 THud.SetPos

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure SetPos(  
    const aX: Integer;  
    const aY: Integer  
); static;
```

Description

This is SetPos, a member of class THud.

1.1.31.1.4 THud.SetTextItemPadWidth

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure SetTextItemPadWidth(  
    const aWidth: Integer  
); static;
```

Description

This is SetTextItemPadWidth, a member of class THud.

1.1.31.1.5 THud.Text

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Text(  
    const aFont: TFont;  
    const aColor: TColor;  
    const aHAlign: THAlign;  
    const aMsg: string;  
    const aArgs: array of const
```

```
); static;
```

Description

This is Text, a member of class THud.

1.1.31.1.6 THud.TextItem

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function TextItem(  
    const aKey: string;  
    const aValue: string;  
    const aSeperator: string = ' - '  
): string; static;
```



Description

This is TextItem, a member of class THud.

1.1.31.2 THud Operators

The operators of the THud class are listed here.

Operators

	Finalize (see page 147)	This is Finalize, a member of class THud.
	Initialize (see page 147)	This is Initialize, a member of class THud.

1.1.31.2.1 THud.Finalize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Finalize(  
    var aDest: THud  
);
```

Description

This is Finalize, a member of class THud.

1.1.31.2.2 THud.Initialize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Initialize(  
    out aDest: THud  
);
```

Description

This is Initialize, a member of class THud.

1.1.32 TInput

File: DelphiGamekit.pas (see page 397)

Delphi

```
TInput = record
end;
```

Description

This is class TInput.

1.1.32.1 TInput Methods

The methods of the TInput class are listed here.

Methods

☞	Clear (see page 148)	This is Clear, a member of class TInput.
☞	Close (see page 148)	This is Close, a member of class TInput.
☞	ControllerDown (see page 148)	This is ControllerDown, a member of class TInput.
☞	ControllerPosition (see page 149)	This is ControllerPosition, a member of class TInput.
☞	ControllerPressed (see page 149)	This is ControllerPressed, a member of class TInput.
☞	ControllerReleased (see page 149)	This is ControllerReleased, a member of class TInput.
☞	GetMouseInfo (see page 149)	This is GetMouseInfo, a member of class TInput.
☞	KeyDown (see page 150)	This is KeyDown, a member of class TInput.
☞	KeyPressed (see page 150)	This is KeyPressed, a member of class TInput.
☞	KeyReleased (see page 150)	This is KeyReleased, a member of class TInput.
☞	MouseDown (see page 150)	This is MouseDown, a member of class TInput.
☞	MousePressed (see page 150)	This is MousePressed, a member of class TInput.
☞	MouseReleased (see page 151)	This is MouseReleased, a member of class TInput.
☞	Open (see page 151)	This is Open, a member of class TInput.
☞	SetMousePos (see page 151)	This is SetMousePos, a member of class TInput.
☞	Update (see page 151)	This is Update, a member of class TInput.

1.1.32.1.1 TInput.Clear

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Clear; static;
```

Description

This is Clear, a member of class TInput.

1.1.32.1.2 TInput.Close

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Close; static;
```

Description

This is Close, a member of class TInput.

1.1.32.1.3 TInput.ControllerDown

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function ControllerDown(  
    const aButton: Cardinal  
): Boolean; static;
```

Description

This is ControllerDown, a member of class TInput.

1.1.32.1.4 TInput.ControllerPosition

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function ControllerPosition(  
    const aAxis: Cardinal  
): Single; static;
```

Description

This is ControllerPosition, a member of class TInput.

1.1.32.1.5 TInput.ControllerPressed

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function ControllerPressed(  
    const aButton: Cardinal  
): Boolean; static;
```

Description

This is ControllerPressed, a member of class TInput.

1.1.32.1.6 TInput.ControllerReleased

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function ControllerReleased(  
    const aButton: Cardinal  
): Boolean; static;
```

Description

This is ControllerReleased, a member of class TInput.

1.1.32.1.7 TInput.GetMouseInfo

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure GetMouseInfo(  
    const aPosition: PPoint;  
    const aDelta: PVector  
); static;
```

Description

This is GetMouseInfo, a member of class TInput.

1.1.32.1.8 TInput.KeyDown

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function KeyDown(  
    const aKey: Cardinal  
): Boolean; static;
```

Description

This is KeyDown, a member of class TInput.

1.1.32.1.9 TInput.KeyPressed

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function KeyPressed(  
    const aKey: Cardinal  
): Boolean; static;
```

Description

This is KeyPressed, a member of class TInput.

1.1.32.1.10 TInput.KeyReleased

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function KeyReleased(  
    const aKey: Cardinal  
): Boolean; static;
```

Description

This is KeyReleased, a member of class TInput.

1.1.32.1.11 TInput.MouseDown

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function MouseDown(  
    const aButton: Cardinal  
): Boolean; static;
```

Description

This is MouseDown, a member of class TInput.

1.1.32.1.12 TInput.MousePressed

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function MousePressed(  
    const aButton: Cardinal  
): Boolean; static;
```


Description

This is MousePressed, a member of class TInput.

1.1.32.1.13 TInput.MouseReleased

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function MouseReleased(  
    const aButton: Cardinal  
): Boolean; static;
```

Description

This is MouseReleased, a member of class TInput.

1.1.32.1.14 TInput.Open

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Open; static;
```

Description

This is Open, a member of class TInput.

1.1.32.1.15 TInput.SetMousePos

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure SetMousePos(  
    const aX: Integer;  
    const aY: Integer  
); static;
```

Description

This is SetMousePos, a member of class TInput.

1.1.32.1.16 TInput.Update

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Update(  
    const aEvent: PSDL_Event  
); static;
```



Description

This is Update, a member of class TInput.

1.1.32.2 TInput Operators

The operators of the TInput class are listed here.

Operators

	Finalize (see page 152)	This is Finalize, a member of class TInput.
	Initialize (see page 152)	This is Initialize, a member of class TInput.

1.1.32.2.1 TInput.Finalize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Finalize(  
    var aDest: TInput  
);
```

Description

This is Finalize, a member of class TInput.

1.1.32.2.2 TInput.Initialize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Initialize(  
    out aDest: TInput  
);
```

Description

This is Initialize, a member of class TInput.

1.1.33 TInputMap

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TInputMap = class(TBaseObject);
```

Description

This is class TInputMap.

1.1.33.1 TInputMap Records

The records of the TInputMap class are listed here.

Records

	TAction (see page 152)	This is record TInputMap.TAction.
	TInput (see page 153)	This is record TInputMap.TInput.

1.1.33.1.1 TInputMap.TAction

File: DelphiGamekit.pas (see page 397)

Delphi

```
TAction = record
  Action: string;
  List: TList<TInputMap.TInput>;
end;
```

Description

This is record TInputMap.TAction.

1.1.33.1.2 TInputMap.TInput

File: DelphiGamekit.pas (see page 397)

Delphi

```
TInput = record
  Device: TInputDevice;
  Data: Integer;
end;
```

Description

This is record TInputMap.TInput.

1.1.33.2 TInputMap Fields

The fields of the TInputMap class are listed here.

Fields

	FList (see page 153)	This is FList, a member of class TInputMap.
---	-----------------------	---

1.1.33.2.1 TInputMap.FList

File: DelphiGamekit.pas (see page 397)

Delphi

```
FList: TDictionary<string, TAction>;
```










Description





This is FList, a member of class TInputMap.

1.1.33.3 TInputMap Methods

The methods of the TInputMap class are listed here.

Methods

	Add (see page 154)	This is Add, a member of class TInputMap.
	Clear (see page 154)	This is Clear, a member of class TInputMap.
	Create (see page 154)	This is Create, a member of class TInputMap.
	Destroy (see page 154)	This is Destroy, a member of class TInputMap.
	Down (see page 154)	This is Down, a member of class TInputMap.
	Load (see page 155)	This is Load, a member of class TInputMap.
	NewAction (see page 155)	This is NewAction, a member of class TInputMap.
	Pressed (see page 155)	This is Pressed, a member of class TInputMap.
	Released (see page 155)	This is Released, a member of class TInputMap.

	Remove (see page 155)	This is Remove, a member of class TInputMap.
	Remove (see page 156)	This is Remove, a member of class TInputMap.
	Save (see page 156)	This is Save, a member of class TInputMap.
	SetupDefaults (see page 156)	This is SetupDefaults, a member of class TInputMap.

1.1.33.3.1 TInputMap.Add

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Add(  
    const aAction: string;  
    aDevice: TInputDevice;  
    aData: Integer  
): Boolean;
```

Description

This is Add, a member of class TInputMap.

1.1.33.3.2 TInputMap.Clear

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Clear;
```

Description

This is Clear, a member of class TInputMap.

1.1.33.3.3 TInputMap.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TInputMap.

1.1.33.3.4 TInputMap.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TInputMap.

1.1.33.3.5 TInputMap.Down

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Down(  
    const aAction: string  
): Boolean;
```

Description

This is Down, a member of class TInputMap.

1.1.33.3.6 TInputMap.Load

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Load(  
    const aArchive: TArchive;  
    const aFilename: string  
): Boolean;
```

Description

This is Load, a member of class TInputMap.

1.1.33.3.7 TInputMap.NewAction

File: DelphiGamekit.pas (see page 397)

Delphi

```
function NewAction(  
    const aAction: string;  
    aDevice: TInputDevice;  
    aData: Integer  
): TAction;
```

Description

This is NewAction, a member of class TInputMap.

1.1.33.3.8 TInputMap.Pressed

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Pressed(  
    const aAction: string  
): Boolean;
```

Description

This is Pressed, a member of class TInputMap.

1.1.33.3.9 TInputMap.Released

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Released(  
    const aAction: string  
): Boolean;
```

Description

This is Released, a member of class TInputMap.

1.1.33.3.10 TInputMap.Remove

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Remove(  
    const aAction: string  
): Boolean; overload;
```

Description

This is Remove, a member of class TInputMap.

1.1.33.3.11 TInputMap.Remove

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Remove(  
    const aAction: string;  
    aDevice: TInputDevice;  
    aData: Integer  
): Boolean; overload;
```

Description

This is Remove, a member of class TInputMap.

1.1.33.3.12 TInputMap.Save

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Save(  
    const aFilename: string  
): Boolean;
```

Description

This is Save, a member of class TInputMap.

1.1.33.3.13 TInputMap.SetupDefaults

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetupDefaults; virtual;
```

Description

This is SetupDefaults, a member of class TInputMap.

1.1.34 TLog

File: DelphiGamekit.pas (see page 397)

Delphi

```
TLog = record  
end;
```











Description

This is class TLog.

1.1.34.1 TLog Methods

The methods of the TLog class are listed here.

Methods

	Add (see page 157)	This is Add, a member of class TLog.
	Close (see page 157)	This is Close, a member of class TLog.
	Fatal (see page 157)	This is Fatal, a member of class TLog.
	GetConsoleOutput (see page 158)	This is GetConsoleOutput, a member of class TLog.
	GetFilename (see page 158)	This is GetFilename, a member of class TLog.
	Open (see page 158)	This is Open, a member of class TLog.
	Opened (see page 158)	This is Opened, a member of class TLog.
	Reset (see page 158)	This is Reset, a member of class TLog.
	SetConsoleOutput (see page 158)	This is SetConsoleOutput, a member of class TLog.
	View (see page 159)	This is View, a member of class TLog.

1.1.34.1.1 TLog.Add

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function Add(  
    const aMsg: string;  
    const aArgs: array of const  
) : string; static;
```

Description

This is Add, a member of class TLog.

1.1.34.1.2 TLog.Close

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Close; static;
```

Description

This is Close, a member of class TLog.

1.1.34.1.3 TLog.Fatal

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Fatal(  
    const aMsg: string;  
    const aArgs: array of const  
) ; static;
```

Description

This is Fatal, a member of class TLog.

1.1.34.1.4 TLog.GetConsoleOutput

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetConsoleOutput: Boolean; static;
```

Description

This is GetConsoleOutput, a member of class TLog.

1.1.34.1.5 TLog.GetFilename

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetFilename: string; static;
```

Description

This is GetFilename, a member of class TLog.

1.1.34.1.6 TLog.Open

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function Open: Boolean; static;
```

Description

This is Open, a member of class TLog.

1.1.34.1.7 TLog.Opened

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function Opened: Boolean; static;
```

Description

This is Opened, a member of class TLog.

1.1.34.1.8 TLog.Reset

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Reset; static;
```

Description

This is Reset, a member of class TLog.

1.1.34.1.9 TLog.SetConsoleOutput

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure SetConsoleOutput(  
    const aConsoleOutput: Boolean  
); static;
```

Description

This is SetConsoleOutput, a member of class TLog.

1.1.34.1.10 TLog.View

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure View; static;
```



Description

This is View, a member of class TLog.

1.1.34.2 TLog Operators

The operators of the TLog class are listed here.

Operators

	Finalize (see page 159)	This is Finalize, a member of class TLog.
	Initialize (see page 159)	This is Initialize, a member of class TLog.

1.1.34.2.1 TLog.Finalize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Finalize(  
    var aDest: TLog  
);
```

Description

This is Finalize, a member of class TLog.

1.1.34.2.2 TLog.Initialize

File: DelphiGamekit.pas (see page 397)

Delphi


```
class operator Initialize(  
    out aDest: TLog  
);
```

Description

This is Initialize, a member of class TLog.

1.1.35 TLua

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TLua = class(TNoRefCountObject, ILua);
```

Description

This is class TLua.

1.1.35.1 TLua Fields

The fields of the TLua class are listed here.

Fields

	FContext (see page 160)	This is FContext, a member of class TLua.
	FGCStep (see page 160)	This is FGCStep, a member of class TLua.
	FState (see page 160)	This is FState, a member of class TLua.

1.1.35.1.1 TLua.FContext

File: DelphiGamekit.pas (see page 397)

Delphi

```
FContext: TLuaContext;
```

Description

This is FContext, a member of class TLua.

1.1.35.1.2 TLua.FGCStep

File: DelphiGamekit.pas (see page 397)

Delphi

```
FGCStep: Integer;
```

Description

This is FGCStep, a member of class TLua.

1.1.35.1.3 TLua.FState

File: DelphiGamekit.pas (see page 397)

Delphi

```
FState: Pointer;
```

Description




This is FState, a member of class TLua.

1.1.35.2 TLua Methods

The methods of the TLua class are listed here.

Methods

≡🔗	Bundle (see page 162)	This is Bundle, a member of class TLua.
≡🔗	Call (see page 162)	This is Call, a member of class TLua.
≡🔗	Call (see page 162)	This is Call, a member of class TLua.
≡🔗	CallFunction (see page 162)	This is CallFunction, a member of class TLua.
≡🔗	CheckLuaError (see page 162)	This is CheckLuaError, a member of class TLua.
≡🔗	CleanStack (see page 163)	This is CleanStack, a member of class TLua.
≡🔗	Close (see page 163)	This is Close, a member of class TLua.
≡🔗	CollectGarbage (see page 163)	This is CollectGarbage, a member of class TLua.
≡🔗	CompileToStream (see page 163)	This is CompileToStream, a member of class TLua.
≡🔗	Create (see page 163)	This is Create, a member of class TLua.
≡🔗	Destroy (see page 164)	This is Destroy, a member of class TLua.
≡🔗	DoCall (see page 164)	This is DoCall, a member of class TLua.
≡🔗	DoCall (see page 164)	This is DoCall, a member of class TLua.
≡🔗	GetGCMemoryUsed (see page 164)	This is GetGCMemoryUsed, a member of class TLua.
≡🔗	GetGCStepSize (see page 164)	This is GetGCStepSize, a member of class TLua.
≡🔗	GetLuaValue (see page 165)	This is GetLuaValue, a member of class TLua.
≡🔗	GetVariable (see page 165)	This is GetVariable, a member of class TLua.
≡🔗	LoadBuffer (see page 165)	This is LoadBuffer, a member of class TLua.
≡🔗	LoadByteCode (see page 165)	This is LoadByteCode, a member of class TLua.
≡🔗	LoadFile (see page 166)	This is LoadFile, a member of class TLua.
≡🔗	LoadStream (see page 166)	This is LoadStream, a member of class TLua.
≡🔗	LoadString (see page 166)	This is LoadString, a member of class TLua.
≡🔗	Open (see page 166)	This is Open, a member of class TLua.
≡🔗	PrepCall (see page 166)	This is PrepCall, a member of class TLua.
≡🔗	PushGlobalTableForGet (see page 167)	This is PushGlobalTableForGet, a member of class TLua.
≡🔗	PushGlobalTableForSet (see page 167)	This is PushGlobalTableForSet, a member of class TLua.
≡🔗	PushLuaValue (see page 167)	This is PushLuaValue, a member of class TLua.
≡🔗	PushTValue (see page 167)	This is PushTValue, a member of class TLua.
≡🔗	RegisterRoutine (see page 167)	This is RegisterRoutine, a member of class TLua.
≡🔗	RegisterRoutine (see page 168)	This is RegisterRoutine, a member of class TLua.
≡🔗	RegisterRoutines (see page 168)	This is RegisterRoutines, a member of class TLua.
≡🔗	RegisterRoutines (see page 168)	This is RegisterRoutines, a member of class TLua.
≡🔗	RegisterRoutines (see page 168)	This is RegisterRoutines, a member of class TLua.
≡🔗	RegisterRoutines (see page 169)	This is RegisterRoutines, a member of class TLua.
≡🔗	Reset (see page 169)	This is Reset, a member of class TLua.
≡🔗	RoutineExist (see page 169)	This is RoutineExist, a member of class TLua.
≡🔗	Run (see page 169)	This is Run, a member of class TLua.
≡🔗	SaveByteCode (see page 169)	This is SaveByteCode, a member of class TLua.

	SetGCStepSize (see page 170)	This is SetGCStepSize, a member of class TLua.
	SetVariable (see page 170)	This is SetVariable, a member of class TLua.
	VariableExist (see page 170)	This is VariableExist, a member of class TLua.

1.1.35.2.1 TLua.Bundle

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Bundle(  
    aInFilename: string;  
    aOutFilename: string  
);
```

Description

This is Bundle, a member of class TLua.

1.1.35.2.2 TLua.Call

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Call(  
    aParamCount: Integer  
): TLuaValue; overload;
```

Description

This is Call, a member of class TLua.

1.1.35.2.3 TLua.Call

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Call(  
    const aName: string;  
    const aParams: array of TLuaValue  
): TLuaValue; overload;
```

Description

This is Call, a member of class TLua.

1.1.35.2.4 TLua.CallFunction

File: DelphiGamekit.pas (see page 397)

Delphi

```
function CallFunction(  
    const aParams: array of TValue  
): TValue;
```

Description

This is CallFunction, a member of class TLua.

1.1.35.2.5 TLua.CheckLuaError

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure CheckLuaError(  
    const aError: Integer  
);
```

Description

This is CheckLuaError, a member of class TLua.

1.1.35.2.6 TLua.CleanStack

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure CleanStack;
```

Description

This is CleanStack, a member of class TLua.

1.1.35.2.7 TLua.Close

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Close;
```

Description

This is Close, a member of class TLua.

1.1.35.2.8 TLua.CollectGarbage

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure CollectGarbage;
```

Description

This is CollectGarbage, a member of class TLua.

1.1.35.2.9 TLua.CompileToStream

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure CompileToStream(  
    aFilename: string;  
    aStream: TStream;  
    aCleanOutput: Boolean  
);
```

Description

This is CompileToStream, a member of class TLua.

1.1.35.2.10 TLua.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; virtual;
```

Description

This is Create, a member of class TLua.

1.1.35.2.11 TLua.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TLua.

1.1.35.2.12 TLua.DoCall

File: DelphiGamekit.pas (see page 397)

Delphi

```
function DoCall(  
    aParamCount: Integer  
): TLuaValue; overload;
```

Description

This is DoCall, a member of class TLua.

1.1.35.2.13 TLua.DoCall

File: DelphiGamekit.pas (see page 397)

Delphi

```
function DoCall(  
    const aParams: array of TLuaValue  
): TLuaValue; overload;
```

Description

This is DoCall, a member of class TLua.

1.1.35.2.14 TLua.GetGCMemoryUsed

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetGCMemoryUsed: Integer;
```

Description

This is GetGCMemoryUsed, a member of class TLua.

1.1.35.2.15 TLua.GetGCStepSize

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetGCStepSize: Integer;
```

Description

This is GetGCStepSize, a member of class TLua.

1.1.35.2.16 TLua.GetLuaValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetLuaValue(  
    aIndex: Integer  
): TLuaValue;
```

Description

This is GetLuaValue, a member of class TLua.

1.1.35.2.17 TLua.GetVariable

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetVariable(  
    const aName: string;  
    aType: TLuaValueType  
): TLuaValue;
```

Description

This is GetVariable, a member of class TLua.

1.1.35.2.18 TLua.LoadBuffer

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure LoadBuffer(  
    aData: Pointer;  
    aSize: NativeUInt;  
    aAutoRun: Boolean = True  
);
```

Description

This is LoadBuffer, a member of class TLua.

1.1.35.2.19 TLua.LoadByteCode

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure LoadByteCode(  
    aStream: TStream;  
    aName: string;  
    aAutoRun: Boolean = True  
);
```

Description

This is LoadByteCode, a member of class TLua.

1.1.35.2.20 TLua.LoadFile

File: DelphiGamekit.pas (see page 397)

Delphi

```
function LoadFile(  
    const aFilename: string;  
    aAutoRun: Boolean = True  
): Boolean;
```

Description

This is LoadFile, a member of class TLua.

1.1.35.2.21 TLua.LoadStream

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure LoadStream(  
    aStream: TStream;  
    aSize: NativeUInt = 0;  
    aAutoRun: Boolean = True  
);
```

Description

This is LoadStream, a member of class TLua.

1.1.35.2.22 TLua.LoadString

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure LoadString(  
    const aData: string;  
    aAutoRun: Boolean = True  
);
```

Description

This is LoadString, a member of class TLua.

1.1.35.2.23 TLua.Open

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Open;
```

Description

This is Open, a member of class TLua.

1.1.35.2.24 TLua.PrepareCall

File: DelphiGamekit.pas (see page 397)

Delphi

```
function PrepareCall(  
    const aName: string  
): Boolean;
```


Description

This is PrepCall, a member of class TLua.

1.1.35.2.25 TLua.PushGlobalTableForGet

File: DelphiGamekit.pas (see page 397)

Delphi

```
function PushGlobalTableForGet(  
    aName: array of string;  
    var aIndex: Integer  
): Boolean;
```

Description

This is PushGlobalTableForGet, a member of class TLua.

1.1.35.2.26 TLua.PushGlobalTableForSet

File: DelphiGamekit.pas (see page 397)

Delphi

```
function PushGlobalTableForSet(  
    aName: array of string;  
    var aIndex: Integer  
): Boolean;
```

Description

This is PushGlobalTableForSet, a member of class TLua.

1.1.35.2.27 TLua.PushLuaValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure PushLuaValue(  
    aValue: TLuaValue  
);
```

Description

This is PushLuaValue, a member of class TLua.

1.1.35.2.28 TLua.PushTValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure PushTValue(  
    aValue: TValue  
);
```

Description

This is PushTValue, a member of class TLua.

1.1.35.2.29 TLua.RegisterRoutine

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RegisterRoutine(  
    const aName: string;  
    aData: Pointer;  
    aCode: Pointer  
); overload;
```

Description

This is RegisterRoutine, a member of class TLua.

1.1.35.2.30 TLua.RegisterRoutine

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RegisterRoutine(  
    const aName: string;  
    aRoutine: TLuaFunction  
); overload;
```

Description

This is RegisterRoutine, a member of class TLua.

1.1.35.2.31 TLua.RegisterRoutines

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RegisterRoutines(  
    aClass: TClass  
); overload;
```

Description

This is RegisterRoutines, a member of class TLua.

1.1.35.2.32 TLua.RegisterRoutines

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RegisterRoutines(  
    aObject: TObject  
); overload;
```

Description

This is RegisterRoutines, a member of class TLua.

1.1.35.2.33 TLua.RegisterRoutines

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RegisterRoutines(  
    const aTables: string;  
    aClass: TClass;  
    const aTableName: string = ''  
); overload;
```

Description

This is RegisterRoutines, a member of class TLua.

1.1.35.2.34 TLua.RegisterRoutines

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RegisterRoutines(  
    const aTables: string;  
    aObject: TObject;  
    const aTableName: string = ''  
); overload;
```

Description

This is RegisterRoutines, a member of class TLua.

1.1.35.2.35 TLua.Reset

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Reset;
```

Description

This is Reset, a member of class TLua.

1.1.35.2.36 TLua.RoutineExist

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RoutineExist(  
    const aName: string  
): Boolean;
```

Description

This is RoutineExist, a member of class TLua.

1.1.35.2.37 TLua.Run

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Run;
```

Description

This is Run, a member of class TLua.

1.1.35.2.38 TLua.SaveByteCode

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SaveByteCode(  
    aStream: TStream  
);
```

Description

This is SaveByteCode, a member of class TLua.

1.1.35.2.39 TLua.SetGCStepSize

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetGCStepSize(  
    aStep: Integer  
);
```

Description

This is SetGCStepSize, a member of class TLua.

1.1.35.2.40 TLua.SetVariable

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetVariable(  
    const aName: string;  
    aValue: TLuaValue  
);
```

Description

This is SetVariable, a member of class TLua.

1.1.35.2.41 TLua.VariableExist

File: DelphiGamekit.pas (see page 397)

Delphi

```
function VariableExist(  
    const aName: string  
): Boolean;
```



Description

This is VariableExist, a member of class TLua.

1.1.35.3 TLua Properties

The properties of the TLua class are listed here.

Properties

	Context (see page 170)	This is Context, a member of class TLua.
	State (see page 171)	This is State, a member of class TLua.

1.1.35.3.1 TLua.Context

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Context: TLuaContext;
```

Description

This is Context, a member of class TLua.

1.1.35.3.2 TLua.State

File: DelphiGamekit.pas (see page 397)

Delphi


```
property State: Pointer;
```

Description

This is State, a member of class TLua.

1.1.36 TLuaContext

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TLuaContext = class(TNoRefCountObject, ILuaContext);
```




Description

This is class TLuaContext.

1.1.36.1 TLuaContext Fields

The fields of the TLuaContext class are listed here.

Fields

	FLua (see page 171)	This is FLua, a member of class TLuaContext.
	FPushCount (see page 171)	This is FPushCount, a member of class TLuaContext.
	FPushFlag (see page 172)	This is FPushFlag, a member of class TLuaContext.

1.1.36.1.1 TLuaContext.FLua

File: DelphiGamekit.pas (see page 397)

Delphi

```
FLua: TLua;
```

Description

This is FLua, a member of class TLuaContext.

1.1.36.1.2 TLuaContext.FPushCount

File: DelphiGamekit.pas (see page 397)

Delphi

```
FPushCount: Integer;
```

Description

This is FPushCount, a member of class TLuaContext.

1.1.36.1.3 TLuaContext.FPushFlag

File: DelphiGamekit.pas (see page 397)

Delphi

```
FPushFlag: Boolean;
```




















Description

This is FPushFlag, a member of class TLuaContext.

1.1.36.2 TLuaContext Methods

The methods of the TLuaContext class are listed here.

Methods

	ArgCount (see page 172)	This is ArgCount, a member of class TLuaContext.
	Check (see page 173)	This is Check, a member of class TLuaContext.
	Cleanup (see page 173)	This is Cleanup, a member of class TLuaContext.
	ClearStack (see page 173)	This is ClearStack, a member of class TLuaContext.
	Create (see page 173)	This is Create, a member of class TLuaContext.
	Destroy (see page 173)	This is Destroy, a member of class TLuaContext.
	GetStackType (see page 173)	This is GetStackType, a member of class TLuaContext.
	GetTableFieldValue (see page 174)	This is GetTableFieldValue, a member of class TLuaContext.
	GetTableIndexValue (see page 174)	This is GetTableIndexValue, a member of class TLuaContext.
	GetValue (see page 174)	This is GetValue, a member of class TLuaContext.
	IncStackPushCount (see page 174)	This is IncStackPushCount, a member of class TLuaContext.
	PopStack (see page 175)	This is PopStack, a member of class TLuaContext.
	PushCount (see page 175)	This is PushCount, a member of class TLuaContext.
	PushTableForGet (see page 175)	This is PushTableForGet, a member of class TLuaContext.
	PushTableForSet (see page 175)	This is PushTableForSet, a member of class TLuaContext.
	PushValue (see page 175)	This is PushValue, a member of class TLuaContext.
	SetTableFieldValue (see page 176)	This is SetTableFieldValue, a member of class TLuaContext.
	SetTableIndexValue (see page 176)	This is SetTableIndexValue, a member of class TLuaContext.
	Setup (see page 176)	This is Setup, a member of class TLuaContext.

1.1.36.2.1 TLuaContext.ArgCount

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ArgCount: Integer;
```

Description

This is ArgCount, a member of class TLuaContext.

1.1.36.2.2 TLuaContext.Check

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Check;
```

Description

This is Check, a member of class TLuaContext.

1.1.36.2.3 TLuaContext.Cleanup

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Cleanup;
```

Description

This is Cleanup, a member of class TLuaContext.

1.1.36.2.4 TLuaContext.ClearStack

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure ClearStack;
```

Description

This is ClearStack, a member of class TLuaContext.

1.1.36.2.5 TLuaContext.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create(  
    aLua: TLua  
);
```

Description

This is Create, a member of class TLuaContext.

1.1.36.2.6 TLuaContext.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TLuaContext.

1.1.36.2.7 TLuaContext.GetStackType

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetStackType(  
    aIndex: Integer  
): TLuaType;
```

Description

This is GetStackType, a member of class TLuaContext.

1.1.36.2.8 TLuaContext.GetTableFieldValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetTableFieldValue(  
    const aName: string;  
    aType: TLuaValueType;  
    aIndex: Integer  
): TLuaValue; overload;
```

Description

This is GetTableFieldValue, a member of class TLuaContext.

1.1.36.2.9 TLuaContext.GetTableIndexValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetTableIndexValue(  
    const aName: string;  
    aType: TLuaValueType;  
    aIndex: Integer;  
    aKey: Integer  
): TLuaValue;
```

Description

This is GetTableIndexValue, a member of class TLuaContext.

1.1.36.2.10 TLuaContext.GetValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetValue(  
    aType: TLuaValueType;  
    aIndex: Integer  
): TLuaValue; overload;
```

Description

This is GetValue, a member of class TLuaContext.

1.1.36.2.11 TLuaContext.IncStackPushCount

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure IncStackPushCount;
```

Description

This is IncStackPushCount, a member of class TLuaContext.

1.1.36.2.12 TLuaContext.PopStack

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure PopStack(  
    aCount: Integer  
);
```

Description

This is PopStack, a member of class TLuaContext.

1.1.36.2.13 TLuaContext.PushCount

File: DelphiGamekit.pas (see page 397)

Delphi

```
function PushCount: Integer;
```

Description

This is PushCount, a member of class TLuaContext.

1.1.36.2.14 TLuaContext.PushTableForGet

File: DelphiGamekit.pas (see page 397)

Delphi

```
function PushTableForGet(  
    aName: array of string;  
    aIndex: Integer;  
    var aStackIndex: Integer;  
    var aFieldNameIndex: Integer  
): Boolean;
```

Description

This is PushTableForGet, a member of class TLuaContext.

1.1.36.2.15 TLuaContext.PushTableForSet

File: DelphiGamekit.pas (see page 397)

Delphi

```
function PushTableForSet(  
    aName: array of string;  
    aIndex: Integer;  
    var aStackIndex: Integer;  
    var aFieldNameIndex: Integer  
): Boolean;
```

Description

This is PushTableForSet, a member of class TLuaContext.

1.1.36.2.16 TLuaContext.PushValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure PushValue(  
    aValue: TLuaValue;
```

```
    aValue: TLuaValue  
); overload;
```

Description

This is PushValue, a member of class TLuaContext.

1.1.36.2.17 TLuaContext.SetTableFieldValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetTableFieldValue(  
    const aName: string;  
    aValue: TLuaValue;  
    aIndex: Integer  
); overload;
```

Description

This is SetTableFieldValue, a member of class TLuaContext.

1.1.36.2.18 TLuaContext.SetTableIndexValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetTableIndexValue(  
    const aName: string;  
    aValue: TLuaValue;  
    aIndex: Integer;  
    aKey: Integer  
);
```

Description

This is SetTableIndexValue, a member of class TLuaContext.

1.1.36.2.19 TLuaContext.Setup

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Setup;
```

Description

This is Setup, a member of class TLuaContext.

1.1.37 TLuaValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
TLuaValue = record  
    AsType: TLuaValueType;  
    case Integer of  
        0: (AsInteger: Integer);  
        1: (AsNumber: Double);  
        2: (AsString: System.PChar);  
        3: (AsTable: TLuaTable);  
        4: (AsPointer: Pointer);
```

```
5: (AsBoolean: Boolean);
end;
```








Description

This is class TLuaValue.

1.1.37.1 TLuaValue Fields

The fields of the TLuaValue class are listed here.

Fields

	AsBoolean (see page 177)	This is AsBoolean, a member of class TLuaValue.
	AsInteger (see page 177)	This is AsInteger, a member of class TLuaValue.
	AsNumber (see page 177)	This is AsNumber, a member of class TLuaValue.
	AsPointer (see page 177)	This is AsPointer, a member of class TLuaValue.
	AsString (see page 178)	This is AsString, a member of class TLuaValue.
	AsTable (see page 178)	This is AsTable, a member of class TLuaValue.
	AsType (see page 178)	This is AsType, a member of class TLuaValue.

1.1.37.1.1 TLuaValue.AsBoolean

File: DelphiGamekit.pas (see page 397)

Delphi

```
AsBoolean: Boolean;
```

Description

This is AsBoolean, a member of class TLuaValue.

1.1.37.1.2 TLuaValue.AsInteger

File: DelphiGamekit.pas (see page 397)

Delphi

```
AsInteger: Integer;
```

Description

This is AsInteger, a member of class TLuaValue.

1.1.37.1.3 TLuaValue.AsNumber

File: DelphiGamekit.pas (see page 397)

Delphi

```
AsNumber: Double;
```

Description

This is AsNumber, a member of class TLuaValue.

1.1.37.1.4 TLuaValue.AsPointer

File: DelphiGamekit.pas (see page 397)

Delphi

```
AsPointer: Pointer;
```

Description

This is AsPointer, a member of class TLuaValue.

1.1.37.1.5 TLuaValue.AsString

File: DelphiGamekit.pas (see page 397)

Delphi

```
AsString: System.PChar;
```

Description

This is AsString, a member of class TLuaValue.

1.1.37.1.6 TLuaValue.AsTable

File: DelphiGamekit.pas (see page 397)

Delphi

```
AsTable: TLuaTable;
```

Description

This is AsTable, a member of class TLuaValue.

1.1.37.1.7 TLuaValue.AsType

File: DelphiGamekit.pas (see page 397)

Delphi

```
AsType: TLuaValueType;
```








Description

This is AsType, a member of class TLuaValue.

1.1.37.2 TLuaValue Operators

The operators of the TLuaValue class are listed here.

Operators

	Implicit (see page 178)	This is Implicit, a member of class TLuaValue.
	Implicit (see page 179)	This is Implicit, a member of class TLuaValue.
	Implicit (see page 179)	This is Implicit, a member of class TLuaValue.
	Implicit (see page 179)	This is Implicit, a member of class TLuaValue.
	Implicit (see page 179)	This is Implicit, a member of class TLuaValue.
	Implicit (see page 179)	This is Implicit, a member of class TLuaValue.
	Implicit (see page 180)	This is Implicit, a member of class TLuaValue.

1.1.37.2.1 TLuaValue.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  
    aValue: Boolean  
);
```

Description

This is Implicit, a member of class TLuaValue.

1.1.37.2.2 TLuaValue.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  
    aValue: Double  
);
```

Description

This is Implicit, a member of class TLuaValue.

1.1.37.2.3 TLuaValue.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  
    const aValue: Integer  
);
```

Description

This is Implicit, a member of class TLuaValue.

1.1.37.2.4 TLuaValue.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  
    aValue: Pointer  
);
```

Description

This is Implicit, a member of class TLuaValue.

1.1.37.2.5 TLuaValue.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  
    aValue: System.PChar  
);
```

Description

This is Implicit, a member of class TLuaValue.

1.1.37.2.6 TLuaValue.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  

```

```
    aValue: TLuaTable
);
```

Description
This is Implicit, a member of class TLuaValue.

1.1.37.2.7 TLuaValue.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(
    aValue: TLuaValue
);
```

Description
This is Implicit, a member of class TLuaValue.

1.1.38 TPoint

File: DelphiGamekit.pas (see page 397)

Delphi




```
TPoint = record
    X: Single;
    Y: Single;
    Z: Single;
end;
```

Description
This is class TPoint.

1.1.38.1 TPoint Fields

The fields of the TPoint class are listed here.

Fields

	X (see page 180)	This is X, a member of class TPoint.
	Y (see page 180)	This is Y, a member of class TPoint.
	Z (see page 181)	This is Z, a member of class TPoint.

1.1.38.1.1 TPoint.X

File: DelphiGamekit.pas (see page 397)

Delphi

```
x: Single;
```

Description
This is X, a member of class TPoint.

1.1.38.1.2 TPoint.Y

File: DelphiGamekit.pas (see page 397)

Delphi

Y: Single;

Description

This is Y, a member of class TPoint.

1.1.38.1.3 TPoint.Z

File: DelphiGamekit.pas (see page 397)

Delphi

Z: Single;

Description

This is Z, a member of class TPoint.

1.1.38.2 TPoint Methods

The methods of the TPoint class are listed here.

Methods

	Create (see page 181)	This is Create, a member of class TPoint.
---	------------------------	---

1.1.38.2.1 TPoint.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create(  
    const aX: Single;  
    const aY: Single;  
    const aZ: Single  
);
```






Description

This is Create, a member of class TPoint.

1.1.38.3 TPoint Operators

The operators of the TPoint class are listed here.

Operators

	Implicit (see page 181)	This is Implicit, a member of class TPoint.
	Implicit (see page 182)	This is Implicit, a member of class TPoint.
	Implicit (see page 182)	This is Implicit, a member of class TPoint.
	Implicit (see page 182)	This is Implicit, a member of class TPoint.
	Initialize (see page 182)	This is Initialize, a member of class TPoint.

1.1.38.3.1 TPoint.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  

```

```
    aValue: SDL_FPoint  
);
```

Description

This is Implicit, a member of class TPoint.

1.1.38.3.2 TPoint.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  
    aValue: SDL_Point  
);
```

Description

This is Implicit, a member of class TPoint.

1.1.38.3.3 TPoint.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  
    aValue: TPoint  
);
```

Description

This is Implicit, a member of class TPoint.

1.1.38.3.4 TPoint.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  
    aValue: TVector  
);
```

Description

This is Implicit, a member of class TPoint.

1.1.38.3.5 TPoint.Initialize

File: DelphiGamekit.pas (see page 397)

Delphi


```
class operator Initialize(  
    out aDest: TPoint  
);
```

Description

This is Initialize, a member of class TPoint.

1.1.39 TPolyPoint

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TPolyPoint = class(TBaseObject);
```



Description

This is class TPolyPoint.

1.1.39.1 TPolyPoint Fields

The fields of the TPolyPoint class are listed here.

Fields

	FCount (see page 183)	This is FCount, a member of class TPolyPoint.
	FPolygon (see page 183)	This is FPolygon, a member of class TPolyPoint.

1.1.39.1.1 TPolyPoint.FCount

File: DelphiGamekit.pas (see page 397)

Delphi

```
FCount: Integer;
```

Description

This is FCount, a member of class TPolyPoint.

1.1.39.1.2 TPolyPoint.FPolygon

File: DelphiGamekit.pas (see page 397)

Delphi

```
FPolygon: array of TPolygon;
```





Description












This is FPolygon, a member of class TPolyPoint.

1.1.39.2 TPolyPoint Methods

The methods of the TPolyPoint class are listed here.

Methods

	AddPoint (see page 184)	This is AddPoint, a member of class TPolyPoint.
	Clear (see page 184)	This is Clear, a member of class TPolyPoint.
	Collide (see page 184)	This is Collide, a member of class TPolyPoint.
	CollidePoint (see page 185)	This is CollidePoint, a member of class TPolyPoint.

	CopyFrom (see page 185)	This is CopyFrom, a member of class TPolyPoint.
	Count (see page 185)	This is Count, a member of class TPolyPoint.
	Create (see page 185)	This is Create, a member of class TPolyPoint.
	Destroy (see page 186)	This is Destroy, a member of class TPolyPoint.
	Load (see page 186)	This is Load, a member of class TPolyPoint.
	Polygon (see page 186)	This is Polygon, a member of class TPolyPoint.
	Render (see page 186)	This is Render, a member of class TPolyPoint.
	Save (see page 186)	This is Save, a member of class TPolyPoint.
	TraceFromSprite (see page 187)	This is TraceFromSprite, a member of class TPolyPoint.
	TraceFromTexture (see page 187)	This is TraceFromTexture, a member of class TPolyPoint.
	Valid (see page 187)	This is Valid, a member of class TPolyPoint.

1.1.39.2.1 TPolyPoint.AddPoint

File: DelphiGamekit.pas (see page 397)

Delphi

```

procedure AddPoint(
  const aNum: Integer;
  const aX: Single;
  const aY: Single;
  const aOrigin: PPoint
);

```

Description

This is AddPoint, a member of class TPolyPoint.

1.1.39.2.2 TPolyPoint.Clear

File: DelphiGamekit.pas (see page 397)

Delphi

```

procedure Clear;

```

Description

This is Clear, a member of class TPolyPoint.

1.1.39.2.3 TPolyPoint.Collide

File: DelphiGamekit.pas (see page 397)

Delphi

```

function Collide(
  const aNum1: Integer;
  const aGroup1: Integer;
  const aX1: Single;
  const aY1: Single;
  const aScale1: Single;
  const aAngle1: Single;
  const aFlipMode1: TFlipMode;
  const aOrigin1: PPoint;
  const aPolyPoint2: TPolyPoint;
  const aNum2: Integer;
  const aGroup2: Integer;
  const aX2: Single;
  const aY2: Single;
  const aScale2: Single;
  const aAngle2: Single;
  const aFlipMode2: TFlipMode;

```

```
    const aOrigin2: PPoint;  
    var aHitPos: TPoint  
): Boolean;
```

Description

This is Collide, a member of class TPolyPoint.

1.1.39.2.4 TPolyPoint.CollidePoint

File: DelphiGamekit.pas (see page 397)

Delphi

```
function CollidePoint(  
    const aNum: Integer;  
    const aGroup: Integer;  
    const aX: Single;  
    const aY: Single;  
    const aScale: Single;  
    const aAngle: Single;  
    const aFlipMode: TFlipMode;  
    const aOrigin: PPoint;  
    var aPoint: TPoint  
): Boolean;
```

Description

This is CollidePoint, a member of class TPolyPoint.

1.1.39.2.5 TPolyPoint.CopyFrom

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure CopyFrom(  
    const aPolyPoint: TPolyPoint  
);
```

Description

This is CopyFrom, a member of class TPolyPoint.

1.1.39.2.6 TPolyPoint.Count

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Count: Integer;
```

Description

This is Count, a member of class TPolyPoint.

1.1.39.2.7 TPolyPoint.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TPolyPoint.

1.1.39.2.8 TPolyPoint.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TPolyPoint.

1.1.39.2.9 TPolyPoint.Load

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Load(  
  const aArchive: TArchive;  
  const aFilename: string  
);
```

Description

This is Load, a member of class TPolyPoint.

1.1.39.2.10 TPolyPoint.Polygon

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Polygon(  
  const aNum: Integer  
): TPolygon;
```

Description

This is Polygon, a member of class TPolyPoint.

1.1.39.2.11 TPolyPoint.Render

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Render(  
  const aNum: Integer;  
  aX: Single;  
  aY: Single;  
  aScale: Single;  
  aAngle: Single;  
  const aColor: TColor;  
  const aFlipMode: TFlipMode;  
  const aOrigin: PPoint  
);
```

Description

This is Render, a member of class TPolyPoint.

1.1.39.2.12 TPolyPoint.Save

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Save(  
    const aFilename: string  
);
```

Description

This is Save, a member of class TPolyPoint.

1.1.39.2.13 TPolyPoint.TraceFromSprite

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure TraceFromSprite(  
    const aSprite: TSprite;  
    const aGroup: Integer;  
    const aMju: Single;  
    const aMaxStepBack: Integer;  
    const aAlphaThreshold: Integer;  
    const aOrigin: PPoint  
);
```

Description

This is TraceFromSprite, a member of class TPolyPoint.

1.1.39.2.14 TPolyPoint.TraceFromTexture

File: DelphiGamekit.pas (see page 397)

Delphi

```
function TraceFromTexture(  
    const aTexture: TTexture;  
    const aMju: Single;  
    const aMaxStepBack: Integer;  
    const aAlphaThreshold: Integer;  
    const aOrigin: PPoint  
): Integer;
```

Description

This is TraceFromTexture, a member of class TPolyPoint.

1.1.39.2.15 TPolyPoint.Valid

File: DelphiGamekit.pas (see page 397)

Delphi


```
function Valid(  
    const aNum: Integer  
): Boolean;
```

Description

This is Valid, a member of class TPolyPoint.

1.1.40 TPolygon

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TPolygon = class(TBaseObject);
```

Description

This is class TPolygon.

1.1.40.1 TPolygon Records

The records of the TPolygon class are listed here.

Records

	TSegment (see page 188)	This is record TPolygon.TSegment.
---	--------------------------	-----------------------------------

1.1.40.1.1 TPolygon.TSegment

File: DelphiGamekit.pas (see page 397)

Delphi

```
TSegment = record
  Point: TPoint;
  Visible: Boolean;
end;
```




Description

This is record TPolygon.TSegment.

1.1.40.2 TPolygon Fields

The fields of the TPolygon class are listed here.

Fields

	FItemCount (see page 188)	This is FItemCount, a member of class TPolygon.
	FSegment (see page 189)	This is FSegment, a member of class TPolygon.
	FWorldPoint (see page 189)	This is FWorldPoint, a member of class TPolygon.

1.1.40.2.1 TPolygon.FItemCount

File: DelphiGamekit.pas (see page 397)

Delphi

```
FItemCount: Integer;
```

Description

This is FItemCount, a member of class TPolygon.

1.1.40.2.2 TPolygon.FSegment

File: DelphiGamekit.pas (see page 397)

Delphi

```
FSegment: array of TSegment;
```

Description

This is FSegment, a member of class TPolygon.

1.1.40.2.3 TPolygon.FWorldPoint

File: DelphiGamekit.pas (see page 397)

Delphi

```
FWorldPoint: array of TPoint;
```















Description

This is FWorldPoint, a member of class TPolygon.

1.1.40.3 TPolygon Methods

The methods of the TPolygon class are listed here.

Methods

	AddLocalPoint (see page 189)	This is AddLocalPoint, a member of class TPolygon.
	Clear (see page 190)	This is Clear, a member of class TPolygon.
	CopyFrom (see page 190)	This is CopyFrom, a member of class TPolygon.
	Create (see page 190)	This is Create, a member of class TPolygon.
	Destroy (see page 190)	This is Destroy, a member of class TPolygon.
	Load (see page 190)	This is Load, a member of class TPolygon.
	LocalPoint (see page 191)	This is LocalPoint, a member of class TPolygon.
	PointCount (see page 191)	This is PointCount, a member of class TPolygon.
	Render (see page 191)	This is Render, a member of class TPolygon.
	Save (see page 191)	This is Save, a member of class TPolygon.
	SegmentVisible (see page 191)	This is SegmentVisible, a member of class TPolygon.
	SetSegmentVisible (see page 192)	This is SetSegmentVisible, a member of class TPolygon.
	Transform (see page 192)	This is Transform, a member of class TPolygon.
	WorldPoint (see page 192)	This is WorldPoint, a member of class TPolygon.

1.1.40.3.1 TPolygon.AddLocalPoint

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure AddLocalPoint(
  const aX: Single;
  const aY: Single;
  const aVisible: Boolean
);
```

Description

This is AddLocalPoint, a member of class TPolygon.

1.1.40.3.2 TPolygon.Clear

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Clear;
```

Description

This is Clear, a member of class TPolygon.

1.1.40.3.3 TPolygon.CopyFrom

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure CopyFrom(  
    const aPolygon: TPolygon  
);
```

Description

This is CopyFrom, a member of class TPolygon.

1.1.40.3.4 TPolygon.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TPolygon.

1.1.40.3.5 TPolygon.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TPolygon.

1.1.40.3.6 TPolygon.Load

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Load(  
    const aArchive: TArchive;  
    const aFilename: string  
);
```

Description

This is Load, a member of class TPolygon.

1.1.40.3.7 TPolygon.LocalPoint

File: DelphiGamekit.pas (see page 397)

Delphi

```
function LocalPoint(  
    const aIndex: Integer  
): PPoint;
```

Description

This is LocalPoint, a member of class TPolygon.

1.1.40.3.8 TPolygon.PointCount

File: DelphiGamekit.pas (see page 397)

Delphi

```
function PointCount: Integer;
```

Description

This is PointCount, a member of class TPolygon.

1.1.40.3.9 TPolygon.Render

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Render(  
    const aX: Single;  
    const aY: Single;  
    const aScale: Single;  
    const aAngle: Single;  
    const aWidth: Single;  
    aColor: TColor;  
    aFlipMode: TFlipMode;  
    aOrigin: PPoint  
);
```

Description

This is Render, a member of class TPolygon.

1.1.40.3.10 TPolygon.Save

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Save(  
    const aFilename: string  
);
```

Description

This is Save, a member of class TPolygon.

1.1.40.3.11 TPolygon.SegmentVisible

File: DelphiGamekit.pas (see page 397)

Delphi

```
function SegmentVisible(  
    const aIndex: Integer  
): Boolean;
```

Description

This is SegmentVisible, a member of class TPolygon.

1.1.40.3.12 TPolygon.SetSegmentVisible

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetSegmentVisible(  
    const aIndex: Integer;  
    const aVisible: Boolean  
);
```

Description

This is SetSegmentVisible, a member of class TPolygon.

1.1.40.3.13 TPolygon.Transform

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Transform(  
    const aX: Single;  
    const aY: Single;  
    const aScale: Single;  
    const aAngle: Single;  
    const aFlipMode: TFlipMode;  
    const aOrigin: PPoint  
): Boolean;
```

Description

This is Transform, a member of class TPolygon.

1.1.40.3.14 TPolygon.WorldPoint

File: DelphiGamekit.pas (see page 397)

Delphi

```
function WorldPoint(  
    const aIndex: Integer  
): PPoint;
```

Description

This is WorldPoint, a member of class TPolygon.

1.1.41 TPolypointTrace

File: DelphiGamekit.pas (see page 397)

Delphi

```
TPolypointTrace = record  
end;
```









Description

This is class TPolypointTrace.

1.1.41.1 TPolypointTrace Methods

The methods of the TPolypointTrace class are listed here.

Methods

	AddPoint (see page 193)	This is AddPoint, a member of class TPolypointTrace.
	ApplyPolyPoint (see page 193)	This is ApplyPolyPoint, a member of class TPolypointTrace.
	DelPoint (see page 193)	This is DelPoint, a member of class TPolypointTrace.
	Done (see page 194)	This is Done, a member of class TPolypointTrace.
	GetPointCount (see page 194)	This is GetPointCount, a member of class TPolypointTrace.
	Init (see page 194)	This is Init, a member of class TPolypointTrace.
	PrimaryTrace (see page 194)	This is PrimaryTrace, a member of class TPolypointTrace.
	SimplifyPoly (see page 194)	This is SimplifyPoly, a member of class TPolypointTrace.

1.1.41.1.1 TPolypointTrace.AddPoint

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure AddPoint(  
    X: Integer;  
    Y: Integer  
); static;
```

Description

This is AddPoint, a member of class TPolypointTrace.

1.1.41.1.2 TPolypointTrace.ApplyPolyPoint

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure ApplyPolyPoint(  
    aPolyPoint: TPolypoint;  
    aNum: Integer;  
    aOrigin: PPoint  
); static;
```

Description

This is ApplyPolyPoint, a member of class TPolypointTrace.

1.1.41.1.3 TPolypointTrace.DelPoint

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure DelPoint(  
    Index: Integer  
); static;
```

Description

This is DelPoint, a member of class TPolypointTrace.

1.1.41.1.4 TPolypointTrace.Done

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Done; static;
```

Description

This is Done, a member of class TPolypointTrace.

1.1.41.1.5 TPolypointTrace.GetPointCount

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetPointCount: Integer; static;
```

Description

This is GetPointCount, a member of class TPolypointTrace.

1.1.41.1.6 TPolypointTrace.Init

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Init(  
    aMju: Extended = 6;  
    aMaxStepBack: Integer = 10;  
    aAlphaThreshold: Byte = 70  
); static;
```

Description

This is Init, a member of class TPolypointTrace.

1.1.41.1.7 TPolypointTrace.PrimaryTrace

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure PrimaryTrace(  
    const Tex: TTexture;  
    const W: Integer;  
    const H: Integer  
); static;
```

Description

This is PrimaryTrace, a member of class TPolypointTrace.

1.1.41.1.8 TPolypointTrace.SimplifyPoly

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure SimplifyPoly; static;
```

Description

This is SimplifyPoly, a member of class TPolypointTrace.

1.1.42 TPrefs

File: DelphiGamekit.pas (see page 397)

Delphi

```
TPrefs = record  
end;
```


Description

This is class TPrefs.

1.1.42.1 TPrefs Methods

The methods of the TPrefs class are listed here.

Methods

	GetAppName (see page 195)	This is GetAppName, a member of class TPrefs.
	GetOrgName (see page 195)	This is GetOrgName, a member of class TPrefs.
	GetPath (see page 195)	This is GetPath, a member of class TPrefs.
	GotoPath (see page 196)	This is GotoPath, a member of class TPrefs.
	SetAppName (see page 196)	This is SetAppName, a member of class TPrefs.
	SetOrgName (see page 196)	This is SetOrgName, a member of class TPrefs.

1.1.42.1.1 TPrefs.GetAppName

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetAppName: string; static;
```

Description

This is GetAppName, a member of class TPrefs.

1.1.42.1.2 TPrefs.GetOrgName

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetOrgName: string; static;
```

Description

This is GetOrgName, a member of class TPrefs.

1.1.42.1.3 TPrefs.GetPath

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetPath: string; static;
```

Description

This is GetPath, a member of class TPrefs.

1.1.42.1.4 TPrefs.GotoPath

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure GotoPath; static;
```

Description

This is GotoPath, a member of class TPrefs.

1.1.42.1.5 TPrefs.SetAppName

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure SetAppName(  
    const aAppName: string  
); static;
```

Description

This is SetAppName, a member of class TPrefs.

1.1.42.1.6 TPrefs.SetOrgName

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure SetOrgName(  
    const aOrgName: string  
); static;
```



Description

This is SetOrgName, a member of class TPrefs.

1.1.42.2 TPrefs Operators

The operators of the TPrefs class are listed here.

Operators

	Finalize (see page 196)	This is Finalize, a member of class TPrefs.
	Initialize (see page 197)	This is Initialize, a member of class TPrefs.

1.1.42.2.1 TPrefs.Finalize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Finalize(  
    var aDest: TPrefs  
);
```

Description

This is Finalize, a member of class TPrefs.

1.1.42.2 TPrefs.Initialize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Initialize(  
    out aDest: TPrefs  
) ;
```

Description

This is Initialize, a member of class TPrefs.

1.1.43 TRange

File: DelphiGamekit.pas (see page 397)

Delphi

```
TRange = record  
    MaxX: Single;  
    MaxY: Single;  
    MinX: Single;  
    MinY: Single;  
end;
```





Description

This is class TRange.

1.1.43.1 TRange Fields

The fields of the TRange class are listed here.

Fields

	MaxX (see page 197)	This is MaxX, a member of class TRange.
	MaxY (see page 197)	This is MaxY, a member of class TRange.
	MinX (see page 198)	This is MinX, a member of class TRange.
	MinY (see page 198)	This is MinY, a member of class TRange.

1.1.43.1.1 TRange.MaxX

File: DelphiGamekit.pas (see page 397)

Delphi

```
MaxX: Single;
```

Description

This is MaxX, a member of class TRange.

1.1.43.1.2 TRange.MaxY

File: DelphiGamekit.pas (see page 397)

Delphi

```
MaxY: Single;
```

Description

This is MaxY, a member of class TRange.

1.1.43.1.3 TRange.MinX

File: DelphiGamekit.pas (see page 397)

Delphi

```
MinX: Single;
```

Description

This is MinX, a member of class TRange.

1.1.43.1.4 TRange.MinY

File: DelphiGamekit.pas (see page 397)

Delphi

```
MinY: Single;
```

Description

This is MinY, a member of class TRange.

1.1.43.2 TRange Operators

The operators of the TRange class are listed here.

Operators

Initialize (see page 198)

This is Initialize, a member of class TRange.

1.1.43.2.1 TRange.Initialize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Initialize(  
    out aDest: TRange  
);
```

Description

This is Initialize, a member of class TRange.

1.1.44 TRect

File: DelphiGamekit.pas (see page 397)

Delphi

```
TRect = record  
    Height: Single;  
    Width: Single;  
    X: Single;  
    Y: Single;  
end;
```






Description

This is class TRect.

1.1.44.1 TRect Fields

The fields of the TRect class are listed here.

Fields

	Height (see page 199)	This is Height, a member of class TRect.
	Width (see page 199)	This is Width, a member of class TRect.
	X (see page 199)	This is X, a member of class TRect.
	Y (see page 199)	This is Y, a member of class TRect.

1.1.44.1.1 TRect.Height

File: DelphiGamekit.pas (see page 397)

Delphi

```
Height: Single;
```

Description

This is Height, a member of class TRect.

1.1.44.1.2 TRect.Width

File: DelphiGamekit.pas (see page 397)

Delphi

```
width: Single;
```

Description

This is Width, a member of class TRect.

1.1.44.1.3 TRect.X

File: DelphiGamekit.pas (see page 397)

Delphi

```
x: Single;
```

Description

This is X, a member of class TRect.

1.1.44.1.4 TRect.Y

File: DelphiGamekit.pas (see page 397)

Delphi

```
y: Single;
```




Description

This is Y, a member of class TRect.

1.1.44.2 TRect Methods

The methods of the TRect class are listed here.

Methods

	Assign (see page 200)	This is Assign, a member of class TRect.
	Create (see page 200)	This is Create, a member of class TRect.
	Intersect (see page 200)	This is Intersect, a member of class TRect.

1.1.44.2.1 TRect.Assign

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Assign(  
  aX: Single;  
  aY: Single;  
  aWidth: Single;  
  aHeight: Single  
);
```

Description

This is Assign, a member of class TRect.

1.1.44.2.2 TRect.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create(  
  const aX: Single;  
  const aY: Single;  
  const aWidth: Single;  
  const aHeight: Single  
);
```

Description

This is Create, a member of class TRect.

1.1.44.2.3 TRect.Intersect

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Intersect(  
  aRect: TRect  
): Boolean;
```





Description

This is Intersect, a member of class TRect.

1.1.44.3 TRect Operators

The operators of the TRect class are listed here.

Operators

	Implicit (see page 201)	This is Implicit, a member of class TRect.
	Implicit (see page 201)	This is Implicit, a member of class TRect.
	Implicit (see page 201)	This is Implicit, a member of class TRect.
	Initialize (see page 201)	This is Initialize, a member of class TRect.

1.1.44.3.1 TRect.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  
    aValue: SDL_FRect  
);
```

Description

This is Implicit, a member of class TRect.

1.1.44.3.2 TRect.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  
    aValue: SDL_Rect  
);
```

Description

This is Implicit, a member of class TRect.

1.1.44.3.3 TRect.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  
    aValue: TRect  
);
```

Description

This is Implicit, a member of class TRect.

1.1.44.3.4 TRect.Initialize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Initialize(  
    out aDest: TRect  
);
```

Description

This is Initialize, a member of class TRect.

1.1.45 TScreenshake

File: DelphiGamekit.pas (see page 397)

Delphi

```
TScreenshake = record
end;
```





Description

This is class TScreenshake.

1.1.45.1 TScreenshake Methods

The methods of the TScreenshake class are listed here.

Methods

	Active (see page 202)	This is Active, a member of class TScreenshake.
	Clear (see page 202)	This is Clear, a member of class TScreenshake.
	Process (see page 202)	This is Process, a member of class TScreenshake.
	Start (see page 203)	This is Start, a member of class TScreenshake.

1.1.45.1.1 TScreenshake.Active

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function Active: Boolean; static;
```

Description

This is Active, a member of class TScreenshake.

1.1.45.1.2 TScreenshake.Clear

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Clear; static;
```

Description

This is Clear, a member of class TScreenshake.

1.1.45.1.3 TScreenshake.Process

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Process(
    aSpeed: Single;
    aDeltaTime: Double
); static;
```

Description

This is Process, a member of class TScreenshake.

1.1.45.1.4 TScreenshake.Start

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Start(  
    aDuration: Single;  
    aMagnitude: Single  
); static;
```



Description

This is Start, a member of class TScreenshake.

1.1.45.2 TScreenshake Operators

The operators of the TScreenshake class are listed here.

Operators

	Finalize (see page 203)	This is Finalize, a member of class TScreenshake.
	Initialize (see page 203)	This is Initialize, a member of class TScreenshake.

1.1.45.2.1 TScreenshake.Finalize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Finalize(  
    var aDest: TScreenshake  
);
```

Description

This is Finalize, a member of class TScreenshake.

1.1.45.2.2 TScreenshake.Initialize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Initialize(  
    out aDest: TScreenshake  
);
```

Description

This is Initialize, a member of class TScreenshake.

1.1.46 TSpeech

File: DelphiGamekit.pas (see page 397)

Delphi

```
TSpeech = record  
end;
```

Description

This is class TSpeech.

1.1.46.1 TSpeech Methods

The methods of the TSpeech class are listed here.

Methods

◆	Active (see page 204)	This is Active, a member of class TSpeech.
◆	ChangeVoice (see page 204)	This is ChangeVoice, a member of class TSpeech.
◆	Clear (see page 204)	This is Clear, a member of class TSpeech.
◆	GetRate (see page 205)	This is GetRate, a member of class TSpeech.
◆	GetVoice (see page 205)	This is GetVoice, a member of class TSpeech.
◆	GetVoiceAttribute (see page 205)	This is GetVoiceAttribute, a member of class TSpeech.
◆	GetVoiceCount (see page 205)	This is GetVoiceCount, a member of class TSpeech.
◆	GetVolume (see page 205)	This is GetVolume, a member of class TSpeech.
◆	Pause (see page 206)	This is Pause, a member of class TSpeech.
◆	Reset (see page 206)	This is Reset, a member of class TSpeech.
◆	Resume (see page 206)	This is Resume, a member of class TSpeech.
◆	Say (see page 206)	This is Say, a member of class TSpeech.
◆	SetRate (see page 206)	This is SetRate, a member of class TSpeech.
◆	SetVolume (see page 207)	This is SetVolume, a member of class TSpeech.
◆	SubstituteWord (see page 207)	This is SubstituteWord, a member of class TSpeech.

1.1.46.1.1 TSpeech.Active

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function Active: Boolean; static;
```

Description

This is Active, a member of class TSpeech.

1.1.46.1.2 TSpeech.ChangeVoice

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure ChangeVoice(
  const aIndex: Integer
); static;
```

Description

This is ChangeVoice, a member of class TSpeech.

1.1.46.1.3 TSpeech.Clear

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Clear; static;
```

Description

This is Clear, a member of class TSpeech.

1.1.46.1.4 TSpeech.GetRate

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetRate: Single; static;
```

Description

This is GetRate, a member of class TSpeech.

1.1.46.1.5 TSpeech.GetVoice

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetVoice: Integer; static;
```

Description

This is GetVoice, a member of class TSpeech.

1.1.46.1.6 TSpeech.GetVoiceAttribute

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetVoiceAttribute(  
    const aIndex: Integer;  
    const aAttribute: TSpeechVoiceAttribute  
): string; static;
```

Description

This is GetVoiceAttribute, a member of class TSpeech.

1.1.46.1.7 TSpeech.GetVoiceCount

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetVoiceCount: Integer; static;
```

Description

This is GetVoiceCount, a member of class TSpeech.

1.1.46.1.8 TSpeech.GetVolume

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetVolume: Single; static;
```

Description

This is GetVolume, a member of class TSpeech.

1.1.46.1.9 TSpeech.Pause

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Pause; static;
```

Description

This is Pause, a member of class TSpeech.

1.1.46.1.10 TSpeech.Reset

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Reset; static;
```

Description

This is Reset, a member of class TSpeech.

1.1.46.1.11 TSpeech.Resume

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Resume; static;
```

Description

This is Resume, a member of class TSpeech.

1.1.46.1.12 TSpeech.Say

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Say(  
    const aText: string;  
    const aPurge: Boolean  
); static;
```

Description

This is Say, a member of class TSpeech.

1.1.46.1.13 TSpeech.SetRate

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure SetRate(  
    const aRate: Single  
); static;
```

Description

This is SetRate, a member of class TSpeech.

1.1.46.1.14 TSpeech.SetVolume

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure SetVolume(  
    const aVolume: Single  
); static;
```

Description

This is SetVolume, a member of class TSpeech.

1.1.46.1.15 TSpeech.SubstituteWord

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure SubstituteWord(  
    const aWord: string;  
    const aSubstituteWord: string  
); static;
```



Description

This is SubstituteWord, a member of class TSpeech.

1.1.46.2 TSpeech Operators

The operators of the TSpeech class are listed here.

Operators

	Finalize (see page 207)	This is Finalize, a member of class TSpeech.
	Initialize (see page 207)	This is Initialize, a member of class TSpeech.

1.1.46.2.1 TSpeech.Finalize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Finalize(  
    var aDest: TSpeech  
);
```

Description

This is Finalize, a member of class TSpeech.

1.1.46.2.2 TSpeech.Initialize

File: DelphiGamekit.pas (see page 397)

Delphi


```
class operator Initialize(  
    out aDest: TSpeech  
);
```

Description

This is Initialize, a member of class TSpeech.

1.1.47 TSprite

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TSprite = class(TBaseObject);
```



Description

This is class TSprite.

1.1.47.1 TSprite Records

The records of the TSprite class are listed here.

Records

	TSpriteGroup (see page 208)	This is record TSprite.TSpriteGroup.
	TSpriteImageRect (see page 208)	This is record TSprite.TSpriteImageRect.

1.1.47.1.1 TSprite.TSpriteGroup

File: DelphiGamekit.pas (see page 397)

Delphi

```
TSpriteGroup = record
  Image: array of TSpriteImageRect;
  Count: Integer;
  PolyPoint: TPolyPoint;
end;
```

Description

This is record TSprite.TSpriteGroup.

1.1.47.1.2 TSprite.TSpriteImageRect

File: DelphiGamekit.pas (see page 397)

Delphi

```
TSpriteImageRect = record
  Rect: TRect;
  Page: Integer;
end;
```





Description

This is record TSprite.TSpriteImageRect.

1.1.47.2 TSprite Fields

The fields of the TSprite class are listed here.

Fields

	FGroup (see page 209)	This is FGroup, a member of class TSprite.
	FGroupCount (see page 209)	This is FGroupCount, a member of class TSprite.
	FPageCount (see page 209)	This is FPageCount, a member of class TSprite.
	FTexture (see page 209)	This is FTexture, a member of class TSprite.

1.1.47.2.1 TSprite.FGroup

File: DelphiGamekit.pas (see page 397)

Delphi

FGroup: `array of` TSpriteGroup;

Description

This is FGroup, a member of class TSprite.

1.1.47.2.2 TSprite.FGroupCount

File: DelphiGamekit.pas (see page 397)

Delphi

FGroupCount: `Integer`;

Description

This is FGroupCount, a member of class TSprite.

1.1.47.2.3 TSprite.FPageCount

File: DelphiGamekit.pas (see page 397)

Delphi

FPageCount: `Integer`;

Description

This is FPageCount, a member of class TSprite.

1.1.47.2.4 TSprite.FTexture

File: DelphiGamekit.pas (see page 397)

Delphi

FTexture: `array of` TTexture;



Description

This is FTexture, a member of class TSprite.

1.1.47.3 TSprite Methods

The methods of the TSprite class are listed here.

Methods

	AddGroup (see page 210)	This is AddGroup, a member of class TSprite.
	AddImageFromGrid (see page 210)	This is AddImageFromGrid, a member of class TSprite.

✦	AddImageFromRect (see page 210)	This is AddImageFromRect, a member of class TSprite.
✦	Clear (see page 211)	This is Clear, a member of class TSprite.
✦ V	Create (see page 211)	This is Create, a member of class TSprite.
✦ V	Destroy (see page 211)	This is Destroy, a member of class TSprite.
✦	GroupPolyPoint (see page 211)	This is GroupPolyPoint, a member of class TSprite.
✦	GroupPolyPointCollide (see page 211)	This is GroupPolyPointCollide, a member of class TSprite.
✦	GroupPolyPointCollidePoint (see page 212)	This is GroupPolyPointCollidePoint, a member of class TSprite.
✦	GroupPolyPointTrace (see page 212)	This is GroupPolyPointTrace, a member of class TSprite.
✦	ImageCount (see page 212)	This is ImageCount, a member of class TSprite.
✦	ImageHeight (see page 213)	This is ImageHeight, a member of class TSprite.
✦	ImageRect (see page 213)	This is ImageRect, a member of class TSprite.
✦	ImageTexture (see page 213)	This is ImageTexture, a member of class TSprite.
✦	ImageWidth (see page 213)	This is ImageWidth, a member of class TSprite.
✦	LoadPage (see page 214)	This is LoadPage, a member of class TSprite.
✦	RenderImage (see page 214)	This is RenderImage, a member of class TSprite.

1.1.47.3.1 TSprite.AddGroup

File: DelphiGamekit.pas (see page 397)

Delphi

```
function AddGroup: Integer;
```

Description

This is AddGroup, a member of class TSprite.

1.1.47.3.2 TSprite.AddImageFromGrid

File: DelphiGamekit.pas (see page 397)

Delphi

```
function AddImageFromGrid(
  const aPage: Integer;
  const aGroup: Integer;
  const aGridX: Integer;
  const aGridY: Integer;
  const aGridWidth: Integer;
  aGridHeight: Integer
): Integer;
```

Description

This is AddImageFromGrid, a member of class TSprite.

1.1.47.3.3 TSprite.AddImageFromRect

File: DelphiGamekit.pas (see page 397)

Delphi

```
function AddImageFromRect(
  const aPage: Integer;
  const aGroup: Integer;
  const aRect: TRect
): Integer;
```

Description

This is AddImageFromRect, a member of class TSprite.

1.1.47.3.4 TSprite.Clear

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Clear;
```

Description

This is Clear, a member of class TSprite.

1.1.47.3.5 TSprite.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TSprite.

1.1.47.3.6 TSprite.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TSprite.

1.1.47.3.7 TSprite.GroupPolyPoint

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GroupPolyPoint(  
    const aGroup: Integer  
): Pointer;
```

Description

This is GroupPolyPoint, a member of class TSprite.

1.1.47.3.8 TSprite.GroupPolyPointCollide

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GroupPolyPointCollide(  
    const aNum1: Integer;  
    const aGroup1: Integer;  
    const aX1: Single;  
    const aY1: Single;  
    const aScale1: Single;  
    const aAngle1: Single;
```

```

    const aFlipMode1: TFlipMode;
    const aOrigin1: PPoint;
    const aSprite2: TSprite;
    const aNum2: Integer;
    const aGroup2: Integer;
    const aX2: Single;
    const aY2: Single;
    const aScale2: Single;
    const aAngle2: Single;
    const aFlipMode2: TFlipMode;
    const aOrigin2: PPoint;
    const aShrinkFactor: Single;
    var aHitPos: TPoint
  ): Boolean;

```

Description

This is GroupPolyPointCollide, a member of class TSprite.

1.1.47.3.9 TSprite.GroupPolyPointCollidePoint

File: DelphiGamekit.pas (see page 397)

Delphi

```

function GroupPolyPointCollidePoint(
    const aNum: Integer;
    const aGroup: Integer;
    const aX: Single;
    const aY: Single;
    const aScale: Single;
    const aAngle: Single;
    const aFlipMode: TFlipMode;
    const aOrigin: PPoint;
    const aShrinkFactor: Single;
    var aPoint: TPoint
): Boolean;

```

Description

This is GroupPolyPointCollidePoint, a member of class TSprite.

1.1.47.3.10 TSprite.GroupPolyPointTrace

File: DelphiGamekit.pas (see page 397)

Delphi

```

procedure GroupPolyPointTrace(
    const aGroup: Integer;
    const aMju: Single = 6;
    const aMaxStepBack: Integer = 12;
    const aAlphaThreshold: Integer = 70;
    const aOrigin: PPoint = nil
);

```

Description

This is GroupPolyPointTrace, a member of class TSprite.

1.1.47.3.11 TSprite.ImageCount

File: DelphiGamekit.pas (see page 397)

Delphi

```

function ImageCount(
    const aGroup: Integer
): Integer;

```

Description

This is ImageCount, a member of class TSprite.

1.1.47.3.12 TSprite.ImageHeight

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ImageHeight(  
    const aNum: Integer;  
    const aGroup: Integer  
): Single;
```

Description

This is ImageHeight, a member of class TSprite.

1.1.47.3.13 TSprite.ImageRect

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ImageRect(  
    const aNum: Integer;  
    const aGroup: Integer  
): TRect;
```

Description

This is ImageRect, a member of class TSprite.

1.1.47.3.14 TSprite.ImageTexture

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ImageTexture(  
    const aNum: Integer;  
    const aGroup: Integer  
): TTexture;
```

Description

This is ImageTexture, a member of class TSprite.

1.1.47.3.15 TSprite.ImageWidth

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ImageWidth(  
    const aNum: Integer;  
    const aGroup: Integer  
): Single;
```

Description

This is ImageWidth, a member of class TSprite.

1.1.47.3.16 TSprite.LoadPage

File: DelphiGamekit.pas (see page 397)

Delphi

```
function LoadPage(
  const aArchive: TArchive;
  const aFilename: string;
  const aColorKey: PColor
): Integer;
```

Description

This is LoadPage, a member of class TSprite.

1.1.47.3.17 TSprite.RenderImage

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RenderImage(
  const aNum: Integer;
  const aGroup: Integer;
  const aX: Single;
  const aY: Single;
  const aScale: Single;
  const aAngle: Single;
  const aFlipMode: TFlipMode;
  const aOrigin: PPoint;
  const aColor: TColor;
  const aBlendMode: TBlendMode;
  const aRenderPolyPoint: Boolean = false
);
```

Description

This is RenderImage, a member of class TSprite.

1.1.47.4 TSprite Nested Types

The nested types of the TSprite class are listed here.

Nested Types

🔔	PSpriteGroup (see page 214)	This is nested type TSprite.PSpriteGroup.
🔔	PSpriteImageRect (see page 214)	This is nested type TSprite.PSpriteImageRect.

1.1.47.4.1 TSprite.PSpriteGroup

File: DelphiGamekit.pas (see page 397)

Delphi

```
PSpriteGroup = ^TSpriteGroup;
```

Description

This is nested type TSprite.PSpriteGroup.

1.1.47.4.2 TSprite.PSpriteImageRect

File: DelphiGamekit.pas (see page 397)

Delphi


```
PSpriteImageRect = ^TSpriteImageRect;
```

Description

This is nested type TSprite.PSpriteImageRect.

1.1.48 TTexture

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
TTexture = class(TBaseObject);
```

Description

This is class TTexture.

1.1.48.1 TTexture Fields

The fields of the TTexture class are listed here.

Fields

	FHandle (see page 215)	This is FHandle, a member of class TTexture.
	FHeight (see page 215)	This is FHeight, a member of class TTexture.
	FLockRect (see page 216)	This is FLockRect, a member of class TTexture.
	FPitch (see page 216)	This is FPitch, a member of class TTexture.
	FPixelFormat (see page 216)	This is FPixelFormat, a member of class TTexture.
	FPixels (see page 216)	This is FPixels, a member of class TTexture.
	FWidth (see page 216)	This is FWidth, a member of class TTexture.

1.1.48.1.1 TTexture.FHandle

File: DelphiGamekit.pas (see page 397)

Delphi

```
FHandle: PSDL_Texture;
```

Description

This is FHandle, a member of class TTexture.

1.1.48.1.2 TTexture.FHeight

File: DelphiGamekit.pas (see page 397)

Delphi

```
FHeight: Integer;
```

Description

This is FHeight, a member of class TTexture.

1.1.48.1.3 TTexture.FLockRect

File: DelphiGamekit.pas (see page 397)

Delphi

```
FLockRect: SDL_FRect;
```

Description

This is FLockRect, a member of class TTexture.

1.1.48.1.4 TTexture.FPitch

File: DelphiGamekit.pas (see page 397)

Delphi

```
FPitch: Integer;
```

Description

This is FPitch, a member of class TTexture.

1.1.48.1.5 TTexture.FPixelFormat

File: DelphiGamekit.pas (see page 397)

Delphi

```
FPixelFormat: PSDL_PixelFormat;
```

Description

This is FPixelFormat, a member of class TTexture.

1.1.48.1.6 TTexture.FPixels

File: DelphiGamekit.pas (see page 397)

Delphi

```
FPixels: Pointer;
```

Description

This is FPixels, a member of class TTexture.

1.1.48.1.7 TTexture.FWidth

File: DelphiGamekit.pas (see page 397)

Delphi

```
FWidth: Integer;
```

















Description

This is FWidth, a member of class TTexture.

1.1.48.2 TTexture Methods

The methods of the TTexture class are listed here.

Methods

	Alloc (see page 217)	This is Alloc, a member of class TTexture.
	Create (see page 217)	This is Create, a member of class TTexture.
	Destroy (see page 217)	This is Destroy, a member of class TTexture.
	GetColor (see page 218)	This is GetColor, a member of class TTexture.
	GetPixel (see page 218)	This is GetPixel, a member of class TTexture.
	GetSize (see page 218)	This is GetSize, a member of class TTexture.
	Load (see page 218)	This is Load, a member of class TTexture.
	LoadTexture (see page 218)	This is LoadTexture, a member of class TTexture.
	Lock (see page 219)	This is Lock, a member of class TTexture.
	Render (see page 219)	This is Render, a member of class TTexture.
	RenderTiled (see page 219)	This is RenderTiled, a member of class TTexture.
	Save (see page 219)	This is Save, a member of class TTexture.
	SetColor (see page 220)	This is SetColor, a member of class TTexture.
	SetPixel (see page 220)	This is SetPixel, a member of class TTexture.
	Unload (see page 220)	This is Unload, a member of class TTexture.
	Unlock (see page 220)	This is Unlock, a member of class TTexture.

1.1.48.2.1 TTexture.Alloc

File: DelphiGamekit.pas (see page 397)

Delphi

```

procedure Alloc(
    const aWidth: Cardinal;
    const aHeight: Cardinal;
    const aAccess: TTextureAccess
);

```

Description

This is Alloc, a member of class TTexture.

1.1.48.2.2 TTexture.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```

constructor Create; override;

```

Description

This is Create, a member of class TTexture.

1.1.48.2.3 TTexture.Destroy

File: DelphiGamekit.pas (see page 397)

Delphi

```

destructor Destroy; override;

```

Description

This is Destroy, a member of class TTexture.

1.1.48.2.4 TTexture.GetColor

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetColor: SDL_Color;
```

Description

This is GetColor, a member of class TTexture.

1.1.48.2.5 TTexture.GetPixel

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetPixel(  
    const aX: Integer;  
    const aY: Integer  
): SDL_Color;
```

Description

This is GetPixel, a member of class TTexture.

1.1.48.2.6 TTexture.GetSize

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure GetSize(  
    aWidth: PInteger;  
    aHeight: PInteger  
);
```

Description

This is GetSize, a member of class TTexture.

1.1.48.2.7 TTexture.Load

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Load(  
    const aArchive: TArchive;  
    const aFilename: string;  
    const aColorKey: PColor  
): Boolean;
```

Description

This is Load, a member of class TTexture.

1.1.48.2.8 TTexture.LoadTexture

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function LoadTexture(  
    const aArchive: TArchive;  
    const aFilename: string;
```

```
    const aColorKey: PColor  
): TTexture;
```

Description

This is LoadTexture, a member of class TTexture.

1.1.48.2.9 TTexture.Lock

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Lock(  
    const aRect: PSDL_FRect  
);
```

Description

This is Lock, a member of class TTexture.

1.1.48.2.10 TTexture.Render

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Render(  
    const aSrcRect: PRect;  
    const aX: Single;  
    const aY: Single;  
    aScale: Single;  
    aAngle: Single;  
    const aFlipMode: TFlipMode;  
    const aOrigin: PPoint;  
    const aColor: SDL_Color;  
    const aBlendMode: TBlendMode  
);
```

Description

This is Render, a member of class TTexture.

1.1.48.2.11 TTexture.RenderTiled

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RenderTiled(  
    const aDeltaX: Single;  
    const aDeltaY: Single;  
    const aColor: SDL_Color;  
    const aBlendMode: TBlendMode  
);
```

Description

This is RenderTiled, a member of class TTexture.

1.1.48.2.12 TTexture.Save

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Save(  
    const aFilename: string
```

```
) : Boolean;
```

Description

This is Save, a member of class TTexture.

1.1.48.2.13 TTexture.SetColor

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetColor(  
    const aColor: SDL_Color  
);
```

Description

This is SetColor, a member of class TTexture.

1.1.48.2.14 TTexture.SetPixel

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetPixel(  
    const aX: Integer;  
    const aY: Integer;  
    const aColor: SDL_Color  
);
```

Description

This is SetPixel, a member of class TTexture.

1.1.48.2.15 TTexture.Unload

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Unload;
```

Description

This is Unload, a member of class TTexture.

1.1.48.2.16 TTexture.Unlock

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Unlock;
```




Description

This is Unlock, a member of class TTexture.

1.1.48.3 TTexture Properties

The properties of the TTexture class are listed here.

Properties

 R	Handle (see page 221)	This is Handle, a member of class TTexture.
 R	Height (see page 221)	This is Height, a member of class TTexture.
 R	Width (see page 221)	This is Width, a member of class TTexture.

1.1.48.3.1 TTexture.Handle

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Handle: PSDL_Texture;
```

Description

This is Handle, a member of class TTexture.

1.1.48.3.2 TTexture.Height

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Height: Integer;
```

Description

This is Height, a member of class TTexture.

1.1.48.3.3 TTexture.Width

File: DelphiGamekit.pas (see page 397)

Delphi

```
property Width: Integer;
```

Description

This is Width, a member of class TTexture.

1.1.49 TTimer

File: DelphiGamekit.pas (see page 397)

Delphi

```
TTimer = record
end;
```

Description

This is class TTimer.

1.1.49.1 TTimer Methods

The methods of the TTimer class are listed here.

Methods

Elapsed (see page 222)	This is Elapsed, a member of class TTimer.
FrameElapsed (see page 222)	This is FrameElapsed, a member of class TTimer.
FrameRate (see page 222)	This is FrameRate, a member of class TTimer.
FrameSpeed (see page 222)	This is FrameSpeed, a member of class TTimer.
Reset (see page 223)	This is Reset, a member of class TTimer.
Update (see page 223)	This is Update, a member of class TTimer.

1.1.49.1.1 TTimer.Elapsed

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function Elapsed(  
    var aTimer: Single;  
    aSeconds: Single  
): Boolean; static;
```

Description

This is Elapsed, a member of class TTimer.

1.1.49.1.2 TTimer.FrameElapsed

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function FrameElapsed(  
    var aTimer: Single;  
    aFrames: Single  
): Boolean; static;
```

Description

This is FrameElapsed, a member of class TTimer.

1.1.49.1.3 TTimer.FrameRate

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function FrameRate: Cardinal; static;
```

Description

This is FrameRate, a member of class TTimer.

1.1.49.1.4 TTimer.FrameSpeed

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function FrameSpeed(  
    var aTimer: Single;  
    aSpeed: Single  
): Boolean; static;
```

Description

This is FrameSpeed, a member of class TTimer.

1.1.49.1.5 TTimer.Reset

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Reset(  
    aSpeed: Single = 0;  
    aFixedSpeed: Single = 0  
); static;
```

Description

This is Reset, a member of class TTimer.

1.1.49.1.6 TTimer.Update

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Update; static;
```



Description

This is Update, a member of class TTimer.

1.1.49.2 TTimer Operators

The operators of the TTimer class are listed here.

Operators

	Finalize (see page 223)	This is Finalize, a member of class TTimer.
	Initialize (see page 223)	This is Initialize, a member of class TTimer.

1.1.49.2.1 TTimer.Finalize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Finalize(  
    var aDest: TTimer  
);
```

Description

This is Finalize, a member of class TTimer.

1.1.49.2.2 TTimer.Initialize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Initialize(  
    out aDest: TTimer  
);
```

Description

This is Initialize, a member of class TTimer.

1.1.50 TTransform

File: DelphiGamekit.pas (see page 397)

Delphi

```
TTransform = record
  Angle: Single;
  Height: Single;
  Width: Single;
  X: Single;
  Y: Single;
  Zoom: Single;
  Visible: Boolean;
  Origin: TPoint;
end;
```









Description

This is class TTransform.

1.1.50.1 TTransform Fields

The fields of the TTransform class are listed here.

Fields

	Angle (see page 224)	This is Angle, a member of class TTransform.
	Height (see page 224)	This is Height, a member of class TTransform.
	Origin (see page 225)	This is Origin, a member of class TTransform.
	Visible (see page 225)	This is Visible, a member of class TTransform.
	Width (see page 225)	This is Width, a member of class TTransform.
	X (see page 225)	This is X, a member of class TTransform.
	Y (see page 225)	This is Y, a member of class TTransform.
	Zoom (see page 225)	This is Zoom, a member of class TTransform.

1.1.50.1.1 TTransform.Angle

File: DelphiGamekit.pas (see page 397)

Delphi

```
Angle: Single;
```

Description

This is Angle, a member of class TTransform.

1.1.50.1.2 TTransform.Height

File: DelphiGamekit.pas (see page 397)

Delphi

```
Height: Single;
```

Description

This is Height, a member of class TTransform.

1.1.50.1.3 TTransform.Origin

File: DelphiGamekit.pas (see page 397)

Delphi

```
Origin: TPoint;
```

Description

This is Origin, a member of class TTransform.

1.1.50.1.4 TTransform.Visible

File: DelphiGamekit.pas (see page 397)

Delphi

```
Visible: Boolean;
```

Description

This is Visible, a member of class TTransform.

1.1.50.1.5 TTransform.Width

File: DelphiGamekit.pas (see page 397)

Delphi

```
Width: Single;
```

Description

This is Width, a member of class TTransform.

1.1.50.1.6 TTransform.X

File: DelphiGamekit.pas (see page 397)

Delphi

```
X: Single;
```

Description

This is X, a member of class TTransform.

1.1.50.1.7 TTransform.Y

File: DelphiGamekit.pas (see page 397)

Delphi

```
Y: Single;
```

Description

This is Y, a member of class TTransform.

1.1.50.1.8 TTransform.Zoom

File: DelphiGamekit.pas (see page 397)

Delphi

Zoom: Single;






Description

This is Zoom, a member of class TTransform.

1.1.50.2 TTransform Methods

The methods of the TTransform class are listed here.

Methods

	Assign (see page 226)	This is Assign, a member of class TTransform.
	Assign (see page 226)	This is Assign, a member of class TTransform.
	Create (see page 226)	This is Create, a member of class TTransform.
	Create (see page 227)	This is Create, a member of class TTransform.
	Intersect (see page 227)	This is Intersect, a member of class TTransform.

1.1.50.2.1 TTransform.Assign

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Assign(  
    const aX: Single;  
    const aY: Single  
); overload;
```

Description

This is Assign, a member of class TTransform.

1.1.50.2.2 TTransform.Assign

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Assign(  
    const aX: Single;  
    const aY: Single;  
    const aWidth: Single;  
    const aHeight: Single  
); overload;
```

Description

This is Assign, a member of class TTransform.

1.1.50.2.3 TTransform.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create(  
    const aX: Single;  
    const aY: Single  
); overload;
```

Description

This is Create, a member of class TTransform.

1.1.50.2.4 TTransform.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create(  
    const aX: Single;  
    const aY: Single;  
    const aWidth: Single;  
    const aHeight: Single  
); overload;
```

Description

This is Create, a member of class TTransform.

1.1.50.2.5 TTransform.Intersect

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Intersect(  
    aRect: TTransform  
): Boolean;
```






Description

This is Intersect, a member of class TTransform.

1.1.50.3 TTransform Operators

The operators of the TTransform class are listed here.

Operators

	Finalize (see page 227)	This is Finalize, a member of class TTransform.
	Implicit (see page 227)	This is Implicit, a member of class TTransform.
	Implicit (see page 228)	This is Implicit, a member of class TTransform.
	Implicit (see page 228)	This is Implicit, a member of class TTransform.
	Initialize (see page 228)	This is Initialize, a member of class TTransform.

1.1.50.3.1 TTransform.Finalize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Finalize(  
    var aDest: TTransform  
);
```

Description

This is Finalize, a member of class TTransform.

1.1.50.3.2 TTransform.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  

```

```
    aValue: SDL_FRect  
);
```

Description

This is Implicit, a member of class TTransform.

1.1.50.3.3 TTransform.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  
    aValue: SDL_Rect  
);
```

Description

This is Implicit, a member of class TTransform.

1.1.50.3.4 TTransform.Implicit

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Implicit(  
    aValue: TTransform  
);
```

Description

This is Implicit, a member of class TTransform.

1.1.50.3.5 TTransform.Initialize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Initialize(  
    out aDest: TTransform  
);
```

Description

This is Initialize, a member of class TTransform.

1.1.51 TVector

File: DelphiGamekit.pas (see page 397)

Delphi

```
TVector = record  
    W: Single;  
    X: Single;  
    Y: Single;  
    Z: Single;  
end;
```





Description

This is class TVector.

1.1.51.1 TVector Fields

The fields of the TVector class are listed here.

Fields

	W (see page 229)	This is W, a member of class TVector.
	X (see page 229)	This is X, a member of class TVector.
	Y (see page 229)	This is Y, a member of class TVector.
	Z (see page 229)	This is Z, a member of class TVector.

1.1.51.1.1 TVector.W

File: DelphiGamekit.pas (see page 397)

Delphi

```
w: Single;
```

Description

This is W, a member of class TVector.

1.1.51.1.2 TVector.X

File: DelphiGamekit.pas (see page 397)

Delphi

```
x: Single;
```

Description

This is X, a member of class TVector.

1.1.51.1.3 TVector.Y

File: DelphiGamekit.pas (see page 397)

Delphi

```
y: Single;
```

Description

This is Y, a member of class TVector.

1.1.51.1.4 TVector.Z

File: DelphiGamekit.pas (see page 397)

Delphi

```
z: Single;
```

Description

This is Z, a member of class TVector.

1.1.51.2 TVector Methods

The methods of the TVector class are listed here.

Methods

➤	Add (see page 230)	This is Add, a member of class TVector.
➤	Angle (see page 230)	This is Angle, a member of class TVector.
➤	Assign (see page 230)	This is Assign, a member of class TVector.
➤	Assign (see page 231)	This is Assign, a member of class TVector.
➤	Assign (see page 231)	This is Assign, a member of class TVector.
➤	Assign (see page 231)	This is Assign, a member of class TVector.
➤	Clear (see page 231)	This is Clear, a member of class TVector.
➤	Create (see page 232)	This is Create, a member of class TVector.
➤	Distance (see page 232)	This is Distance, a member of class TVector.
➤	Divide (see page 232)	This is Divide, a member of class TVector.
➤	DivideBy (see page 232)	This is DivideBy, a member of class TVector.
➤	DotProduct (see page 232)	This is DotProduct, a member of class TVector.
➤	Magnitude (see page 233)	This is Magnitude, a member of class TVector.
➤	MagnitudeSquared (see page 233)	This is MagnitudeSquared, a member of class TVector.
➤	MagnitudeTruncate (see page 233)	This is MagnitudeTruncate, a member of class TVector.
➤	Multiply (see page 233)	This is Multiply, a member of class TVector.
➤	Negate (see page 233)	This is Negate, a member of class TVector.
➤	Normalize (see page 234)	This is Normalize, a member of class TVector.
➤	Project (see page 234)	This is Project, a member of class TVector.
➤	Scale (see page 234)	This is Scale, a member of class TVector.
➤	Subtract (see page 234)	This is Subtract, a member of class TVector.
➤	Thrust (see page 234)	This is Thrust, a member of class TVector.

1.1.51.2.1 TVector.Add

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Add(
    aVector: TVector
);
```

Description

This is Add, a member of class TVector.

1.1.51.2.2 TVector.Angle

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Angle(
    aVector: TVector
): Single;
```

Description

This is Angle, a member of class TVector.

1.1.51.2.3 TVector.Assign

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Assign(  
    const aX: Single;  
    const aY: Single  
); overload;
```

Description

This is Assign, a member of class TVector.

1.1.51.2.4 TVector.Assign

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Assign(  
    const aX: Single;  
    const aY: Single;  
    const aZ: Single  
); overload;
```

Description

This is Assign, a member of class TVector.

1.1.51.2.5 TVector.Assign

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Assign(  
    const aX: Single;  
    const aY: Single;  
    const aZ: Single;  
    const aW: Single  
); overload;
```

Description

This is Assign, a member of class TVector.

1.1.51.2.6 TVector.Assign

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Assign(  
    aVector: TVector  
); overload;
```

Description

This is Assign, a member of class TVector.

1.1.51.2.7 TVector.Clear

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Clear;
```

Description

This is Clear, a member of class TVector.

1.1.51.2.8 TVector.Create

File: DelphiGamekit.pas (see page 397)

Delphi

```
constructor Create(  
    const aX: Single;  
    const aY: Single  
);
```

Description

This is Create, a member of class TVector.

1.1.51.2.9 TVector.Distance

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Distance(  
    aVector: TVector  
): Single;
```

Description

This is Distance, a member of class TVector.

1.1.51.2.10 TVector.Divide

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Divide(  
    aVector: TVector  
);
```

Description

This is Divide, a member of class TVector.

1.1.51.2.11 TVector.DivideBy

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure DivideBy(  
    aValue: Single  
);
```

Description

This is DivideBy, a member of class TVector.

1.1.51.2.12 TVector.DotProduct

File: DelphiGamekit.pas (see page 397)

Delphi

```
function DotProduct(  
    aVector: TVector  
): Single;
```

Description

This is DotProduct, a member of class TVector.

1.1.51.2.13 TVector.Magnitude

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Magnitude: Single;
```

Description

This is Magnitude, a member of class TVector.

1.1.51.2.14 TVector.MagnitudeSquared

File: DelphiGamekit.pas (see page 397)

Delphi

```
function MagnitudeSquared: Single;
```

Description

This is MagnitudeSquared, a member of class TVector.

1.1.51.2.15 TVector.MagnitudeTruncate

File: DelphiGamekit.pas (see page 397)

Delphi

```
function MagnitudeTruncate(  
    aMaxMagitude: Single  
): TVector;
```

Description

This is MagnitudeTruncate, a member of class TVector.

1.1.51.2.16 TVector.Multiply

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Multiply(  
    aVector: TVector  
);
```

Description

This is Multiply, a member of class TVector.

1.1.51.2.17 TVector.Negate

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Negate;
```

Description

This is Negate, a member of class TVector.

1.1.51.2.18 TVector.Normalize

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Normalize;
```

Description

This is Normalize, a member of class TVector.

1.1.51.2.19 TVector.Project

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Project(  
    aVector: TVector  
): TVector;
```

Description

This is Project, a member of class TVector.

1.1.51.2.20 TVector.Scale

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Scale(  
    aValue: Single  
);
```

Description

This is Scale, a member of class TVector.

1.1.51.2.21 TVector.Subtract

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Subtract(  
    aVector: TVector  
);
```

Description

This is Subtract, a member of class TVector.

1.1.51.2.22 TVector.Thrust

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Thrust(  
    aAngle: Single;  
    aSpeed: Single  
);
```

Description

This is Thrust, a member of class TVector.

1.1.51.3 TVector Operators

The operators of the TVector class are listed here.

Operators

	Initialize (see page 235)	This is Initialize, a member of class TVector.
---	----------------------------	--

1.1.51.3.1 TVector.Initialize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Initialize(  
    out aDest: TVector  
);
```

Description

This is Initialize, a member of class TVector.

1.1.52 TVideo

File: DelphiGamekit.pas (see page 397)

Delphi

```
TVideo = record  
end;
```
















Description

This is class TVideo.

1.1.52.1 TVideo Methods

The methods of the TVideo class are listed here.

Methods

	Draw (see page 236)	This is Draw, a member of class TVideo.
	GetFrameRate (see page 236)	This is GetFrameRate, a member of class TVideo.
	GetHeight (see page 236)	This is GetHeight, a member of class TVideo.
	GetStatus (see page 236)	This is GetStatus, a member of class TVideo.
	GetVolume (see page 236)	This is GetVolume, a member of class TVideo.
	GetWidth (see page 237)	This is GetWidth, a member of class TVideo.
	Load (see page 237)	This is Load, a member of class TVideo.
	LoadPlay (see page 237)	This is LoadPlay, a member of class TVideo.
	Pause (see page 237)	This is Pause, a member of class TVideo.
	Play (see page 237)	This is Play, a member of class TVideo.
	Rewind (see page 238)	This is Rewind, a member of class TVideo.
	SetVolume (see page 238)	This is SetVolume, a member of class TVideo.
	Stop (see page 238)	This is Stop, a member of class TVideo.
	Unload (see page 238)	This is Unload, a member of class TVideo.
	Update (see page 238)	This is Update, a member of class TVideo.

1.1.52.1.1 TVideo.Draw

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Draw(  
    const aX: Single;  
    const aY: Single;  
    const aScale: Single  
); static;
```

Description

This is Draw, a member of class TVideo.

1.1.52.1.2 TVideo.GetFrameRate

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetFrameRate: Single; static;
```

Description

This is GetFrameRate, a member of class TVideo.

1.1.52.1.3 TVideo.GetHeight

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetHeight: Cardinal; static;
```

Description

This is GetHeight, a member of class TVideo.

1.1.52.1.4 TVideo.GetStatus

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetStatus: TVideoStatus; static;
```

Description

This is GetStatus, a member of class TVideo.

1.1.52.1.5 TVideo.GetVolume

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetVolume: Single; static;
```

Description

This is GetVolume, a member of class TVideo.

1.1.52.1.6 TVideo.GetWidth

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetWidth: Cardinal; static;
```

Description

This is GetWidth, a member of class TVideo.

1.1.52.1.7 TVideo.Load

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function Load(  
    const aArchive: TArchive;  
    const aFilename: string  
): Boolean; static;
```

Description

This is Load, a member of class TVideo.

1.1.52.1.8 TVideo.LoadPlay

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure LoadPlay(  
    const aArchive: TArchive;  
    const aFilename: string;  
    const aVolume: Single;  
    const aLoop: Integer  
); static;
```

Description

This is LoadPlay, a member of class TVideo.

1.1.52.1.9 TVideo.Pause

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Pause(  
    const aPause: Boolean  
); static;
```

Description

This is Pause, a member of class TVideo.

1.1.52.1.10 TVideo.Play

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Play(  
    const aVolume: Single;  
    const aLoop: Integer
```

```
); static;
```

Description

This is Play, a member of class TVideo.

1.1.52.1.11 TVideo.Rewind

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Rewind; static;
```

Description

This is Rewind, a member of class TVideo.

1.1.52.1.12 TVideo.SetVolume

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure SetVolume(  
    const aVolume: Single  
); static;
```

Description

This is SetVolume, a member of class TVideo.

1.1.52.1.13 TVideo.Stop

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Stop; static;
```

Description

This is Stop, a member of class TVideo.

1.1.52.1.14 TVideo.Unload

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Unload; static;
```

Description

This is Unload, a member of class TVideo.

1.1.52.1.15 TVideo.Update

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Update(  
    const aDeltaTime: Double  
); static;
```




Description

This is Update, a member of class TVideo.

1.1.52.2 TVideo Operators

The operators of the TVideo class are listed here.

Operators

	Finalize (see page 239)	This is Finalize, a member of class TVideo.
	Initialize (see page 239)	This is Initialize, a member of class TVideo.

1.1.52.2.1 TVideo.Finalize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Finalize(  
    var aDest: TVideo  
);
```

Description

This is Finalize, a member of class TVideo.

1.1.52.2.2 TVideo.Initialize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Initialize(  
    out aDest: TVideo  
);
```

Description

This is Initialize, a member of class TVideo.

1.1.53 TWindow

File: DelphiGamekit.pas (see page 397)

Delphi

```
TWindow = record  
end;
```

Description

This is class TWindow.

1.1.53.1 TWindow Methods

The methods of the TWindow class are listed here.

Methods

✦	Clear (see page 240)	This is Clear, a member of class TWindow.
✦	Close (see page 240)	This is Close, a member of class TWindow.
✦	DrawFilledRect (see page 241)	This is DrawFilledRect, a member of class TWindow.
✦	DrawLine (see page 241)	This is DrawLine, a member of class TWindow.
✦	DrawPoint (see page 241)	This is DrawPoint, a member of class TWindow.
✦	DrawRect (see page 241)	This is DrawRect, a member of class TWindow.
✦	GetDDPI (see page 242)	This is GetDDPI, a member of class TWindow.
✦	GetHDPI (see page 242)	This is GetHDPI, a member of class TWindow.
✦	GetRenderBufferPos (see page 242)	This is GetRenderBufferPos, a member of class TWindow.
✦	GetRenderHandle (see page 242)	This is GetRenderHandle, a member of class TWindow.
✦	GetRenderInfo (see page 242)	This is GetRenderInfo, a member of class TWindow.
✦	GetRenderScale (see page 243)	This is GetRenderScale, a member of class TWindow.
✦	GetRenderSize (see page 243)	This is GetRenderSize, a member of class TWindow.
✦	GetTitle (see page 243)	This is GetTitle, a member of class TWindow.
✦	GetVDPI (see page 243)	This is GetVDPI, a member of class TWindow.
✦	GetViewport (see page 243)	This is GetViewport, a member of class TWindow.
✦	GetWindowHandle (see page 243)	This is GetWindowHandle, a member of class TWindow.
✦	GetWindowSize (see page 244)	This is GetWindowSize, a member of class TWindow.
✦	IsOpen (see page 244)	This is IsOpen, a member of class TWindow.
✦	Open (see page 244)	This is Open, a member of class TWindow.
✦	Save (see page 244)	This is Save, a member of class TWindow.
✦	SetRenderBufferPos (see page 244)	This is SetRenderBufferPos, a member of class TWindow.
✦	SetTitle (see page 245)	This is SetTitle, a member of class TWindow.
✦	Show (see page 245)	This is Show, a member of class TWindow.
✦	ShowRenderBuffer (see page 245)	This is ShowRenderBuffer, a member of class TWindow.

1.1.53.1.1 TWindow.Clear

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Clear(
    const aColor: TColor
); static;
```

Description

This is Clear, a member of class TWindow.

1.1.53.1.2 TWindow.Close

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Close; static;
```

Description

This is Close, a member of class TWindow.

1.1.53.1.3 TWindow.DrawFilledRect

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure DrawFilledRect(  
    const aX: Single;  
    const aY: Single;  
    const aWidth: Single;  
    const aHeight: Single;  
    const aColor: TColor  
); static;
```

Description

This is DrawFilledRect, a member of class TWindow.

1.1.53.1.4 TWindow.DrawLine

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure DrawLine(  
    const aX1: Single;  
    const aY1: Single;  
    const aX2: Single;  
    const aY2: Single;  
    const aColor: TColor  
); static;
```

Description

This is DrawLine, a member of class TWindow.

1.1.53.1.5 TWindow.DrawPoint

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure DrawPoint(  
    const aX: Single;  
    const aY: Single;  
    const aColor: TColor  
); static;
```

Description

This is DrawPoint, a member of class TWindow.

1.1.53.1.6 TWindow.DrawRect

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure DrawRect(  
    const aX: Single;  
    const aY: Single;  
    const aWidth: Single;  
    const aHeight: Single;  
    const aColor: TColor  
); static;
```

Description

This is DrawRect, a member of class TWindow.

1.1.53.1.7 TWindow.GetDDPI

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetDDPI: Single; static;
```

Description

This is GetDDPI, a member of class TWindow.

1.1.53.1.8 TWindow.GetHDPI

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetHDPI: Single; static;
```

Description

This is GetHDPI, a member of class TWindow.

1.1.53.1.9 TWindow.GetRenderBufferPos

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure GetRenderBufferPos(  
    aX: System.PSingle;  
    aY: System.PSingle  
); static;
```

Description

This is GetRenderBufferPos, a member of class TWindow.

1.1.53.1.10 TWindow.GetRendererHandle

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetRendererHandle: PSDL_Renderer; static;
```

Description

This is GetRendererHandle, a member of class TWindow.

1.1.53.1.11 TWindow.GetRendererInfo

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetRendererInfo: SDL_RendererInfo; static;
```

Description

This is GetRendererInfo, a member of class TWindow.

1.1.53.1.12 TWindow.GetRendererScale

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetRenderersScale: TPoint; static;
```

Description

This is GetRenderersScale, a member of class TWindow.

1.1.53.1.13 TWindow.GetRendererSize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetRenderersSize: TPoint; static;
```

Description

This is GetRenderersSize, a member of class TWindow.

1.1.53.1.14 TWindow.GetTitle

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetTitle: string; static;
```

Description

This is GetTitle, a member of class TWindow.

1.1.53.1.15 TWindow.GetVDPI

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetVDPI: Single; static;
```

Description

This is GetVDPI, a member of class TWindow.

1.1.53.1.16 TWindow.GetViewport

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetViewport: TRect; static;
```

Description

This is GetViewport, a member of class TWindow.

1.1.53.1.17 TWindow.GetWindowHandle

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetWindowHandle: PSDL_Window; static;
```

Description

This is GetWindowHandle, a member of class TWindow.

1.1.53.1.18 TWindow.GetWindowSize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function GetWindowSize: TPoint; static;
```

Description

This is GetWindowSize, a member of class TWindow.

1.1.53.1.19 TWindow.IsOpen

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function IsOpen: Boolean; static;
```

Description

This is IsOpen, a member of class TWindow.

1.1.53.1.20 TWindow.Open

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function Open(  
    const aTitle: string;  
    const aX: Integer;  
    const aY: Integer;  
    const aWidth: Integer = WINDOW_WIDTH;  
    const aHeight: Integer = WINDOW_HEIGHT  
): Boolean; static;
```

Description

This is Open, a member of class TWindow.

1.1.53.1.21 TWindow.Save

File: DelphiGamekit.pas (see page 397)

Delphi

```
class function Save(  
    const aFilename: string  
): Boolean; static;
```

Description

This is Save, a member of class TWindow.

1.1.53.1.22 TWindow.SetRenderBufferPos

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure SetRenderBufferPos(  
    const aX: Single;  
    const aY: Single  
); static;
```

Description

This is SetRenderBufferPos, a member of class TWindow.

1.1.53.1.23 TWindow.SetTitle

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure SetTitle(  
    const aTitle: string  
); static;
```

Description

This is SetTitle, a member of class TWindow.

1.1.53.1.24 TWindow.Show

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure Show; static;
```

Description

This is Show, a member of class TWindow.

1.1.53.1.25 TWindow.ShowRenderBuffer

File: DelphiGamekit.pas (see page 397)

Delphi

```
class procedure ShowRenderBuffer; static;
```



Description

This is ShowRenderBuffer, a member of class TWindow.

1.1.53.2 TWindow Operators

The operators of the TWindow class are listed here.

Operators

	Finalize (see page 245)	This is Finalize, a member of class TWindow.
	Initialize (see page 246)	This is Initialize, a member of class TWindow.

1.1.53.2.1 TWindow.Finalize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Finalize(  
    var aDest: TWindow
```

);

Description

This is Finalize, a member of class TWindow.

1.1.53.2.2 TWindow.Initialize

File: DelphiGamekit.pas (see page 397)

Delphi

```
class operator Initialize(  
    out aDest: TWindow  
);
```



Description

This is Initialize, a member of class TWindow.

1.2 Interfaces

The following table lists interfaces in this documentation.

Interfaces

	ILua (see page 246)	This is class ILua.
	ILuaContext (see page 251)	This is class ILuaContext.

1.2.1 ILua

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
ILua = interface;
```







Description

This is class ILua.

1.2.1.1 ILua Methods

The methods of the ILua class are listed here.

Methods

	Call (see page 247)	This is Call, a member of class ILua.
	Call (see page 247)	This is Call, a member of class ILua.
	GetVariable (see page 247)	This is GetVariable, a member of class ILua.
	LoadBuffer (see page 247)	This is LoadBuffer, a member of class ILua.
	LoadFile (see page 248)	This is LoadFile, a member of class ILua.
	LoadStream (see page 248)	This is LoadStream, a member of class ILua.

◆	LoadString (see page 248)	This is LoadString, a member of class ILua.
◆	PrepCall (see page 248)	This is PrepCall, a member of class ILua.
◆	RegisterRoutine (see page 249)	This is RegisterRoutine, a member of class ILua.
◆	RegisterRoutine (see page 249)	This is RegisterRoutine, a member of class ILua.
◆	RegisterRoutines (see page 249)	This is RegisterRoutines, a member of class ILua.
◆	RegisterRoutines (see page 249)	This is RegisterRoutines, a member of class ILua.
◆	RegisterRoutines (see page 249)	This is RegisterRoutines, a member of class ILua.
◆	RegisterRoutines (see page 250)	This is RegisterRoutines, a member of class ILua.
◆	Reset (see page 250)	This is Reset, a member of class ILua.
◆	RoutineExist (see page 250)	This is RoutineExist, a member of class ILua.
◆	Run (see page 250)	This is Run, a member of class ILua.
◆	SetVariable (see page 251)	This is SetVariable, a member of class ILua.
◆	VariableExist (see page 251)	This is VariableExist, a member of class ILua.

1.2.1.1.1 ILua.Call

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Call(
    aParamCount: Integer
): TLuaValue; overload;
```

Description

This is Call, a member of class ILua.

1.2.1.1.2 ILua.Call

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Call(
    const aName: string;
    const aParams: array of TLuaValue
): TLuaValue; overload;
```

Description

This is Call, a member of class ILua.

1.2.1.1.3 ILua.GetVariable

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetVariable(
    const aName: string;
    aType: TLuaValueType
): TLuaValue;
```

Description

This is GetVariable, a member of class ILua.

1.2.1.1.4 ILua.LoadBuffer

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure LoadBuffer(  
    aData: Pointer;  
    aSize: NativeUInt;  
    aAutoRun: Boolean = True  
);
```

Description

This is LoadBuffer, a member of class ILua.

1.2.1.1.5 ILua.LoadFile

File: DelphiGamekit.pas (see page 397)

Delphi

```
function LoadFile(  
    const aFilename: string;  
    aAutoRun: Boolean = True  
): Boolean;
```

Description

This is LoadFile, a member of class ILua.

1.2.1.1.6 ILua.LoadStream

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure LoadStream(  
    aStream: TStream;  
    aSize: NativeUInt = 0;  
    aAutoRun: Boolean = True  
);
```

Description

This is LoadStream, a member of class ILua.

1.2.1.1.7 ILua.LoadString

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure LoadString(  
    const aData: string;  
    aAutoRun: Boolean = True  
);
```

Description

This is LoadString, a member of class ILua.

1.2.1.1.8 ILua.PrepareCall

File: DelphiGamekit.pas (see page 397)

Delphi

```
function PrepareCall(  
    const aName: string  
): Boolean;
```

Description

This is PrepCall, a member of class ILua.

1.2.1.1.9 ILua.RegisterRoutine

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RegisterRoutine(  
    const aName: string;  
    aData: Pointer;  
    aCode: Pointer  
); overload;
```

Description

This is RegisterRoutine, a member of class ILua.

1.2.1.1.10 ILua.RegisterRoutine

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RegisterRoutine(  
    const aName: string;  
    aRoutine: TLuaFunction  
); overload;
```

Description

This is RegisterRoutine, a member of class ILua.

1.2.1.1.11 ILua.RegisterRoutines

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RegisterRoutines(  
    aClass: TClass  
); overload;
```

Description

This is RegisterRoutines, a member of class ILua.

1.2.1.1.12 ILua.RegisterRoutines

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RegisterRoutines(  
    aObject: TObject  
); overload;
```

Description

This is RegisterRoutines, a member of class ILua.

1.2.1.1.13 ILua.RegisterRoutines

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RegisterRoutines(  
    const aTables: string;  
    aClass: TClass;  
    const aTableName: string = ''  
); overload;
```

Description

This is RegisterRoutines, a member of class ILua.

1.2.1.1.14 ILua.RegisterRoutines

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RegisterRoutines(  
    const aTables: string;  
    aObject: TObject;  
    const aTableName: string = ''  
); overload;
```

Description

This is RegisterRoutines, a member of class ILua.

1.2.1.1.15 ILua.Reset

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Reset;
```

Description

This is Reset, a member of class ILua.

1.2.1.1.16 ILua.RoutineExist

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RoutineExist(  
    const aName: string  
): Boolean;
```

Description

This is RoutineExist, a member of class ILua.

1.2.1.1.17 ILua.Run

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Run;
```

Description

This is Run, a member of class ILua.

1.2.1.1.18 ILua.SetVariable

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetVariable(  
    const aName: string;  
    aValue: TLuaValue  
);
```

Description

This is SetVariable, a member of class ILua.

1.2.1.1.19 ILua.VariableExist

File: DelphiGamekit.pas (see page 397)

Delphi


```
function VariableExist(  
    const aName: string  
): Boolean;
```

Description

This is VariableExist, a member of class ILua.

1.2.2 ILuaContext

Class Hierarchy



File: DelphiGamekit.pas (see page 397)

Delphi

```
ILuaContext = interface;
```

Description




This is class ILuaContext.

1.2.2.1 ILuaContext Methods

The methods of the ILuaContext class are listed here.

Methods

	ArgCount (see page 252)	This is ArgCount, a member of class ILuaContext.
	ClearStack (see page 252)	This is ClearStack, a member of class ILuaContext.
	GetStackType (see page 252)	This is GetStackType, a member of class ILuaContext.
	GetTableFieldValue (see page 252)	This is GetTableFieldValue, a member of class ILuaContext.
	GetTableIndexValue (see page 252)	This is GetTableIndexValue, a member of class ILuaContext.
	GetValue (see page 253)	This is GetValue, a member of class ILuaContext.
	PopStack (see page 253)	This is PopStack, a member of class ILuaContext.
	PushCount (see page 253)	This is PushCount, a member of class ILuaContext.

	PushValue (see page 253)	This is PushValue, a member of class ILuaContext.
	SetTableFieldValue (see page 254)	This is SetTableFieldValue, a member of class ILuaContext.
	SetTableIndexValue (see page 254)	This is SetTableIndexValue, a member of class ILuaContext.

1.2.2.1.1 ILuaContext.ArgCount

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ArgCount: Integer;
```

Description

This is ArgCount, a member of class ILuaContext.

1.2.2.1.2 ILuaContext.ClearStack

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure ClearStack;
```

Description

This is ClearStack, a member of class ILuaContext.

1.2.2.1.3 ILuaContext.GetStackType

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetStackType(  
    aIndex: Integer  
): TLuaType;
```

Description

This is GetStackType, a member of class ILuaContext.

1.2.2.1.4 ILuaContext.GetTableFieldValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetTableFieldValue(  
    const aName: string;  
    aType: TLuaValueType;  
    aIndex: Integer  
): TLuaValue; overload;
```

Description

This is GetTableFieldValue, a member of class ILuaContext.

1.2.2.1.5 ILuaContext.GetTableIndexValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetTableIndexValue(  

```

```
const aName: string;  
aType: TLuaValueType;  
aIndex: Integer;  
aKey: Integer  
): TLuaValue;
```

Description

This is GetTableIndexValue, a member of class ILuaContext.

1.2.2.1.6 ILuaContext.GetValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetValue(  
    aType: TLuaValueType;  
    aIndex: Integer  
): TLuaValue;
```

Description

This is GetValue, a member of class ILuaContext.

1.2.2.1.7 ILuaContext.PopStack

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure PopStack(  
    aCount: Integer  
);
```

Description

This is PopStack, a member of class ILuaContext.

1.2.2.1.8 ILuaContext.PushCount

File: DelphiGamekit.pas (see page 397)

Delphi

```
function PushCount: Integer;
```

Description

This is PushCount, a member of class ILuaContext.

1.2.2.1.9 ILuaContext.PushValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure PushValue(  
    aValue: TLuaValue  
);
```

Description

This is PushValue, a member of class ILuaContext.

1.2.2.1.10 ILuaContext.SetTableFieldValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetTableFieldValue(
  const aName: string;
  aValue: TLuaValue;
  aIndex: Integer
); overload;
```

Description

This is SetTableFieldValue, a member of class ILuaContext.

1.2.2.1.11 ILuaContext.SetTableIndexValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetTableIndexValue(
  const aName: string;
  aValue: TLuaValue;
  aIndex: Integer;
  aKey: Integer
);
```

Description

This is SetTableIndexValue, a member of class ILuaContext.

1.3 Functions

The following table lists functions in this documentation.

Functions

≡	AddSelfToUserPath (see page 256)	This is function AddSelfToUserPath.
≡	AngleCos (see page 256)	This is function AngleCos.
≡	AngleDiff (see page 256)	This is function AngleDiff.
≡	AngleRotatePos (see page 257)	This is function AngleRotatePos.
≡	AngleSin (see page 257)	This is function AngleSin.
≡	CaptureConsoleOutput (see page 257)	This is function CaptureConsoleOutput.
≡	CircleInRectangle (see page 257)	This is function CircleInRectangle.
≡	CirclesOverlap (see page 258)	This is function CirclesOverlap.
≡	ClipVaLue (see page 258)	This is function ClipVaLue.
≡	ClipVaLuef (see page 258)	This is function ClipVaLuef.
≡	CreateDirsInPath (see page 259)	This is function CreateDirsInPath.
≡	EasePosition (see page 259)	This is function EasePosition.
≡	EaseValue (see page 259)	This is function EaseValue.
≡	ExpandRelDirectory (see page 259)	This is function ExpandRelDirectory.
≡	ExpandRelFilename (see page 260)	This is function ExpandRelFilename.

✦	ExtractRelativeDirectory (see page 260)	This is function ExtractRelativeDirectory.
✦	ExtractRelativeFilename (see page 260)	This is function ExtractRelativeFilename.
✦	FreeNilObject (see page 260)	This is function FreeNilObject.
✦	GetDirName (see page 261)	This is function GetDirName.
✦	GetEnvVarValue (see page 261)	This is function GetEnvVarValue.
✦	GetExeBasePath (see page 261)	This is function GetExeBasePath.
✦	GetExePath (see page 261)	This is function GetExePath.
✦	GetFileRWops (see page 262)	This is function GetFileRWops.
✦	GetMemRWops (see page 262)	This is function GetMemRWops.
✦	GetRandomSeed (see page 262)	This is function GetRandomSeed.
✦	GetSemVerStr (see page 262)	This is function GetSemVerStr.
✦	GetUUID (see page 263)	This is function GetUUID.
✦	GetVersionInfo (see page 263)	This is function GetVersionInfo.
✦	GetVersionInfo (see page 263)	This is function GetVersionInfo.
✦	HasConsoleOutput (see page 263)	This is function HasConsoleOutput.
✦	HttpGet (see page 264)	This is function HttpGet.
✦	IsCurrentDir (see page 264)	This is function IsCurrentDir.
✦	IsSingleInstance (see page 264)	This is function IsSingleInstance.
✦	IsValidFilename (see page 264)	This is function IsValidFilename.
✦	Lerp (see page 265)	This is function Lerp.
✦	LineIntersection (see page 265)	This is function LineIntersection.
✦	Pause (see page 265)	This is function Pause.
✦	PointInCircle (see page 266)	This is function PointInCircle.
✦	PointInRectangle (see page 266)	This is function PointInRectangle.
✦	PointInTriangle (see page 266)	This is function PointInTriangle.
✦	Print (see page 266)	This is function Print.
✦	Print (see page 267)	This is function Print.
✦	PrintLn (see page 267)	This is function PrintLn.
✦	PrintLn (see page 267)	This is function PrintLn.
✦	PrintLn (see page 267)	This is function PrintLn.
✦	ProcessMessages (see page 268)	This is function ProcessMessages.
✦	RadiusOverlap (see page 268)	This is function RadiusOverlap.
✦	RandomBool (see page 268)	This is function RandomBool.
✦	RandomRange (see page 268)	This is function RandomRange.
✦	RandomRangeF (see page 269)	This is function RandomRangeF.
✦	ReadStringFromStream (see page 269)	This is function ReadStringFromStream.
✦	RectangleIntersection (see page 269)	This is function RectangleIntersection.
✦	RectanglesOverlap (see page 269)	This is function RectanglesOverlap.
✦	RemoveDuplicates (see page 270)	This is function RemoveDuplicates.
✦	RemoveDuplicates2 (see page 270)	This is function RemoveDuplicates2.
✦	RemoveQuotes (see page 270)	This is function RemoveQuotes.
✦	RemoveSelfFromUserPath (see page 270)	This is function RemoveSelfFromUserPath.
✦	ResourceExists (see page 271)	This is function ResourceExists.
✦	RunGame (see page 271)	This is function RunGame.

✦	SameSign (see page 271)	This is function SameSign.
✦	SameSignf (see page 271)	This is function SameSignf.
✦	SameVaLue (see page 272)	This is function SameVaLue.
✦	SameVaLuef (see page 272)	This is function SameVaLuef.
✦	SetEnvVarValue (see page 272)	This is function SetEnvVarValue.
✦	SetGlobalEnvironment (see page 272)	This is function SetGlobalEnvironment.
✦	SetRandomSeed (see page 273)	This is function SetRandomSeed.
✦	ShellOpen (see page 273)	This is function ShellOpen.
✦	SmoothMove (see page 273)	This is function SmoothMove.
✦	UnitToScalarValue (see page 274)	This is function UnitToScalarValue.
✦	WaitForAnyKey (see page 274)	This is function WaitForAnyKey.
✦	WasRunFromConsole (see page 274)	This is function WasRunFromConsole.
✦	WriteStringToStream (see page 274)	This is function WriteStringToStream.

1.3.1 AddSelfToUserPath

File: DelphiGamekit.pas (see page 397)

Delphi

```
function AddSelfToUserPath(
    var aUserPath: string
): Boolean;
```

Description

This is function AddSelfToUserPath.

1.3.2 AngleCos

File: DelphiGamekit.pas (see page 397)

Delphi

```
function AngleCos(
    const aAngle: Cardinal
): Single;
```

Description

This is function AngleCos.

1.3.3 AngleDiff

File: DelphiGamekit.pas (see page 397)

Delphi

```
function AngleDiff(
    const aSrcAngle: Single;
    const aDestAngle: Single
): Single;
```

Description

This is function AngleDiff.

1.3.4 AngleRotatePos

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure AngleRotatePos(  
    const aAngle: Single;  
    var aX: Single;  
    var aY: Single  
);
```

Description

This is function AngleRotatePos.

1.3.5 AngleSin

File: DelphiGamekit.pas (see page 397)

Delphi

```
function AngleSin(  
    const aAngle: Cardinal  
): Single;
```

Description

This is function AngleSin.

1.3.6 CaptureConsoleOutput

File: DelphiGamekit.pas (see page 397)

Delphi

```
function CaptureConsoleOutput(  
    const aTitle: string;  
    const aCommand: PChar;  
    const aParameters: PChar;  
    const aSender: Pointer;  
    const aEvent: TCaptureConsoleOutputEvent  
): Cardinal;
```

Description

This is function CaptureConsoleOutput.

1.3.7 CircleInRectangle

File: DelphiGamekit.pas (see page 397)

Delphi

```
function CircleInRectangle(  
    aCenter: TVector;  
    aRadius: Single;  
    aRect: TRect  
): Boolean;
```

Description

This is function CircleInRectangle.

1.3.8 CirclesOverlap

File: DelphiGamekit.pas (see page 397)

Delphi

```
function CirclesOverlap(  
    aCenter1: TVector;  
    aRadius1: Single;  
    aCenter2: TVector;  
    aRadius2: Single  
): Boolean;
```

Description

This is function CirclesOverlap.

1.3.9 ClipVaLue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ClipVaLue(  
    var aVaLue: Integer;  
    const aMin: Integer;  
    const aMax: Integer;  
    const aWrap: Boolean  
): Integer;
```

Description

This is function ClipVaLue.

1.3.10 ClipVaLuef

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ClipVaLuef(  
    var aVaLue: Single;  
    const aMin: Single;  
    const aMax: Single;  
    const aWrap: Boolean  
): Single;
```

Description

This is function ClipVaLuef.

1.3.11 CreateDirsInPath

File: DelphiGamekit.pas (see page 397)

Delphi

```
function CreateDirsInPath(  
    const aFilename: string  
): Boolean;
```

Description

This is function CreateDirsInPath.

1.3.12 EasePosition

File: DelphiGamekit.pas (see page 397)

Delphi

```
function EasePosition(  
    aStartPos: Double;  
    aEndPos: Double;  
    aCurrentPos: Double;  
    aEaseType: TEaseType  
): Double;
```

Description

This is function EasePosition.

1.3.13 EaseValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function EaseValue(  
    aCurrentTime: Double;  
    aStartValue: Double;  
    aChangeInValue: Double;  
    aDuration: Double;  
    aEaseType: TEaseType  
): Double;
```

Description

This is function EaseValue.

1.3.14 ExpandRelDirectory

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ExpandRelDirectory(  
    const aBaseDir: string;
```

```
    const aRelDir: string  
  ): string;
```

Description

This is function ExpandRelDirectory.

1.3.15 ExpandRelFilename

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ExpandRelFilename(  
    const aBaseFilename: string;  
    const aRelFilename: string  
): string;
```

Description

This is function ExpandRelFilename.

1.3.16 ExtractRelativeDirectory

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ExtractRelativeDirectory(  
    const aBaseDir: string;  
    const aDestDir: string  
): string;
```

Description

This is function ExtractRelativeDirectory.

1.3.17 ExtractRelativeFilename

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ExtractRelativeFilename(  
    aBaseFilename: string;  
    aDestFilename: string  
): string;
```

Description

This is function ExtractRelativeFilename.

1.3.18 FreeNilObject

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure FreeNilObject(  
    const [ ref ] aObject: TObject  
);
```

Description

This is function FreeNilObject.

1.3.19 GetDirName

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetDirName(  
    const aPath: string  
): string;
```

Description

This is function GetDirName.

1.3.20 GetEnvVarValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetEnvVarValue(  
    const aVarName: string  
): string;
```

Description

This is function GetEnvVarValue.

1.3.21 GetExeBasePath

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetExeBasePath(  
    const aFilename: string  
): string;
```

Description

This is function GetExeBasePath.

1.3.22 GetExePath

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetExePath: string;
```

Description

This is function GetExePath.

1.3.23 GetFileRWops

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetFileRWops(  
    const aFilename: string  
) : PSDL_RWops;
```

Description

This is function GetFileRWops.

1.3.24 GetMemRWops

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetMemRWops(  
    const aMem: Pointer;  
    const aSize: Integer  
) : PSDL_RWops;
```

Description

This is function GetMemRWops.

1.3.25 GetRandomSeed

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetRandomSeed: Integer;
```

Description

This is function GetRandomSeed.

1.3.26 GetSemVerStr

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetSemVerStr(  
    const aInstance: THandle  
) : string;
```


Description

This is function GetSemVerStr.

1.3.27 GetUUID

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetUUID(  
    const aLowercase: Boolean = True;  
    const aUseSeperator: Boolean = False  
): string;
```

Description

This is function GetUUID.

1.3.28 GetVersionInfo

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetVersionInfo(  
    const aInstance: THandle;  
    const aIdent: string  
): string; overload;
```

Description

This is function GetVersionInfo.

1.3.29 GetVersionInfo

File: DelphiGamekit.pas (see page 397)

Delphi

```
function GetVersionInfo(  
    const aFilename: string;  
    const aIdent: string  
): string; overload;
```

Description

This is function GetVersionInfo.

1.3.30 HasConsoleOutput

File: DelphiGamekit.pas (see page 397)

Delphi

```
function HasConsoleOutput: Boolean;
```

Description

This is function HasConsoleOutput.

1.3.31 HttpGet

File: DelphiGamekit.pas (see page 397)

Delphi

```
function HttpGet(  
    const aURL: string;  
    const aStatus: PString = nil  
): string;
```

Description

This is function HttpGet.

1.3.32 IsCurrentDir

File: DelphiGamekit.pas (see page 397)

Delphi

```
function IsCurrentDir(  
    const aDirName: string  
): Boolean;
```

Description

This is function IsCurrentDir.

1.3.33 IsSingleInstance

File: DelphiGamekit.pas (see page 397)

Delphi

```
function IsSingleInstance(  
    aMutexName: string;  
    aKeepMutex: Boolean = True  
): Boolean;
```

Description

This is function IsSingleInstance.

1.3.34 IsValidFilename

File: DelphiGamekit.pas (see page 397)

Delphi

```
function IsValidFilename(  
    const aFilename: string  
): Boolean;
```

Description

This is function IsValidFilename.

1.3.35 Lerp

File: DelphiGamekit.pas (see page 397)

Delphi

```
function Lerp(  
    const aFrom: Double;  
    const aTo: Double;  
    const aTime: Double  
): Double;
```

Description

This is function Lerp.

1.3.36 LineIntersection

File: DelphiGamekit.pas (see page 397)

Delphi

```
function LineIntersection(  
    aX1: Integer;  
    aY1: Integer;  
    aX2: Integer;  
    aY2: Integer;  
    aX3: Integer;  
    aY3: Integer;  
    aX4: Integer;  
    aY4: Integer;  
    var aX: Integer;  
    var aY: Integer  
): TLineIntersection;
```

Description

This is function LineIntersection.

1.3.37 Pause

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Pause(  
    const aMsg: string = ''  
);
```

Description

This is function Pause.

1.3.38 PointInCircle

File: DelphiGamekit.pas (see page 397)

Delphi

```
function PointInCircle(  
    aPoint: TVector;  
    aCenter: TVector;  
    aRadius: Single  
): Boolean;
```

Description

This is function PointInCircle.

1.3.39 PointInRectangle

File: DelphiGamekit.pas (see page 397)

Delphi

```
function PointInRectangle(  
    aPoint: TVector;  
    aRect: TRect  
): Boolean;
```

Description

This is function PointInRectangle.

1.3.40 PointInTriangle

File: DelphiGamekit.pas (see page 397)

Delphi

```
function PointInTriangle(  
    aPoint: TVector;  
    aP1: TVector;  
    aP2: TVector;  
    aP3: TVector  
): Boolean;
```

Description

This is function PointInTriangle.

1.3.41 Print

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Print(  
    const aMsg: string  
); overload;
```

Description

This is function Print.

1.3.42 Print

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure Print(  
    const aMsg: string;  
    const aArgs: array of const  
); overload;
```

Description

This is function Print.

1.3.43 PrintLn

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure PrintLn; overload;
```

Description

This is function PrintLn.

1.3.44 PrintLn

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure PrintLn(  
    const aMsg: string  
); overload;
```

Description

This is function PrintLn.

1.3.45 PrintLn

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure PrintLn(  
    const aMsg: string;  
    const aArgs: array of const  
); overload;
```

Description

This is function PrintLn.

1.3.46 ProcessMessages

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure ProcessMessages;
```

Description

This is function ProcessMessages.

1.3.47 RadiusOverlap

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RadiusOverlap(  
    aRadius1: Single;  
    aX1: Single;  
    aY1: Single;  
    aRadius2: Single;  
    aX2: Single;  
    aY2: Single;  
    aShrinkFactor: Single  
): Boolean;
```

Description

This is function RadiusOverlap.

1.3.48 RandomBool

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RandomBool: Boolean;
```

Description

This is function RandomBool.

1.3.49 RandomRange

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RandomRange(  
    const aMin: Integer;  
    const aMax: Integer
```

```
) : Integer;
```

Description

This is function RandomRange.

1.3.50 RandomRange

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RandomRange(  
    const aMin: Single;  
    const aMax: Single  
): Single;
```

Description

This is function RandomRange.

1.3.51 ReadStringFromStream

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ReadStringFromStream(  
    const aStream: TStream  
): string;
```

Description

This is function ReadStringFromStream.

1.3.52 RectangleIntersection

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RectangleIntersection(  
    aRect1: TRect;  
    aRect2: TRect  
): TRect;
```

Description

This is function RectangleIntersection.

1.3.53 RectanglesOverlap

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RectanglesOverlap(  
    aRect1: TRect;
```

```
    aRect2: TRect  
): Boolean;
```

Description

This is function RectanglesOverlap.

1.3.54 RemoveDuplicates

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RemoveDuplicates(  
    const aText: string  
): string;
```

Description

This is function RemoveDuplicates.

1.3.55 RemoveDuplicates2

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RemoveDuplicates2(  
    const aText: string  
): string;
```

Description

This is function RemoveDuplicates2.

1.3.56 RemoveQuotes

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RemoveQuotes(  
    const aText: string  
): string;
```

Description

This is function RemoveQuotes.

1.3.57 RemoveSelfFromUserPath

File: DelphiGamekit.pas (see page 397)

Delphi

```
function RemoveSelfFromUserPath(  
    var aUserPath: string  
): Boolean;
```


Description

This is function RemoveSelfFromUserPath.

1.3.58 ResourceExists

File: DelphiGamekit.pas (see page 397)

Delphi

```
function ResourceExists(  
    aInstance: THandle;  
    const aResName: string  
): Boolean;
```

Description

This is function ResourceExists.

1.3.59 RunGame

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure RunGame(  
    const aGame: TGameClass  
);
```

Description

This is function RunGame.

1.3.60 SameSign

File: DelphiGamekit.pas (see page 397)

Delphi

```
function SameSign(  
    const aValue1: Integer;  
    const aValue2: Integer  
): Boolean;
```

Description

This is function SameSign.

1.3.61 SameSignf

File: DelphiGamekit.pas (see page 397)

Delphi

```
function SameSignf(  
    const aValue1: Single;  
    const aValue2: Single
```

```
) : Boolean;
```

Description

This is function SameSignf.

1.3.62 SameVaLue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function SameVaLue(  
    const aA: Double;  
    const aB: Double;  
    const aEpsilon: Double = 0  
): Boolean;
```

Description

This is function SameVaLue.

1.3.63 SameVaLuef

File: DelphiGamekit.pas (see page 397)

Delphi

```
function SameVaLuef(  
    const aA: Single;  
    const aB: Single;  
    const aEpsilon: Single = 0  
): Boolean;
```

Description

This is function SameVaLuef.

1.3.64 SetEnvVarValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function SetEnvVarValue(  
    const aVarName: string;  
    const aVarValue: string  
): Integer;
```

Description

This is function SetEnvVarValue.

1.3.65 SetGlobalEnvironment

File: DelphiGamekit.pas (see page 397)

Delphi

```
function SetGlobalEnvironment(  
    const aName: string;  
    const aValue: string;  
    const aUser: Boolean = True  
): Boolean;
```

Description

This is function SetGlobalEnvironment.

1.3.66 SetRandomSeed

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SetRandomSeed(  
    const aValue: Integer  
);
```

Description

This is function SetRandomSeed.

1.3.67 ShellOpen

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure ShellOpen(  
    const aFilename: string  
);
```

Description

This is function ShellOpen.

1.3.68 SmoothMove

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure SmoothMove(  
    var aValue: Single;  
    const aAmount: Single;  
    const aMax: Single;  
    const aDrag: Single  
);
```

Description

This is function SmoothMove.

1.3.69 UnitToScalarValue

File: DelphiGamekit.pas (see page 397)

Delphi

```
function UnitToScalarValue(  
    const aValue: Double;  
    const aMaxValue: Double  
): Double;
```

Description

This is function UnitToScalarValue.

1.3.70 WaitForAnyKey

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure WaitForAnyKey;
```

Description

This is function WaitForAnyKey.

1.3.71 WasRunFromConsole

File: DelphiGamekit.pas (see page 397)

Delphi

```
function WasRunFromConsole: Boolean;
```

Description

This is function WasRunFromConsole.

1.3.72 WriteStringToStream

File: DelphiGamekit.pas (see page 397)

Delphi

```
procedure WriteStringToStream(  
    const aStream: TStream;  
    const aStr: string  
);
```















Description

This is function WriteStringToStream.


1.4 Structs, Records, Enums

The following table lists structs, records, enums in this documentation.

Enumerations

	TAudioFading (see page 275)	This is record TAudioFading.
	TBlendMode (see page 276)	This is record TBlendMode.
	TEaseType (see page 276)	This is record TEaseType.
	TFlipMode (see page 277)	This is record TFlipMode.
	THAlign (see page 277)	This is record THAlign.
	TInputDevice (see page 277)	This is record TInputDevice.
	TLineIntersection (see page 277)	This is record TLineIntersection.
	TLuaTable (see page 278)	This is record TLuaTable.
	TLuaType (see page 278)	This is record TLuaType.
	TLuaValueType (see page 278)	This is record TLuaValueType.
	TSpeechVoiceAttribute (see page 279)	This is record TSpeechVoiceAttribute.
	TTextureAccess (see page 279)	This is record TTextureAccess.
	TVAlign (see page 279)	This is record TVAlign.
	TVideoStatus (see page 279)	This is record TVideoStatus.

Records

	TActorMessage (see page 275)	This is record TActorMessage.
---	-------------------------------	-------------------------------

1.4.1 TActorMessage

File: DelphiGamekit.pas (see page 397)

Delphi

```
TActorMessage = record
  Id: Integer;
  Data: Pointer;
  DataSize: Cardinal;
end;
```

Description

This is record TActorMessage.

1.4.2 TAudioFading

File: DelphiGamekit.pas (see page 397)

Delphi

```
TAudioFading = (
  afNone = 0,
  afOut = 1,
  afIn = 2
);
```

Description

This is record TAudioFading.

1.4.3 TBlendMode

File: DelphiGamekit.pas (see page 397)

Delphi

```
TBlendMode = (  
    bmNone = 0,  
    bmBlend = 1,  
    bmAdd = 2,  
    bmMod = 4,  
    bmMul = 8,  
    bmInvalid = 2147483647  
);
```

Description

This is record TBlendMode.

1.4.4 TEaseType

File: DelphiGamekit.pas (see page 397)

Delphi

```
TEaseType = (  
    etLinearTween,  
    etInQuad,  
    etOutQuad,  
    etInOutQuad,  
    etInCubic,  
    etOutCubic,  
    etInOutCubic,  
    etInQuart,  
    etOutQuart,  
    etInOutQuart,  
    etInQuint,  
    etOutQuint,  
    etInOutQuint,  
    etInSine,  
    etOutSine,  
    etInOutSine,  
    etInExpo,  
    etOutExpo,  
    etInOutExpo,  
    etInCircle,  
    etOutCircle,  
    etInOutCircle  
);
```

Description

This is record TEaseType.

1.4.5 TFlipMode

File: DelphiGamekit.pas (see page 397)

Delphi

```
TFlipMode = (  
    fmNone = 0,  
    fmHorizontal = 1,  
    fmVertical = 2  
);
```

Description

This is record TFlipMode.

1.4.6 THAlign

File: DelphiGamekit.pas (see page 397)

Delphi

```
THAlign = (  
    haLeft,  
    haCenter,  
    haRight  
);
```

Description

This is record THAlign.

1.4.7 TInputDevice

File: DelphiGamekit.pas (see page 397)

Delphi

```
TInputDevice = (  
    idKeyboard,  
    idMouse,  
    idJoystick  
);
```

Description

This is record TInputDevice.

1.4.8 TLineIntersection

File: DelphiGamekit.pas (see page 397)

Delphi

```
TLineIntersection = (  
    liNone,  
    liTrue,
```

```
    liParallel  
);
```

Description

This is record TLineIntersection.

1.4.9 TLuaTable

File: DelphiGamekit.pas (see page 397)

Delphi

```
    TLuaTable = (  
        LuaTable  
    );
```

Description

This is record TLuaTable.

1.4.10 TLuaType

File: DelphiGamekit.pas (see page 397)

Delphi

```
    TLuaType = (  
        ltNone = -1,  
        ltNil = 0,  
        ltBoolean = 1,  
        ltLightUserData = 2,  
        ltNumber = 3,  
        ltString = 4,  
        ltTable = 5,  
        ltFunction = 6,  
        ltUserData = 7,  
        ltThread = 8  
    );
```

Description

This is record TLuaType.

1.4.11 TLuaValueType

File: DelphiGamekit.pas (see page 397)

Delphi

```
    TLuaValueType = (  
        vtInteger,  
        vtDouble,  
        vtString,  
        vtTable,  
        vtPointer,  
        vtBoolean  
    );
```

Description

This is record TLuaValueType.

1.4.12 TSpeechVoiceAttribute

File: DelphiGamekit.pas (see page 397)

Delphi

```
TSpeechVoiceAttribute = (  
    svaDescription,  
    svaName,  
    svaVendor,  
    svaAge,  
    svaGender,  
    svaLanguage,  
    svaId  
);
```

Description

This is record TSpeechVoiceAttribute.

1.4.13 TTextureAccess

File: DelphiGamekit.pas (see page 397)

Delphi

```
TTextureAccess = (  
    taStatic = 0,  
    taStreaming = 1,  
    taTarget = 2  
);
```

Description

This is record TTextureAccess.

1.4.14 TVAlign

File: DelphiGamekit.pas (see page 397)

Delphi

```
TVAlign = (  
    vaTop,  
    vaCenter,  
    vaBottom  
);
```

Description

This is record TVAlign.

1.4.15 TVideoStatus

File: DelphiGamekit.pas (see page 397)

Delphi

```
TVideoStatus = (  
    vsStopped = 0,  
    vsPlaying = 1,  
    vsPaused = 2  
);
```

Description

This is record TVideoStatus.

1.5 Types

The following table lists types in this documentation.

Types

PActorMessage (see page 280)	This is type PActorMessage.
PColor (see page 280)	This is type PColor.
PPoint (see page 281)	This is type PPoint.
PRange (see page 281)	This is type PRange.
PRect (see page 281)	This is type PRect.
PTransform (see page 281)	This is type PTransform.
PVector (see page 282)	This is type PVector.
PVideo (see page 282)	This is type PVideo.
TActorAttributeSet (see page 282)	This is type TActorAttributeSet.
TActorSceneEvent (see page 282)	This is type TActorSceneEvent.
TAsyncProc (see page 282)	This is type TAsyncProc.
TCaptureConsoleOutputEvent (see page 283)	This is type TCaptureConsoleOutputEvent.
TGameClass (see page 283)	This is type TGameClass.
TLuaFunction (see page 283)	This is type TLuaFunction.
TMusic (see page 283)	This is type TMusic.
TSound (see page 284)	This is type TSound.

1.5.1 PActorMessage

File: DelphiGamekit.pas (see page 397)

Delphi

```
PActorMessage = ^TActorMessage;
```

Description

This is type PActorMessage.

1.5.2 PColor

File: DelphiGamekit.pas (see page 397)

Delphi

```
PColor = ^TColor;
```

Description

This is type PColor.

1.5.3 PPoint

File: DelphiGamekit.pas (see page 397)

Delphi

```
PPoint = ^TPoint;
```

Description

This is type PPoint.

1.5.4 PRange

File: DelphiGamekit.pas (see page 397)

Delphi

```
PRange = ^TRange;
```

Description

This is type PRange.

1.5.5 PRect

File: DelphiGamekit.pas (see page 397)

Delphi

```
PRect = ^TRect;
```

Description

This is type PRect.

1.5.6 PTransform

File: DelphiGamekit.pas (see page 397)

Delphi

```
PTransform = ^TTransform;
```

Description

This is type PTransform.

1.5.7 PVector

File: DelphiGamekit.pas (see page 397)

Delphi

```
PVector = ^TVector;
```

Description

This is type PVector.

1.5.8 PVideo

File: DelphiGamekit.pas (see page 397)

Delphi

```
PVideo = ^TVideo;
```

Description

This is type PVideo.

1.5.9 TActorAttributeSet

File: DelphiGamekit.pas (see page 397)

Delphi

```
TActorAttributeSet = set of Byte;
```

Description

This is type TActorAttributeSet.

1.5.10 TActorSceneEvent

File: DelphiGamekit.pas (see page 397)

Delphi

```
TActorSceneEvent = procedure (const aSceneNum: Integer) of object;
```

Description

This is type TActorSceneEvent.

1.5.11 TAsyncProc

File: DelphiGamekit.pas (see page 397)

Delphi

```
TAsyncProc = reference to procedure;
```

Description

This is type TAsyncProc.

1.5.12 TCaptureConsoleOutputEvent

File: DelphiGamekit.pas (see page 397)

Delphi

```
TCaptureConsoleOutputEvent = procedure (aSender: Pointer; aLine: string);
```

Description

This is type TCaptureConsoleOutputEvent.

1.5.13 TGameClass

File: DelphiGamekit.pas (see page 397)

Delphi

```
TGameClass = class of TGame;
```

Description

This is type TGameClass.

1.5.14 TLuaFunction

File: DelphiGamekit.pas (see page 397)

Delphi

```
TLuaFunction = procedure (aLua: ILuaContext) of object;
```

Description

This is type TLuaFunction.

1.5.15 TMusic

File: DelphiGamekit.pas (see page 397)

Delphi

```
TMusic = PMix_Music;
```

Description

This is type TMusic.

1.5.16 TSound

File: DelphiGamekit.pas (see page 397)

Delphi

```
TSound = PMix_Chunk;
```

Description

This is type TSound.

1.6 Variables

The following table lists variables in this documentation.

Variables

Game (see page 284)	This is variable Game.
Marshaller (see page 284)	This is variable Marshaller.

1.6.1 Game

File: DelphiGamekit.pas (see page 397)

Delphi

```
Game: TGame = nil;
```

Description

This is variable Game.

1.6.2 Marshaller

File: DelphiGamekit.pas (see page 397)

Delphi

```
Marshaller: TMarshaller;
```

Description

This is variable Marshaller.

1.7 Constants

The following table lists constants in this documentation.

Constants

ALICEBLUE (see page 294)	This is constant ALICEBLUE.
ANTIQUEWHITE (see page 295)	This is constant ANTIQUEWHITE.
AQUA (see page 295)	This is constant AQUA.
AQUAMARINE (see page 295)	This is constant AQUAMARINE.
ARCEXT (see page 295)	This is constant ARCEXT.
AUDIO_CHANNEL_DYNAMIC (see page 295)	This is constant AUDIO_CHANNEL_DYNAMIC.
AUDIO_CHANNEL_FADINGIN (see page 296)	This is constant AUDIO_CHANNEL_FADINGIN.
AUDIO_CHANNEL_FADINGOUT (see page 296)	This is constant AUDIO_CHANNEL_FADINGOUT.
AUDIO_CHANNEL_LOOP (see page 296)	This is constant AUDIO_CHANNEL_LOOP.
AUDIO_CHANNEL_MAX (see page 296)	This is constant AUDIO_CHANNEL_MAX.
AUDIO_CHANNEL_NOFADING (see page 297)	This is constant AUDIO_CHANNEL_NOFADING.
AZURE (see page 297)	This is constant AZURE.
BEIGE (see page 297)	This is constant BEIGE.
BISQUE (see page 297)	This is constant BISQUE.
BLACK (see page 297)	This is constant BLACK.
BLANCHEDALMOND (see page 298)	This is constant BLANCHEDALMOND.
BLANK (see page 298)	This is constant BLANK.
BLUE (see page 298)	This is constant BLUE.
BLUEVIOLET (see page 298)	This is constant BLUEVIOLET.
BROWN (see page 299)	This is constant BROWN.
BURLYWOOD (see page 299)	This is constant BURLYWOOD.
BUTTON_LEFT (see page 299)	This is constant BUTTON_LEFT.
BUTTON_MIDDLE (see page 299)	This is constant BUTTON_MIDDLE.
BUTTON_RIGHT (see page 299)	This is constant BUTTON_RIGHT.
BUTTON_X1 (see page 300)	This is constant BUTTON_X1.
BUTTON_X2 (see page 300)	This is constant BUTTON_X2.
CADETBBLUE (see page 300)	This is constant CADETBBLUE.
CHARTREUSE (see page 300)	This is constant CHARTREUSE.
CHOCOLATE (see page 301)	This is constant CHOCOLATE.
COLORKEY (see page 301)	This is constant COLORKEY.
CONTROLLER_AXIS_LEFTX (see page 301)	This is constant CONTROLLER_AXIS_LEFTX.
CONTROLLER_AXIS_LEFTY (see page 301)	This is constant CONTROLLER_AXIS_LEFTY.
CONTROLLER_AXIS_RIGHTX (see page 301)	This is constant CONTROLLER_AXIS_RIGHTX.
CONTROLLER_AXIS_RIGHTY (see page 302)	This is constant CONTROLLER_AXIS_RIGHTY.
CONTROLLER_AXIS_TRIGGERLEFT (see page 302)	This is constant CONTROLLER_AXIS_TRIGGERLEFT.
CONTROLLER_AXIS_TRIGGERRIGHT (see page 302)	This is constant CONTROLLER_AXIS_TRIGGERRIGHT.
CONTROLLER_BUTTON_A (see page 302)	This is constant CONTROLLER_BUTTON_A.
CONTROLLER_BUTTON_B (see page 303)	This is constant CONTROLLER_BUTTON_B.
CONTROLLER_BUTTON_BACK (see page 303)	This is constant CONTROLLER_BUTTON_BACK.
CONTROLLER_BUTTON_DPAD_DOWN (see page 303)	This is constant CONTROLLER_BUTTON_DPAD_DOWN.
CONTROLLER_BUTTON_DPAD_LEFT (see page 303)	This is constant CONTROLLER_BUTTON_DPAD_LEFT.
CONTROLLER_BUTTON_DPAD_RIGHT (see page 303)	This is constant CONTROLLER_BUTTON_DPAD_RIGHT.

CONTROLLER_BUTTON_DPAD_UP (see page 304)	This is constant CONTROLLER_BUTTON_DPAD_UP.
CONTROLLER_BUTTON_GUIDE (see page 304)	This is constant CONTROLLER_BUTTON_GUIDE.
CONTROLLER_BUTTON_LEFTSHOULDER (see page 304)	This is constant CONTROLLER_BUTTON_LEFTSHOULDER.
CONTROLLER_BUTTON_LEFTSTICK (see page 304)	This is constant CONTROLLER_BUTTON_LEFTSTICK.
CONTROLLER_BUTTON_MISC1 (see page 305)	This is constant CONTROLLER_BUTTON_MISC1.
CONTROLLER_BUTTON_PADDLE1 (see page 305)	This is constant CONTROLLER_BUTTON_PADDLE1.
CONTROLLER_BUTTON_PADDLE2 (see page 305)	This is constant CONTROLLER_BUTTON_PADDLE2.
CONTROLLER_BUTTON_PADDLE3 (see page 305)	This is constant CONTROLLER_BUTTON_PADDLE3.
CONTROLLER_BUTTON_PADDLE4 (see page 305)	This is constant CONTROLLER_BUTTON_PADDLE4.
CONTROLLER_BUTTON_RIGHTSHOULDER (see page 306)	This is constant CONTROLLER_BUTTON_RIGHTSHOULDER.
CONTROLLER_BUTTON_RIGHTSTICK (see page 306)	This is constant CONTROLLER_BUTTON_RIGHTSTICK.
CONTROLLER_BUTTON_START (see page 306)	This is constant CONTROLLER_BUTTON_START.
CONTROLLER_BUTTON_TOUCHPAD (see page 306)	This is constant CONTROLLER_BUTTON_TOUCHPAD.
CONTROLLER_BUTTON_X (see page 307)	This is constant CONTROLLER_BUTTON_X.
CONTROLLER_BUTTON_Y (see page 307)	This is constant CONTROLLER_BUTTON_Y.
CORAL (see page 307)	This is constant CORAL.
CORNFLOWERBLUE (see page 307)	This is constant CORNFLOWERBLUE.
CORNSILK (see page 307)	This is constant CORNSILK.
CR (see page 308)	This is constant CR.
CRIMSON (see page 308)	This is constant CRIMSON.
CRLF (see page 308)	This is constant CRLF.
CYAN (see page 308)	This is constant CYAN.
DARKBLUE (see page 309)	This is constant DARKBLUE.
DARKCYAN (see page 309)	This is constant DARKCYAN.
DARKGOLDENROD (see page 309)	This is constant DARKGOLDENROD.
DARKGRAY (see page 309)	This is constant DARKGRAY.
DARKGREEN (see page 309)	This is constant DARKGREEN.
DARKGREY (see page 310)	This is constant DARKGREY.
DARKKHAKI (see page 310)	This is constant DARKKHAKI.
DARKMAGENTA (see page 310)	This is constant DARKMAGENTA.
DARKOLIVEGREEN (see page 310)	This is constant DARKOLIVEGREEN.
DARKORANGE (see page 311)	This is constant DARKORANGE.
DARKORCHID (see page 311)	This is constant DARKORCHID.
DARKRED (see page 311)	This is constant DARKRED.
DARKSALMON (see page 311)	This is constant DARKSALMON.
DARKSEAGREEN (see page 311)	This is constant DARKSEAGREEN.
DARKSLATEBLUE (see page 312)	This is constant DARKSLATEBLUE.
DARKSLATEBROWN (see page 312)	This is constant DARKSLATEBROWN.
DARKSLATEGRAY (see page 312)	This is constant DARKSLATEGRAY.

DARKTURQUOISE (see page 312)	This is constant DARKTURQUOISE.
DARKVIOLET (see page 313)	This is constant DARKVIOLET.
DEEPPINK (see page 313)	This is constant DEEPPINK.
DEEPSKYBLUE (see page 313)	This is constant DEEPSKYBLUE.
DEGTORAD (see page 313)	This is constant DEGTORAD.
DIMGRAY (see page 313)	This is constant DIMGRAY.
DIMWHITE (see page 314)	This is constant DIMWHITE.
DODGERBLUE (see page 314)	This is constant DODGERBLUE.
EPSILON (see page 314)	This is constant EPSILON.
FIREBRICK (see page 314)	This is constant FIREBRICK.
FLORALWHITE (see page 315)	This is constant FLORALWHITE.
FORESTGREEN (see page 315)	This is constant FORESTGREEN.
FUCHSIA (see page 315)	This is constant FUCHSIA.
GAINSBORO (see page 315)	This is constant GAINSBORO.
GHOSTWHITE (see page 315)	This is constant GHOSTWHITE.
GOLD (see page 316)	This is constant GOLD.
GOLDENROD (see page 316)	This is constant GOLDENROD.
GRAY (see page 316)	This is constant GRAY.
GREEN (see page 316)	This is constant GREEN.
GREENYELLOW (see page 317)	This is constant GREENYELLOW.
GREY (see page 317)	This is constant GREY.
HONEYDEW (see page 317)	This is constant HONEYDEW.
HOTPINK (see page 317)	This is constant HOTPINK.
INDIANRED (see page 317)	This is constant INDIANRED.
INDIGO (see page 318)	This is constant INDIGO.
INIEXT (see page 318)	This is constant INIEXT.
IVORY (see page 318)	This is constant IVORY.
KEY_0 (see page 318)	This is constant KEY_0.
KEY_1 (see page 319)	This is constant KEY_1.
KEY_2 (see page 319)	This is constant KEY_2.
KEY_3 (see page 319)	This is constant KEY_3.
KEY_4 (see page 319)	This is constant KEY_4.
KEY_5 (see page 319)	This is constant KEY_5.
KEY_6 (see page 320)	This is constant KEY_6.
KEY_7 (see page 320)	This is constant KEY_7.
KEY_8 (see page 320)	This is constant KEY_8.
KEY_9 (see page 320)	This is constant KEY_9.
KEY_A (see page 321)	This is constant KEY_A.
KEY_AC_BACK (see page 321)	This is constant KEY_AC_BACK.
KEY_AC_BOOKMARKS (see page 321)	This is constant KEY_AC_BOOKMARKS.
KEY_AC_FORWARD (see page 321)	This is constant KEY_AC_FORWARD.
KEY_AC_HOME (see page 321)	This is constant KEY_AC_HOME.
KEY_AC_REFRESH (see page 322)	This is constant KEY_AC_REFRESH.
KEY_AC_SEARCH (see page 322)	This is constant KEY_AC_SEARCH.
KEY_AC_STOP (see page 322)	This is constant KEY_AC_STOP.
KEY_AGAIN (see page 322)	This is constant KEY_AGAIN.
KEY_ALTERASE (see page 323)	This is constant KEY_ALTERASE.
KEY_APOSTROPHE (see page 323)	This is constant KEY_APOSTROPHE.
KEY_APP1 (see page 323)	This is constant KEY_APP1.

KEY_APP2 (see page 323)	This is constant KEY_APP2.
KEY_APPLICATION (see page 323)	This is constant KEY_APPLICATION.
KEY_AUDIOFASTFORWARD (see page 324)	This is constant KEY_AUDIOFASTFORWARD.
KEY_AUDIOMUTE (see page 324)	This is constant KEY_AUDIOMUTE.
KEY_AUDIONEXT (see page 324)	This is constant KEY_AUDIONEXT.
KEY_AUDIOPLAY (see page 324)	This is constant KEY_AUDIOPLAY.
KEY_AUDIOPREV (see page 325)	This is constant KEY_AUDIOPREV.
KEY_AUDIOREWIND (see page 325)	This is constant KEY_AUDIOREWIND.
KEY_AUDIOSTOP (see page 325)	This is constant KEY_AUDIOSTOP.
KEY_B (see page 325)	This is constant KEY_B.
KEY_BACKSLASH (see page 325)	This is constant KEY_BACKSLASH.
KEY_BACKSPACE (see page 326)	This is constant KEY_BACKSPACE.
KEY_BRIGHTNESSDOWN (see page 326)	This is constant KEY_BRIGHTNESSDOWN.
KEY_BRIGHTNESSUP (see page 326)	This is constant KEY_BRIGHTNESSUP.
KEY_C (see page 326)	This is constant KEY_C.
KEY_CALCULATOR (see page 327)	This is constant KEY_CALCULATOR.
KEY_CALL (see page 327)	This is constant KEY_CALL.
KEY_CANCEL (see page 327)	This is constant KEY_CANCEL.
KEY_CAPSLOCK (see page 327)	This is constant KEY_CAPSLOCK.
KEY_CLEAR (see page 327)	This is constant KEY_CLEAR.
KEY_CLEARAGAIN (see page 328)	This is constant KEY_CLEARAGAIN.
KEY_COMMA (see page 328)	This is constant KEY_COMMA.
KEY_COMPUTER (see page 328)	This is constant KEY_COMPUTER.
KEY_COPY (see page 328)	This is constant KEY_COPY.
KEY_CRSEL (see page 329)	This is constant KEY_CRSEL.
KEY_CURRENCYSUBUNIT (see page 329)	This is constant KEY_CURRENCYSUBUNIT.
KEY_CURRENCYUNIT (see page 329)	This is constant KEY_CURRENCYUNIT.
KEY_CUT (see page 329)	This is constant KEY_CUT.
KEY_D (see page 329)	This is constant KEY_D.
KEY_DECIMALSEPARATOR (see page 330)	This is constant KEY_DECIMALSEPARATOR.
KEY_DELETE (see page 330)	This is constant KEY_DELETE.
KEY_DISPLAYSWITCH (see page 330)	This is constant KEY_DISPLAYSWITCH.
KEY_DOWN (see page 330)	This is constant KEY_DOWN.
KEY_E (see page 331)	This is constant KEY_E.
KEY_EJECT (see page 331)	This is constant KEY_EJECT.
KEY_END (see page 331)	This is constant KEY_END.
KEY_ENDCALL (see page 331)	This is constant KEY_ENDCALL.
KEY_EQUALS (see page 331)	This is constant KEY_EQUALS.
KEY_ESCAPE (see page 332)	This is constant KEY_ESCAPE.
KEY_EXECUTE (see page 332)	This is constant KEY_EXECUTE.
KEY_F (see page 332)	This is constant KEY_F.
KEY_F1 (see page 332)	This is constant KEY_F1.
KEY_F10 (see page 333)	This is constant KEY_F10.
KEY_F11 (see page 333)	This is constant KEY_F11.
KEY_F12 (see page 333)	This is constant KEY_F12.
KEY_F13 (see page 333)	This is constant KEY_F13.
KEY_F14 (see page 333)	This is constant KEY_F14.
KEY_F15 (see page 334)	This is constant KEY_F15.
KEY_F16 (see page 334)	This is constant KEY_F16.

KEY_F17 (see page 334)	This is constant KEY_F17.
KEY_F18 (see page 334)	This is constant KEY_F18.
KEY_F19 (see page 335)	This is constant KEY_F19.
KEY_F2 (see page 335)	This is constant KEY_F2.
KEY_F20 (see page 335)	This is constant KEY_F20.
KEY_F21 (see page 335)	This is constant KEY_F21.
KEY_F22 (see page 335)	This is constant KEY_F22.
KEY_F23 (see page 336)	This is constant KEY_F23.
KEY_F24 (see page 336)	This is constant KEY_F24.
KEY_F3 (see page 336)	This is constant KEY_F3.
KEY_F4 (see page 336)	This is constant KEY_F4.
KEY_F5 (see page 337)	This is constant KEY_F5.
KEY_F6 (see page 337)	This is constant KEY_F6.
KEY_F7 (see page 337)	This is constant KEY_F7.
KEY_F8 (see page 337)	This is constant KEY_F8.
KEY_F9 (see page 337)	This is constant KEY_F9.
KEY_FIND (see page 338)	This is constant KEY_FIND.
KEY_G (see page 338)	This is constant KEY_G.
KEY_GRAVE (see page 338)	This is constant KEY_GRAVE.
KEY_H (see page 338)	This is constant KEY_H.
KEY_HELP (see page 339)	This is constant KEY_HELP.
KEY_HOME (see page 339)	This is constant KEY_HOME.
KEY_I (see page 339)	This is constant KEY_I.
KEY_INSERT (see page 339)	This is constant KEY_INSERT.
KEY_INTERNATIONAL1 (see page 339)	This is constant KEY_INTERNATIONAL1.
KEY_INTERNATIONAL2 (see page 340)	This is constant KEY_INTERNATIONAL2.
KEY_INTERNATIONAL3 (see page 340)	This is constant KEY_INTERNATIONAL3.
KEY_INTERNATIONAL4 (see page 340)	This is constant KEY_INTERNATIONAL4.
KEY_INTERNATIONAL5 (see page 340)	This is constant KEY_INTERNATIONAL5.
KEY_INTERNATIONAL6 (see page 341)	This is constant KEY_INTERNATIONAL6.
KEY_INTERNATIONAL7 (see page 341)	This is constant KEY_INTERNATIONAL7.
KEY_INTERNATIONAL8 (see page 341)	This is constant KEY_INTERNATIONAL8.
KEY_INTERNATIONAL9 (see page 341)	This is constant KEY_INTERNATIONAL9.
KEY_J (see page 341)	This is constant KEY_J.
KEY_K (see page 342)	This is constant KEY_K.
KEY_KBDILLUMDOWN (see page 342)	This is constant KEY_KBDILLUMDOWN.
KEY_KBDILLUMTOGGLE (see page 342)	This is constant KEY_KBDILLUMTOGGLE.
KEY_KBDILLUMUP (see page 342)	This is constant KEY_KBDILLUMUP.
KEY_KP_0 (see page 343)	This is constant KEY_KP_0.
KEY_KP_00 (see page 343)	This is constant KEY_KP_00.
KEY_KP_000 (see page 343)	This is constant KEY_KP_000.
KEY_KP_1 (see page 343)	This is constant KEY_KP_1.
KEY_KP_2 (see page 343)	This is constant KEY_KP_2.
KEY_KP_3 (see page 344)	This is constant KEY_KP_3.
KEY_KP_4 (see page 344)	This is constant KEY_KP_4.
KEY_KP_5 (see page 344)	This is constant KEY_KP_5.
KEY_KP_6 (see page 344)	This is constant KEY_KP_6.
KEY_KP_7 (see page 345)	This is constant KEY_KP_7.
KEY_KP_8 (see page 345)	This is constant KEY_KP_8.

KEY_KP_9 (see page 345)	This is constant KEY_KP_9.
KEY_KP_A (see page 345)	This is constant KEY_KP_A.
KEY_KP_AMPERSAND (see page 345)	This is constant KEY_KP_AMPERSAND.
KEY_KP_AT (see page 346)	This is constant KEY_KP_AT.
KEY_KP_B (see page 346)	This is constant KEY_KP_B.
KEY_KP_BACKSPACE (see page 346)	This is constant KEY_KP_BACKSPACE.
KEY_KP_BINARY (see page 346)	This is constant KEY_KP_BINARY.
KEY_KP_C (see page 347)	This is constant KEY_KP_C.
KEY_KP_CLEAR (see page 347)	This is constant KEY_KP_CLEAR.
KEY_KP_CLEARENTRY (see page 347)	This is constant KEY_KP_CLEARENTRY.
KEY_KP_COLON (see page 347)	This is constant KEY_KP_COLON.
KEY_KP_COMMA (see page 347)	This is constant KEY_KP_COMMA.
KEY_KP_D (see page 348)	This is constant KEY_KP_D.
KEY_KP_DBLAMPERSAND (see page 348)	This is constant KEY_KP_DBLAMPERSAND.
KEY_KP_DBLVERTICALBAR (see page 348)	This is constant KEY_KP_DBLVERTICALBAR.
KEY_KP_DECIMAL (see page 348)	This is constant KEY_KP_DECIMAL.
KEY_KP_DIVIDE (see page 349)	This is constant KEY_KP_DIVIDE.
KEY_KP_E (see page 349)	This is constant KEY_KP_E.
KEY_KP_ENTER (see page 349)	This is constant KEY_KP_ENTER.
KEY_KP_EQUALS (see page 349)	This is constant KEY_KP_EQUALS.
KEY_KP_EQUALSAS400 (see page 349)	This is constant KEY_KP_EQUALSAS400.
KEY_KP_EXCLAM (see page 350)	This is constant KEY_KP_EXCLAM.
KEY_KP_F (see page 350)	This is constant KEY_KP_F.
KEY_KP_GREATER (see page 350)	This is constant KEY_KP_GREATER.
KEY_KP_HASH (see page 350)	This is constant KEY_KP_HASH.
KEY_KP_HEXADecimal (see page 351)	This is constant KEY_KP_HEXADecimal.
KEY_KP_LEFTBRACE (see page 351)	This is constant KEY_KP_LEFTBRACE.
KEY_KP_LEFTPAREN (see page 351)	This is constant KEY_KP_LEFTPAREN.
KEY_KP_LESS (see page 351)	This is constant KEY_KP_LESS.
KEY_KP_MEMADD (see page 351)	This is constant KEY_KP_MEMADD.
KEY_KP_MEMCLEAR (see page 352)	This is constant KEY_KP_MEMCLEAR.
KEY_KP_MEMDIVIDE (see page 352)	This is constant KEY_KP_MEMDIVIDE.
KEY_KP_MEMMULTIPLY (see page 352)	This is constant KEY_KP_MEMMULTIPLY.
KEY_KP_MEMRECALL (see page 352)	This is constant KEY_KP_MEMRECALL.
KEY_KP_MEMSTORE (see page 353)	This is constant KEY_KP_MEMSTORE.
KEY_KP_MEMSUBTRACT (see page 353)	This is constant KEY_KP_MEMSUBTRACT.
KEY_KP_MINUS (see page 353)	This is constant KEY_KP_MINUS.
KEY_KP_MULTIPLY (see page 353)	This is constant KEY_KP_MULTIPLY.
KEY_KP_OCTAL (see page 353)	This is constant KEY_KP_OCTAL.
KEY_KP_PERCENT (see page 354)	This is constant KEY_KP_PERCENT.
KEY_KP_PERIOD (see page 354)	This is constant KEY_KP_PERIOD.
KEY_KP_PLUS (see page 354)	This is constant KEY_KP_PLUS.
KEY_KP_PLUSMINUS (see page 354)	This is constant KEY_KP_PLUSMINUS.
KEY_KP_POWER (see page 355)	This is constant KEY_KP_POWER.
KEY_KP_RIGHTBRACE (see page 355)	This is constant KEY_KP_RIGHTBRACE.
KEY_KP_RIGHTPAREN (see page 355)	This is constant KEY_KP_RIGHTPAREN.
KEY_KP_SPACE (see page 355)	This is constant KEY_KP_SPACE.
KEY_KP_TAB (see page 355)	This is constant KEY_KP_TAB.
KEY_KP_VERTICALBAR (see page 356)	This is constant KEY_KP_VERTICALBAR.

KEY_KP_XOR (see page 356)	This is constant KEY_KP_XOR.
KEY_L (see page 356)	This is constant KEY_L.
KEY_LALT (see page 356)	This is constant KEY_LALT.
KEY_LANG1 (see page 357)	This is constant KEY_LANG1.
KEY_LANG2 (see page 357)	This is constant KEY_LANG2.
KEY_LANG3 (see page 357)	This is constant KEY_LANG3.
KEY_LANG4 (see page 357)	This is constant KEY_LANG4.
KEY_LANG5 (see page 357)	This is constant KEY_LANG5.
KEY_LANG6 (see page 358)	This is constant KEY_LANG6.
KEY_LANG7 (see page 358)	This is constant KEY_LANG7.
KEY_LANG8 (see page 358)	This is constant KEY_LANG8.
KEY_LANG9 (see page 358)	This is constant KEY_LANG9.
KEY_LCTRL (see page 359)	This is constant KEY_LCTRL.
KEY_LEFT (see page 359)	This is constant KEY_LEFT.
KEY_LEFTBRACKET (see page 359)	This is constant KEY_LEFTBRACKET.
KEY_LGUI (see page 359)	This is constant KEY_LGUI.
KEY_LSHIFT (see page 359)	This is constant KEY_LSHIFT.
KEY_M (see page 360)	This is constant KEY_M.
KEY_MAIL (see page 360)	This is constant KEY_MAIL.
KEY_MEDIASELECT (see page 360)	This is constant KEY_MEDIASELECT.
KEY_MENU (see page 360)	This is constant KEY_MENU.
KEY_MINUS (see page 361)	This is constant KEY_MINUS.
KEY_MODE (see page 361)	This is constant KEY_MODE.
KEY_MUTE (see page 361)	This is constant KEY_MUTE.
KEY_N (see page 361)	This is constant KEY_N.
KEY_NONUSBACKSLASH (see page 361)	This is constant KEY_NONUSBACKSLASH.
KEY_NONUSHASH (see page 362)	This is constant KEY_NONUSHASH.
KEY_NUMLOCKCLEAR (see page 362)	This is constant KEY_NUMLOCKCLEAR.
KEY_O (see page 362)	This is constant KEY_O.
KEY_OPER (see page 362)	This is constant KEY_OPER.
KEY_OUT (see page 363)	This is constant KEY_OUT.
KEY_P (see page 363)	This is constant KEY_P.
KEY_PAGEDOWN (see page 363)	This is constant KEY_PAGEDOWN.
KEY_PAGEUP (see page 363)	This is constant KEY_PAGEUP.
KEY_PASTE (see page 363)	This is constant KEY_PASTE.
KEY_PAUSE (see page 364)	This is constant KEY_PAUSE.
KEY_PERIOD (see page 364)	This is constant KEY_PERIOD.
KEY_POWER (see page 364)	This is constant KEY_POWER.
KEY_PRINTSCREEN (see page 364)	This is constant KEY_PRINTSCREEN.
KEY_PRIOR (see page 365)	This is constant KEY_PRIOR.
KEY_Q (see page 365)	This is constant KEY_Q.
KEY_R (see page 365)	This is constant KEY_R.
KEY_RALT (see page 365)	This is constant KEY_RALT.
KEY_RCTRL (see page 365)	This is constant KEY_RCTRL.
KEY_RETURN (see page 366)	This is constant KEY_RETURN.
KEY_RETURN2 (see page 366)	This is constant KEY_RETURN2.
KEY_RGUI (see page 366)	This is constant KEY_RGUI.
KEY_RIGHT (see page 366)	This is constant KEY_RIGHT.
KEY_RIGHTBRACKET (see page 367)	This is constant KEY_RIGHTBRACKET.

KEY_RSHIFT (see page 367)	This is constant KEY_RSHIFT.
KEY_S (see page 367)	This is constant KEY_S.
KEY_SCROLLLOCK (see page 367)	This is constant KEY_SCROLLLOCK.
KEY_SELECT (see page 367)	This is constant KEY_SELECT.
KEY_SEMICOLON (see page 368)	This is constant KEY_SEMICOLON.
KEY_SEPARATOR (see page 368)	This is constant KEY_SEPARATOR.
KEY_SLASH (see page 368)	This is constant KEY_SLASH.
KEY_SLEEP (see page 368)	This is constant KEY_SLEEP.
KEY_SOFTLEFT (see page 369)	This is constant KEY_SOFTLEFT.
KEY_SOFTRIGHT (see page 369)	This is constant KEY_SOFTRIGHT.
KEY_SPACE (see page 369)	This is constant KEY_SPACE.
KEY_STOP (see page 369)	This is constant KEY_STOP.
KEY_SYSREQ (see page 369)	This is constant KEY_SYSREQ.
KEY_T (see page 370)	This is constant KEY_T.
KEY_TAB (see page 370)	This is constant KEY_TAB.
KEY_THOUSANDSSEPARATOR (see page 370)	This is constant KEY_THOUSANDSSEPARATOR.
KEY_U (see page 370)	This is constant KEY_U.
KEY_UNDO (see page 371)	This is constant KEY_UNDO.
KEY_UP (see page 371)	This is constant KEY_UP.
KEY_V (see page 371)	This is constant KEY_V.
KEY_VOLUMEDOWN (see page 371)	This is constant KEY_VOLUMEDOWN.
KEY_VOLUMEUP (see page 371)	This is constant KEY_VOLUMEUP.
KEY_W (see page 372)	This is constant KEY_W.
KEY_WWW (see page 372)	This is constant KEY_WWW.
KEY_X (see page 372)	This is constant KEY_X.
KEY_Y (see page 372)	This is constant KEY_Y.
KEY_Z (see page 373)	This is constant KEY_Z.
KHAKI (see page 373)	This is constant KHAKI.
LAVENDER (see page 373)	This is constant LAVENDER.
LAVENDERBLUSH (see page 373)	This is constant LAVENDERBLUSH.
LAWNGREEN (see page 373)	This is constant LAWNGREEN.
LEMONCHIFFON (see page 374)	This is constant LEMONCHIFFON.
LF (see page 374)	This is constant LF.
LIGHTBLUE (see page 374)	This is constant LIGHTBLUE.
LIGHTCORAL (see page 374)	This is constant LIGHTCORAL.
LIGHTCYAN (see page 375)	This is constant LIGHTCYAN.
LIGHTGOLDENRODYELLOW (see page 375)	This is constant LIGHTGOLDENRODYELLOW.
LIGHTGRAY (see page 375)	This is constant LIGHTGRAY.
LIGHTGREEN (see page 375)	This is constant LIGHTGREEN.
LIGHTGREY (see page 375)	This is constant LIGHTGREY.
LIGHTPINK (see page 376)	This is constant LIGHTPINK.
LIGHTSALMON (see page 376)	This is constant LIGHTSALMON.
LIGHTSEAGREEN (see page 376)	This is constant LIGHTSEAGREEN.
LIGHTSKYBLUE (see page 376)	This is constant LIGHTSKYBLUE.
LIGHTSLATEGRAY (see page 377)	This is constant LIGHTSLATEGRAY.
LIGHTSLATEGREY (see page 377)	This is constant LIGHTSLATEGREY.
LIGHTSTEELBLUE (see page 377)	This is constant LIGHTSTEELBLUE.
LIGHTYELLOW (see page 377)	This is constant LIGHTYELLOW.

LIME (see page 377)	This is constant LIME.
LIMEGREEN (see page 378)	This is constant LIMEGREEN.
LINEN (see page 378)	This is constant LINEN.
LOGEXT (see page 378)	This is constant LOGEXT.
LUACEXT (see page 378)	This is constant LUACEXT.
LUAEXT (see page 379)	This is constant LUAEXT.
LuSCANCODE_EXSEL (see page 379)	This is constant LuSCANCODE_EXSEL.
MAGENTA (see page 379)	This is constant MAGENTA.
MAROON (see page 379)	This is constant MAROON.
MEDIUMAQUAMARINE (see page 379)	This is constant MEDIUMAQUAMARINE.
MEDIUMBLUE (see page 380)	This is constant MEDIUMBLUE.
MEDIUMORCHID (see page 380)	This is constant MEDIUMORCHID.
MEDIUMPURPLE (see page 380)	This is constant MEDIUMPURPLE.
MEDIUMSEAGREEN (see page 380)	This is constant MEDIUMSEAGREEN.
MEDIUMSLATEBLUE (see page 381)	This is constant MEDIUMSLATEBLUE.
MEDIUMSPRINGGREEN (see page 381)	This is constant MEDIUMSPRINGGREEN.
MEDIUMTURQUOISE (see page 381)	This is constant MEDIUMTURQUOISE.
MEDIUMVIOLETRED (see page 381)	This is constant MEDIUMVIOLETRED.
MIDNIGHTBLUE (see page 381)	This is constant MIDNIGHTBLUE.
MINTCREAM (see page 382)	This is constant MINTCREAM.
MISTYROSE (see page 382)	This is constant MISTYROSE.
MOCCASIN (see page 382)	This is constant MOCCASIN.
MPGEXT (see page 382)	This is constant MPGEXT.
NAN (see page 383)	This is constant NAN.
NAVAJOWHITE (see page 383)	This is constant NAVAJOWHITE.
NAVY (see page 383)	This is constant NAVY.
OGGEXT (see page 383)	This is constant OGGEXT.
OLDLACE (see page 383)	This is constant OLDLACE.
OLIVE (see page 384)	This is constant OLIVE.
OLIVEDRAB (see page 384)	This is constant OLIVEDRAB.
ORANGE (see page 384)	This is constant ORANGE.
ORANGERED (see page 384)	This is constant ORANGERED.
ORCHID (see page 385)	This is constant ORCHID.
OVERLAY1 (see page 385)	This is constant OVERLAY1.
OVERLAY2 (see page 385)	This is constant OVERLAY2.
PALEGOLDENROD (see page 385)	This is constant PALEGOLDENROD.
PALEGREEN (see page 385)	This is constant PALEGREEN.
PALETURQUOISE (see page 386)	This is constant PALETURQUOISE.
PALEVIOLETRED (see page 386)	This is constant PALEVIOLETRED.
PAPAYAWHIP (see page 386)	This is constant PAPAYAWHIP.
PEACHPUFF (see page 386)	This is constant PEACHPUFF.
PERU (see page 387)	This is constant PERU.
PINK (see page 387)	This is constant PINK.
PLUM (see page 387)	This is constant PLUM.
PNGEXT (see page 387)	This is constant PNGEXT.
POWDERBLUE (see page 387)	This is constant POWDERBLUE.
PURPLE (see page 388)	This is constant PURPLE.
RADTODEG (see page 388)	This is constant RADTODEG.
REBECCAPURPLE (see page 388)	This is constant REBECCAPURPLE.

RED (see page 388)	This is constant RED.
RED2 (see page 389)	This is constant RED2.
ROSYBROWN (see page 389)	This is constant ROSYBROWN.
ROYALBLUE (see page 389)	This is constant ROYALBLUE.
SADDLEBROWN (see page 389)	This is constant SADDLEBROWN.
SALMON (see page 389)	This is constant SALMON.
SANDYBROWN (see page 390)	This is constant SANDYBROWN.
SEAGREEN (see page 390)	This is constant SEAGREEN.
SEASHELL (see page 390)	This is constant SEASHELL.
SIENNA (see page 390)	This is constant SIENNA.
SILVER (see page 391)	This is constant SILVER.
SKYBLUE (see page 391)	This is constant SKYBLUE.
SLATEBLUE (see page 391)	This is constant SLATEBLUE.
SLATEGRAY (see page 391)	This is constant SLATEGRAY.
SLATEGREY (see page 391)	This is constant SLATEGREY.
SNOW (see page 392)	This is constant SNOW.
SPRINGGREEN (see page 392)	This is constant SPRINGGREEN.
STEELBLUE (see page 392)	This is constant STEELBLUE.
TAN (see page 392)	This is constant TAN.
TEAL (see page 393)	This is constant TEAL.
THISTLE (see page 393)	This is constant THISTLE.
TIMER_FIXEDUPDATE_SPEED (see page 393)	This is constant TIMER_FIXEDUPDATE_SPEED.
TIMER_UPDATE_SPEED (see page 393)	This is constant TIMER_UPDATE_SPEED.
TOMATO (see page 393)	This is constant TOMATO.
TURQUOISE (see page 394)	This is constant TURQUOISE.
VERSION_MAJOR (see page 394)	This is constant VERSION_MAJOR.
VERSION_MINOR (see page 394)	This is constant VERSION_MINOR.
VERSION_PATCH (see page 394)	This is constant VERSION_PATCH.
VIDEO_SAMPLEBUFFERSIZE (see page 395)	This is constant VIDEO_SAMPLEBUFFERSIZE.
VIOLET (see page 395)	This is constant VIOLET.
WHEAT (see page 395)	This is constant WHEAT.
WHITE (see page 395)	This is constant WHITE.
WHITE2 (see page 395)	This is constant WHITE2.
WHITESMOKE (see page 396)	This is constant WHITESMOKE.
WINDOW_HEIGHT (see page 396)	This is constant WINDOW_HEIGHT.
WINDOW_WIDTH (see page 396)	This is constant WINDOW_WIDTH.
YELLOW (see page 396)	This is constant YELLOW.
YELLOWGREEN (see page 397)	This is constant YELLOWGREEN.

1.7.1 ALICEBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
ALICEBLUE: TColor = (Red:$F0; Green:$F8; BBlue:$FF; Alpha:$FF);
```

Description

This is constant ALICEBLUE.

1.7.2 ANTIQUEWHITE

File: DelphiGamekit.pas (see page 397)

Delphi

```
ANTIQUWHITE: TColor = (Red:$FA; Green:$EB; BLue:$D7; Alpha:$FF);
```

Description

This is constant ANTIQUEWHITE.

1.7.3 AQUA

File: DelphiGamekit.pas (see page 397)

Delphi

```
AQUA: TColor = (Red:$00; Green:$FF; BLue:$FF; Alpha:$FF);
```

Description

This is constant AQUA.

1.7.4 AQUAMARINE

File: DelphiGamekit.pas (see page 397)

Delphi

```
AQUAMARINE: TColor = (Red:$7F; Green:$FF; BLue:$D4; Alpha:$FF);
```

Description

This is constant AQUAMARINE.

1.7.5 ARCEXT

File: DelphiGamekit.pas (see page 397)

Delphi

```
ARCEXT = 'arc';
```

Description

This is constant ARCEXT.

1.7.6 AUDIO_CHANNEL_DYNAMIC

File: DelphiGamekit.pas (see page 397)

Delphi

```
AUDIO_CHANNEL_DYNAMIC = -1;
```

Description

This is constant AUDIO_CHANNEL_DYNAMIC.

1.7.7 AUDIO_CHANNEL_FADINGIN

File: DelphiGamekit.pas (see page 397)

Delphi

```
AUDIO_CHANNEL_FADINGIN = 2;
```

Description

This is constant AUDIO_CHANNEL_FADINGIN.

1.7.8 AUDIO_CHANNEL_FADINGOUT

File: DelphiGamekit.pas (see page 397)

Delphi

```
AUDIO_CHANNEL_FADINGOUT = 1;
```

Description

This is constant AUDIO_CHANNEL_FADINGOUT.

1.7.9 AUDIO_CHANNEL_LOOP

File: DelphiGamekit.pas (see page 397)

Delphi

```
AUDIO_CHANNEL_LOOP = -1;
```

Description

This is constant AUDIO_CHANNEL_LOOP.

1.7.10 AUDIO_CHANNEL_MAX

File: DelphiGamekit.pas (see page 397)

Delphi

```
AUDIO_CHANNEL_MAX = 16;
```

Description

This is constant AUDIO_CHANNEL_MAX.

1.7.11 AUDIO_CHANNEL_NOFADING

File: DelphiGamekit.pas (see page 397)

Delphi

```
AUDIO_CHANNEL_NOFADING = 0;
```

Description

This is constant AUDIO_CHANNEL_NOFADING.

1.7.12 AZURE

File: DelphiGamekit.pas (see page 397)

Delphi

```
AZURE: TColor = (Red:$F0; Green:$FF; BBlue:$FF; Alpha:$FF);
```

Description

This is constant AZURE.

1.7.13 BEIGE

File: DelphiGamekit.pas (see page 397)

Delphi

```
BEIGE: TColor = (Red:$F5; Green:$F5; BBlue:$DC; Alpha:$FF);
```

Description

This is constant BEIGE.

1.7.14 BISQUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
BISQUE: TColor = (Red:$FF; Green:$E4; BBlue:$C4; Alpha:$FF);
```

Description

This is constant BISQUE.

1.7.15 BLACK

File: DelphiGamekit.pas (see page 397)

Delphi

```
BLACK: TColor = (Red:$00; Green:$00; BLue:$00; Alpha:$FF);
```

Description

This is constant BLACK.

1.7.16 BLANCHEDALMOND

File: DelphiGamekit.pas (see page 397)

Delphi

```
BLANCHEDALMOND: TColor = (Red:$FF; Green:$EB; BLue:$CD; Alpha:$FF);
```

Description

This is constant BLANCHEDALMOND.

1.7.17 BLANK

File: DelphiGamekit.pas (see page 397)

Delphi

```
BLANK: TColor = (Red:$00; Green:$00; BLue:$00; Alpha:$00);
```

Description

This is constant BLANK.

1.7.18 BLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
BLUE: TColor = (Red:$00; Green:$00; BLue:$FF; Alpha:$FF);
```

Description

This is constant BLUE.

1.7.19 BLUEVIOLET

File: DelphiGamekit.pas (see page 397)

Delphi

```
BLUEVIOLET: TColor = (Red:$8A; Green:$2B; BLue:$E2; Alpha:$FF);
```

Description

This is constant BLUEVIOLET.

1.7.20 BROWN

File: DelphiGamekit.pas (see page 397)

Delphi

```
BROWN: TColor = (Red:$A5; Green:$2A; BBlue:$2A; Alpha:$FF);
```

Description

This is constant BROWN.

1.7.21 BURLYWOOD

File: DelphiGamekit.pas (see page 397)

Delphi

```
BURLYWOOD: TColor = (Red:$DE; Green:$B8; BBlue:$87; Alpha:$FF);
```

Description

This is constant BURLYWOOD.

1.7.22 BUTTON_LEFT

File: DelphiGamekit.pas (see page 397)

Delphi

```
BUTTON_LEFT = 1;
```

Description

This is constant BUTTON_LEFT.

1.7.23 BUTTON_MIDDLE

File: DelphiGamekit.pas (see page 397)

Delphi

```
BUTTON_MIDDLE = 2;
```

Description

This is constant BUTTON_MIDDLE.

1.7.24 BUTTON_RIGHT

File: DelphiGamekit.pas (see page 397)

Delphi

```
BUTTON_RIGHT = 3;
```

Description

This is constant BUTTON_RIGHT.

1.7.25 BUTTON_X1

File: DelphiGamekit.pas (see page 397)

Delphi

```
BUTTON_X1 = 4;
```

Description

This is constant BUTTON_X1.

1.7.26 BUTTON_X2

File: DelphiGamekit.pas (see page 397)

Delphi

```
BUTTON_X2 = 5;
```

Description

This is constant BUTTON_X2.

1.7.27 CADETBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
CADETBLUE: TColor = (Red:$5F; Green:$9E; BBlue:$A0; Alpha:$FF);
```

Description

This is constant CADETBLUE.

1.7.28 CHARTREUSE

File: DelphiGamekit.pas (see page 397)

Delphi

```
CHARTREUSE: TColor = (Red:$7F; Green:$FF; BBlue:$00; Alpha:$FF);
```

Description

This is constant CHARTREUSE.

1.7.29 CHOCOLATE

File: DelphiGamekit.pas (see page 397)

Delphi

```
CHOCOLATE: TColor = (Red:$D2; Green:$69; BBlue:$1E; Alpha:$FF);
```

Description

This is constant CHOCOLATE.

1.7.30 COLORKEY

File: DelphiGamekit.pas (see page 397)

Delphi

```
COLORKEY: TColor = (Red:$FF; Green:$00; BBlue:$FF; Alpha:$FF);
```

Description

This is constant COLORKEY.

1.7.31 CONTROLLER_AXIS_LEFTX

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_AXIS_LEFTX = 0;
```

Description

This is constant CONTROLLER_AXIS_LEFTX.

1.7.32 CONTROLLER_AXIS_LEFTY

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_AXIS_LEFTY = 1;
```

Description

This is constant CONTROLLER_AXIS_LEFTY.

1.7.33 CONTROLLER_AXIS_RIGHTX

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_AXIS_RIGHTX = 2;
```

Description

This is constant CONTROLLER_AXIS_RIGHTX.

1.7.34 CONTROLLER_AXIS_RIGHTY

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_AXIS_RIGHTY = 3;
```

Description

This is constant CONTROLLER_AXIS_RIGHTY.

1.7.35 CONTROLLER_AXIS_TRIGGERLEFT

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_AXIS_TRIGGERLEFT = 4;
```

Description

This is constant CONTROLLER_AXIS_TRIGGERLEFT.

1.7.36 CONTROLLER_AXIS_TRIGGERRIGHT

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_AXIS_TRIGGERRIGHT = 5;
```

Description

This is constant CONTROLLER_AXIS_TRIGGERRIGHT.

1.7.37 CONTROLLER_BUTTON_A

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_A = 0;
```

Description

This is constant CONTROLLER_BUTTON_A.

1.7.38 CONTROLLER_BUTTON_B

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_B = 1;
```

Description

This is constant CONTROLLER_BUTTON_B.

1.7.39 CONTROLLER_BUTTON_BACK

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_BACK = 4;
```

Description

This is constant CONTROLLER_BUTTON_BACK.

1.7.40 CONTROLLER_BUTTON_DPAD_DOWN

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_DPAD_DOWN = 12;
```

Description

This is constant CONTROLLER_BUTTON_DPAD_DOWN.

1.7.41 CONTROLLER_BUTTON_DPAD_LEFT

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_DPAD_LEFT = 13;
```

Description

This is constant CONTROLLER_BUTTON_DPAD_LEFT.

1.7.42 CONTROLLER_BUTTON_DPAD_RIGHT

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_DPAD_RIGHT = 14;
```

Description

This is constant CONTROLLER_BUTTON_DPAD_RIGHT.

1.7.43 CONTROLLER_BUTTON_DPAD_UP

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_DPAD_UP = 11;
```

Description

This is constant CONTROLLER_BUTTON_DPAD_UP.

1.7.44 CONTROLLER_BUTTON_GUIDE

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_GUIDE = 5;
```

Description

This is constant CONTROLLER_BUTTON_GUIDE.

1.7.45 CONTROLLER_BUTTON_LEFTSHOULDER

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_LEFTSHOULDER = 9;
```

Description

This is constant CONTROLLER_BUTTON_LEFTSHOULDER.

1.7.46 CONTROLLER_BUTTON_LEFTSTICK

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_LEFTSTICK = 7;
```

Description

This is constant CONTROLLER_BUTTON_LEFTSTICK.

1.7.47 CONTROLLER_BUTTON_MISC1

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_MISC1 = 15;
```

Description

This is constant CONTROLLER_BUTTON_MISC1.

1.7.48 CONTROLLER_BUTTON_PADDLE1

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_PADDLE1 = 16;
```

Description

This is constant CONTROLLER_BUTTON_PADDLE1.

1.7.49 CONTROLLER_BUTTON_PADDLE2

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_PADDLE2 = 17;
```

Description

This is constant CONTROLLER_BUTTON_PADDLE2.

1.7.50 CONTROLLER_BUTTON_PADDLE3

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_PADDLE3 = 18;
```

Description

This is constant CONTROLLER_BUTTON_PADDLE3.

1.7.51 CONTROLLER_BUTTON_PADDLE4

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_PADDLE4 = 19;
```

Description

This is constant CONTROLLER_BUTTON_PADDLE4.

1.7.52 CONTROLLER_BUTTON_RIGHTSHOULDER

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_RIGHTSHOULDER = 10;
```

Description

This is constant CONTROLLER_BUTTON_RIGHTSHOULDER.

1.7.53 CONTROLLER_BUTTON_RIGHTSTICK

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_RIGHTSTICK = 8;
```

Description

This is constant CONTROLLER_BUTTON_RIGHTSTICK.

1.7.54 CONTROLLER_BUTTON_START

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_START = 6;
```

Description

This is constant CONTROLLER_BUTTON_START.

1.7.55 CONTROLLER_BUTTON_TOUCHPAD

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_TOUCHPAD = 20;
```

Description

This is constant CONTROLLER_BUTTON_TOUCHPAD.

1.7.56 CONTROLLER_BUTTON_X

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_X = 2;
```

Description

This is constant CONTROLLER_BUTTON_X.

1.7.57 CONTROLLER_BUTTON_Y

File: DelphiGamekit.pas (see page 397)

Delphi

```
CONTROLLER_BUTTON_Y = 3;
```

Description

This is constant CONTROLLER_BUTTON_Y.

1.7.58 CORAL

File: DelphiGamekit.pas (see page 397)

Delphi

```
CORAL: TColor = (Red:$FF; Green:$7F; BBlue:$50; Alpha:$FF);
```

Description

This is constant CORAL.

1.7.59 CORNFLOWERBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
CORNFLOWERBLUE: TColor = (Red:$64; Green:$95; BBlue:$ED; Alpha:$FF);
```

Description

This is constant CORNFLOWERBLUE.

1.7.60 CORNSILK

File: DelphiGamekit.pas (see page 397)

Delphi

```
CORNSILK: TColor = (Red:$FF; Green:$F8; BBlue:$DC; Alpha:$FF);
```

Description

This is constant CORNSILK.

1.7.61 CR

File: DelphiGamekit.pas (see page 397)

Delphi

```
CR = #10;
```

Description

This is constant CR.

1.7.62 CRIMSON

File: DelphiGamekit.pas (see page 397)

Delphi

```
CRIMSON: TColor = (Red:$DC; Green:$14; BBlue:$3C; Alpha:$FF);
```

Description

This is constant CRIMSON.

1.7.63 CRLF

File: DelphiGamekit.pas (see page 397)

Delphi

```
CRLF = CR+LF;
```

Description

This is constant CRLF.

1.7.64 CYAN

File: DelphiGamekit.pas (see page 397)

Delphi

```
CYAN: TColor = (Red:$00; Green:$FF; BBlue:$FF; Alpha:$FF);
```

Description

This is constant CYAN.

1.7.65 DARKBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKBLUE: TColor = (Red:$00; Green:$00; BBlue:$8B; Alpha:$FF);
```

Description

This is constant DARKBLUE.

1.7.66 DARKCYAN

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKCYAN: TColor = (Red:$00; Green:$8B; BBlue:$8B; Alpha:$FF);
```

Description

This is constant DARKCYAN.

1.7.67 DARKGOLDENROD

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKGOLDENROD: TColor = (Red:$B8; Green:$86; BBlue:$0B; Alpha:$FF);
```

Description

This is constant DARKGOLDENROD.

1.7.68 DARKGRAY

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKGRAY: TColor = (Red:$A9; Green:$A9; BBlue:$A9; Alpha:$FF);
```

Description

This is constant DARKGRAY.

1.7.69 DARKGREEN

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKGREEN: TColor = (Red:$00; Green:$64; BLue:$00; Alpha:$FF);
```

Description

This is constant DARKGREEN.

1.7.70 DARKGREY

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKGREY: TColor = (Red:$A9; Green:$A9; BLue:$A9; Alpha:$FF);
```

Description

This is constant DARKGREY.

1.7.71 DARKKHAKI

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKKHAKI: TColor = (Red:$BD; Green:$B7; BLue:$6B; Alpha:$FF);
```

Description

This is constant DARKKHAKI.

1.7.72 DARKMAGENTA

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKMAGENTA: TColor = (Red:$8B; Green:$00; BLue:$8B; Alpha:$FF);
```

Description

This is constant DARKMAGENTA.

1.7.73 DARKOLIVEGREEN

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKOLIVEGREEN: TColor = (Red:$55; Green:$6B; BLue:$2F; Alpha:$FF);
```

Description

This is constant DARKOLIVEGREEN.

1.7.74 DARKORANGE

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKORANGE: TColor = (Red:$FF; Green:$8C; BLue:$00; Alpha:$FF);
```

Description

This is constant DARKORANGE.

1.7.75 DARKORCHID

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKORCHID: TColor = (Red:$99; Green:$32; BLue:$CC; Alpha:$FF);
```

Description

This is constant DARKORCHID.

1.7.76 DARKRED

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKRED: TColor = (Red:$8B; Green:$00; BLue:$00; Alpha:$FF);
```

Description

This is constant DARKRED.

1.7.77 DARKSALMON

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKSALMON: TColor = (Red:$E9; Green:$96; BLue:$7A; Alpha:$FF);
```

Description

This is constant DARKSALMON.

1.7.78 DARKSEAGREEN

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKSEAGREEN: TColor = (Red:$8F; Green:$BC; BLue:$8F; Alpha:$FF);
```

Description

This is constant DARKSEAGREEN.

1.7.79 DARKSLATEBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKSLATEBLUE: TColor = (Red:$48; Green:$3D; BLue:$8B; Alpha:$FF);
```

Description

This is constant DARKSLATEBLUE.

1.7.80 DARKSLATEBROWN

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKSLATEBROWN: TColor = (Red:30; Green:31; BLue:30; Alpha:1);
```

Description

This is constant DARKSLATEBROWN.

1.7.81 DARKSLATEGRAY

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKSLATEGRAY: TColor = (Red:$2F; Green:$4F; BLue:$4F; Alpha:$FF);
```

Description

This is constant DARKSLATEGRAY.

1.7.82 DARKTURQUOISE

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKTURQUOISE: TColor = (Red:$00; Green:$CE; BLue:$D1; Alpha:$FF);
```

Description

This is constant DARKTURQUOISE.

1.7.83 DARKVIOLET

File: DelphiGamekit.pas (see page 397)

Delphi

```
DARKVIOLET: TColor = (Red:$94; Green:$00; BLue:$D3; Alpha:$FF);
```

Description

This is constant DARKVIOLET.

1.7.84 DEEPPINK

File: DelphiGamekit.pas (see page 397)

Delphi

```
DEEPPINK: TColor = (Red:$FF; Green:$14; BLue:$93; Alpha:$FF);
```

Description

This is constant DEEPPINK.

1.7.85 DEEPSKYBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
DEEPSKYBLUE: TColor = (Red:$00; Green:$BF; BLue:$FF; Alpha:$FF);
```

Description

This is constant DEEPSKYBLUE.

1.7.86 DEGTORAD

File: DelphiGamekit.pas (see page 397)

Delphi

```
DEGTORAD = PI / 180.0;
```

Description

This is constant DEGTORAD.

1.7.87 DIMGRAY

File: DelphiGamekit.pas (see page 397)

Delphi

```
DIMGRAY: TColor = (Red:$69; Green:$69; BBlue:$69; Alpha:$FF);
```

Description

This is constant DIMGRAY.

1.7.88 DIMWHITE

File: DelphiGamekit.pas (see page 397)

Delphi

```
DIMWHITE: TColor = (Red:$10; Green:$10; BBlue:$10; Alpha:$10);
```

Description

This is constant DIMWHITE.

1.7.89 DODGERBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
DODGERBLUE: TColor = (Red:$1E; Green:$90; BBlue:$FF; Alpha:$FF);
```

Description

This is constant DODGERBLUE.

1.7.90 EPSILON

File: DelphiGamekit.pas (see page 397)

Delphi

```
EPSILON = 0.00001;
```

Description

This is constant EPSILON.

1.7.91 FIREBRICK

File: DelphiGamekit.pas (see page 397)

Delphi

```
FIREBRICK: TColor = (Red:$B2; Green:$22; BBlue:$22; Alpha:$FF);
```

Description

This is constant FIREBRICK.

1.7.92 FLORALWHITE

File: DelphiGamekit.pas (see page 397)

Delphi

```
FLORALWHITE: TColor = (Red:$FF; Green:$FA; BLue:$F0; Alpha:$FF);
```

Description

This is constant FLORALWHITE.

1.7.93 FORESTGREEN

File: DelphiGamekit.pas (see page 397)

Delphi

```
FORESTGREEN: TColor = (Red:$22; Green:$8B; BLue:$22; Alpha:$FF);
```

Description

This is constant FORESTGREEN.

1.7.94 FUCHSIA

File: DelphiGamekit.pas (see page 397)

Delphi

```
FUCHSIA: TColor = (Red:$FF; Green:$00; BLue:$FF; Alpha:$FF);
```

Description

This is constant FUCHSIA.

1.7.95 GAINSBORO

File: DelphiGamekit.pas (see page 397)

Delphi

```
GAINSBORO: TColor = (Red:$DC; Green:$DC; BLue:$DC; Alpha:$FF);
```

Description

This is constant GAINSBORO.

1.7.96 GHOSTWHITE

File: DelphiGamekit.pas (see page 397)

Delphi

```
GHOSTWHITE: TColor = (Red:$F8; Green:$F8; BBlue:$FF; Alpha:$FF);
```

Description

This is constant GHOSTWHITE.

1.7.97 GOLD

File: DelphiGamekit.pas (see page 397)

Delphi

```
GOLD: TColor = (Red:$FF; Green:$D7; BBlue:$00; Alpha:$FF);
```

Description

This is constant GOLD.

1.7.98 GOLDENROD

File: DelphiGamekit.pas (see page 397)

Delphi

```
GOLDENROD: TColor = (Red:$DA; Green:$A5; BBlue:$20; Alpha:$FF);
```

Description

This is constant GOLDENROD.

1.7.99 GRAY

File: DelphiGamekit.pas (see page 397)

Delphi

```
GRAY: TColor = (Red:$80; Green:$80; BBlue:$80; Alpha:$FF);
```

Description

This is constant GRAY.

1.7.100 GREEN

File: DelphiGamekit.pas (see page 397)

Delphi

```
GREEN: TColor = (Red:$00; Green:$80; BBlue:$00; Alpha:$FF);
```

Description

This is constant GREEN.

1.7.101 GREENYELLOW

File: DelphiGamekit.pas (see page 397)

Delphi

```
GREENYELLOW: TColor = (Red:$AD; Green:$FF; BLue:$2F; Alpha:$FF);
```

Description

This is constant GREENYELLOW.

1.7.102 GREY

File: DelphiGamekit.pas (see page 397)

Delphi

```
GREY: TColor = (Red:$80; Green:$80; BLue:$80; Alpha:$FF);
```

Description

This is constant GREY.

1.7.103 HONEYDEW

File: DelphiGamekit.pas (see page 397)

Delphi

```
HONEYDEW: TColor = (Red:$F0; Green:$FF; BLue:$F0; Alpha:$FF);
```

Description

This is constant HONEYDEW.

1.7.104 HOTPINK

File: DelphiGamekit.pas (see page 397)

Delphi

```
HOTPINK: TColor = (Red:$FF; Green:$69; BLue:$B4; Alpha:$FF);
```

Description

This is constant HOTPINK.

1.7.105 INDIANRED

File: DelphiGamekit.pas (see page 397)

Delphi

```
INDIANRED: TColor = (Red:$CD; Green:$5C; BBlue:$5C; Alpha:$FF);
```

Description

This is constant INDIANRED.

1.7.106 INDIGO

File: DelphiGamekit.pas (see page 397)

Delphi

```
INDIGO: TColor = (Red:$4B; Green:$00; BBlue:$82; Alpha:$FF);
```

Description

This is constant INDIGO.

1.7.107 INIEXT

File: DelphiGamekit.pas (see page 397)

Delphi

```
INIEXT = 'ini';
```

Description

This is constant INIEXT.

1.7.108 IVORY

File: DelphiGamekit.pas (see page 397)

Delphi

```
IVORY: TColor = (Red:$FF; Green:$FF; BBlue:$F0; Alpha:$FF);
```

Description

This is constant IVORY.

1.7.109 KEY_0

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_0 = 39;
```

Description

This is constant KEY_0.

1.7.110 KEY_1

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_1 = 30;
```

Description

This is constant KEY_1.

1.7.111 KEY_2

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_2 = 31;
```

Description

This is constant KEY_2.

1.7.112 KEY_3

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_3 = 32;
```

Description

This is constant KEY_3.

1.7.113 KEY_4

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_4 = 33;
```

Description

This is constant KEY_4.

1.7.114 KEY_5

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_5 = 34;
```

Description

This is constant KEY_5.

1.7.115 KEY_6

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_6 = 35;
```

Description

This is constant KEY_6.

1.7.116 KEY_7

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_7 = 36;
```

Description

This is constant KEY_7.

1.7.117 KEY_8

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_8 = 37;
```

Description

This is constant KEY_8.

1.7.118 KEY_9

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_9 = 38;
```

Description

This is constant KEY_9.

1.7.119 KEY_A

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_A = 4;
```

Description

This is constant KEY_A.

1.7.120 KEY_AC_BACK

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_AC_BACK = 270;
```

Description

This is constant KEY_AC_BACK.

1.7.121 KEY_AC_BOOKMARKS

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_AC_BOOKMARKS = 274;
```

Description

This is constant KEY_AC_BOOKMARKS.

1.7.122 KEY_AC_FORWARD

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_AC_FORWARD = 271;
```

Description

This is constant KEY_AC_FORWARD.

1.7.123 KEY_AC_HOME

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_AC_HOME = 269;
```

Description

This is constant KEY_AC_HOME.

1.7.124 KEY_AC_REFRESH

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_AC_REFRESH = 273;
```

Description

This is constant KEY_AC_REFRESH.

1.7.125 KEY_AC_SEARCH

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_AC_SEARCH = 268;
```

Description

This is constant KEY_AC_SEARCH.

1.7.126 KEY_AC_STOP

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_AC_STOP = 272;
```

Description

This is constant KEY_AC_STOP.

1.7.127 KEY_AGAIN

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_AGAIN = 121;
```

Description

This is constant KEY_AGAIN.

1.7.128 KEY_ALTERASE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_ALTERASE = 153;
```

Description

This is constant KEY_ALTERASE.

1.7.129 KEY_APOSTROPHE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_APOSTROPHE = 52;
```

Description

This is constant KEY_APOSTROPHE.

1.7.130 KEY_APP1

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_APP1 = 283;
```

Description

This is constant KEY_APP1.

1.7.131 KEY_APP2

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_APP2 = 284;
```

Description

This is constant KEY_APP2.

1.7.132 KEY_APPLICATION

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_APPLICATION = 101;
```

Description

This is constant KEY_APPLICATION.

1.7.133 KEY_AUDIOFASTFORWARD

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_AUDIOFASTFORWARD = 286;
```

Description

This is constant KEY_AUDIOFASTFORWARD.

1.7.134 KEY_AUDIOMUTE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_AUDIOMUTE = 262;
```

Description

This is constant KEY_AUDIOMUTE.

1.7.135 KEY_AUDIONEXT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_AUDIONEXT = 258;
```

Description

This is constant KEY_AUDIONEXT.

1.7.136 KEY_AUDIOPLAY

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_AUDIOPLAY = 261;
```

Description

This is constant KEY_AUDIOPLAY.

1.7.137 KEY_AUDIOPREV

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_AUDIOPREV = 259;
```

Description

This is constant KEY_AUDIOPREV.

1.7.138 KEY_AUDIOREWIND

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_AUDIOREWIND = 285;
```

Description

This is constant KEY_AUDIOREWIND.

1.7.139 KEY_AUDIOSTOP

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_AUDIOSTOP = 260;
```

Description

This is constant KEY_AUDIOSTOP.

1.7.140 KEY_B

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_B = 5;
```

Description

This is constant KEY_B.

1.7.141 KEY_BACKSLASH

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_BACKSLASH = 49;
```

Description

This is constant KEY_BACKSLASH.

1.7.142 KEY_BACKSPACE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_BACKSPACE = 42;
```

Description

This is constant KEY_BACKSPACE.

1.7.143 KEY_BRIGHTNESSDOWN

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_BRIGHTNESSDOWN = 275;
```

Description

This is constant KEY_BRIGHTNESSDOWN.

1.7.144 KEY_BRIGHTNESSUP

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_BRIGHTNESSUP = 276;
```

Description

This is constant KEY_BRIGHTNESSUP.

1.7.145 KEY_C

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_C = 6;
```

Description

This is constant KEY_C.

1.7.146 KEY_CALCULATOR

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_CALCULATOR = 266;
```

Description

This is constant KEY_CALCULATOR.

1.7.147 KEY_CALL

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_CALL = 289;
```

Description

This is constant KEY_CALL.

1.7.148 KEY_CANCEL

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_CANCEL = 155;
```

Description

This is constant KEY_CANCEL.

1.7.149 KEY_CAPSLOCK

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_CAPSLOCK = 57;
```

Description

This is constant KEY_CAPSLOCK.

1.7.150 KEY_CLEAR

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_CLEAR = 156;
```

Description

This is constant KEY_CLEAR.

1.7.151 KEY_CLEARAGAIN

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_CLEARAGAIN = 162;
```

Description

This is constant KEY_CLEARAGAIN.

1.7.152 KEY_COMMA

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_COMMA = 54;
```

Description

This is constant KEY_COMMA.

1.7.153 KEY_COMPUTER

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_COMPUTER = 267;
```

Description

This is constant KEY_COMPUTER.

1.7.154 KEY_COPY

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_COPY = 124;
```

Description

This is constant KEY_COPY.

1.7.155 KEY_CRSEL

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_CRSEL = 163;
```

Description

This is constant KEY_CRSEL.

1.7.156 KEY_CURRENCYSUBUNIT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_CURRENCYSUBUNIT = 181;
```

Description

This is constant KEY_CURRENCYSUBUNIT.

1.7.157 KEY_CURRENCYUNIT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_CURRENCYUNIT = 180;
```

Description

This is constant KEY_CURRENCYUNIT.

1.7.158 KEY_CUT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_CUT = 123;
```

Description

This is constant KEY_CUT.

1.7.159 KEY_D

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_D = 7;
```

Description

This is constant KEY_D.

1.7.160 KEY_DECIMALSEPARATOR

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_DECIMALSEPARATOR = 179;
```

Description

This is constant KEY_DECIMALSEPARATOR.

1.7.161 KEY_DELETE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_DELETE = 76;
```

Description

This is constant KEY_DELETE.

1.7.162 KEY_DISPLAYSWITCH

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_DISPLAYSWITCH = 277;
```

Description

This is constant KEY_DISPLAYSWITCH.

1.7.163 KEY_DOWN

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_DOWN = 81;
```

Description

This is constant KEY_DOWN.

1.7.164 KEY_E

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_E = 8;
```

Description

This is constant KEY_E.

1.7.165 KEY_EJECT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_EJECT = 281;
```

Description

This is constant KEY_EJECT.

1.7.166 KEY_END

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_END = 77;
```

Description

This is constant KEY_END.

1.7.167 KEY_ENDCALL

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_ENDCALL = 290;
```

Description

This is constant KEY_ENDCALL.

1.7.168 KEY_EQUALS

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_EQUALS = 46;
```

Description

This is constant KEY_EQUALS.

1.7.169 KEY_ESCAPE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_ESCAPE = 41;
```

Description

This is constant KEY_ESCAPE.

1.7.170 KEY_EXECUTE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_EXECUTE = 116;
```

Description

This is constant KEY_EXECUTE.

1.7.171 KEY_F

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F = 9;
```

Description

This is constant KEY_F.

1.7.172 KEY_F1

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F1 = 58;
```

Description

This is constant KEY_F1.

1.7.173 KEY_F10

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F10 = 67;
```

Description

This is constant KEY_F10.

1.7.174 KEY_F11

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F11 = 68;
```

Description

This is constant KEY_F11.

1.7.175 KEY_F12

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F12 = 69;
```

Description

This is constant KEY_F12.

1.7.176 KEY_F13

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F13 = 104;
```

Description

This is constant KEY_F13.

1.7.177 KEY_F14

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F14 = 105;
```

Description

This is constant KEY_F14.

1.7.178 KEY_F15

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F15 = 106;
```

Description

This is constant KEY_F15.

1.7.179 KEY_F16

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F16 = 107;
```

Description

This is constant KEY_F16.

1.7.180 KEY_F17

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F17 = 108;
```

Description

This is constant KEY_F17.

1.7.181 KEY_F18

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F18 = 109;
```

Description

This is constant KEY_F18.

1.7.182 KEY_F19

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F19 = 110;
```

Description

This is constant KEY_F19.

1.7.183 KEY_F2

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F2 = 59;
```

Description

This is constant KEY_F2.

1.7.184 KEY_F20

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F20 = 111;
```

Description

This is constant KEY_F20.

1.7.185 KEY_F21

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F21 = 112;
```

Description

This is constant KEY_F21.

1.7.186 KEY_F22

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F22 = 113;
```

Description

This is constant KEY_F22.

1.7.187 KEY_F23

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F23 = 114;
```

Description

This is constant KEY_F23.

1.7.188 KEY_F24

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F24 = 115;
```

Description

This is constant KEY_F24.

1.7.189 KEY_F3

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F3 = 60;
```

Description

This is constant KEY_F3.

1.7.190 KEY_F4

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F4 = 61;
```

Description

This is constant KEY_F4.

1.7.191 KEY_F5

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F5 = 62;
```

Description

This is constant KEY_F5.

1.7.192 KEY_F6

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F6 = 63;
```

Description

This is constant KEY_F6.

1.7.193 KEY_F7

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F7 = 64;
```

Description

This is constant KEY_F7.

1.7.194 KEY_F8

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F8 = 65;
```

Description

This is constant KEY_F8.

1.7.195 KEY_F9

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_F9 = 66;
```

Description

This is constant KEY_F9.

1.7.196 KEY_FIND

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_FIND = 126;
```

Description

This is constant KEY_FIND.

1.7.197 KEY_G

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_G = 10;
```

Description

This is constant KEY_G.

1.7.198 KEY_GRAVE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_GRAVE = 53;
```

Description

This is constant KEY_GRAVE.

1.7.199 KEY_H

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_H = 11;
```

Description

This is constant KEY_H.

1.7.200 KEY_HELP

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_HELP = 117;
```

Description

This is constant KEY_HELP.

1.7.201 KEY_HOME

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_HOME = 74;
```

Description

This is constant KEY_HOME.

1.7.202 KEY_I

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_I = 12;
```

Description

This is constant KEY_I.

1.7.203 KEY_INSERT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_INSERT = 73;
```

Description

This is constant KEY_INSERT.

1.7.204 KEY_INTERNATIONAL1

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_INTERNATIONAL1 = 135;
```

Description

This is constant KEY_INTERNATIONAL1.

1.7.205 KEY_INTERNATIONAL2

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_INTERNATIONAL2 = 136;
```

Description

This is constant KEY_INTERNATIONAL2.

1.7.206 KEY_INTERNATIONAL3

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_INTERNATIONAL3 = 137;
```

Description

This is constant KEY_INTERNATIONAL3.

1.7.207 KEY_INTERNATIONAL4

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_INTERNATIONAL4 = 138;
```

Description

This is constant KEY_INTERNATIONAL4.

1.7.208 KEY_INTERNATIONAL5

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_INTERNATIONAL5 = 139;
```

Description

This is constant KEY_INTERNATIONAL5.

1.7.209 KEY_INTERATIONAL6

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_INTERATIONAL6 = 140;
```

Description

This is constant KEY_INTERATIONAL6.

1.7.210 KEY_INTERATIONAL7

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_INTERATIONAL7 = 141;
```

Description

This is constant KEY_INTERATIONAL7.

1.7.211 KEY_INTERATIONAL8

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_INTERATIONAL8 = 142;
```

Description

This is constant KEY_INTERATIONAL8.

1.7.212 KEY_INTERATIONAL9

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_INTERATIONAL9 = 143;
```

Description

This is constant KEY_INTERATIONAL9.

1.7.213 KEY_J

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_J = 13;
```

Description

This is constant KEY_J.

1.7.214 KEY_K

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_K = 14;
```

Description

This is constant KEY_K.

1.7.215 KEY_KBDILLUMDOWN

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KBDILLUMDOWN = 279;
```

Description

This is constant KEY_KBDILLUMDOWN.

1.7.216 KEY_KBDILLUMTOGGLE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KBDILLUMTOGGLE = 278;
```

Description

This is constant KEY_KBDILLUMTOGGLE.

1.7.217 KEY_KBDILLUMUP

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KBDILLUMUP = 280;
```

Description

This is constant KEY_KBDILLUMUP.

1.7.218 KEY_KP_0

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_0 = 98;
```

Description

This is constant KEY_KP_0.

1.7.219 KEY_KP_00

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_00 = 176;
```

Description

This is constant KEY_KP_00.

1.7.220 KEY_KP_000

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_000 = 177;
```

Description

This is constant KEY_KP_000.

1.7.221 KEY_KP_1

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_1 = 89;
```

Description

This is constant KEY_KP_1.

1.7.222 KEY_KP_2

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_2 = 90;
```

Description

This is constant KEY_KP_2.

1.7.223 KEY_KP_3

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_3 = 91;
```

Description

This is constant KEY_KP_3.

1.7.224 KEY_KP_4

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_4 = 92;
```

Description

This is constant KEY_KP_4.

1.7.225 KEY_KP_5

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_5 = 93;
```

Description

This is constant KEY_KP_5.

1.7.226 KEY_KP_6

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_6 = 94;
```

Description

This is constant KEY_KP_6.

1.7.227 KEY_KP_7

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_7 = 95;
```

Description

This is constant KEY_KP_7.

1.7.228 KEY_KP_8

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_8 = 96;
```

Description

This is constant KEY_KP_8.

1.7.229 KEY_KP_9

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_9 = 97;
```

Description

This is constant KEY_KP_9.

1.7.230 KEY_KP_A

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_A = 188;
```

Description

This is constant KEY_KP_A.

1.7.231 KEY_KP_AMPERSAND

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_AMPERSAND = 199;
```

Description

This is constant KEY_KP_AMPERSAND.

1.7.232 KEY_KP_AT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_AT = 206;
```

Description

This is constant KEY_KP_AT.

1.7.233 KEY_KP_B

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_B = 189;
```

Description

This is constant KEY_KP_B.

1.7.234 KEY_KP_BACKSPACE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_BACKSPACE = 187;
```

Description

This is constant KEY_KP_BACKSPACE.

1.7.235 KEY_KP_BINARY

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_BINARY = 218;
```

Description

This is constant KEY_KP_BINARY.

1.7.236 KEY_KP_C

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_C = 190;
```

Description

This is constant KEY_KP_C.

1.7.237 KEY_KP_CLEAR

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_CLEAR = 216;
```

Description

This is constant KEY_KP_CLEAR.

1.7.238 KEY_KP_CLEARENTRY

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_CLEARENTRY = 217;
```

Description

This is constant KEY_KP_CLEARENTRY.

1.7.239 KEY_KP_COLON

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_COLON = 203;
```

Description

This is constant KEY_KP_COLON.

1.7.240 KEY_KP_COMMA

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_COMMA = 133;
```

Description

This is constant KEY_KP_COMMA.

1.7.241 KEY_KP_D

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_D = 191;
```

Description

This is constant KEY_KP_D.

1.7.242 KEY_KP_DBLAMPERSAND

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_DBLAMPERSAND = 200;
```

Description

This is constant KEY_KP_DBLAMPERSAND.

1.7.243 KEY_KP_DBLVERTICALBAR

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_DBLVERTICALBAR = 202;
```

Description

This is constant KEY_KP_DBLVERTICALBAR.

1.7.244 KEY_KP_DECIMAL

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_DECIMAL = 220;
```

Description

This is constant KEY_KP_DECIMAL.

1.7.245 KEY_KP_DIVIDE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_DIVIDE = 84;
```

Description

This is constant KEY_KP_DIVIDE.

1.7.246 KEY_KP_E

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_E = 192;
```

Description

This is constant KEY_KP_E.

1.7.247 KEY_KP_ENTER

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_ENTER = 88;
```

Description

This is constant KEY_KP_ENTER.

1.7.248 KEY_KP_EQUALS

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_EQUALS = 103;
```

Description

This is constant KEY_KP_EQUALS.

1.7.249 KEY_KP_EQUALSAS400

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_EQUALSAS400 = 134;
```

Description

This is constant KEY_KP_EQUALSAS400.

1.7.250 KEY_KP_EXCLAM

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_EXCLAM = 207;
```

Description

This is constant KEY_KP_EXCLAM.

1.7.251 KEY_KP_F

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_F = 193;
```

Description

This is constant KEY_KP_F.

1.7.252 KEY_KP_GREATER

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_GREATER = 198;
```

Description

This is constant KEY_KP_GREATER.

1.7.253 KEY_KP_HASH

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_HASH = 204;
```

Description

This is constant KEY_KP_HASH.

1.7.254 KEY_KP_HEXADECIMAL

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_HEXADECIMAL = 221;
```

Description

This is constant KEY_KP_HEXADECIMAL.

1.7.255 KEY_KP_LEFTBRACE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_LEFTBRACE = 184;
```

Description

This is constant KEY_KP_LEFTBRACE.

1.7.256 KEY_KP_LEFTPAREN

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_LEFTPAREN = 182;
```

Description

This is constant KEY_KP_LEFTPAREN.

1.7.257 KEY_KP_LESS

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_LESS = 197;
```

Description

This is constant KEY_KP_LESS.

1.7.258 KEY_KP_MEMADD

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_MEMADD = 211;
```

Description

This is constant KEY_KP_MEMADD.

1.7.259 KEY_KP_MEMCLEAR

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_MEMCLEAR = 210;
```

Description

This is constant KEY_KP_MEMCLEAR.

1.7.260 KEY_KP_MEMDIVIDE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_MEMDIVIDE = 214;
```

Description

This is constant KEY_KP_MEMDIVIDE.

1.7.261 KEY_KP_MEMMULTIPLY

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_MEMMULTIPLY = 213;
```

Description

This is constant KEY_KP_MEMMULTIPLY.

1.7.262 KEY_KP_MEMRECALL

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_MEMRECALL = 209;
```

Description

This is constant KEY_KP_MEMRECALL.

1.7.263 KEY_KP_MEMSTORE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_MEMSTORE = 208;
```

Description

This is constant KEY_KP_MEMSTORE.

1.7.264 KEY_KP_MEMSUBTRACT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_MEMSUBTRACT = 212;
```

Description

This is constant KEY_KP_MEMSUBTRACT.

1.7.265 KEY_KP_MINUS

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_MINUS = 86;
```

Description

This is constant KEY_KP_MINUS.

1.7.266 KEY_KP_MULTIPLY

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_MULTIPLY = 85;
```

Description

This is constant KEY_KP_MULTIPLY.

1.7.267 KEY_KP_OCTAL

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_OCTAL = 219;
```

Description

This is constant KEY_KP_OCTAL.

1.7.268 KEY_KP_PERCENT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_PERCENT = 196;
```

Description

This is constant KEY_KP_PERCENT.

1.7.269 KEY_KP_PERIOD

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_PERIOD = 99;
```

Description

This is constant KEY_KP_PERIOD.

1.7.270 KEY_KP_PLUS

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_PLUS = 87;
```

Description

This is constant KEY_KP_PLUS.

1.7.271 KEY_KP_PLUSMINUS

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_PLUSMINUS = 215;
```

Description

This is constant KEY_KP_PLUSMINUS.

1.7.272 KEY_KP_POWER

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_POWER = 195;
```

Description

This is constant KEY_KP_POWER.

1.7.273 KEY_KP_RIGHTBRACE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_RIGHTBRACE = 185;
```

Description

This is constant KEY_KP_RIGHTBRACE.

1.7.274 KEY_KP_RIGHTPAREN

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_RIGHTPAREN = 183;
```

Description

This is constant KEY_KP_RIGHTPAREN.

1.7.275 KEY_KP_SPACE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_SPACE = 205;
```

Description

This is constant KEY_KP_SPACE.

1.7.276 KEY_KP_TAB

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_TAB = 186;
```

Description

This is constant KEY_KP_TAB.

1.7.277 KEY_KP_VERTICALBAR

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_VERTICALBAR = 201;
```

Description

This is constant KEY_KP_VERTICALBAR.

1.7.278 KEY_KP_XOR

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_KP_XOR = 194;
```

Description

This is constant KEY_KP_XOR.

1.7.279 KEY_L

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_L = 15;
```

Description

This is constant KEY_L.

1.7.280 KEY_LALT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_LALT = 226;
```

Description

This is constant KEY_LALT.

1.7.281 KEY_LANG1

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_LANG1 = 144;
```

Description

This is constant KEY_LANG1.

1.7.282 KEY_LANG2

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_LANG2 = 145;
```

Description

This is constant KEY_LANG2.

1.7.283 KEY_LANG3

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_LANG3 = 146;
```

Description

This is constant KEY_LANG3.

1.7.284 KEY_LANG4

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_LANG4 = 147;
```

Description

This is constant KEY_LANG4.

1.7.285 KEY_LANG5

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_LANG5 = 148;
```

Description

This is constant KEY_LANG5.

1.7.286 KEY_LANG6

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_LANG6 = 149;
```

Description

This is constant KEY_LANG6.

1.7.287 KEY_LANG7

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_LANG7 = 150;
```

Description

This is constant KEY_LANG7.

1.7.288 KEY_LANG8

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_LANG8 = 151;
```

Description

This is constant KEY_LANG8.

1.7.289 KEY_LANG9

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_LANG9 = 152;
```

Description

This is constant KEY_LANG9.

1.7.290 KEY_LCTRL

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_LCTRL = 224;
```

Description

This is constant KEY_LCTRL.

1.7.291 KEY_LEFT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_LEFT = 80;
```

Description

This is constant KEY_LEFT.

1.7.292 KEY_LEFTBRACKET

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_LEFTBRACKET = 47;
```

Description

This is constant KEY_LEFTBRACKET.

1.7.293 KEY_LGUI

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_LGUI = 227;
```

Description

This is constant KEY_LGUI.

1.7.294 KEY_LSHIFT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_LSHIFT = 225;
```

Description

This is constant KEY_LSHIFT.

1.7.295 KEY_M

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_M = 16;
```

Description

This is constant KEY_M.

1.7.296 KEY_MAIL

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_MAIL = 265;
```

Description

This is constant KEY_MAIL.

1.7.297 KEY_MEDIASELECT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_MEDIASELECT = 263;
```

Description

This is constant KEY_MEDIASELECT.

1.7.298 KEY_MENU

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_MENU = 118;
```

Description

This is constant KEY_MENU.

1.7.299 KEY_MINUS

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_MINUS = 45;
```

Description

This is constant KEY_MINUS.

1.7.300 KEY_MODE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_MODE = 257;
```

Description

This is constant KEY_MODE.

1.7.301 KEY_MUTE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_MUTE = 127;
```

Description

This is constant KEY_MUTE.

1.7.302 KEY_N

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_N = 17;
```

Description

This is constant KEY_N.

1.7.303 KEY_NONUSBACKSLASH

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_NONUSBACKSLASH = 100;
```

Description

This is constant KEY_NONUSBACKSLASH.

1.7.304 KEY_NONUSHASH

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_NONUSHASH = 50;
```

Description

This is constant KEY_NONUSHASH.

1.7.305 KEY_NUMLOCKCLEAR

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_NUMLOCKCLEAR = 83;
```

Description

This is constant KEY_NUMLOCKCLEAR.

1.7.306 KEY_O

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_O = 18;
```

Description

This is constant KEY_O.

1.7.307 KEY_OPER

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_OPER = 161;
```

Description

This is constant KEY_OPER.

1.7.308 KEY_OUT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_OUT = 160;
```

Description

This is constant KEY_OUT.

1.7.309 KEY_P

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_P = 19;
```

Description

This is constant KEY_P.

1.7.310 KEY_PAGEDOWN

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_PAGEDOWN = 78;
```

Description

This is constant KEY_PAGEDOWN.

1.7.311 KEY_PAGEUP

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_PAGEUP = 75;
```

Description

This is constant KEY_PAGEUP.

1.7.312 KEY_PASTE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_PASTE = 125;
```

Description

This is constant KEY_PASTE.

1.7.313 KEY_PAUSE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_PAUSE = 72;
```

Description

This is constant KEY_PAUSE.

1.7.314 KEY_PERIOD

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_PERIOD = 55;
```

Description

This is constant KEY_PERIOD.

1.7.315 KEY_POWER

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_POWER = 102;
```

Description

This is constant KEY_POWER.

1.7.316 KEY_PRINTSCREEN

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_PRINTSCREEN = 70;
```

Description

This is constant KEY_PRINTSCREEN.

1.7.317 KEY_PRIOR

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_PRIOR = 157;
```

Description

This is constant KEY_PRIOR.

1.7.318 KEY_Q

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_Q = 20;
```

Description

This is constant KEY_Q.

1.7.319 KEY_R

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_R = 21;
```

Description

This is constant KEY_R.

1.7.320 KEY_RALT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_RALT = 230;
```

Description

This is constant KEY_RALT.

1.7.321 KEY_RCTRL

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_RCTRL = 228;
```

Description

This is constant KEY_RCTRL.

1.7.322 KEY_RETURN

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_RETURN = 40;
```

Description

This is constant KEY_RETURN.

1.7.323 KEY_RETURN2

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_RETURN2 = 158;
```

Description

This is constant KEY_RETURN2.

1.7.324 KEY_RGUI

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_RGUI = 231;
```

Description

This is constant KEY_RGUI.

1.7.325 KEY_RIGHT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_RIGHT = 79;
```

Description

This is constant KEY_RIGHT.

1.7.326 KEY_RIGHTBRACKET

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_RIGHTBRACKET = 48;
```

Description

This is constant KEY_RIGHTBRACKET.

1.7.327 KEY_RSHIFT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_RSHIFT = 229;
```

Description

This is constant KEY_RSHIFT.

1.7.328 KEY_S

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_S = 22;
```

Description

This is constant KEY_S.

1.7.329 KEY_SCROLLLOCK

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_SCROLLLOCK = 71;
```

Description

This is constant KEY_SCROLLLOCK.

1.7.330 KEY_SELECT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_SELECT = 119;
```

Description

This is constant KEY_SELECT.

1.7.331 KEY_SEMICOLON

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_SEMICOLON = 51;
```

Description

This is constant KEY_SEMICOLON.

1.7.332 KEY_SEPARATOR

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_SEPARATOR = 159;
```

Description

This is constant KEY_SEPARATOR.

1.7.333 KEY_SLASH

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_SLASH = 56;
```

Description

This is constant KEY_SLASH.

1.7.334 KEY_SLEEP

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_SLEEP = 282;
```

Description

This is constant KEY_SLEEP.

1.7.335 KEY_SOFTLEFT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_SOFTLEFT = 287;
```

Description

This is constant KEY_SOFTLEFT.

1.7.336 KEY_SOFTRIGHT

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_SOFTRIGHT = 288;
```

Description

This is constant KEY_SOFTRIGHT.

1.7.337 KEY_SPACE

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_SPACE = 44;
```

Description

This is constant KEY_SPACE.

1.7.338 KEY_STOP

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_STOP = 120;
```

Description

This is constant KEY_STOP.

1.7.339 KEY_SYSREQ

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_SYSREQ = 154;
```

Description

This is constant KEY_SYSREQ.

1.7.340 KEY_T

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_T = 23;
```

Description

This is constant KEY_T.

1.7.341 KEY_TAB

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_TAB = 43;
```

Description

This is constant KEY_TAB.

1.7.342 KEY_THOUSANDSSEPARATOR

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_THOUSANDSSEPARATOR = 178;
```

Description

This is constant KEY_THOUSANDSSEPARATOR.

1.7.343 KEY_U

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_U = 24;
```

Description

This is constant KEY_U.

1.7.344 KEY_UNDO

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_UNDO = 122;
```

Description

This is constant KEY_UNDO.

1.7.345 KEY_UP

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_UP = 82;
```

Description

This is constant KEY_UP.

1.7.346 KEY_V

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_V = 25;
```

Description

This is constant KEY_V.

1.7.347 KEY_VOLUMEDOWN

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_VOLUMEDOWN = 129;
```

Description

This is constant KEY_VOLUMEDOWN.

1.7.348 KEY_VOLUMEUP

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_VOLUMEUP = 128;
```

Description

This is constant KEY_VOLUMEUP.

1.7.349 KEY_W

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_W = 26;
```

Description

This is constant KEY_W.

1.7.350 KEY_WWW

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_WWW = 264;
```

Description

This is constant KEY_WWW.

1.7.351 KEY_X

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_X = 27;
```

Description

This is constant KEY_X.

1.7.352 KEY_Y

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_Y = 28;
```

Description

This is constant KEY_Y.

1.7.353 KEY_Z

File: DelphiGamekit.pas (see page 397)

Delphi

```
KEY_Z = 29;
```

Description

This is constant KEY_Z.

1.7.354 KHAKI

File: DelphiGamekit.pas (see page 397)

Delphi

```
KHAKI: TColor = (Red:$F0; Green:$E6; BLue:$8C; Alpha:$FF);
```

Description

This is constant KHAKI.

1.7.355 LAVENDER

File: DelphiGamekit.pas (see page 397)

Delphi

```
LAVENDER: TColor = (Red:$E6; Green:$E6; BLue:$FA; Alpha:$FF);
```

Description

This is constant LAVENDER.

1.7.356 LAVENDERBLUSH

File: DelphiGamekit.pas (see page 397)

Delphi

```
LAVENDERBLUSH: TColor = (Red:$FF; Green:$F0; BLue:$F5; Alpha:$FF);
```

Description

This is constant LAVENDERBLUSH.

1.7.357 LAWNGREEN

File: DelphiGamekit.pas (see page 397)

Delphi

```
LAWNGREEN: TColor = (Red:$7C; Green:$FC; BLue:$00; Alpha:$FF);
```

Description

This is constant LAWNGREEN.

1.7.358 LEMONCHIFFON

File: DelphiGamekit.pas (see page 397)

Delphi

```
LEMONCHIFFON: TColor = (Red:$FF; Green:$FA; BLue:$CD; Alpha:$FF);
```

Description

This is constant LEMONCHIFFON.

1.7.359 LF

File: DelphiGamekit.pas (see page 397)

Delphi

```
LF = #13;
```

Description

This is constant LF.

1.7.360 LIGHTBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
LIGHTBLUE: TColor = (Red:$AD; Green:$D8; BLue:$E6; Alpha:$FF);
```

Description

This is constant LIGHTBLUE.

1.7.361 LIGHTCORAL

File: DelphiGamekit.pas (see page 397)

Delphi

```
LIGHTCORAL: TColor = (Red:$F0; Green:$80; BLue:$80; Alpha:$FF);
```

Description

This is constant LIGHTCORAL.

1.7.362 LIGHTCYAN

File: DelphiGamekit.pas (see page 397)

Delphi

```
LIGHTCYAN: TColor = (Red:$E0; Green:$FF; BBlue:$FF; Alpha:$FF);
```

Description

This is constant LIGHTCYAN.

1.7.363 LIGHTGOLDENRODYELLOW

File: DelphiGamekit.pas (see page 397)

Delphi

```
LIGHTGOLDENRODYELLOW: TColor = (Red:$FA; Green:$FA; BBlue:$D2; Alpha:$FF);
```

Description

This is constant LIGHTGOLDENRODYELLOW.

1.7.364 LIGHTGRAY

File: DelphiGamekit.pas (see page 397)

Delphi

```
LIGHTGRAY: TColor = (Red:$D3; Green:$D3; BBlue:$D3; Alpha:$FF);
```

Description

This is constant LIGHTGRAY.

1.7.365 LIGHTGREEN

File: DelphiGamekit.pas (see page 397)

Delphi

```
LIGHTGREEN: TColor = (Red:$90; Green:$EE; BBlue:$90; Alpha:$FF);
```

Description

This is constant LIGHTGREEN.

1.7.366 LIGHTGREY

File: DelphiGamekit.pas (see page 397)

Delphi

```
LIGHTGREY: TColor = (Red:$D3; Green:$D3; BLue:$D3; Alpha:$FF);
```

Description

This is constant LIGHTGREY.

1.7.367 LIGHTPINK

File: DelphiGamekit.pas (see page 397)

Delphi

```
LIGHTPINK: TColor = (Red:$FF; Green:$B6; BLue:$C1; Alpha:$FF);
```

Description

This is constant LIGHTPINK.

1.7.368 LIGHTSALMON

File: DelphiGamekit.pas (see page 397)

Delphi

```
LIGHTSALMON: TColor = (Red:$FF; Green:$A0; BLue:$7A; Alpha:$FF);
```

Description

This is constant LIGHTSALMON.

1.7.369 LIGHTSEAGREEN

File: DelphiGamekit.pas (see page 397)

Delphi

```
LIGHTSEAGREEN: TColor = (Red:$20; Green:$B2; BLue:$AA; Alpha:$FF);
```

Description

This is constant LIGHTSEAGREEN.

1.7.370 LIGHTSKYBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
LIGHTSKYBLUE: TColor = (Red:$87; Green:$CE; BLue:$FA; Alpha:$FF);
```

Description

This is constant LIGHTSKYBLUE.

1.7.371 LIGHTSLATEGRAY

File: DelphiGamekit.pas (see page 397)

Delphi

```
LIGHTSLATEGRAY: TColor = (Red:$77; Green:$88; BLue:$99; Alpha:$FF);
```

Description

This is constant LIGHTSLATEGRAY.

1.7.372 LIGHTSLATEGREY

File: DelphiGamekit.pas (see page 397)

Delphi

```
LIGHTSLATEGREY: TColor = (Red:$77; Green:$88; BLue:$99; Alpha:$FF);
```

Description

This is constant LIGHTSLATEGREY.

1.7.373 LIGHTSTEELBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
LIGHTSTEELBLUE: TColor = (Red:$B0; Green:$C4; BLue:$DE; Alpha:$FF);
```

Description

This is constant LIGHTSTEELBLUE.

1.7.374 LIGHTYELLOW

File: DelphiGamekit.pas (see page 397)

Delphi

```
LIGHTYELLOW: TColor = (Red:$FF; Green:$FF; BLue:$E0; Alpha:$FF);
```

Description

This is constant LIGHTYELLOW.

1.7.375 LIME

File: DelphiGamekit.pas (see page 397)

Delphi

```
LIME: TColor = (Red:$00; Green:$FF; BBlue:$00; Alpha:$FF);
```

Description

This is constant LIME.

1.7.376 LIMEGREEN

File: DelphiGamekit.pas (see page 397)

Delphi

```
LIMEGREEN: TColor = (Red:$32; Green:$CD; BBlue:$32; Alpha:$FF);
```

Description

This is constant LIMEGREEN.

1.7.377 LINEN

File: DelphiGamekit.pas (see page 397)

Delphi

```
LINEN: TColor = (Red:$FA; Green:$F0; BBlue:$E6; Alpha:$FF);
```

Description

This is constant LINEN.

1.7.378 LOGEXT

File: DelphiGamekit.pas (see page 397)

Delphi

```
LOGEXT = 'log';
```

Description

This is constant LOGEXT.

1.7.379 LUACEXT

File: DelphiGamekit.pas (see page 397)

Delphi

```
LUACEXT = 'luac';
```

Description

This is constant LUACEXT.

1.7.380 LUAEXT

File: DelphiGamekit.pas (see page 397)

Delphi

```
LUAEXT = 'lua';
```

Description

This is constant LUAEXT.

1.7.381 LuSCANCODE_EXSEL

File: DelphiGamekit.pas (see page 397)

Delphi

```
LuSCANCODE_EXSEL = 164;
```

Description

This is constant LuSCANCODE_EXSEL.

1.7.382 MAGENTA

File: DelphiGamekit.pas (see page 397)

Delphi

```
MAGENTA: TColor = (Red:$FF; Green:$00; BBlue:$FF; Alpha:$FF);
```

Description

This is constant MAGENTA.

1.7.383 MAROON

File: DelphiGamekit.pas (see page 397)

Delphi

```
MAROON: TColor = (Red:$80; Green:$00; BBlue:$00; Alpha:$FF);
```

Description

This is constant MAROON.

1.7.384 MEDIUMAQUAMARINE

File: DelphiGamekit.pas (see page 397)

Delphi

```
MEDIUMAQUAMARINE: TColor = (Red:$66; Green:$CD; BLue:$AA; Alpha:$FF);
```

Description

This is constant MEDIUMAQUAMARINE.

1.7.385 MEDIUMBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
MEDIUMBLUE: TColor = (Red:$00; Green:$00; BLue:$CD; Alpha:$FF);
```

Description

This is constant MEDIUMBLUE.

1.7.386 MEDIUMORCHID

File: DelphiGamekit.pas (see page 397)

Delphi

```
MEDIUMORCHID: TColor = (Red:$BA; Green:$55; BLue:$D3; Alpha:$FF);
```

Description

This is constant MEDIUMORCHID.

1.7.387 MEDIUMPURPLE

File: DelphiGamekit.pas (see page 397)

Delphi

```
MEDIUMPURPLE: TColor = (Red:$93; Green:$70; BLue:$DB; Alpha:$FF);
```

Description

This is constant MEDIUMPURPLE.

1.7.388 MEDIUMSEAGREEN

File: DelphiGamekit.pas (see page 397)

Delphi

```
MEDIUMSEAGREEN: TColor = (Red:$3C; Green:$B3; BLue:$71; Alpha:$FF);
```

Description

This is constant MEDIUMSEAGREEN.

1.7.389 MEDIUMSLATEBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
MEDIUMSLATEBLUE: TColor = (Red:$7B; Green:$68; BLue:$EE; Alpha:$FF);
```

Description

This is constant MEDIUMSLATEBLUE.

1.7.390 MEDIUMSPRINGGREEN

File: DelphiGamekit.pas (see page 397)

Delphi

```
MEDIUMSPRINGGREEN: TColor = (Red:$00; Green:$FA; BLue:$9A; Alpha:$FF);
```

Description

This is constant MEDIUMSPRINGGREEN.

1.7.391 MEDIUMTURQUOISE

File: DelphiGamekit.pas (see page 397)

Delphi

```
MEDIUMTURQUOISE: TColor = (Red:$48; Green:$D1; BLue:$CC; Alpha:$FF);
```

Description

This is constant MEDIUMTURQUOISE.

1.7.392 MEDIUMVIOLETRED

File: DelphiGamekit.pas (see page 397)

Delphi

```
MEDIUMVIOLETRED: TColor = (Red:$C7; Green:$15; BLue:$85; Alpha:$FF);
```

Description

This is constant MEDIUMVIOLETRED.

1.7.393 MIDNIGHTBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
MIDNIGHTBLUE: TColor = (Red:$19; Green:$19; BLue:$70; Alpha:$FF);
```

Description

This is constant MIDNIGHTBLUE.

1.7.394 MINTCREAM

File: DelphiGamekit.pas (see page 397)

Delphi

```
MINTCREAM: TColor = (Red:$F5; Green:$FF; BLue:$FA; Alpha:$FF);
```

Description

This is constant MINTCREAM.

1.7.395 MISTYROSE

File: DelphiGamekit.pas (see page 397)

Delphi

```
MISTYROSE: TColor = (Red:$FF; Green:$E4; BLue:$E1; Alpha:$FF);
```

Description

This is constant MISTYROSE.

1.7.396 MOCCASIN

File: DelphiGamekit.pas (see page 397)

Delphi

```
MOCCASIN: TColor = (Red:$FF; Green:$E4; BLue:$B5; Alpha:$FF);
```

Description

This is constant MOCCASIN.

1.7.397 MPGEXT

File: DelphiGamekit.pas (see page 397)

Delphi

```
MPGEXT = 'mpg';
```

Description

This is constant MPGEXT.

1.7.398 NAN

File: DelphiGamekit.pas (see page 397)

Delphi

```
NAN = 0.0 / 0.0;
```

Description

This is constant NAN.

1.7.399 NAVAJOWHITE

File: DelphiGamekit.pas (see page 397)

Delphi

```
NAVAJOWHITE: TColor = (Red:$FF; Green:$DE; BLue:$AD; Alpha:$FF);
```

Description

This is constant NAVAJOWHITE.

1.7.400 NAVY

File: DelphiGamekit.pas (see page 397)

Delphi

```
NAVY: TColor = (Red:$00; Green:$00; BLue:$80; Alpha:$FF);
```

Description

This is constant NAVY.

1.7.401 OGGEXT

File: DelphiGamekit.pas (see page 397)

Delphi

```
OGGEXT = 'ogg';
```

Description

This is constant OGGEXT.

1.7.402 OLDLACE

File: DelphiGamekit.pas (see page 397)

Delphi

```
OLDLACE: TColor = (Red:$FD; Green:$F5; BBlue:$E6; Alpha:$FF);
```

Description

This is constant OLDLACE.

1.7.403 OLIVE

File: DelphiGamekit.pas (see page 397)

Delphi

```
OLIVE: TColor = (Red:$80; Green:$80; BBlue:$00; Alpha:$FF);
```

Description

This is constant OLIVE.

1.7.404 OLIVEDRAB

File: DelphiGamekit.pas (see page 397)

Delphi

```
OLIVEDRAB: TColor = (Red:$6B; Green:$8E; BBlue:$23; Alpha:$FF);
```

Description

This is constant OLIVEDRAB.

1.7.405 ORANGE

File: DelphiGamekit.pas (see page 397)

Delphi

```
ORANGE: TColor = (Red:$FF; Green:$A5; BBlue:$00; Alpha:$FF);
```

Description

This is constant ORANGE.

1.7.406 ORANGERED

File: DelphiGamekit.pas (see page 397)

Delphi

```
ORANGERED: TColor = (Red:$FF; Green:$45; BBlue:$00; Alpha:$FF);
```

Description

This is constant ORANGERED.

1.7.407 ORCHID

File: DelphiGamekit.pas (see page 397)

Delphi

```
ORCHID: TColor = (Red:$DA; Green:$70; BLue:$D6; Alpha:$FF);
```

Description

This is constant ORCHID.

1.7.408 OVERLAY1

File: DelphiGamekit.pas (see page 397)

Delphi

```
OVERLAY1: TColor = (Red:$00; Green:$20; BLue:$29; Alpha:$B4);
```

Description

This is constant OVERLAY1.

1.7.409 OVERLAY2

File: DelphiGamekit.pas (see page 397)

Delphi

```
OVERLAY2: TColor = (Red:$01; Green:$1B; BLue:$01; Alpha:255);
```

Description

This is constant OVERLAY2.

1.7.410 PALEGOLDENROD

File: DelphiGamekit.pas (see page 397)

Delphi

```
PALEGOLDENROD: TColor = (Red:$EE; Green:$E8; BLue:$AA; Alpha:$FF);
```

Description

This is constant PALEGOLDENROD.

1.7.411 PALEGREEN

File: DelphiGamekit.pas (see page 397)

Delphi

```
PALEGREEN: TColor = (Red:$98; Green:$FB; BLue:$98; Alpha:$FF);
```

Description

This is constant PALEGREEN.

1.7.412 PALETURQUOISE

File: DelphiGamekit.pas (see page 397)

Delphi

```
PALETURQUOISE: TColor = (Red:$AF; Green:$EE; BLue:$EE; Alpha:$FF);
```

Description

This is constant PALETURQUOISE.

1.7.413 PALEVIOLETRED

File: DelphiGamekit.pas (see page 397)

Delphi

```
PALEVIOLETRED: TColor = (Red:$DB; Green:$70; BLue:$93; Alpha:$FF);
```

Description

This is constant PALEVIOLETRED.

1.7.414 PAPAYAWHIP

File: DelphiGamekit.pas (see page 397)

Delphi

```
PAPAYAWHIP: TColor = (Red:$FF; Green:$EF; BLue:$D5; Alpha:$FF);
```

Description

This is constant PAPAYAWHIP.

1.7.415 PEACHPUFF

File: DelphiGamekit.pas (see page 397)

Delphi

```
PEACHPUFF: TColor = (Red:$FF; Green:$DA; BLue:$B9; Alpha:$FF);
```

Description

This is constant PEACHPUFF.

1.7.416 PERU

File: DelphiGamekit.pas (see page 397)

Delphi

```
PERU: TColor = (Red:$CD; Green:$85; BLue:$3F; Alpha:$FF);
```

Description

This is constant PERU.

1.7.417 PINK

File: DelphiGamekit.pas (see page 397)

Delphi

```
PINK: TColor = (Red:$FF; Green:$C0; BLue:$CB; Alpha:$FF);
```

Description

This is constant PINK.

1.7.418 PLUM

File: DelphiGamekit.pas (see page 397)

Delphi

```
PLUM: TColor = (Red:$DD; Green:$A0; BLue:$DD; Alpha:$FF);
```

Description

This is constant PLUM.

1.7.419 PNGEXT

File: DelphiGamekit.pas (see page 397)

Delphi

```
PNGEXT = 'png';
```

Description

This is constant PNGEXT.

1.7.420 POWDERBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
POWDERBLUE: TColor = (Red:$B0; Green:$E0; BLue:$E6; Alpha:$FF);
```

Description

This is constant POWDERBLUE.

1.7.421 PURPLE

File: DelphiGamekit.pas (see page 397)

Delphi

```
PURPLE: TColor = (Red:$80; Green:$00; BLue:$80; Alpha:$FF);
```

Description

This is constant PURPLE.

1.7.422 RADTODEG

File: DelphiGamekit.pas (see page 397)

Delphi

```
RADTODEG = 180.0 / PI;
```

Description

This is constant RADTODEG.

1.7.423 REBECCAPURPLE

File: DelphiGamekit.pas (see page 397)

Delphi

```
REBECCAPURPLE: TColor = (Red:$66; Green:$33; BLue:$99; Alpha:$FF);
```

Description

This is constant REBECCAPURPLE.

1.7.424 RED

File: DelphiGamekit.pas (see page 397)

Delphi

```
RED: TColor = (Red:$FF; Green:$00; BLue:$00; Alpha:$FF);
```

Description

This is constant RED.

1.7.425 RED2

File: DelphiGamekit.pas (see page 397)

Delphi

```
RED2: TColor = (Red:$7E; Green:$32; BLue:$3F; Alpha:255);
```

Description

This is constant RED2.

1.7.426 ROSYBROWN

File: DelphiGamekit.pas (see page 397)

Delphi

```
ROSYBROWN: TColor = (Red:$BC; Green:$8F; BLue:$8F; Alpha:$FF);
```

Description

This is constant ROSYBROWN.

1.7.427 ROYALBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
ROYALBLUE: TColor = (Red:$41; Green:$69; BLue:$E1; Alpha:$FF);
```

Description

This is constant ROYALBLUE.

1.7.428 SADDLEBROWN

File: DelphiGamekit.pas (see page 397)

Delphi

```
SADDLEBROWN: TColor = (Red:$8B; Green:$45; BLue:$13; Alpha:$FF);
```

Description

This is constant SADDLEBROWN.

1.7.429 SALMON

File: DelphiGamekit.pas (see page 397)

Delphi

```
SALMON: TColor = (Red:$FA; Green:$80; BLue:$72; Alpha:$FF);
```

Description

This is constant SALMON.

1.7.430 SANDYBROWN

File: DelphiGamekit.pas (see page 397)

Delphi

```
SANDYBROWN: TColor = (Red:$F4; Green:$A4; BLue:$60; Alpha:$FF);
```

Description

This is constant SANDYBROWN.

1.7.431 SEAGREEN

File: DelphiGamekit.pas (see page 397)

Delphi

```
SEAGREEN: TColor = (Red:$2E; Green:$8B; BLue:$57; Alpha:$FF);
```

Description

This is constant SEAGREEN.

1.7.432 SEASHELL

File: DelphiGamekit.pas (see page 397)

Delphi

```
SEASHELL: TColor = (Red:$FF; Green:$F5; BLue:$EE; Alpha:$FF);
```

Description

This is constant SEASHELL.

1.7.433 SIENNA

File: DelphiGamekit.pas (see page 397)

Delphi

```
SIENNA: TColor = (Red:$A0; Green:$52; BLue:$2D; Alpha:$FF);
```

Description

This is constant SIENNA.

1.7.434 SILVER

File: DelphiGamekit.pas (see page 397)

Delphi

```
SILVER: TColor = (Red:$C0; Green:$C0; BLue:$C0; Alpha:$FF);
```

Description

This is constant SILVER.

1.7.435 SKYBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
SKYBLUE: TColor = (Red:$87; Green:$CE; BLue:$EB; Alpha:$FF);
```

Description

This is constant SKYBLUE.

1.7.436 SLATEBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
SLATEBLUE: TColor = (Red:$6A; Green:$5A; BLue:$CD; Alpha:$FF);
```

Description

This is constant SLATEBLUE.

1.7.437 SLATEGRAY

File: DelphiGamekit.pas (see page 397)

Delphi

```
SLATEGRAY: TColor = (Red:$70; Green:$80; BLue:$90; Alpha:$FF);
```

Description

This is constant SLATEGRAY.

1.7.438 SLATEGREY

File: DelphiGamekit.pas (see page 397)

Delphi

```
SLATEGREY: TColor = (Red:$70; Green:$80; BLue:$90; Alpha:$FF);
```

Description

This is constant SLATEGREY.

1.7.439 SNOW

File: DelphiGamekit.pas (see page 397)

Delphi

```
SNOW: TColor = (Red:$FF; Green:$FA; BLue:$FA; Alpha:$FF);
```

Description

This is constant SNOW.

1.7.440 SPRINGGREEN

File: DelphiGamekit.pas (see page 397)

Delphi

```
SPRINGGREEN: TColor = (Red:$00; Green:$FF; BLue:$7F; Alpha:$FF);
```

Description

This is constant SPRINGGREEN.

1.7.441 STEELBLUE

File: DelphiGamekit.pas (see page 397)

Delphi

```
STEELBLUE: TColor = (Red:$46; Green:$82; BLue:$B4; Alpha:$FF);
```

Description

This is constant STEELBLUE.

1.7.442 TAN

File: DelphiGamekit.pas (see page 397)

Delphi

```
TAN: TColor = (Red:$D2; Green:$B4; BLue:$8C; Alpha:$FF);
```

Description

This is constant TAN.

1.7.443 TEAL

File: DelphiGamekit.pas (see page 397)

Delphi

```
TEAL: TColor = (Red:$00; Green:$80; BLue:$80; Alpha:$FF);
```

Description

This is constant TEAL.

1.7.444 THISTLE

File: DelphiGamekit.pas (see page 397)

Delphi

```
THISTLE: TColor = (Red:$D8; Green:$BF; BLue:$D8; Alpha:$FF);
```

Description

This is constant THISTLE.

1.7.445 TIMER_FIXEDUPDATE_SPEED

File: DelphiGamekit.pas (see page 397)

Delphi

```
TIMER_FIXEDUPDATE_SPEED = 60.0;
```

Description

This is constant TIMER_FIXEDUPDATE_SPEED.

1.7.446 TIMER_UPDATE_SPEED

File: DelphiGamekit.pas (see page 397)

Delphi

```
TIMER_UPDATE_SPEED = 60.0;
```

Description

This is constant TIMER_UPDATE_SPEED.

1.7.447 TOMATO

File: DelphiGamekit.pas (see page 397)

Delphi

```
TOMATO: TColor = (Red:$FF; Green:$63; BBlue:$47; Alpha:$FF);
```

Description

This is constant TOMATO.

1.7.448 TURQUOISE

File: DelphiGamekit.pas (see page 397)

Delphi

```
TURQUOISE: TColor = (Red:$40; Green:$E0; BBlue:$D0; Alpha:$FF);
```

Description

This is constant TURQUOISE.

1.7.449 VERSION_MAJOR

File: DelphiGamekit.pas (see page 397)

Delphi

```
VERSION_MAJOR = '0';
```

Description

This is constant VERSION_MAJOR.

1.7.450 VERSION_MINOR

File: DelphiGamekit.pas (see page 397)

Delphi

```
VERSION_MINOR = '1';
```

Description

This is constant VERSION_MINOR.

1.7.451 VERSION_PATCH

File: DelphiGamekit.pas (see page 397)

Delphi

```
VERSION_PATCH = '0';
```

Description

This is constant VERSION_PATCH.

1.7.452 VIDEO_SAMPLEBUFFERSIZE

File: DelphiGamekit.pas (see page 397)

Delphi

```
VIDEO_SAMPLEBUFFERSIZE = 2304;
```

Description

This is constant VIDEO_SAMPLEBUFFERSIZE.

1.7.453 VIOLET

File: DelphiGamekit.pas (see page 397)

Delphi

```
VIOLET: TColor = (Red:$EE; Green:$82; BLue:$EE; Alpha:$FF);
```

Description

This is constant VIOLET.

1.7.454 WHEAT

File: DelphiGamekit.pas (see page 397)

Delphi

```
WHEAT: TColor = (Red:$F5; Green:$DE; BLue:$B3; Alpha:$FF);
```

Description

This is constant WHEAT.

1.7.455 WHITE

File: DelphiGamekit.pas (see page 397)

Delphi

```
WHITE: TColor = (Red:$FF; Green:$FF; BLue:$FF; Alpha:$FF);
```

Description

This is constant WHITE.

1.7.456 WHITE2

File: DelphiGamekit.pas (see page 397)

Delphi

```
WHITE2: TColor = (Red:$F5; Green:$F5; BLue:$F5; Alpha:$FF);
```

Description

This is constant WHITE2.

1.7.457 WHITESMOKE

File: DelphiGamekit.pas (see page 397)

Delphi

```
WHITESMOKE: TColor = (Red:$F5; Green:$F5; BLue:$F5; Alpha:$FF);
```

Description

This is constant WHITESMOKE.

1.7.458 WINDOW_HEIGHT

File: DelphiGamekit.pas (see page 397)

Delphi

```
WINDOW_HEIGHT = 1080 div 2;
```

Description

This is constant WINDOW_HEIGHT.

1.7.459 WINDOW_WIDTH

File: DelphiGamekit.pas (see page 397)

Delphi

```
WINDOW_WIDTH = 1920 div 2;
```

Description

This is constant WINDOW_WIDTH.

1.7.460 YELLOW

File: DelphiGamekit.pas (see page 397)

Delphi

```
YELLOW: TColor = (Red:$FF; Green:$FF; BLue:$00; Alpha:$FF);
```

Description

This is constant YELLOW.

1.7.461 YELLOWGREEN

File: DelphiGamekit.pas (see page 397)

Delphi

```
YELLOWGREEN: TColor = (Red:$9A; Green:$CD; BLue:$32; Alpha:$FF);
```

Description

This is constant YELLOWGREEN.

1.8 Files

The following table lists files in this documentation.























Units











DelphiGamekit.pas (see page 397)	This is file DelphiGamekit.pas.
-----------------------------------	---------------------------------

1.8.1 DelphiGamekit.pas

This is file DelphiGamekit.pas.

Classes

	EBufferException (see page 16)	This is class EBufferException.
	ELuaException (see page 16)	This is class ELuaException.
	ELuaRuntimeException (see page 16)	This is class ELuaRuntimeException.
	ELuaSyntaxError (see page 16)	This is class ELuaSyntaxError.
	TAIActor (see page 17)	This is class TIAActor.
	TAIEntityActor (see page 19)	This is class TAIEntityActor.
	TAIState (see page 21)	This is class TAIState.
	TAIStateMachine (see page 24)	This is class TAIStateMachine.
	TAScreenshake (see page 32)	This is class TAScreenshake.
	TActor (see page 35)	This is class TActor.
	TActorList (see page 43)	This is class TActorList.
	TActorScene (see page 47)	This is class TActorScene.
	TArchive (see page 51)	This is class TArchive.
	TArchiveFile (see page 54)	This is class TArchiveFile.
	TAsyncThread (see page 60)	This is class TAsyncThread.
	TBaseObject (see page 69)	This is class TBaseObject.
	TBuffer (see page 70)	This is class TBuffer.
	TCamera (see page 73)	This is class TCamera.
	TCloudDb (see page 77)	This is class TCloudDb.
	TConfigFile (see page 92)	This is class TConfigFile.
	TEntity (see page 100)	This is class TEntity.
	TEntityActor (see page 118)	This is class TEntityActor.

	TFont (see page 120)	This is class TFont.
	TGame (see page 127)	This is class TGame.
	TGeometry (see page 143)	This is class TGeometry.
	TInputMap (see page 152)	This is class TInputMap.
	TLua (see page 160)	This is class TLua.
	TLuaContext (see page 171)	This is class TLuaContext.
	TPolyPoint (see page 183)	This is class TPolyPoint.
	TPolygon (see page 188)	This is class TPolygon.
	TSprite (see page 208)	This is class TSprite.
	TTexture (see page 215)	This is class TTexture.

Constants

ALICEBLUE (see page 294)	This is constant ALICEBLUE.
ANTIQUEWHITE (see page 295)	This is constant ANTIQUEWHITE.
AQUA (see page 295)	This is constant AQUA.
AQUAMARINE (see page 295)	This is constant AQUAMARINE.
ARCEXT (see page 295)	This is constant ARCEXT.
AUDIO_CHANNEL_DYNAMIC (see page 295)	This is constant AUDIO_CHANNEL_DYNAMIC.
AUDIO_CHANNEL_FADINGIN (see page 296)	This is constant AUDIO_CHANNEL_FADINGIN.
AUDIO_CHANNEL_FADINGOUT (see page 296)	This is constant AUDIO_CHANNEL_FADINGOUT.
AUDIO_CHANNEL_LOOP (see page 296)	This is constant AUDIO_CHANNEL_LOOP.
AUDIO_CHANNEL_MAX (see page 296)	This is constant AUDIO_CHANNEL_MAX.
AUDIO_CHANNEL_NOFADING (see page 297)	This is constant AUDIO_CHANNEL_NOFADING.
AZURE (see page 297)	This is constant AZURE.
BEIGE (see page 297)	This is constant BEIGE.
BISQUE (see page 297)	This is constant BISQUE.
BLACK (see page 297)	This is constant BLACK.
BLANCHEDALMOND (see page 298)	This is constant BLANCHEDALMOND.
BLANK (see page 298)	This is constant BLANK.
BLUE (see page 298)	This is constant BLUE.
BLUEVIOLET (see page 298)	This is constant BLUEVIOLET.
BROWN (see page 299)	This is constant BROWN.
BURLYWOOD (see page 299)	This is constant BURLYWOOD.
BUTTON_LEFT (see page 299)	This is constant BUTTON_LEFT.
BUTTON_MIDDLE (see page 299)	This is constant BUTTON_MIDDLE.
BUTTON_RIGHT (see page 299)	This is constant BUTTON_RIGHT.
BUTTON_X1 (see page 300)	This is constant BUTTON_X1.
BUTTON_X2 (see page 300)	This is constant BUTTON_X2.
CADETBBLUE (see page 300)	This is constant CADETBBLUE.
CHARTREUSE (see page 300)	This is constant CHARTREUSE.
CHOCOLATE (see page 301)	This is constant CHOCOLATE.
COLORKEY (see page 301)	This is constant COLORKEY.
CONTROLLER_AXIS_LEFTX (see page 301)	This is constant CONTROLLER_AXIS_LEFTX.
CONTROLLER_AXIS_LEFTY (see page 301)	This is constant CONTROLLER_AXIS_LEFTY.
CONTROLLER_AXIS_RIGHTX (see page 301)	This is constant CONTROLLER_AXIS_RIGHTX.
CONTROLLER_AXIS_RIGHTY (see page 302)	This is constant CONTROLLER_AXIS_RIGHTY.
CONTROLLER_AXIS_TRIGGERLEFT (see page 302)	This is constant CONTROLLER_AXIS_TRIGGERLEFT.

CONTROLLER_AXIS_TRIGGERRIGHT (see page 302)	This is constant CONTROLLER_AXIS_TRIGGERRIGHT.
CONTROLLER_BUTTON_A (see page 302)	This is constant CONTROLLER_BUTTON_A.
CONTROLLER_BUTTON_B (see page 303)	This is constant CONTROLLER_BUTTON_B.
CONTROLLER_BUTTON_BACK (see page 303)	This is constant CONTROLLER_BUTTON_BACK.
CONTROLLER_BUTTON_DPAD_DOWN (see page 303)	This is constant CONTROLLER_BUTTON_DPAD_DOWN.
CONTROLLER_BUTTON_DPAD_LEFT (see page 303)	This is constant CONTROLLER_BUTTON_DPAD_LEFT.
CONTROLLER_BUTTON_DPAD_RIGHT (see page 303)	This is constant CONTROLLER_BUTTON_DPAD_RIGHT.
CONTROLLER_BUTTON_DPAD_UP (see page 304)	This is constant CONTROLLER_BUTTON_DPAD_UP.
CONTROLLER_BUTTON_GUIDE (see page 304)	This is constant CONTROLLER_BUTTON_GUIDE.
CONTROLLER_BUTTON_LEFTSHOULDER (see page 304)	This is constant CONTROLLER_BUTTON_LEFTSHOULDER.
CONTROLLER_BUTTON_LEFTSTICK (see page 304)	This is constant CONTROLLER_BUTTON_LEFTSTICK.
CONTROLLER_BUTTON_MISC1 (see page 305)	This is constant CONTROLLER_BUTTON_MISC1.
CONTROLLER_BUTTON_PADDLE1 (see page 305)	This is constant CONTROLLER_BUTTON_PADDLE1.
CONTROLLER_BUTTON_PADDLE2 (see page 305)	This is constant CONTROLLER_BUTTON_PADDLE2.
CONTROLLER_BUTTON_PADDLE3 (see page 305)	This is constant CONTROLLER_BUTTON_PADDLE3.
CONTROLLER_BUTTON_PADDLE4 (see page 305)	This is constant CONTROLLER_BUTTON_PADDLE4.
CONTROLLER_BUTTON_RIGHTSHOULDER (see page 306)	This is constant CONTROLLER_BUTTON_RIGHTSHOULDER.
CONTROLLER_BUTTON_RIGHTSTICK (see page 306)	This is constant CONTROLLER_BUTTON_RIGHTSTICK.
CONTROLLER_BUTTON_START (see page 306)	This is constant CONTROLLER_BUTTON_START.
CONTROLLER_BUTTON_TOUCHPAD (see page 306)	This is constant CONTROLLER_BUTTON_TOUCHPAD.
CONTROLLER_BUTTON_X (see page 307)	This is constant CONTROLLER_BUTTON_X.
CONTROLLER_BUTTON_Y (see page 307)	This is constant CONTROLLER_BUTTON_Y.
CORAL (see page 307)	This is constant CORAL.
CORNFLOWERBLUE (see page 307)	This is constant CORNFLOWERBLUE.
CORNSILK (see page 307)	This is constant CORNSILK.
CR (see page 308)	This is constant CR.
CRIMSON (see page 308)	This is constant CRIMSON.
CRLF (see page 308)	This is constant CRLF.
CYAN (see page 308)	This is constant CYAN.
DARKBLUE (see page 309)	This is constant DARKBLUE.
DARKCYAN (see page 309)	This is constant DARKCYAN.
DARKGOLDENROD (see page 309)	This is constant DARKGOLDENROD.
DARKGRAY (see page 309)	This is constant DARKGRAY.
DARKGREEN (see page 309)	This is constant DARKGREEN.
DARKGREY (see page 310)	This is constant DARKGREY.

DARKKHAKI (see page 310)	This is constant DARKKHAKI.
DARKMAGENTA (see page 310)	This is constant DARKMAGENTA.
DARKOLIVEGREEN (see page 310)	This is constant DARKOLIVEGREEN.
DARKORANGE (see page 311)	This is constant DARKORANGE.
DARKORCHID (see page 311)	This is constant DARKORCHID.
DARKRED (see page 311)	This is constant DARKRED.
DARKSALMON (see page 311)	This is constant DARKSALMON.
DARKSEAGREEN (see page 311)	This is constant DARKSEAGREEN.
DARKSLATEBLUE (see page 312)	This is constant DARKSLATEBLUE.
DARKSLATEBROWN (see page 312)	This is constant DARKSLATEBROWN.
DARKSLATEGRAY (see page 312)	This is constant DARKSLATEGRAY.
DARKTURQUOISE (see page 312)	This is constant DARKTURQUOISE.
DARKVIOLET (see page 313)	This is constant DARKVIOLET.
DEEPPINK (see page 313)	This is constant DEEPPINK.
DEEPSKYBLUE (see page 313)	This is constant DEEPSKYBLUE.
DEGTORAD (see page 313)	This is constant DEGTORAD.
DIMGRAY (see page 313)	This is constant DIMGRAY.
DIMWHITE (see page 314)	This is constant DIMWHITE.
DODGERBLUE (see page 314)	This is constant DODGERBLUE.
EPSILON (see page 314)	This is constant EPSILON.
FIREBRICK (see page 314)	This is constant FIREBRICK.
FLORALWHITE (see page 315)	This is constant FLORALWHITE.
FORESTGREEN (see page 315)	This is constant FORESTGREEN.
FUCHSIA (see page 315)	This is constant FUCHSIA.
GAINSBORO (see page 315)	This is constant GAINSBORO.
GHOSTWHITE (see page 315)	This is constant GHOSTWHITE.
GOLD (see page 316)	This is constant GOLD.
GOLDENROD (see page 316)	This is constant GOLDENROD.
GRAY (see page 316)	This is constant GRAY.
GREEN (see page 316)	This is constant GREEN.
GREENYELLOW (see page 317)	This is constant GREENYELLOW.
GREY (see page 317)	This is constant GREY.
HONEYDEW (see page 317)	This is constant HONEYDEW.
HOTPINK (see page 317)	This is constant HOTPINK.
INDIANRED (see page 317)	This is constant INDIANRED.
INDIGO (see page 318)	This is constant INDIGO.
INIEXT (see page 318)	This is constant INIEXT.
IVORY (see page 318)	This is constant IVORY.
KEY_0 (see page 318)	This is constant KEY_0.
KEY_1 (see page 319)	This is constant KEY_1.
KEY_2 (see page 319)	This is constant KEY_2.
KEY_3 (see page 319)	This is constant KEY_3.
KEY_4 (see page 319)	This is constant KEY_4.
KEY_5 (see page 319)	This is constant KEY_5.
KEY_6 (see page 320)	This is constant KEY_6.
KEY_7 (see page 320)	This is constant KEY_7.
KEY_8 (see page 320)	This is constant KEY_8.
KEY_9 (see page 320)	This is constant KEY_9.
KEY_A (see page 321)	This is constant KEY_A.

KEY_AC_BACK (see page 321)	This is constant KEY_AC_BACK.
KEY_AC_BOOKMARKS (see page 321)	This is constant KEY_AC_BOOKMARKS.
KEY_AC_FORWARD (see page 321)	This is constant KEY_AC_FORWARD.
KEY_AC_HOME (see page 321)	This is constant KEY_AC_HOME.
KEY_AC_REFRESH (see page 322)	This is constant KEY_AC_REFRESH.
KEY_AC_SEARCH (see page 322)	This is constant KEY_AC_SEARCH.
KEY_AC_STOP (see page 322)	This is constant KEY_AC_STOP.
KEY_AGAIN (see page 322)	This is constant KEY_AGAIN.
KEY_ALTERASE (see page 323)	This is constant KEY_ALTERASE.
KEY_APOSTROPHE (see page 323)	This is constant KEY_APOSTROPHE.
KEY_APP1 (see page 323)	This is constant KEY_APP1.
KEY_APP2 (see page 323)	This is constant KEY_APP2.
KEY_APPLICATION (see page 323)	This is constant KEY_APPLICATION.
KEY_AUDIOFASTFORWARD (see page 324)	This is constant KEY_AUDIOFASTFORWARD.
KEY_AUDIOMUTE (see page 324)	This is constant KEY_AUDIOMUTE.
KEY_AUDIONEXT (see page 324)	This is constant KEY_AUDIONEXT.
KEY_AUDIOPLAY (see page 324)	This is constant KEY_AUDIOPLAY.
KEY_AUDIOPREV (see page 325)	This is constant KEY_AUDIOPREV.
KEY_AUDIOREWIND (see page 325)	This is constant KEY_AUDIOREWIND.
KEY_AUDIOSTOP (see page 325)	This is constant KEY_AUDIOSTOP.
KEY_B (see page 325)	This is constant KEY_B.
KEY_BACKSLASH (see page 325)	This is constant KEY_BACKSLASH.
KEY_BACKSPACE (see page 326)	This is constant KEY_BACKSPACE.
KEY_BRIGHTNESSDOWN (see page 326)	This is constant KEY_BRIGHTNESSDOWN.
KEY_BRIGHTNESSUP (see page 326)	This is constant KEY_BRIGHTNESSUP.
KEY_C (see page 326)	This is constant KEY_C.
KEY_CALCULATOR (see page 327)	This is constant KEY_CALCULATOR.
KEY_CALL (see page 327)	This is constant KEY_CALL.
KEY_CANCEL (see page 327)	This is constant KEY_CANCEL.
KEY_CAPSLOCK (see page 327)	This is constant KEY_CAPSLOCK.
KEY_CLEAR (see page 327)	This is constant KEY_CLEAR.
KEY_CLEARAGAIN (see page 328)	This is constant KEY_CLEARAGAIN.
KEY_COMMA (see page 328)	This is constant KEY_COMMA.
KEY_COMPUTER (see page 328)	This is constant KEY_COMPUTER.
KEY_COPY (see page 328)	This is constant KEY_COPY.
KEY_CRSEL (see page 329)	This is constant KEY_CRSEL.
KEY_CURRENCYSUBUNIT (see page 329)	This is constant KEY_CURRENCYSUBUNIT.
KEY_CURRENCYUNIT (see page 329)	This is constant KEY_CURRENCYUNIT.
KEY_CUT (see page 329)	This is constant KEY_CUT.
KEY_D (see page 329)	This is constant KEY_D.
KEY_DECIMALSEPARATOR (see page 330)	This is constant KEY_DECIMALSEPARATOR.
KEY_DELETE (see page 330)	This is constant KEY_DELETE.
KEY_DISPLAYSWITCH (see page 330)	This is constant KEY_DISPLAYSWITCH.
KEY_DOWN (see page 330)	This is constant KEY_DOWN.
KEY_E (see page 331)	This is constant KEY_E.
KEY_EJECT (see page 331)	This is constant KEY_EJECT.
KEY_END (see page 331)	This is constant KEY_END.
KEY_ENDCALL (see page 331)	This is constant KEY_ENDCALL.
KEY_EQUALS (see page 331)	This is constant KEY_EQUALS.

KEY_ESCAPE (see page 332)	This is constant KEY_ESCAPE.
KEY_EXECUTE (see page 332)	This is constant KEY_EXECUTE.
KEY_F (see page 332)	This is constant KEY_F.
KEY_F1 (see page 332)	This is constant KEY_F1.
KEY_F10 (see page 333)	This is constant KEY_F10.
KEY_F11 (see page 333)	This is constant KEY_F11.
KEY_F12 (see page 333)	This is constant KEY_F12.
KEY_F13 (see page 333)	This is constant KEY_F13.
KEY_F14 (see page 333)	This is constant KEY_F14.
KEY_F15 (see page 334)	This is constant KEY_F15.
KEY_F16 (see page 334)	This is constant KEY_F16.
KEY_F17 (see page 334)	This is constant KEY_F17.
KEY_F18 (see page 334)	This is constant KEY_F18.
KEY_F19 (see page 335)	This is constant KEY_F19.
KEY_F2 (see page 335)	This is constant KEY_F2.
KEY_F20 (see page 335)	This is constant KEY_F20.
KEY_F21 (see page 335)	This is constant KEY_F21.
KEY_F22 (see page 335)	This is constant KEY_F22.
KEY_F23 (see page 336)	This is constant KEY_F23.
KEY_F24 (see page 336)	This is constant KEY_F24.
KEY_F3 (see page 336)	This is constant KEY_F3.
KEY_F4 (see page 336)	This is constant KEY_F4.
KEY_F5 (see page 337)	This is constant KEY_F5.
KEY_F6 (see page 337)	This is constant KEY_F6.
KEY_F7 (see page 337)	This is constant KEY_F7.
KEY_F8 (see page 337)	This is constant KEY_F8.
KEY_F9 (see page 337)	This is constant KEY_F9.
KEY_FIND (see page 338)	This is constant KEY_FIND.
KEY_G (see page 338)	This is constant KEY_G.
KEY_GRAVE (see page 338)	This is constant KEY_GRAVE.
KEY_H (see page 338)	This is constant KEY_H.
KEY_HELP (see page 339)	This is constant KEY_HELP.
KEY_HOME (see page 339)	This is constant KEY_HOME.
KEY_I (see page 339)	This is constant KEY_I.
KEY_INSERT (see page 339)	This is constant KEY_INSERT.
KEY_INTERNATIONAL1 (see page 339)	This is constant KEY_INTERNATIONAL1.
KEY_INTERNATIONAL2 (see page 340)	This is constant KEY_INTERNATIONAL2.
KEY_INTERNATIONAL3 (see page 340)	This is constant KEY_INTERNATIONAL3.
KEY_INTERNATIONAL4 (see page 340)	This is constant KEY_INTERNATIONAL4.
KEY_INTERNATIONAL5 (see page 340)	This is constant KEY_INTERNATIONAL5.
KEY_INTERNATIONAL6 (see page 341)	This is constant KEY_INTERNATIONAL6.
KEY_INTERNATIONAL7 (see page 341)	This is constant KEY_INTERNATIONAL7.
KEY_INTERNATIONAL8 (see page 341)	This is constant KEY_INTERNATIONAL8.
KEY_INTERNATIONAL9 (see page 341)	This is constant KEY_INTERNATIONAL9.
KEY_J (see page 341)	This is constant KEY_J.
KEY_K (see page 342)	This is constant KEY_K.
KEY_KBDILLUMDOWN (see page 342)	This is constant KEY_KBDILLUMDOWN.
KEY_KBDILLUMTOGGLE (see page 342)	This is constant KEY_KBDILLUMTOGGLE.
KEY_KBDILLUMUP (see page 342)	This is constant KEY_KBDILLUMUP.

KEY_KP_0 (see page 343)	This is constant KEY_KP_0.
KEY_KP_00 (see page 343)	This is constant KEY_KP_00.
KEY_KP_000 (see page 343)	This is constant KEY_KP_000.
KEY_KP_1 (see page 343)	This is constant KEY_KP_1.
KEY_KP_2 (see page 343)	This is constant KEY_KP_2.
KEY_KP_3 (see page 344)	This is constant KEY_KP_3.
KEY_KP_4 (see page 344)	This is constant KEY_KP_4.
KEY_KP_5 (see page 344)	This is constant KEY_KP_5.
KEY_KP_6 (see page 344)	This is constant KEY_KP_6.
KEY_KP_7 (see page 345)	This is constant KEY_KP_7.
KEY_KP_8 (see page 345)	This is constant KEY_KP_8.
KEY_KP_9 (see page 345)	This is constant KEY_KP_9.
KEY_KP_A (see page 345)	This is constant KEY_KP_A.
KEY_KP_AMPERSAND (see page 345)	This is constant KEY_KP_AMPERSAND.
KEY_KP_AT (see page 346)	This is constant KEY_KP_AT.
KEY_KP_B (see page 346)	This is constant KEY_KP_B.
KEY_KP_BACKSPACE (see page 346)	This is constant KEY_KP_BACKSPACE.
KEY_KP_BINARY (see page 346)	This is constant KEY_KP_BINARY.
KEY_KP_C (see page 347)	This is constant KEY_KP_C.
KEY_KP_CLEAR (see page 347)	This is constant KEY_KP_CLEAR.
KEY_KP_CLEARENTRY (see page 347)	This is constant KEY_KP_CLEARENTRY.
KEY_KP_COLON (see page 347)	This is constant KEY_KP_COLON.
KEY_KP_COMMA (see page 347)	This is constant KEY_KP_COMMA.
KEY_KP_D (see page 348)	This is constant KEY_KP_D.
KEY_KP_DBLAMPERSAND (see page 348)	This is constant KEY_KP_DBLAMPERSAND.
KEY_KP_DBLVERTICALBAR (see page 348)	This is constant KEY_KP_DBLVERTICALBAR.
KEY_KP_DECIMAL (see page 348)	This is constant KEY_KP_DECIMAL.
KEY_KP_DIVIDE (see page 349)	This is constant KEY_KP_DIVIDE.
KEY_KP_E (see page 349)	This is constant KEY_KP_E.
KEY_KP_ENTER (see page 349)	This is constant KEY_KP_ENTER.
KEY_KP_EQUALS (see page 349)	This is constant KEY_KP_EQUALS.
KEY_KP_EQUALSAS400 (see page 349)	This is constant KEY_KP_EQUALSAS400.
KEY_KP_EXCLAM (see page 350)	This is constant KEY_KP_EXCLAM.
KEY_KP_F (see page 350)	This is constant KEY_KP_F.
KEY_KP_GREATER (see page 350)	This is constant KEY_KP_GREATER.
KEY_KP_HASH (see page 350)	This is constant KEY_KP_HASH.
KEY_KP_HEXADecimal (see page 351)	This is constant KEY_KP_HEXADecimal.
KEY_KP_LEFTBRACE (see page 351)	This is constant KEY_KP_LEFTBRACE.
KEY_KP_LEFTPAREN (see page 351)	This is constant KEY_KP_LEFTPAREN.
KEY_KP_LESS (see page 351)	This is constant KEY_KP_LESS.
KEY_KP_MEMADD (see page 351)	This is constant KEY_KP_MEMADD.
KEY_KP_MEMCLEAR (see page 352)	This is constant KEY_KP_MEMCLEAR.
KEY_KP_MEMDIVIDE (see page 352)	This is constant KEY_KP_MEMDIVIDE.
KEY_KP_MEMMULTIPLY (see page 352)	This is constant KEY_KP_MEMMULTIPLY.
KEY_KP_MEMRECALL (see page 352)	This is constant KEY_KP_MEMRECALL.
KEY_KP_MEMSTORE (see page 353)	This is constant KEY_KP_MEMSTORE.
KEY_KP_MEMSUBTRACT (see page 353)	This is constant KEY_KP_MEMSUBTRACT.
KEY_KP_MINUS (see page 353)	This is constant KEY_KP_MINUS.
KEY_KP_MULTIPLY (see page 353)	This is constant KEY_KP_MULTIPLY.

KEY_KP_OCTAL (see page 353)	This is constant KEY_KP_OCTAL.
KEY_KP_PERCENT (see page 354)	This is constant KEY_KP_PERCENT.
KEY_KP_PERIOD (see page 354)	This is constant KEY_KP_PERIOD.
KEY_KP_PLUS (see page 354)	This is constant KEY_KP_PLUS.
KEY_KP_PLUSMINUS (see page 354)	This is constant KEY_KP_PLUSMINUS.
KEY_KP_POWER (see page 355)	This is constant KEY_KP_POWER.
KEY_KP_RIGHTBRACE (see page 355)	This is constant KEY_KP_RIGHTBRACE.
KEY_KP_RIGHTPAREN (see page 355)	This is constant KEY_KP_RIGHTPAREN.
KEY_KP_SPACE (see page 355)	This is constant KEY_KP_SPACE.
KEY_KP_TAB (see page 355)	This is constant KEY_KP_TAB.
KEY_KP_VERTICALBAR (see page 356)	This is constant KEY_KP_VERTICALBAR.
KEY_KP_XOR (see page 356)	This is constant KEY_KP_XOR.
KEY_L (see page 356)	This is constant KEY_L.
KEY_LALT (see page 356)	This is constant KEY_LALT.
KEY_LANG1 (see page 357)	This is constant KEY_LANG1.
KEY_LANG2 (see page 357)	This is constant KEY_LANG2.
KEY_LANG3 (see page 357)	This is constant KEY_LANG3.
KEY_LANG4 (see page 357)	This is constant KEY_LANG4.
KEY_LANG5 (see page 357)	This is constant KEY_LANG5.
KEY_LANG6 (see page 358)	This is constant KEY_LANG6.
KEY_LANG7 (see page 358)	This is constant KEY_LANG7.
KEY_LANG8 (see page 358)	This is constant KEY_LANG8.
KEY_LANG9 (see page 358)	This is constant KEY_LANG9.
KEY_LCTRL (see page 359)	This is constant KEY_LCTRL.
KEY_LEFT (see page 359)	This is constant KEY_LEFT.
KEY_LEFTBRACKET (see page 359)	This is constant KEY_LEFTBRACKET.
KEY_LGUI (see page 359)	This is constant KEY_LGUI.
KEY_LSHIFT (see page 359)	This is constant KEY_LSHIFT.
KEY_M (see page 360)	This is constant KEY_M.
KEY_MAIL (see page 360)	This is constant KEY_MAIL.
KEY_MEDIASELECT (see page 360)	This is constant KEY_MEDIASELECT.
KEY_MENU (see page 360)	This is constant KEY_MENU.
KEY_MINUS (see page 361)	This is constant KEY_MINUS.
KEY_MODE (see page 361)	This is constant KEY_MODE.
KEY_MUTE (see page 361)	This is constant KEY_MUTE.
KEY_N (see page 361)	This is constant KEY_N.
KEY_NONUSBACKSLASH (see page 361)	This is constant KEY_NONUSBACKSLASH.
KEY_NONUSHASH (see page 362)	This is constant KEY_NONUSHASH.
KEY_NUMLOCKCLEAR (see page 362)	This is constant KEY_NUMLOCKCLEAR.
KEY_O (see page 362)	This is constant KEY_O.
KEY_OPER (see page 362)	This is constant KEY_OPER.
KEY_OUT (see page 363)	This is constant KEY_OUT.
KEY_P (see page 363)	This is constant KEY_P.
KEY_PAGEDOWN (see page 363)	This is constant KEY_PAGEDOWN.
KEY_PAGEUP (see page 363)	This is constant KEY_PAGEUP.
KEY_PASTE (see page 363)	This is constant KEY_PASTE.
KEY_PAUSE (see page 364)	This is constant KEY_PAUSE.
KEY_PERIOD (see page 364)	This is constant KEY_PERIOD.
KEY_POWER (see page 364)	This is constant KEY_POWER.















KEY_PRINTSCREEN (see page 364)	This is constant KEY_PRINTSCREEN.
KEY_PRIOR (see page 365)	This is constant KEY_PRIOR.
KEY_Q (see page 365)	This is constant KEY_Q.
KEY_R (see page 365)	This is constant KEY_R.
KEY_RALT (see page 365)	This is constant KEY_RALT.
KEY_RCTRL (see page 365)	This is constant KEY_RCTRL.
KEY_RETURN (see page 366)	This is constant KEY_RETURN.
KEY_RETURN2 (see page 366)	This is constant KEY_RETURN2.
KEY_RGUI (see page 366)	This is constant KEY_RGUI.
KEY_RIGHT (see page 366)	This is constant KEY_RIGHT.
KEY_RIGHTBRACKET (see page 367)	This is constant KEY_RIGHTBRACKET.
KEY_RSHIFT (see page 367)	This is constant KEY_RSHIFT.
KEY_S (see page 367)	This is constant KEY_S.
KEY_SCROLLLOCK (see page 367)	This is constant KEY_SCROLLLOCK.
KEY_SELECT (see page 367)	This is constant KEY_SELECT.
KEY_SEMICOLON (see page 368)	This is constant KEY_SEMICOLON.
KEY_SEPARATOR (see page 368)	This is constant KEY_SEPARATOR.
KEY_SLASH (see page 368)	This is constant KEY_SLASH.
KEY_SLEEP (see page 368)	This is constant KEY_SLEEP.
KEY_SOFTLEFT (see page 369)	This is constant KEY_SOFTLEFT.
KEY_SOFTRIGHT (see page 369)	This is constant KEY_SOFTRIGHT.
KEY_SPACE (see page 369)	This is constant KEY_SPACE.
KEY_STOP (see page 369)	This is constant KEY_STOP.
KEY_SYSREQ (see page 369)	This is constant KEY_SYSREQ.
KEY_T (see page 370)	This is constant KEY_T.
KEY_TAB (see page 370)	This is constant KEY_TAB.
KEY_THOUSANDSSEPARATOR (see page 370)	This is constant KEY_THOUSANDSSEPARATOR.
KEY_U (see page 370)	This is constant KEY_U.
KEY_UNDO (see page 371)	This is constant KEY_UNDO.
KEY_UP (see page 371)	This is constant KEY_UP.
KEY_V (see page 371)	This is constant KEY_V.
KEY_VOLUMEDOWN (see page 371)	This is constant KEY_VOLUMEDOWN.
KEY_VOLUMEUP (see page 371)	This is constant KEY_VOLUMEUP.
KEY_W (see page 372)	This is constant KEY_W.
KEY_WWW (see page 372)	This is constant KEY_WWW.
KEY_X (see page 372)	This is constant KEY_X.
KEY_Y (see page 372)	This is constant KEY_Y.
KEY_Z (see page 373)	This is constant KEY_Z.
KHAKI (see page 373)	This is constant KHAKI.
LAVENDER (see page 373)	This is constant LAVENDER.
LAVENDERBLUSH (see page 373)	This is constant LAVENDERBLUSH.
LAWNGREEN (see page 373)	This is constant LAWNGREEN.
LEMONCHIFFON (see page 374)	This is constant LEMONCHIFFON.
LF (see page 374)	This is constant LF.
LIGHTBLUE (see page 374)	This is constant LIGHTBLUE.
LIGHTCORAL (see page 374)	This is constant LIGHTCORAL.
LIGHTCYAN (see page 375)	This is constant LIGHTCYAN.
LIGHTGOLDENRODYELLOW (see page 375)	This is constant LIGHTGOLDENRODYELLOW.

LIGHTGRAY (see page 375)	This is constant LIGHTGRAY.
LIGHTGREEN (see page 375)	This is constant LIGHTGREEN.
LIGHTGREY (see page 375)	This is constant LIGHTGREY.
LIGHTPINK (see page 376)	This is constant LIGHTPINK.
LIGHTSALMON (see page 376)	This is constant LIGHTSALMON.
LIGHTSEAGREEN (see page 376)	This is constant LIGHTSEAGREEN.
LIGHTSKYBLUE (see page 376)	This is constant LIGHTSKYBLUE.
LIGHTSLATEGRAY (see page 377)	This is constant LIGHTSLATEGRAY.
LIGHTSLATEGREY (see page 377)	This is constant LIGHTSLATEGREY.
LIGHTSTEELBLUE (see page 377)	This is constant LIGHTSTEELBLUE.
LIGHTYELLOW (see page 377)	This is constant LIGHTYELLOW.
LIME (see page 377)	This is constant LIME.
LIMEGREEN (see page 378)	This is constant LIMEGREEN.
LINEN (see page 378)	This is constant LINEN.
LOGEXT (see page 378)	This is constant LOGEXT.
LUACEXT (see page 378)	This is constant LUACEXT.
LUAEXT (see page 379)	This is constant LUAEXT.
LuSCANCODE_EXSEL (see page 379)	This is constant LuSCANCODE_EXSEL.
MAGENTA (see page 379)	This is constant MAGENTA.
MAROON (see page 379)	This is constant MAROON.
MEDIUMAQUAMARINE (see page 379)	This is constant MEDIUMAQUAMARINE.
MEDIUMBLUE (see page 380)	This is constant MEDIUMBLUE.
MEDIUMORCHID (see page 380)	This is constant MEDIUMORCHID.
MEDIUMPURPLE (see page 380)	This is constant MEDIUMPURPLE.
MEDIUMSEAGREEN (see page 380)	This is constant MEDIUMSEAGREEN.
MEDIUMSLATEBLUE (see page 381)	This is constant MEDIUMSLATEBLUE.
MEDIUMSPRINGGREEN (see page 381)	This is constant MEDIUMSPRINGGREEN.
MEDIUMTURQUOISE (see page 381)	This is constant MEDIUMTURQUOISE.
MEDIUMVIOLETRED (see page 381)	This is constant MEDIUMVIOLETRED.
MIDNIGHTBLUE (see page 381)	This is constant MIDNIGHTBLUE.
MINTCREAM (see page 382)	This is constant MINTCREAM.
MISTYROSE (see page 382)	This is constant MISTYROSE.
MOCCASIN (see page 382)	This is constant MOCCASIN.
MPGEXT (see page 382)	This is constant MPGEXT.
NAN (see page 383)	This is constant NAN.
NAVAJOWHITE (see page 383)	This is constant NAVAJOWHITE.
NAVY (see page 383)	This is constant NAVY.
OGGEXT (see page 383)	This is constant OGGEXT.
OLDLACE (see page 383)	This is constant OLDLACE.
OLIVE (see page 384)	This is constant OLIVE.
OLIVEDRAB (see page 384)	This is constant OLIVEDRAB.
ORANGE (see page 384)	This is constant ORANGE.
ORANGERED (see page 384)	This is constant ORANGERED.
ORCHID (see page 385)	This is constant ORCHID.
OVERLAY1 (see page 385)	This is constant OVERLAY1.
OVERLAY2 (see page 385)	This is constant OVERLAY2.
PALEGOLDENROD (see page 385)	This is constant PALEGOLDENROD.
PALEGREEN (see page 385)	This is constant PALEGREEN.
PALETURQUOISE (see page 386)	This is constant PALETURQUOISE.


PALEVIOLETRED (see page 386)	This is constant PALEVIOLETRED.
PAPAYAWHIP (see page 386)	This is constant PAPAYAWHIP.
PEACHPUFF (see page 386)	This is constant PEACHPUFF.
PERU (see page 387)	This is constant PERU.
PINK (see page 387)	This is constant PINK.
PLUM (see page 387)	This is constant PLUM.
PNGEXT (see page 387)	This is constant PNGEXT.
POWDERBLUE (see page 387)	This is constant POWDERBLUE.
PURPLE (see page 388)	This is constant PURPLE.
RADTODEG (see page 388)	This is constant RADTODEG.
REBECCAPURPLE (see page 388)	This is constant REBECCAPURPLE.
RED (see page 388)	This is constant RED.
RED2 (see page 389)	This is constant RED2.
ROSYBROWN (see page 389)	This is constant ROSYBROWN.
ROYALBLUE (see page 389)	This is constant ROYALBLUE.
SADDLEBROWN (see page 389)	This is constant SADDLEBROWN.
SALMON (see page 389)	This is constant SALMON.
SANDYBROWN (see page 390)	This is constant SANDYBROWN.
SEAGREEN (see page 390)	This is constant SEAGREEN.
SEASHELL (see page 390)	This is constant SEASHELL.
SIENNA (see page 390)	This is constant SIENNA.
SILVER (see page 391)	This is constant SILVER.
SKYBLUE (see page 391)	This is constant SKYBLUE.
SLATEBLUE (see page 391)	This is constant SLATEBLUE.
SLATEGRAY (see page 391)	This is constant SLATEGRAY.
SLATEGREY (see page 391)	This is constant SLATEGREY.
SNOW (see page 392)	This is constant SNOW.
SPRINGGREEN (see page 392)	This is constant SPRINGGREEN.
STEELBLUE (see page 392)	This is constant STEELBLUE.
TAN (see page 392)	This is constant TAN.
TEAL (see page 393)	This is constant TEAL.
THISTLE (see page 393)	This is constant THISTLE.
TIMER_FIXEDUPDATE_SPEED (see page 393)	This is constant TIMER_FIXEDUPDATE_SPEED.
TIMER_UPDATE_SPEED (see page 393)	This is constant TIMER_UPDATE_SPEED.
TOMATO (see page 393)	This is constant TOMATO.
TURQUOISE (see page 394)	This is constant TURQUOISE.
VERSION_MAJOR (see page 394)	This is constant VERSION_MAJOR.
VERSION_MINOR (see page 394)	This is constant VERSION_MINOR.
VERSION_PATCH (see page 394)	This is constant VERSION_PATCH.
VIDEO_SAMPLEBUFFERSIZE (see page 395)	This is constant VIDEO_SAMPLEBUFFERSIZE.
VIOLET (see page 395)	This is constant VIOLET.
WHEAT (see page 395)	This is constant WHEAT.
WHITE (see page 395)	This is constant WHITE.
WHITE2 (see page 395)	This is constant WHITE2.
WHITESMOKE (see page 396)	This is constant WHITESMOKE.
WINDOW_HEIGHT (see page 396)	This is constant WINDOW_HEIGHT.
WINDOW_WIDTH (see page 396)	This is constant WINDOW_WIDTH.
YELLOW (see page 396)	This is constant YELLOW.

YELLOWGREEN (see page 397)	This is constant YELLOWGREEN.
-----------------------------	-------------------------------


Enumerations

	TAudioFading (see page 275)	This is record TAudioFading.
	TBlendMode (see page 276)	This is record TBlendMode.
	TEaseType (see page 276)	This is record TEaseType.
	TFlipMode (see page 277)	This is record TFlipMode.
	THAlign (see page 277)	This is record THAlign.
	TInputDevice (see page 277)	This is record TInputDevice.
	TLineIntersection (see page 277)	This is record TLineIntersection.
	TLuaTable (see page 278)	This is record TLuaTable.
	TLuaType (see page 278)	This is record TLuaType.
	TLuaValueType (see page 278)	This is record TLuaValueType.
	TSpeechVoiceAttribute (see page 279)	This is record TSpeechVoiceAttribute.
	TTextureAccess (see page 279)	This is record TTextureAccess.
	TVAlign (see page 279)	This is record TVAlign.
	TVideoStatus (see page 279)	This is record TVideoStatus.



Functions

	AddSelfToUserPath (see page 256)	This is function AddSelfToUserPath.
	AngleCos (see page 256)	This is function AngleCos.
	AngleDiff (see page 256)	This is function AngleDiff.
	AngleRotatePos (see page 257)	This is function AngleRotatePos.
	AngleSin (see page 257)	This is function AngleSin.
	CaptureConsoleOutput (see page 257)	This is function CaptureConsoleOutput.
	CircleInRectangle (see page 257)	This is function CircleInRectangle.
	CirclesOverlap (see page 258)	This is function CirclesOverlap.
	ClipVaLue (see page 258)	This is function ClipVaLue.
	ClipVaLuef (see page 258)	This is function ClipVaLuef.
	CreateDirsInPath (see page 259)	This is function CreateDirsInPath.
	EasePosition (see page 259)	This is function EasePosition.
	EaseValue (see page 259)	This is function EaseValue.
	ExpandRelDirectory (see page 259)	This is function ExpandRelDirectory.
	ExpandRelFilename (see page 260)	This is function ExpandRelFilename.
	ExtractRelativeDirectory (see page 260)	This is function ExtractRelativeDirectory.
	ExtractRelativeFilename (see page 260)	This is function ExtractRelativeFilename.
	FreeNilObject (see page 260)	This is function FreeNilObject.
	GetDirName (see page 261)	This is function GetDirName.
	GetEnvVarValue (see page 261)	This is function GetEnvVarValue.
	GetExeBasePath (see page 261)	This is function GetExeBasePath.
	GetExePath (see page 261)	This is function GetExePath.
	GetFileRWops (see page 262)	This is function GetFileRWops.
	GetMemRWops (see page 262)	This is function GetMemRWops.
	GetRandomSeed (see page 262)	This is function GetRandomSeed.
	GetSemVerStr (see page 262)	This is function GetSemVerStr.
	GetUUID (see page 263)	This is function GetUUID.



















◆	GetVersionInfo (see page 263)	This is function GetVersionInfo.
◆	GetVersionInfo (see page 263)	This is function GetVersionInfo.
◆	HasConsoleOutput (see page 263)	This is function HasConsoleOutput.
◆	HttpGet (see page 264)	This is function HttpGet.
◆	IsCurrentDir (see page 264)	This is function IsCurrentDir.
◆	IsSingleInstance (see page 264)	This is function IsSingleInstance.
◆	IsValidFilename (see page 264)	This is function IsValidFilename.
◆	Lerp (see page 265)	This is function Lerp.
◆	LineIntersection (see page 265)	This is function LineIntersection.
◆	Pause (see page 265)	This is function Pause.
◆	PointInCircle (see page 266)	This is function PointInCircle.
◆	PointInRectangle (see page 266)	This is function PointInRectangle.
◆	PointInTriangle (see page 266)	This is function PointInTriangle.
◆	Print (see page 266)	This is function Print.
◆	Print (see page 267)	This is function Print.
◆	PrintLn (see page 267)	This is function PrintLn.
◆	PrintLn (see page 267)	This is function PrintLn.
◆	PrintLn (see page 267)	This is function PrintLn.
◆	ProcessMessages (see page 268)	This is function ProcessMessages.
◆	RadiusOverlap (see page 268)	This is function RadiusOverlap.
◆	RandomBool (see page 268)	This is function RandomBool.
◆	RandomRange (see page 268)	This is function RandomRange.
◆	RandomRangeF (see page 269)	This is function RandomRangeF.
◆	ReadStringFromStream (see page 269)	This is function ReadStringFromStream.
◆	RectangleIntersection (see page 269)	This is function RectangleIntersection.
◆	RectanglesOverlap (see page 269)	This is function RectanglesOverlap.
◆	RemoveDuplicates (see page 270)	This is function RemoveDuplicates.
◆	RemoveDuplicates2 (see page 270)	This is function RemoveDuplicates2.
◆	RemoveQuotes (see page 270)	This is function RemoveQuotes.
◆	RemoveSelfFromUserPath (see page 270)	This is function RemoveSelfFromUserPath.
◆	ResourceExists (see page 271)	This is function ResourceExists.
◆	RunGame (see page 271)	This is function RunGame.
◆	SameSign (see page 271)	This is function SameSign.
◆	SameSignf (see page 271)	This is function SameSignf.
◆	SameVaLue (see page 272)	This is function SameVaLue.
◆	SameVaLuef (see page 272)	This is function SameVaLuef.
◆	SetEnvVarValue (see page 272)	This is function SetEnvVarValue.
◆	SetGlobalEnvironment (see page 272)	This is function SetGlobalEnvironment.
◆	SetRandomSeed (see page 273)	This is function SetRandomSeed.
◆	ShellOpen (see page 273)	This is function ShellOpen.
◆	SmoothMove (see page 273)	This is function SmoothMove.
◆	UnitToScalarValue (see page 274)	This is function UnitToScalarValue.
◆	WaitForAnyKey (see page 274)	This is function WaitForAnyKey.
◆	WasRunFromConsole (see page 274)	This is function WasRunFromConsole.

	WriteStringToStream (see page 274)	This is function WriteStringToStream.
---	-------------------------------------	---------------------------------------

Interfaces

	ILua (see page 246)	This is class ILua.
	ILuaContext (see page 251)	This is class ILuaContext.

Records

	TActorMessage (see page 275)	This is record TActorMessage.
	TAsync (see page 57)	This is class TAsync.
	TAudio (see page 62)	This is class TAudio.
	TCmdLine (see page 85)	This is class TCmdLine.
	TColor (see page 89)	This is class TColor.
	TController (see page 97)	This is class TController.
	THud (see page 145)	This is class THud.
	TInput (see page 147)	This is class TInput.
	TLog (see page 156)	This is class TLog.
	TLuaValue (see page 176)	This is class TLuaValue.
	TPoint (see page 180)	This is class TPoint.
	TPolypointTrace (see page 192)	This is class TPolypointTrace.
	TPrefs (see page 195)	This is class TPrefs.
	TRange (see page 197)	This is class TRange.
	TRect (see page 198)	This is class TRect.
	TScreenshake (see page 202)	This is class TScreenshake.
	TSpeech (see page 203)	This is class TSpeech.
	TTimer (see page 221)	This is class TTimer.
	TTransform (see page 224)	This is class TTransform.
	TVector (see page 228)	This is class TVector.
	TVideo (see page 235)	This is class TVideo.
	TWindow (see page 239)	This is class TWindow.

Types

PActorMessage (see page 280)	This is type PActorMessage.
PColor (see page 280)	This is type PColor.
PPoint (see page 281)	This is type PPoint.
PRange (see page 281)	This is type PRange.
PRect (see page 281)	This is type PRect.
PTransform (see page 281)	This is type PTransform.
PVector (see page 282)	This is type PVector.
PVideo (see page 282)	This is type PVideo.
TActorAttributeSet (see page 282)	This is type TActorAttributeSet.
TActorSceneEvent (see page 282)	This is type TActorSceneEvent.
TAsyncProc (see page 282)	This is type TAsyncProc.
TCaptureConsoleOutputEvent (see page 283)	This is type TCaptureConsoleOutputEvent.
TGameClass (see page 283)	This is type TGameClass.
TLuaFunction (see page 283)	This is type TLuaFunction.
TMusic (see page 283)	This is type TMusic.
TSound (see page 284)	This is type TSound.

Variables

Game (see page 284)	This is variable Game.
Marshaller (see page 284)	This is variable Marshaller.

Index

A

- ALICEBLUE 294
- ALICEBLUE constant 294
- ANTIQUEWHITE 295
- ANTIQUEWHITE constant 295
- AQUA 295
- AQUA constant 295
- AQUAMARINE 295
- AQUAMARINE constant 295
- ARCEXT 295
- ARCEXT constant 295
- AUDIO_CHANNEL_DYNAMIC 295
- AUDIO_CHANNEL_DYNAMIC constant 295
- AUDIO_CHANNEL_FADINGIN 296
- AUDIO_CHANNEL_FADINGIN constant 296
- AUDIO_CHANNEL_FADINGOUT 296
- AUDIO_CHANNEL_FADINGOUT constant 296
- AUDIO_CHANNEL_LOOP 296
- AUDIO_CHANNEL_LOOP constant 296
- AUDIO_CHANNEL_MAX 296
- AUDIO_CHANNEL_MAX constant 296
- AUDIO_CHANNEL_NOFADING 297
- AUDIO_CHANNEL_NOFADING constant 297
- AZURE 297
- AZURE constant 297
- AddSelfToUserPath 256
- AddSelfToUserPath function 256
- AngleCos 256
- AngleCos function 256
- AngleDiff 256
- AngleDiff function 256
- AngleRotatePos 257
- AngleRotatePos function 257
- AngleSin 257
- AngleSin function 257
- BEIGE 297
- BEIGE constant 297
- BISQUE 297
- BISQUE constant 297
- BLACK 297
- BLACK constant 297
- BLANCHEDALMOND 298
- BLANCHEDALMOND constant 298
- BLANK 298
- BLANK constant 298
- BLUE 298
- BLUE constant 298
- BLUEVIOLET 298
- BLUEVIOLET constant 298
- BROWN 299
- BROWN constant 299
- BURLYWOOD 299
- BURLYWOOD constant 299
- BUTTON_LEFT 299
- BUTTON_LEFT constant 299
- BUTTON_MIDDLE 299
- BUTTON_MIDDLE constant 299
- BUTTON_RIGHT 299
- BUTTON_RIGHT constant 299
- BUTTON_X1 300
- BUTTON_X1 constant 300
- BUTTON_X2 300
- BUTTON_X2 constant 300
- CADETBBLUE 300
- CADETBBLUE constant 300
- CHARTREUSE 300
- CHARTREUSE constant 300
- CHOCOLATE 301
- CHOCOLATE constant 301
- COLORKEY 301
- COLORKEY constant 301
- CONTROLLER_AXIS_LEFTX 301
- CONTROLLER_AXIS_LEFTX constant 301
- CONTROLLER_AXIS_LEFTY 301
- CONTROLLER_AXIS_LEFTY constant 301
- CONTROLLER_AXIS_RIGHTX 301
- CONTROLLER_AXIS_RIGHTX constant 301
- CONTROLLER_AXIS_RIGHTY 302
- CONTROLLER_AXIS_RIGHTY constant 302
- CONTROLLER_AXIS_TRIGGERLEFT 302
- CONTROLLER_AXIS_TRIGGERLEFT constant 302

CONTROLLER_AXIS_TRIGGERRIGHT 302	CONTROLLER_BUTTON_Y 307
CONTROLLER_AXIS_TRIGGERRIGHT constant 302	CONTROLLER_BUTTON_Y constant 307
CONTROLLER_BUTTON_A 302	CORAL 307
CONTROLLER_BUTTON_A constant 302	CORAL constant 307
CONTROLLER_BUTTON_B 303	CORNFLOWERBLUE 307
CONTROLLER_BUTTON_B constant 303	CORNFLOWERBLUE constant 307
CONTROLLER_BUTTON_BACK 303	CORNSILK 307
CONTROLLER_BUTTON_BACK constant 303	CORNSILK constant 307
CONTROLLER_BUTTON_DPAD_DOWN 303	CR 308
CONTROLLER_BUTTON_DPAD_DOWN constant 303	CR constant 308
CONTROLLER_BUTTON_DPAD_LEFT 303	CRIMSON 308
CONTROLLER_BUTTON_DPAD_LEFT constant 303	CRIMSON constant 308
CONTROLLER_BUTTON_DPAD_RIGHT 303	CRLF 308
CONTROLLER_BUTTON_DPAD_RIGHT constant 303	CRLF constant 308
CONTROLLER_BUTTON_DPAD_UP 304	CYAN 308
CONTROLLER_BUTTON_DPAD_UP constant 304	CYAN constant 308
CONTROLLER_BUTTON_GUIDE 304	CaptureConsoleOutput 257
CONTROLLER_BUTTON_GUIDE constant 304	CaptureConsoleOutput function 257
CONTROLLER_BUTTON_LEFTSHOULDER 304	CircleInRectangle 257
CONTROLLER_BUTTON_LEFTSHOULDER constant 304	CircleInRectangle function 257
CONTROLLER_BUTTON_LEFTSTICK 304	CirclesOverlap 258
CONTROLLER_BUTTON_LEFTSTICK constant 304	CirclesOverlap function 258
CONTROLLER_BUTTON_MISC1 305	Classes 14
CONTROLLER_BUTTON_MISC1 constant 305	ClipVaLue 258
CONTROLLER_BUTTON_PADDLE1 305	ClipVaLue function 258
CONTROLLER_BUTTON_PADDLE1 constant 305	ClipVaLuef 258
CONTROLLER_BUTTON_PADDLE2 305	ClipVaLuef function 258
CONTROLLER_BUTTON_PADDLE2 constant 305	Constants 284
CONTROLLER_BUTTON_PADDLE3 305	CreateDirsInPath 259
CONTROLLER_BUTTON_PADDLE3 constant 305	CreateDirsInPath function 259
CONTROLLER_BUTTON_PADDLE4 305	DARKBLUE 309
CONTROLLER_BUTTON_PADDLE4 constant 305	DARKBLUE constant 309
CONTROLLER_BUTTON_RIGHTSHOULDER 306	DARKCYAN 309
CONTROLLER_BUTTON_RIGHTSHOULDER constant 306	DARKCYAN constant 309
CONTROLLER_BUTTON_RIGHTSTICK 306	DARKGOLDENROD 309
CONTROLLER_BUTTON_RIGHTSTICK constant 306	DARKGOLDENROD constant 309
CONTROLLER_BUTTON_START 306	DARKGRAY 309
CONTROLLER_BUTTON_START constant 306	DARKGRAY constant 309
CONTROLLER_BUTTON_TOUCHPAD 306	DARKGREEN 309
CONTROLLER_BUTTON_TOUCHPAD constant 306	DARKGREEN constant 309
CONTROLLER_BUTTON_X 307	DARKGREY 310
CONTROLLER_BUTTON_X constant 307	DARKGREY constant 310

DARKKHAKI 310
 DARKKHAKI constant 310
 DARKMAGENTA 310
 DARKMAGENTA constant 310
 DARKOLIVEGREEN 310
 DARKOLIVEGREEN constant 310
 DARKORANGE 311
 DARKORANGE constant 311
 DARKORCHID 311
 DARKORCHID constant 311
 DARKRED 311
 DARKRED constant 311
 DARKSALMON 311
 DARKSALMON constant 311
 DARKSEAGREEN 311
 DARKSEAGREEN constant 311
 DARKSLATEBLUE 312
 DARKSLATEBLUE constant 312
 DARKSLATEBROWN 312
 DARKSLATEBROWN constant 312
 DARKSLATEGRAY 312
 DARKSLATEGRAY constant 312
 DARKTURQUOISE 312
 DARKTURQUOISE constant 312
 DARKVIOLET 313
 DARKVIOLET constant 313
 DEEPPINK 313
 DEEPPINK constant 313
 DEEPSKYBLUE 313
 DEEPSKYBLUE constant 313
 DEGTORAD 313
 DEGTORAD constant 313
 DIMGRAY 313
 DIMGRAY constant 313
 DIMWHITE 314
 DIMWHITE constant 314
 DODGERBLUE 314
 DODGERBLUE constant 314
 DelphiGamekit.pas 397
 EBufferException 16
 EBufferException class 16
 about EBufferException class 16

ELuaException 16
 ELuaException class 16
 about ELuaException class 16
 ELuaRuntimeException 16
 ELuaRuntimeException class 16
 about ELuaRuntimeException class 16
 ELuaSyntaxError 16
 ELuaSyntaxError class 16
 about ELuaSyntaxError class 16
 EPSILON 314
 EPSILON constant 314
 EasePosition 259
 EasePosition function 259
 EaseValue 259
 EaseValue function 259
 ExpandRelDirectory 259
 ExpandRelDirectory function 259
 ExpandRelFilename 260
 ExpandRelFilename function 260
 ExtractRelativeDirectory 260
 ExtractRelativeDirectory function 260
 ExtractRelativeFilename 260
 ExtractRelativeFilename function 260
 FIREBRICK 314
 FIREBRICK constant 314
 FLORALWHITE 315
 FLORALWHITE constant 315
 FORESTGREEN 315
 FORESTGREEN constant 315
 FUCHSIA 315
 FUCHSIA constant 315
 Files 397
 FreeNilObject 260
 FreeNilObject function 260
 Functions 254
 GAINSBORO 315
 GAINSBORO constant 315
 GHOSTWHITE 315
 GHOSTWHITE constant 315
 GOLD 316
 GOLD constant 316
 GOLDENROD 316

GOLDENROD constant 316	GetVariable 247
GRAY 316	ILua methods 246
GRAY constant 316	LoadBuffer 247
GREEN 316	LoadFile 248
GREEN constant 316	LoadStream 248
GREENYELLOW 317	LoadString 248
GREENYELLOW constant 317	PrepCall 248
GREY 317	RegisterRoutine 249
GREY constant 317	RegisterRoutines 249, 250
Game 284	Reset 250
Game variable 284	RoutineExist 250
GetDirName 261	Run 250
GetDirName function 261	SetVariable 251
GetEnvVarValue 261	VariableExist 251
GetEnvVarValue function 261	about ILua interface 246
GetExeBasePath 261	ILua.Call 247
GetExeBasePath function 261	ILua.GetVariable 247
GetExePath 261	ILua.LoadBuffer 247
GetExePath function 261	ILua.LoadFile 248
GetFileRWops 262	ILua.LoadStream 248
GetFileRWops function 262	ILua.LoadString 248
GetMemRWops 262	ILua.PrepareCall 248
GetMemRWops function 262	ILua.RegisterRoutine 249
GetRandomSeed 262	ILua.RegisterRoutines 249, 250
GetRandomSeed function 262	ILua.Reset 250
GetSemVerStr 262	ILua.RoutineExist 250
GetSemVerStr function 262	ILua.Run 250
GetUUID 263	ILua.SetVariable 251
GetUUID function 263	ILua.VariableExist 251
GetVersionInfo 263	ILuaContext 251
GetVersionInfo function 263	ILuaContext interface 251
HONEYDEW 317	ArgCount 252
HONEYDEW constant 317	ClearStack 252
HOTPINK 317	GetStackType 252
HOTPINK constant 317	GetTableFieldValue 252
HasConsoleOutput 263	GetTableIndexValue 252
HasConsoleOutput function 263	GetValue 253
HttpGet 264	ILuaContext methods 251
HttpGet function 264	PopStack 253
ILua 246	PushCount 253
ILua interface 246	PushValue 253
Call 247	SetTableFieldValue 254

SetTableIndexValue 254	KEY_7 320
about ILuaContext interface 251	KEY_7 constant 320
ILuaContext.ArgCount 252	KEY_8 320
ILuaContext.ClearStack 252	KEY_8 constant 320
ILuaContext.GetStackType 252	KEY_9 320
ILuaContext.GetTableFieldValue 252	KEY_9 constant 320
ILuaContext.GetTableIndexValue 252	KEY_A 321
ILuaContext.GetValue 253	KEY_A constant 321
ILuaContext.PopStack 253	KEY_AC_BACK 321
ILuaContext.PushCount 253	KEY_AC_BACK constant 321
ILuaContext.PushValue 253	KEY_AC_BOOKMARKS 321
ILuaContext.SetTableFieldValue 254	KEY_AC_BOOKMARKS constant 321
ILuaContext.SetTableIndexValue 254	KEY_AC_FORWARD 321
INDIANRED 317	KEY_AC_FORWARD constant 321
INDIANRED constant 317	KEY_AC_HOME 321
INDIGO 318	KEY_AC_HOME constant 321
INDIGO constant 318	KEY_AC_REFRESH 322
INIEXT 318	KEY_AC_REFRESH constant 322
INIEXT constant 318	KEY_AC_SEARCH 322
IVORY 318	KEY_AC_SEARCH constant 322
IVORY constant 318	KEY_AC_STOP 322
Interfaces 246	KEY_AC_STOP constant 322
IsCurrentDir 264	KEY_AGAIN 322
IsCurrentDir function 264	KEY_AGAIN constant 322
IsSingleInstance 264	KEY_ALTERASE 323
IsSingleInstance function 264	KEY_ALTERASE constant 323
IsValidFilename 264	KEY_APOSTROPHE 323
IsValidFilename function 264	KEY_APOSTROPHE constant 323
KEY_0 318	KEY_APP1 323
KEY_0 constant 318	KEY_APP1 constant 323
KEY_1 319	KEY_APP2 323
KEY_1 constant 319	KEY_APP2 constant 323
KEY_2 319	KEY_APPLICATION 323
KEY_2 constant 319	KEY_APPLICATION constant 323
KEY_3 319	KEY_AUDIOFASTFORWARD 324
KEY_3 constant 319	KEY_AUDIOFASTFORWARD constant 324
KEY_4 319	KEY_AUDIOMUTE 324
KEY_4 constant 319	KEY_AUDIOMUTE constant 324
KEY_5 319	KEY_AUDIONEXT 324
KEY_5 constant 319	KEY_AUDIONEXT constant 324
KEY_6 320	KEY_AUDIOPLAY 324
KEY_6 constant 320	KEY_AUDIOPLAY constant 324

KEY_AUDIOPREV 325	KEY_CUT 329
KEY_AUDIOPREV constant 325	KEY_CUT constant 329
KEY_AUDIOREWIND 325	KEY_D 329
KEY_AUDIOREWIND constant 325	KEY_D constant 329
KEY_AUDIOSTOP 325	KEY_DECIMALSEPARATOR 330
KEY_AUDIOSTOP constant 325	KEY_DECIMALSEPARATOR constant 330
KEY_B 325	KEY_DELETE 330
KEY_B constant 325	KEY_DELETE constant 330
KEY_BACKSLASH 325	KEY_DISPLAYSWITCH 330
KEY_BACKSLASH constant 325	KEY_DISPLAYSWITCH constant 330
KEY_BACKSPACE 326	KEY_DOWN 330
KEY_BACKSPACE constant 326	KEY_DOWN constant 330
KEY_BRIGHTNESSDOWN 326	KEY_E 331
KEY_BRIGHTNESSDOWN constant 326	KEY_E constant 331
KEY_BRIGHTNESSUP 326	KEY_EJECT 331
KEY_BRIGHTNESSUP constant 326	KEY_EJECT constant 331
KEY_C 326	KEY_END 331
KEY_C constant 326	KEY_END constant 331
KEY_CALCULATOR 327	KEY_ENDCALL 331
KEY_CALCULATOR constant 327	KEY_ENDCALL constant 331
KEY_CALL 327	KEY_EQUALS 331
KEY_CALL constant 327	KEY_EQUALS constant 331
KEY_CANCEL 327	KEY_ESCAPE 332
KEY_CANCEL constant 327	KEY_ESCAPE constant 332
KEY_CAPSLOCK 327	KEY_EXECUTE 332
KEY_CAPSLOCK constant 327	KEY_EXECUTE constant 332
KEY_CLEAR 327	KEY_F 332
KEY_CLEAR constant 327	KEY_F constant 332
KEY_CLEARAGAIN 328	KEY_F1 332
KEY_CLEARAGAIN constant 328	KEY_F1 constant 332
KEY_COMMA 328	KEY_F10 333
KEY_COMMA constant 328	KEY_F10 constant 333
KEY_COMPUTER 328	KEY_F11 333
KEY_COMPUTER constant 328	KEY_F11 constant 333
KEY_COPY 328	KEY_F12 333
KEY_COPY constant 328	KEY_F12 constant 333
KEY_CRSEL 329	KEY_F13 333
KEY_CRSEL constant 329	KEY_F13 constant 333
KEY_CURRENCYSUBUNIT 329	KEY_F14 333
KEY_CURRENCYSUBUNIT constant 329	KEY_F14 constant 333
KEY_CURRENCYUNIT 329	KEY_F15 334
KEY_CURRENCYUNIT constant 329	KEY_F15 constant 334

KEY_F16 334	KEY_HELP 339
KEY_F16 constant 334	KEY_HELP constant 339
KEY_F17 334	KEY_HOME 339
KEY_F17 constant 334	KEY_HOME constant 339
KEY_F18 334	KEY_I 339
KEY_F18 constant 334	KEY_I constant 339
KEY_F19 335	KEY_INSERT 339
KEY_F19 constant 335	KEY_INSERT constant 339
KEY_F2 335	KEY INTERNATIONAL1 339
KEY_F2 constant 335	KEY INTERNATIONAL1 constant 339
KEY_F20 335	KEY INTERNATIONAL2 340
KEY_F20 constant 335	KEY INTERNATIONAL2 constant 340
KEY_F21 335	KEY INTERNATIONAL3 340
KEY_F21 constant 335	KEY INTERNATIONAL3 constant 340
KEY_F22 335	KEY INTERNATIONAL4 340
KEY_F22 constant 335	KEY INTERNATIONAL4 constant 340
KEY_F23 336	KEY INTERNATIONAL5 340
KEY_F23 constant 336	KEY INTERNATIONAL5 constant 340
KEY_F24 336	KEY INTERNATIONAL6 341
KEY_F24 constant 336	KEY INTERNATIONAL6 constant 341
KEY_F3 336	KEY INTERNATIONAL7 341
KEY_F3 constant 336	KEY INTERNATIONAL7 constant 341
KEY_F4 336	KEY INTERNATIONAL8 341
KEY_F4 constant 336	KEY INTERNATIONAL8 constant 341
KEY_F5 337	KEY INTERNATIONAL9 341
KEY_F5 constant 337	KEY INTERNATIONAL9 constant 341
KEY_F6 337	KEY_J 341
KEY_F6 constant 337	KEY_J constant 341
KEY_F7 337	KEY_K 342
KEY_F7 constant 337	KEY_K constant 342
KEY_F8 337	KEY_KBDILLUMDOWN 342
KEY_F8 constant 337	KEY_KBDILLUMDOWN constant 342
KEY_F9 337	KEY_KBDILLUMTOGGLE 342
KEY_F9 constant 337	KEY_KBDILLUMTOGGLE constant 342
KEY_FIND 338	KEY_KBDILLUMUP 342
KEY_FIND constant 338	KEY_KBDILLUMUP constant 342
KEY_G 338	KEY_KP_0 343
KEY_G constant 338	KEY_KP_0 constant 343
KEY_GRAVE 338	KEY_KP_00 343
KEY_GRAVE constant 338	KEY_KP_00 constant 343
KEY_H 338	KEY_KP_000 343
KEY_H constant 338	KEY_KP_000 constant 343

KEY_KP_1 343	KEY_KP_DBLAMPERSAND 348
KEY_KP_1 constant 343	KEY_KP_DBLAMPERSAND constant 348
KEY_KP_2 343	KEY_KP_DBLVERTICALBAR 348
KEY_KP_2 constant 343	KEY_KP_DBLVERTICALBAR constant 348
KEY_KP_3 344	KEY_KP_DECIMAL 348
KEY_KP_3 constant 344	KEY_KP_DECIMAL constant 348
KEY_KP_4 344	KEY_KP_DIVIDE 349
KEY_KP_4 constant 344	KEY_KP_DIVIDE constant 349
KEY_KP_5 344	KEY_KP_E 349
KEY_KP_5 constant 344	KEY_KP_E constant 349
KEY_KP_6 344	KEY_KP_ENTER 349
KEY_KP_6 constant 344	KEY_KP_ENTER constant 349
KEY_KP_7 345	KEY_KP_EQUALS 349
KEY_KP_7 constant 345	KEY_KP_EQUALS constant 349
KEY_KP_8 345	KEY_KP_EQUALSAS400 349
KEY_KP_8 constant 345	KEY_KP_EQUALSAS400 constant 349
KEY_KP_9 345	KEY_KP_EXCLAM 350
KEY_KP_9 constant 345	KEY_KP_EXCLAM constant 350
KEY_KP_A 345	KEY_KP_F 350
KEY_KP_A constant 345	KEY_KP_F constant 350
KEY_KP_AMPERSAND 345	KEY_KP_GREATER 350
KEY_KP_AMPERSAND constant 345	KEY_KP_GREATER constant 350
KEY_KP_AT 346	KEY_KP_HASH 350
KEY_KP_AT constant 346	KEY_KP_HASH constant 350
KEY_KP_B 346	KEY_KP_HEXADECIMAL 351
KEY_KP_B constant 346	KEY_KP_HEXADECIMAL constant 351
KEY_KP_BACKSPACE 346	KEY_KP_LEFTBRACE 351
KEY_KP_BACKSPACE constant 346	KEY_KP_LEFTBRACE constant 351
KEY_KP_BINARY 346	KEY_KP_LEFTPAREN 351
KEY_KP_BINARY constant 346	KEY_KP_LEFTPAREN constant 351
KEY_KP_C 347	KEY_KP_LESS 351
KEY_KP_C constant 347	KEY_KP_LESS constant 351
KEY_KP_CLEAR 347	KEY_KP_MEMADD 351
KEY_KP_CLEAR constant 347	KEY_KP_MEMADD constant 351
KEY_KP_CLEARENTRY 347	KEY_KP_MEMCLEAR 352
KEY_KP_CLEARENTRY constant 347	KEY_KP_MEMCLEAR constant 352
KEY_KP_COLON 347	KEY_KP_MEMDIVIDE 352
KEY_KP_COLON constant 347	KEY_KP_MEMDIVIDE constant 352
KEY_KP_COMMA 347	KEY_KP_MEMMULTIPLY 352
KEY_KP_COMMA constant 347	KEY_KP_MEMMULTIPLY constant 352
KEY_KP_D 348	KEY_KP_MEMRECALL 352
KEY_KP_D constant 348	KEY_KP_MEMRECALL constant 352

KEY_KP_MEMSTORE 353	KEY_LANG4 357
KEY_KP_MEMSTORE constant 353	KEY_LANG4 constant 357
KEY_KP_MEMSUBTRACT 353	KEY_LANG5 357
KEY_KP_MEMSUBTRACT constant 353	KEY_LANG5 constant 357
KEY_KP_MINUS 353	KEY_LANG6 358
KEY_KP_MINUS constant 353	KEY_LANG6 constant 358
KEY_KP_MULTIPLY 353	KEY_LANG7 358
KEY_KP_MULTIPLY constant 353	KEY_LANG7 constant 358
KEY_KP_OCTAL 353	KEY_LANG8 358
KEY_KP_OCTAL constant 353	KEY_LANG8 constant 358
KEY_KP_PERCENT 354	KEY_LANG9 358
KEY_KP_PERCENT constant 354	KEY_LANG9 constant 358
KEY_KP_PERIOD 354	KEY_LCTRL 359
KEY_KP_PERIOD constant 354	KEY_LCTRL constant 359
KEY_KP_PLUS 354	KEY_LEFT 359
KEY_KP_PLUS constant 354	KEY_LEFT constant 359
KEY_KP_PLUSMINUS 354	KEY_LEFTBRACKET 359
KEY_KP_PLUSMINUS constant 354	KEY_LEFTBRACKET constant 359
KEY_KP_POWER 355	KEY_LGUI 359
KEY_KP_POWER constant 355	KEY_LGUI constant 359
KEY_KP_RIGHTBRACE 355	KEY_LSHIFT 359
KEY_KP_RIGHTBRACE constant 355	KEY_LSHIFT constant 359
KEY_KP_RIGHTPAREN 355	KEY_M 360
KEY_KP_RIGHTPAREN constant 355	KEY_M constant 360
KEY_KP_SPACE 355	KEY_MAIL 360
KEY_KP_SPACE constant 355	KEY_MAIL constant 360
KEY_KP_TAB 355	KEY_MEDIASELECT 360
KEY_KP_TAB constant 355	KEY_MEDIASELECT constant 360
KEY_KP_VERTICALBAR 356	KEY_MENU 360
KEY_KP_VERTICALBAR constant 356	KEY_MENU constant 360
KEY_KP_XOR 356	KEY_MINUS 361
KEY_KP_XOR constant 356	KEY_MINUS constant 361
KEY_L 356	KEY_MODE 361
KEY_L constant 356	KEY_MODE constant 361
KEY_LALT 356	KEY_MUTE 361
KEY_LALT constant 356	KEY_MUTE constant 361
KEY_LANG1 357	KEY_N 361
KEY_LANG1 constant 357	KEY_N constant 361
KEY_LANG2 357	KEY_NONUSBACKSLASH 361
KEY_LANG2 constant 357	KEY_NONUSBACKSLASH constant 361
KEY_LANG3 357	KEY_NONUSHASH 362
KEY_LANG3 constant 357	KEY_NONUSHASH constant 362

KEY_NUMLOCKCLEAR 362	KEY_RIGHTBRACKET 367
KEY_NUMLOCKCLEAR constant 362	KEY_RIGHTBRACKET constant 367
KEY_O 362	KEY_RSHIFT 367
KEY_O constant 362	KEY_RSHIFT constant 367
KEY_OPER 362	KEY_S 367
KEY_OPER constant 362	KEY_S constant 367
KEY_OUT 363	KEY_SCROLLLOCK 367
KEY_OUT constant 363	KEY_SCROLLLOCK constant 367
KEY_P 363	KEY_SELECT 367
KEY_P constant 363	KEY_SELECT constant 367
KEY_PAGEDOWN 363	KEY_SEMICOLON 368
KEY_PAGEDOWN constant 363	KEY_SEMICOLON constant 368
KEY_PAGEUP 363	KEY_SEPARATOR 368
KEY_PAGEUP constant 363	KEY_SEPARATOR constant 368
KEY_PASTE 363	KEY_SLASH 368
KEY_PASTE constant 363	KEY_SLASH constant 368
KEY_PAUSE 364	KEY_SLEEP 368
KEY_PAUSE constant 364	KEY_SLEEP constant 368
KEY_PERIOD 364	KEY_SOFTLEFT 369
KEY_PERIOD constant 364	KEY_SOFTLEFT constant 369
KEY_POWER 364	KEY_SOFTRIGHT 369
KEY_POWER constant 364	KEY_SOFTRIGHT constant 369
KEY_PRINTSCREEN 364	KEY_SPACE 369
KEY_PRINTSCREEN constant 364	KEY_SPACE constant 369
KEY_PRIOR 365	KEY_STOP 369
KEY_PRIOR constant 365	KEY_STOP constant 369
KEY_Q 365	KEY_SYSREQ 369
KEY_Q constant 365	KEY_SYSREQ constant 369
KEY_R 365	KEY_T 370
KEY_R constant 365	KEY_T constant 370
KEY_RALT 365	KEY_TAB 370
KEY_RALT constant 365	KEY_TAB constant 370
KEY_RCTRL 365	KEY_THOUSANDSSEPARATOR 370
KEY_RCTRL constant 365	KEY_THOUSANDSSEPARATOR constant 370
KEY_RETURN 366	KEY_U 370
KEY_RETURN constant 366	KEY_U constant 370
KEY_RETURN2 366	KEY_UNDO 371
KEY_RETURN2 constant 366	KEY_UNDO constant 371
KEY_RGUI 366	KEY_UP 371
KEY_RGUI constant 366	KEY_UP constant 371
KEY_RIGHT 366	KEY_V 371
KEY_RIGHT constant 366	KEY_V constant 371

KEY_VOLUMEDOWN 371	LIGHTSALMON 376
KEY_VOLUMEDOWN constant 371	LIGHTSALMON constant 376
KEY_VOLUMEUP 371	LIGHTSEAGREEN 376
KEY_VOLUMEUP constant 371	LIGHTSEAGREEN constant 376
KEY_W 372	LIGHTSKYBLUE 376
KEY_W constant 372	LIGHTSKYBLUE constant 376
KEY_WWW 372	LIGHTSLATEGRAY 377
KEY_WWW constant 372	LIGHTSLATEGRAY constant 377
KEY_X 372	LIGHTSLATEGREY 377
KEY_X constant 372	LIGHTSLATEGREY constant 377
KEY_Y 372	LIGHTSTEELBLUE 377
KEY_Y constant 372	LIGHTSTEELBLUE constant 377
KEY_Z 373	LIGHTYELLOW 377
KEY_Z constant 373	LIGHTYELLOW constant 377
KHAKI 373	LIME 377
KHAKI constant 373	LIME constant 377
LAVENDER 373	LIMEGREEN 378
LAVENDER constant 373	LIMEGREEN constant 378
LAVENDERBLUSH 373	LINEN 378
LAVENDERBLUSH constant 373	LINEN constant 378
LAWNGREEN 373	LOGEXT 378
LAWNGREEN constant 373	LOGEXT constant 378
LEMONCHIFFON 374	LUACEXT 378
LEMONCHIFFON constant 374	LUACEXT constant 378
LF 374	LUAEXT 379
LF constant 374	LUAEXT constant 379
LIGHTBLUE 374	Lerp 265
LIGHTBLUE constant 374	Lerp function 265
LIGHTCORAL 374	LineIntersection 265
LIGHTCORAL constant 374	LineIntersection function 265
LIGHTCYAN 375	LuSCANCODE_EXSEL 379
LIGHTCYAN constant 375	LuSCANCODE_EXSEL constant 379
LIGHTGOLDENRODYELLOW 375	LuaTable enumeration member 278
LIGHTGOLDENRODYELLOW constant 375	MAGENTA 379
LIGHTGRAY 375	MAGENTA constant 379
LIGHTGRAY constant 375	MAROON 379
LIGHTGREEN 375	MAROON constant 379
LIGHTGREEN constant 375	MEDIUMAQUAMARINE 379
LIGHTGREY 375	MEDIUMAQUAMARINE constant 379
LIGHTGREY constant 375	MEDIUMBLUE 380
LIGHTPINK 376	MEDIUMBLUE constant 380
LIGHTPINK constant 376	MEDIUMORCHID 380

MEDIUMORCHID constant 380	ORANGERED constant 384
MEDIUMPURPLE 380	ORCHID 385
MEDIUMPURPLE constant 380	ORCHID constant 385
MEDIUMSEAGREEN 380	OVERLAY1 385
MEDIUMSEAGREEN constant 380	OVERLAY1 constant 385
MEDIUMSLATEBLUE 381	OVERLAY2 385
MEDIUMSLATEBLUE constant 381	OVERLAY2 constant 385
MEDIUMSPRINGGREEN 381	PALEGOLDENROD 385
MEDIUMSPRINGGREEN constant 381	PALEGOLDENROD constant 385
MEDIUMTURQUOISE 381	PALEGREEN 385
MEDIUMTURQUOISE constant 381	PALEGREEN constant 385
MEDIUMVIOLETRED 381	PALETURQUOISE 386
MEDIUMVIOLETRED constant 381	PALETURQUOISE constant 386
MIDNIGHTBLUE 381	PALEVIOLETRED 386
MIDNIGHTBLUE constant 381	PALEVIOLETRED constant 386
MINTCREAM 382	PAPAYAWHIP 386
MINTCREAM constant 382	PAPAYAWHIP constant 386
MISTYROSE 382	PActorMessage 280
MISTYROSE constant 382	PActorMessage type 280
MOCCASIN 382	PColor 280
MOCCASIN constant 382	PColor type 280
MPGEXT 382	PEACHPUFF 386
MPGEXT constant 382	PEACHPUFF constant 386
Marshaller 284	PERU 387
Marshaller variable 284	PERU constant 387
NAN 383	PINK 387
NAN constant 383	PINK constant 387
NAVAJOWHITE 383	PLUM 387
NAVAJOWHITE constant 383	PLUM constant 387
NAVY 383	PNGEXT 387
NAVY constant 383	PNGEXT constant 387
OGGEXT 383	POWDERBLUE 387
OGGEXT constant 383	POWDERBLUE constant 387
OLDLACE 383	PPoint 281
OLDLACE constant 383	PPoint type 281
OLIVE 384	PRange 281
OLIVE constant 384	PRange type 281
OLIVEDRAB 384	PRect 281
OLIVEDRAB constant 384	PRect type 281
ORANGE 384	PTransform 281
ORANGE constant 384	PTransform type 281
ORANGERED 384	PURPLE 388

PURPLE constant 388	RectangleIntersection function 269
PVector 282	RectanglesOverlap 269
PVector type 282	RectanglesOverlap function 269
PVideo 282	RemoveDuplicates 270
PVideo type 282	RemoveDuplicates function 270
Pause 265	RemoveDuplicates2 270
Pause function 265	RemoveDuplicates2 function 270
PointInCircle 266	RemoveQuotes 270
PointInCircle function 266	RemoveQuotes function 270
PointInRectangle 266	RemoveSelfFromUserPath 270
PointInRectangle function 266	RemoveSelfFromUserPath function 270
PointInTriangle 266	ResourceExists 271
PointInTriangle function 266	ResourceExists function 271
Print 266, 267	RunGame 271
Print function 266, 267	RunGame function 271
PrintLn 267	SADDLEBROWN 389
PrintLn function 267	SADDLEBROWN constant 389
ProcessMessages 268	SALMON 389
ProcessMessages function 268	SALMON constant 389
RADTODEG 388	SANDYBROWN 390
RADTODEG constant 388	SANDYBROWN constant 390
REBECCAPURPLE 388	SEAGREEN 390
REBECCAPURPLE constant 388	SEAGREEN constant 390
RED 388	SEASHELL 390
RED constant 388	SEASHELL constant 390
RED2 389	SIENNA 390
RED2 constant 389	SIENNA constant 390
ROSYBROWN 389	SILVER 391
ROSYBROWN constant 389	SILVER constant 391
ROYALBLUE 389	SKYBLUE 391
ROYALBLUE constant 389	SKYBLUE constant 391
RadiusOverlap 268	SLATEBLUE 391
RadiusOverlap function 268	SLATEBLUE constant 391
RandomBool 268	SLATEGRAY 391
RandomBool function 268	SLATEGRAY constant 391
RandomRange 268	SLATEGREY 391
RandomRange function 268	SLATEGREY constant 391
RandomRangef 269	SNOW 392
RandomRangef function 269	SNOW constant 392
ReadStringFromStream 269	SPRINGGREEN 392
ReadStringFromStream function 269	SPRINGGREEN constant 392
RectangleIntersection 269	STEELBLUE 392

STEELBLUE constant 392	Destroy 20
SameSign 271	FStateMachine 19
SameSign function 271	OnRender 20
SameSignf 271	OnUpdate 20
SameSignf function 271	StateMachine 20
SameVaLue 272	TAIEntityActor fields 19
SameVaLue function 272	TAIEntityActor methods 19
SameVaLuef 272	TAIEntityActor properties 20
SameVaLuef function 272	about TAIEntityActor class 19
SetEnvVarValue 272	TAIEntityActor.Create 19
SetEnvVarValue function 272	TAIEntityActor.Destroy 20
SetGlobalEnvironment 272	TAIEntityActor.FStateMachine 19
SetGlobalEnvironment function 272	TAIEntityActor.OnRender 20
SetRandomSeed 273	TAIEntityActor.OnUpdate 20
SetRandomSeed function 273	TAIEntityActor.StateMachine 20
ShellOpen 273	TAIState 21
ShellOpen function 273	TAIState class 21
SmoothMove 273	Children 23
SmoothMove function 273	Create 22
Structs, Records, Enums 275	Destroy 22
Symbol Reference 1	FChildren 21
TAIActor 17	FOwner 21
TAIActor class 17	FStateMachine 21
Create 17	OnEnter 22
Destroy 18	OnExit 22
FStateMachine 17	OnRender 23
OnRender 18	OnUpdate 23
OnUpdate 18	Owner 23
StateMachine 18	StateMachine 23
TAIActor fields 17	TAIState fields 21
TAIActor methods 17	TAIState methods 22
TAIActor properties 18	TAIState properties 23
about TAIActor class 17	about TAIState class 21
TAIActor.Create 17	TAIState.Children 23
TAIActor.Destroy 18	TAIState.Create 22
TAIActor.FStateMachine 17	TAIState.Destroy 22
TAIActor.OnRender 18	TAIState.FChildren 21
TAIActor.OnUpdate 18	TAIState.FOwner 21
TAIActor.StateMachine 18	TAIState.FStateMachine 21
TAIEntityActor 19	TAIState.OnEnter 22
TAIEntityActor class 19	TAIState.OnExit 22
Create 19	TAIState.OnRender 23

TAIState.OnUpdate 23	TAIStateMachine fields 24
TAIState.Owner 23	TAIStateMachine methods 25
TAIState.StateMachine 23	TAIStateMachine properties 31
TAIStateMachine 24	Update 31
TAIStateMachine class 24	about TAIStateMachine class 24
AddState 26	TAIStateMachine.AddState 26
ChangeState 26	TAIStateMachine.ChangeState 26
ChangeStateObj 26	TAIStateMachine.ChangeStateObj 26
ClearStates 27	TAIStateMachine.ClearStates 27
Create 27	TAIStateMachine.Create 27
CurrentState 31	TAIStateMachine.CurrentState 31
Destroy 27	TAIStateMachine.Destroy 27
FCurrentState 24	TAIStateMachine.FCurrentState 24
FGlobalState 24	TAIStateMachine.FGlobalState 24
FOwner 25	TAIStateMachine.FOwner 25
FPreviousState 25	TAIStateMachine.FPreviousState 25
FStateIndex 25	TAIStateMachine.FStateIndex 25
FStateList 25	TAIStateMachine.FStateList 25
GetCurrentState 27	TAIStateMachine.GetCurrentState 27
GetGlobalState 27	TAIStateMachine.GetGlobalState 27
GetPreviousState 27	TAIStateMachine.GetPreviousState 27
GetStateCount 28	TAIStateMachine.GetStateCount 28
GetStateIndex 28	TAIStateMachine.GetStateIndex 28
GetStates 28	TAIStateMachine.GetStates 28
GlobalState 31	TAIStateMachine.GlobalState 31
NextState 28	TAIStateMachine.NextState 28
Owner 31	TAIStateMachine.Owner 31
PrevState 28	TAIStateMachine.PrevState 28
PreviousState 32	TAIStateMachine.PreviousState 32
RemoveState 29	TAIStateMachine.RemoveState 29
RemoveStateObj 29	TAIStateMachine.RemoveStateObj 29
Render 29	TAIStateMachine.Render 29
RevertToPreviousState 29	TAIStateMachine.RevertToPreviousState 29
SetCurrentState 29	TAIStateMachine.SetCurrentState 29
SetCurrentStateObj 30	TAIStateMachine.SetCurrentStateObj 30
SetGlobalState 30	TAIStateMachine.SetGlobalState 30
SetGlobalStateObj 30	TAIStateMachine.SetGlobalStateObj 30
SetPreviousState 30	TAIStateMachine.SetPreviousState 30
SetPreviousStateObj 30	TAIStateMachine.SetPreviousStateObj 30
StateCount 32	TAIStateMachine.StateCount 32
StateIndex 32	TAIStateMachine.StateIndex 32
States 32	TAIStateMachine.States 32

TAIStateMachine.Update 31	FNext 36
TAN 392	FOwner 36
TAN constant 392	FPrev 37
TAScreenshake 32	FTerminated 37
TAScreenshake class 32	GetAttribute 38
Active 35	GetAttributes 38
Create 34	Next 42
Destroy 34	OnCollide 39
FActive 33	OnMessage 39
FDuration 33	OnRender 39
FMagnitude 33	OnUpdate 39
FPos 33	OnVisit 39
FTimer 34	Overlap 40
Process 34	Owner 42
TAScreenshake fields 33	Prev 42
TAScreenshake methods 34	SetAttribute 40
TAScreenshake properties 35	SetAttributes 40
about TAScreenshake class 32	TActor fields 35
TAScreenshake.Active 35	TActor methods 37
TAScreenshake.Create 34	TActor properties 41
TAScreenshake.Destroy 34	Terminated 42
TAScreenshake.FActive 33	about TActor class 35
TAScreenshake.FDuration 33	TActor.ActorList 41
TAScreenshake.FMagnitude 33	TActor.Attribute 41
TAScreenshake.FPos 33	TActor.Attributes 41
TAScreenshake.FTimer 34	TActor.AttributesAreSet 37
TAScreenshake.Process 34	TActor.CanCollide 41
TActor 35	TActor.Children 42
TActor class 35	TActor.Collide 38
ActorList 41	TActor.Create 38
Attribute 41	TActor.Destroy 38
Attributes 41	TActor.FActorList 36
AttributesAreSet 37	TActor.FAttributes 36
CanCollide 41	TActor.FCanCollide 36
Children 42	TActor.FChildren 36
Collide 38	TActor.FNext 36
Create 38	TActor.FOwner 36
Destroy 38	TActor.FPrev 37
FActorList 36	TActor.FTerminated 37
FAttributes 36	TActor.GetAttribute 38
FCanCollide 36	TActor.GetAttributes 38
FChildren 36	TActor.Next 42

TActor.OnCollide 39	TActorList.FHead 43
TActor.OnMessage 39	TActorList.FTail 43
TActor.OnRender 39	TActorList.ForEach 45
TActor.OnUpdate 39	TActorList.Remove 45
TActor.OnVisit 39	TActorList.Render 46
TActor.Overlap 40	TActorList.SendMessage 46
TActor.Owner 42	TActorList.Update 46
TActor.Prev 42	TActorMessage 275
TActor.SetAttribute 40	TActorMessage record 275
TActor.SetAttributes 40	TActorScene 47
TActor.Terminated 42	TActorScene class 47
TActorAttributeSet 282	Alloc 48
TActorAttributeSet type 282	Clean 48
TActorList 43	Clear 48
TActorList class 43	ClearAll 48
Add 44	Count 50
CheckCollision 44	Create 49
Clean 44	Dealloc 49
Clear 45	Destroy 49
Count 46	FCount 47
Create 45	FLists 47
Destroy 45	GetCount 49
FCount 43	GetList 49
FHead 43	Lists 51
FTail 43	Render 50
ForEach 45	SendMessage 50
Remove 45	TActorScene fields 47
Render 46	TActorScene methods 47
SendMessage 46	TActorScene properties 50
TActorList fields 43	Update 50
TActorList methods 44	about TActorScene class 47
TActorList properties 46	TActorScene.Alloc 48
Update 46	TActorScene.Clean 48
about TActorList class 43	TActorScene.Clear 48
TActorList.Add 44	TActorScene.ClearAll 48
TActorList.CheckCollision 44	TActorScene.Count 50
TActorList.Clean 44	TActorScene.Create 49
TActorList.Clear 45	TActorScene.Dealloc 49
TActorList.Count 46	TActorScene.Destroy 49
TActorList.Create 45	TActorScene.FCount 47
TActorList.Destroy 45	TActorScene.FLists 47
TActorList.FCount 43	TActorScene.GetCount 49

TActorScene.GetList 49	Open 56
TActorScene.Lists 51	OpenRes 56
TActorScene.Render 50	ReadData 56
TActorScene.SendMessage 50	SaveToBuffer 57
TActorScene.Update 50	SaveToFile 57
TActorSceneEvent 282	SetPos 57
TActorSceneEvent type 282	Size 57
TArchive 51	TArchiveFile methods 54
TArchive class 51	about TArchiveFile class 54
Build 51	TArchiveFile.Close 54
Close 52	TArchiveFile.Create 55
Create 52	TArchiveFile.Destroy 55
Destroy 52	TArchiveFile.GetPos 55
FileExist 52	TArchiveFile.GetRWops 55
IsOpen 52	TArchiveFile.GetRWopsRes 55
Open 53	TArchiveFile.IsOpen 56
OpenFile 53	TArchiveFile.Open 56
OpenFileBuffer 53	TArchiveFile.OpenRes 56
OpenFileRWops 53	TArchiveFile.ReadData 56
OpenRes 54	TArchiveFile.SaveToBuffer 57
TArchive methods 51	TArchiveFile.SaveToFile 57
about TArchive class 51	TArchiveFile.SetPos 57
TArchive.Build 51	TArchiveFile.Size 57
TArchive.Close 52	TAsync 57
TArchive.Create 52	TAsync record 57
TArchive.Destroy 52	Busy 58
TArchive.FileExist 52	Enter 58
TArchive.IsOpen 52	Finalize 59
TArchive.Open 53	Initialize 60
TArchive.OpenFile 53	Leave 58
TArchive.OpenFileBuffer 53	Process 58
TArchive.OpenFileRWops 53	Resume 59
TArchive.OpenRes 54	Run 59
TArchiveFile 54	Suspend 59
TArchiveFile class 54	TAsync methods 58
Close 54	TAsync operators 59
Create 55	about TAsync record 57
Destroy 55	TAsync.Busy 58
GetPos 55	TAsync.Enter 58
GetRWops 55	TAsync.Finalize 59
GetRWopsRes 55	TAsync.Initialize 60
IsOpen 56	TAsync.Leave 58

TAsync.Process 58	IsSoundPlaying 65
TAsync.Resume 59	LoadMusic 65
TAsync.Run 59	LoadPlayMusic 65
TAsync.Suspend 59	LoadSound 66
TAsyncProc 282	PauseSound 66
TAsyncProc type 282	PlayMusic 66
TAsyncThread 60	PlaySound 66
TAsyncThread class 60	ReserveSoundChannels 67
Create 61	ResumeSound 67
Destroy 61	SetMusicVolume 67
Execute 61	SetSoundPosition 67
FFinished 60	SetSoundVolume 67
FTask 60	StopSound 68
FWait 61	TAudio methods 63
Finished 62	TAudio operators 68
TAsyncThread fields 60	UnloadMusic 68
TAsyncThread methods 61	UnloadSound 68
TAsyncThread properties 62	about TAudio record 62
TaskProc 62	TAudio.AllocateSoundChannels 63
WaitProc 62	TAudio.ExpireSound 63
about TAsyncThread class 60	TAudio.FadeInSound 64
TAsyncThread.Create 61	TAudio.FadeOutSound 64
TAsyncThread.Destroy 61	TAudio.FadingSound 64
TAsyncThread.Execute 61	TAudio.Finalize 68
TAsyncThread.FFinished 60	TAudio.GetMusicVolume 64
TAsyncThread.FTask 60	TAudio.GetSoundVolume 65
TAsyncThread.FWait 61	TAudio.Initialize 69
TAsyncThread.Finished 62	TAudio.IsSoundPaused 65
TAsyncThread.TaskProc 62	TAudio.IsSoundPlaying 65
TAsyncThread.WaitProc 62	TAudio.LoadMusic 65
TAudio 62	TAudio.LoadPlayMusic 65
TAudio record 62	TAudio.LoadSound 66
AllocateSoundChannels 63	TAudio.PauseSound 66
ExpireSound 63	TAudio.PlayMusic 66
FadeInSound 64	TAudio.PlaySound 66
FadeOutSound 64	TAudio.ReserveSoundChannels 67
FadingSound 64	TAudio.ResumeSound 67
Finalize 68	TAudio.SetMusicVolume 67
GetMusicVolume 64	TAudio.SetSoundPosition 67
GetSoundVolume 65	TAudio.SetSoundVolume 67
Initialize 69	TAudio.StopSound 68
IsSoundPaused 65	TAudio.UnloadMusic 68

TAudio.UnloadSound 68	TCamera class 73
TAudioFading 275	Active 76
TAudioFading enumeration 275	Angle 76
TBaseObject 69	Bounds 76
TBaseObject class 69	Create 74
Create 69	Destroy 74
Destroy 70	Init 74
TBaseObject methods 69	IsVisible 75
about TBaseObject class 69	PosX 76
TBaseObject.Create 69	PosY 77
TBaseObject.Destroy 70	SetBounds 75
TBlendMode 276	TCamera constants 73
TBlendMode enumeration 276	TCamera methods 74
TBuffer 70	TCamera properties 76
TBuffer class 70	WorldToScreen 75
Clear 71	ZOOM_MAX 73
Create 71	ZOOM_MIN 74
Destroy 71	Zoom 77
Eof 71	about TCamera class 73
FHandle 70	TCamera.Active 76
FName 70	TCamera.Angle 76
LoadFromFile 72	TCamera.Bounds 76
Name 73	TCamera.Create 74
ReadString 72	TCamera.Destroy 74
SaveToFile 72	TCamera.Init 74
TBuffer fields 70	TCamera.IsVisible 75
TBuffer methods 71	TCamera.PosX 76
TBuffer properties 73	TCamera.PosY 77
Write 72	TCamera.SetBounds 75
about TBuffer class 70	TCamera.WorldToScreen 75
TBuffer.Clear 71	TCamera.ZOOM_MAX 73
TBuffer.Create 71	TCamera.ZOOM_MIN 74
TBuffer.Destroy 71	TCamera.Zoom 77
TBuffer.Eof 71	TCaptureConsoleOutputEvent 283
TBuffer.FHandle 70	TCaptureConsoleOutputEvent type 283
TBuffer.FName 70	TCloudDb 77
TBuffer.LoadFromFile 72	TCloudDb class 77
TBuffer.Name 73	AddSQLText 81
TBuffer.ReadString 72	ClearSQLText 81
TBuffer.SaveToFile 72	Create 81
TBuffer.Write 72	Destroy 81
TCamera 73	Execute 82

ExecuteSQL 82	TCloudDb.FDataset 78
FApiKey 78	TCloudDb.FHttp 79
FDatabase 78	TCloudDb.FJSON 79
FDataset 78	TCloudDb.FLastError 79
FHttp 79	TCloudDb.FMacros 79
FJSON 79	TCloudDb.FParams 79
FLastError 79	TCloudDb.FPreparedSQL 79
FMacros 79	TCloudDb.FResponseText 80
FParams 79	TCloudDb.FSQL 80
FPreparedSQL 79	TCloudDb.FUrl 80
FResponseText 80	TCloudDb.GetField 82
FSQL 80	TCloudDb.GetLastError 82
FUrl 80	TCloudDb.GetMacro 82
GetField 82	TCloudDb.GetParam 83
GetLastError 82	TCloudDb.GetPreparedSQL 83
GetMacro 82	TCloudDb.GetQueryURL 83
GetParam 83	TCloudDb.GetResponseText 83
GetPreparedSQL 83	TCloudDb.GetSQLText 83
GetQueryURL 83	TCloudDb.Prepare 84
GetResponseText 83	TCloudDb.RecordCount 84
GetSQLText 83	TCloudDb.SetMacro 84
Prepare 84	TCloudDb.SetMacroValue 84
RecordCount 84	TCloudDb.SetParam 84
SetMacro 84	TCloudDb.SetParamValue 85
SetMacroValue 84	TCloudDb.SetSQLText 85
SetParam 84	TCloudDb.Setup 85
SetParamValue 85	TCloudDb.cURL 77
SetSQLText 85	TCmdLine 85
Setup 85	TCmdLine record 85
TCloudDb constants 77	AddParam 86
TCloudDb fields 78	AddParams 86
TCloudDb methods 80	Clear 86
about TCloudDb class 77	Count 86, 87
cURL 77	Finalize 88
TCloudDb.AddSQLText 81	Initialize 89
TCloudDb.ClearSQLText 81	Param 87
TCloudDb.Create 81	ParamExist 87
TCloudDb.Destroy 81	ParamIndex 87
TCloudDb.Execute 82	ParamValue 88
TCloudDb.ExecuteSQL 82	Reset 88
TCloudDb.FApiKey 78	Str 88
TCloudDb.FDatabase 78	TCmdLine methods 85

- TCmdLine operators 88
 - about TCmdLine record 85
- TCmdLine.AddParam 86
- TCmdLine.AddParams 86
- TCmdLine.Clear 86
- TCmdLine.Count 86, 87
- TCmdLine.Finalize 88
- TCmdLine.Initialize 89
- TCmdLine.Param 87
- TCmdLine.ParamExist 87
- TCmdLine.ParamIndex 87
- TCmdLine.ParamValue 88
- TCmdLine.Reset 88
- TCmdLine.Str 88
- TColor 89
- TColor record 89
 - Alpha 89
 - Blue 90
 - Clear 90
 - Equal 90
 - Fade 91
 - Green 90
 - Implicit 92
 - Make 91
 - Makef 91
 - Red 90
 - TColor fields 89
 - TColor methods 90
 - TColor operators 91
 - about TColor record 89
- TColor.Alpha 89
- TColor.Blue 90
- TColor.Clear 90
- TColor.Equal 90
- TColor.Fade 91
- TColor.Green 90
- TColor.Implicit 92
- TColor.Make 91
- TColor.Makef 91
- TColor.Red 90
- TConfigFile 92
- TConfigFile class 92
 - Close 93
 - Create 93
 - Destroy 93
 - GetSectionValue 93, 94
 - GetSectionValues 94
 - GetValue 94, 95
 - Open 95
 - Opened 95
 - RemoveKey 96
 - RemoveSection 96
 - SetValue 96, 97
 - TConfigFile methods 92
 - Update 97
 - about TConfigFile class 92
- TConfigFile.Close 93
- TConfigFile.Create 93
- TConfigFile.Destroy 93
- TConfigFile.GetSectionValue 93, 94
- TConfigFile.GetSectionValues 94
- TConfigFile.GetValue 94, 95
- TConfigFile.Open 95
- TConfigFile.Opened 95
- TConfigFile.RemoveKey 96
- TConfigFile.RemoveSection 96
- TConfigFile.SetValue 96, 97
- TConfigFile.Update 97
- TController 97
- TController record 97
 - ButtonDown 98
 - ButtonPressed 98
 - ButtonReleased 98
 - Clear 98
 - Close 99
 - GetAxis 99
 - Open 99
 - Shutdown 99
 - Startup 99
 - TController methods 97
 - Update 100
 - about TController record 97
- TController.ButtonDown 98
- TController.ButtonPressed 98

TController.ButtonReleased 98	FScale 104
TController.Clear 98	FShrinkFactor 104
TController.Close 99	FSprite 104
TController.GetAxis 99	FWidth 104
TController.Open 99	FirstFrame 108
TController.Shutdown 99	FlipMode 108
TController.Startup 99	Frame 108
TController.Update 100	FrameFPS 108
TEAL 393	FullyVisible 108
TEAL constant 393	Group 109
TEaseType 276	Height 109
TEaseType enumeration 276	Init 109
TEntity 100	LastFrame 109
TEntity class 100	LoopFrame 109
Angle 106	NextFrame 110
AngleOffset 106	Overlap 110
BlendMode 117	Pos 110
CollidePolyPoint 106	PrevFrame 110
CollidePolyPointPoint 107	Radius 111
Color 107	Render 111
Create 107	RenderAt 111
CreateEntity 107	RotateAbs 111
Destroy 107	RotateRel 111
Dir 108	RotateToAngle 112
FAngle 101	RotateToPos 112
FAngleOffset 101	RotateToPosAt 112
FBlendMode 101	Scale 112
FColor 101	ScaleAbs 113
FDir 101	ScaleRel 113
FFirstFrame 102	SetAngleOffset 113
FFlipMode 102	SetColor 113
FFrame 102	SetFlipMode 113
FFrameFPS 102	SetFrame 114
FFrameTimer 102	SetFrameFPS 114
FGroup 102	SetFrameRange 114
FHeight 103	SetLoopFrame 114
FLastFrame 103	SetPosAbs 114
FLoopFrame 103	SetPosRel 115
FOrigin 103	SetRenderPolyPoint 115
FPos 103	SetShrinkFactor 115
FRadius 104	ShrinkFactor 115
FRenderPolyPoint 104	Sprite 116

TEntity fields 100	TEntity.FirstFrame 108
TEntity methods 105	TEntity.FlipMode 108
TEntity properties 117	TEntity.Frame 108
Thrust 116	TEntity.FrameFPS 108
ThrustAngle 116	TEntity.FullyVisible 108
ThrustToPos 116	TEntity.Group 109
TracePolyPoint 116	TEntity.Height 109
Visible 117	TEntity.Init 109
Width 117	TEntity.LastFrame 109
about TEntity class 100	TEntity.LoopFrame 109
TEntity.Angle 106	TEntity.NextFrame 110
TEntity.AngleOffset 106	TEntity.Overlap 110
TEntity.BlendMode 117	TEntity.Pos 110
TEntity.CollidePolyPoint 106	TEntity.PrevFrame 110
TEntity.CollidePolyPointPoint 107	TEntity.Radius 111
TEntity.Color 107	TEntity.Render 111
TEntity.Create 107	TEntity.RenderAt 111
TEntity.CreateEntity 107	TEntity.RotateAbs 111
TEntity.Destroy 107	TEntity.RotateRel 111
TEntity.Dir 108	TEntity.RotateToAngle 112
TEntity.FAngle 101	TEntity.RotateToPos 112
TEntity.FAngleOffset 101	TEntity.RotateToPosAt 112
TEntity.FBlendMode 101	TEntity.Scale 112
TEntity.FColor 101	TEntity.ScaleAbs 113
TEntity.FDir 101	TEntity.ScaleRel 113
TEntity.FFirstFrame 102	TEntity.SetAngleOffset 113
TEntity.FFlipMode 102	TEntity.SetColor 113
TEntity.FFrame 102	TEntity.SetFlipMode 113
TEntity.FFrameFPS 102	TEntity.SetFrame 114
TEntity.FFrameTimer 102	TEntity.SetFrameFPS 114
TEntity.FGroup 102	TEntity.SetFrameRange 114
TEntity.FHeight 103	TEntity.SetLoopFrame 114
TEntity.FLastFrame 103	TEntity.SetPosAbs 114
TEntity.FLoopFrame 103	TEntity.SetPosRel 115
TEntity.FOrigin 103	TEntity.SetRenderPolyPoint 115
TEntity.FPos 103	TEntity.SetShrinkFactor 115
TEntity.FRadius 104	TEntity.ShrinkFactor 115
TEntity.FRenderPolyPoint 104	TEntity.Sprite 116
TEntity.FScale 104	TEntity.Thrust 116
TEntity.FShrinkFactor 104	TEntity.ThrustAngle 116
TEntity.FSprite 104	TEntity.ThrustToPos 116
TEntity.FWidth 104	TEntity.TracePolyPoint 116

TEntity.Visible 117	Load 124, 125
TEntity.Width 117	LoadDefault 125
TEntityActor 118	PGlyph 127
TEntityActor class 118	RenderVertices 125
Collide 118	SetUseVertexBuffer 125
Create 119	SetVertexBufferSize 126
Destroy 119	TFont constants 121
Entity 120	TFont fields 121
FEntity 118	TFont methods 123
Init 119	TFont nested types 127
OnRender 119	TFont properties 126
Overlap 119, 120	TFont records 120
TEntityActor fields 118	TextHeight 126
TEntityActor methods 118	TextLength 126
TEntityActor properties 120	Unload 126
about TEntityActor class 118	about TFont class 120
TEntityActor.Collide 118	cDefaultGlyphs 121
TEntityActor.Create 119	TFont.Atlas 127
TEntityActor.Destroy 119	TFont.AtlasSize 127
TEntityActor.Entity 120	TFont.Create 123
TEntityActor.FEntity 118	TFont.Destroy 123
TEntityActor.Init 119	TFont.DrawText 124
TEntityActor.OnRender 119	TFont.FAtlas 121
TEntityActor.Overlap 119, 120	TFont.FAtlasSize 122
TFlipMode 277	TFont.FBaseLine 122
TFlipMode enumeration 277	TFont.FGeometry 122
TFont 120	TFont.FGlyph 122
TFont class 120	TFont.FUseVertexBuffer 122
Atlas 127	TFont.FVertexBufferSize 123
AtlasSize 127	TFont.GetUseVertexBuffer 124
Create 123	TFont.GetVertexBufferSize 124
Destroy 123	TFont.Load 124, 125
DrawText 124	TFont.LoadDefault 125
FAtlas 121	TFont.PGlyph 127
FAtlasSize 122	TFont.RenderVertices 125
FBaseLine 122	TFont.SetUseVertexBuffer 125
FGeometry 122	TFont.SetVertexBufferSize 126
FGlyph 122	TFont.TGlyph 121
FUseVertexBuffer 122	TFont.TGlyph record 121
FVertexBufferSize 123	TFont.TextHeight 126
GetUseVertexBuffer 124	TFont.TextLength 126
GetVertexBufferSize 124	TFont.Unload 126

TFont.cDefaultGlyphs 121	OnLoadConfig 135
TGame 127	OnPostLuaReset 135
TGame class 127	OnPreLuaReset 135
Archive 139	OnReady 136
Async 140	OnRender 136
Audio 140	OnRenderHud 136
CmdLine 140	OnSaveConfig 136
ConfigFile 140	OnSetSettings 136
Create 133	OnShowWindow 136
DefaultFont 140	OnShutdown 137
Destroy 134	OnSpeechWord 137
FArchive 129	OnStartup 137
FAsync 129	OnUnapplySettings 137
FAudio 129	OnUpdate 137
FCmdLine 129	OnVideoStatus 138
FConfigFile 130	PSettings 143
FDefaultFont 130	Prefs 141
FHud 130	Process 138
FInput 130	Run 138
FLog 130	SDKVersion 138
FMousePos 130	Scene 141
FPrefs 131	Screenshake 142
FReady 131	Settings 138
FScene 131	Shutdown 139
FScreenshake 131	Speech 142
FSettings 131	Sprite 142
FSpeech 132	Startup 139
FSprite 132	TGame fields 128
FTerminate 132	TGame methods 133
FTimer 132	TGame nested types 143
FVideo 132	TGame properties 139
FWindow 132	TGame records 128
Hud 141	Terminate 142
Input 141	Timer 142
Log 141	Video 143
MousePos 141	Window 143
OnAfterRenderScene 134	about TGame class 127
OnApplySettings 134	TGame.Archive 139
OnBeforeRenderScene 134	TGame.Async 140
OnBuildArchiveProgress 134	TGame.Audio 140
OnClearWindow 135	TGame.CmdLine 140
OnFixedUpdate 135	TGame.ConfigFile 140

TGame.Create 133	TGame.OnShowWindow 136
TGame.DefaultFont 140	TGame.OnShutdown 137
TGame.Destroy 134	TGame.OnSpeechWord 137
TGame.FArchive 129	TGame.OnStartup 137
TGame.FAsync 129	TGame.OnUnapplySettings 137
TGame.FAudio 129	TGame.OnUpdate 137
TGame.FCmdLine 129	TGame.OnVideoStatus 138
TGame.FConfigFile 130	TGame.PSettings 143
TGame.FDefaultFont 130	TGame.Prefs 141
TGame.FHud 130	TGame.Process 138
TGame.FInput 130	TGame.Run 138
TGame.FLog 130	TGame.SDKVersion 138
TGame.FMousePos 130	TGame.Scene 141
TGame.FPrefs 131	TGame.Screenshake 142
TGame.FReady 131	TGame.Settings 138
TGame.FScene 131	TGame.Shutdown 139
TGame.FScreenshake 131	TGame.Speech 142
TGame.FSettings 131	TGame.Sprite 142
TGame.FSpeech 132	TGame.Startup 139
TGame.FSprite 132	TGame.TSettings 128
TGame.FTerminate 132	TGame.TSettings record 128
TGame.FTimer 132	TGame.Terminate 142
TGame.FVideo 132	TGame.Timer 142
TGame.FWindow 132	TGame.Video 143
TGame.Hud 141	TGame.Window 143
TGame.Input 141	TGameClass 283
TGame.Log 141	TGameClass type 283
TGame.MousePos 141	TGeometry 143
TGame.OnAfterRenderScene 134	TGeometry class 143
TGame.OnApplySettings 134	AddVertex 144
TGame.OnBeforeRenderScene 134	Alloc 144
TGame.OnBuildArchiveProgress 134	Create 144
TGame.OnClearWindow 135	Destroy 144
TGame.OnFixedUpdate 135	Render 145
TGame.OnLoadConfig 135	Reset 145
TGame.OnPostLuaReset 135	TGeometry methods 144
TGame.OnPreLuaReset 135	about TGeometry class 143
TGame.OnReady 136	TGeometry.AddVertex 144
TGame.OnRender 136	TGeometry.Alloc 144
TGame.OnRenderHud 136	TGeometry.Create 144
TGame.OnSaveConfig 136	TGeometry.Destroy 144
TGame.OnSetSettings 136	TGeometry.Render 145

TGeometry.Reset 145	KeyPressed 150
THAlign 277	KeyReleased 150
THAlign enumeration 277	MouseDown 150
THISTLE 393	MousePressed 150
THISTLE constant 393	MouseReleased 151
THud 145	Open 151
THud record 145	SetMousePos 151
Finalize 147	TInput methods 148
Initialize 147	TInput operators 151
ResetPos 146	Update 151
SetLineSpace 146	about TInput record 147
SetPos 146	TInput.Clear 148
SetTextItemPadWidth 146	TInput.Close 148
THud methods 145	TInput.ControllerDown 148
THud operators 147	TInput.ControllerPosition 149
Text 146	TInput.ControllerPressed 149
TextItem 147	TInput.ControllerReleased 149
about THud record 145	TInput.Finalize 152
THud.Finalize 147	TInput.GetMouseInfo 149
THud.Initialize 147	TInput.Initialize 152
THud.ResetPos 146	TInput.KeyDown 150
THud.SetLineSpace 146	TInput.KeyPressed 150
THud.SetPos 146	TInput.KeyReleased 150
THud.SetTextItemPadWidth 146	TInput.MouseDown 150
THud.Text 146	TInput.MousePressed 150
THud.TextItem 147	TInput.MouseReleased 151
TIMER_FIXEDUPDATE_SPEED 393	TInput.Open 151
TIMER_FIXEDUPDATE_SPEED constant 393	TInput.SetMousePos 151
TIMER_UPDATE_SPEED 393	TInput.Update 151
TIMER_UPDATE_SPEED constant 393	TInputDevice 277
TInput 147	TInputDevice enumeration 277
TInput record 147	TInputMap 152
Clear 148	TInputMap class 152
Close 148	Add 154
ControllerDown 148	Clear 154
ControllerPosition 149	Create 154
ControllerPressed 149	Destroy 154
ControllerReleased 149	Down 154
Finalize 152	FList 153
GetMouseInfo 149	Load 155
Initialize 152	NewAction 155
KeyDown 150	Pressed 155

- Released 155
- Remove 155, 156
- Save 156
- SetupDefaults 156
- TInputMap fields 153
- TInputMap methods 153
- TInputMap records 152
 - about TInputMap class 152
- TInputMap.Add 154
- TInputMap.Clear 154
- TInputMap.Create 154
- TInputMap.Destroy 154
- TInputMap.Down 154
- TInputMap.FList 153
- TInputMap.Load 155
- TInputMap.NewAction 155
- TInputMap.Pressed 155
- TInputMap.Released 155
- TInputMap.Remove 155, 156
- TInputMap.Save 156
- TInputMap.SetupDefaults 156
- TInputMap.TAction 152
- TInputMap.TAction record 152
- TInputMap.TInput 153
- TInputMap.TInput record 153
- TLineIntersection 277
- TLineIntersection enumeration 277
- TLog 156
- TLog record 156
 - Add 157
 - Close 157
 - Fatal 157
 - Finalize 159
 - GetConsoleOutput 158
 - GetFilename 158
 - Initialize 159
 - Open 158
 - Opened 158
 - Reset 158
 - SetConsoleOutput 158
 - TLog methods 157
 - TLog operators 159
 - View 159
 - about TLog record 156
- TLog.Add 157
- TLog.Close 157
- TLog.Fatal 157
- TLog.Finalize 159
- TLog.GetConsoleOutput 158
- TLog.GetFilename 158
- TLog.Initialize 159
- TLog.Open 158
- TLog.Opened 158
- TLog.Reset 158
- TLog.SetConsoleOutput 158
- TLog.View 159
- TLua 160
- TLua class 160
 - Bundle 162
 - Call 162
 - CallFunction 162
 - CheckLuaError 162
 - CleanStack 163
 - Close 163
 - CollectGarbage 163
 - CompileToStream 163
 - Context 170
 - Create 163
 - Destroy 164
 - DoCall 164
 - FContext 160
 - FGCStep 160
 - FState 160
 - GetGCMemoryUsed 164
 - GetGCStepSize 164
 - GetLuaValue 165
 - GetVariable 165
 - LoadBuffer 165
 - LoadByteCode 165
 - LoadFile 166
 - LoadStream 166
 - LoadString 166
 - Open 166
 - PrepCall 166

PushGlobalTableForGet 167	TLua.Open 166
PushGlobalTableForSet 167	TLua.PrepareCall 166
PushLuaValue 167	TLua.PushGlobalTableForGet 167
PushTVValue 167	TLua.PushGlobalTableForSet 167
RegisterRoutine 167, 168	TLua.PushLuaValue 167
RegisterRoutines 168, 169	TLua.PushTVValue 167
Reset 169	TLua.RegisterRoutine 167, 168
RoutineExist 169	TLua.RegisterRoutines 168, 169
Run 169	TLua.Reset 169
SaveByteCode 169	TLua.RoutineExist 169
SetGCStepSize 170	TLua.Run 169
SetVariable 170	TLua.SaveByteCode 169
State 171	TLua.SetGCStepSize 170
TLua fields 160	TLua.SetVariable 170
TLua methods 161	TLua.State 171
TLua properties 170	TLua.VariableExist 170
VariableExist 170	TLuaContext 171
about TLua class 160	TLuaContext class 171
TLua.Bundle 162	ArgCount 172
TLua.Call 162	Check 173
TLua.CallFunction 162	Cleanup 173
TLua.CheckLuaError 162	ClearStack 173
TLua.CleanStack 163	Create 173
TLua.Close 163	Destroy 173
TLua.CollectGarbage 163	FLua 171
TLua.CompileToStream 163	FPushCount 171
TLua.Context 170	FPushFlag 172
TLua.Create 163	GetStackType 173
TLua.Destroy 164	GetTableFieldValue 174
TLua.DoCall 164	GetTableIndexValue 174
TLua.FContext 160	GetValue 174
TLua.FGCStep 160	IncStackPushCount 174
TLua.FState 160	PopStack 175
TLua.GetGCMemoryUsed 164	PushCount 175
TLua.GetGCStepSize 164	PushTableForGet 175
TLua.GetLuaValue 165	PushTableForSet 175
TLua.GetVariable 165	PushValue 175
TLua.LoadBuffer 165	SetTableFieldValue 176
TLua.LoadByteCode 165	SetTableIndexValue 176
TLua.LoadFile 166	Setup 176
TLua.LoadStream 166	TLuaContext fields 171
TLua.LoadString 166	TLuaContext methods 172

- about TLuaContext class 171
- TLuaContext.ArgCount 172
- TLuaContext.Check 173
- TLuaContext.Cleanup 173
- TLuaContext.ClearStack 173
- TLuaContext.Create 173
- TLuaContext.Destroy 173
- TLuaContext.FLua 171
- TLuaContext.FPushCount 171
- TLuaContext.FPushFlag 172
- TLuaContext.GetStackType 173
- TLuaContext.GetTableFieldValue 174
- TLuaContext.GetTableIndexValue 174
- TLuaContext.GetValue 174
- TLuaContext.IncStackPushCount 174
- TLuaContext.PopStack 175
- TLuaContext.PushCount 175
- TLuaContext.PushTableForGet 175
- TLuaContext.PushTableForSet 175
- TLuaContext.PushValue 175
- TLuaContext.SetTableFieldValue 176
- TLuaContext.SetTableIndexValue 176
- TLuaContext.Setup 176
- TLuaFunction 283
- TLuaFunction type 283
- TLuaTable 278
- TLuaTable enumeration 278
- TLuaType 278
- TLuaType enumeration 278
- TLuaValue 176
- TLuaValue record 176
 - AsBoolean 177
 - AsInteger 177
 - AsNumber 177
 - AsPointer 177
 - AsString 178
 - AsTable 178
 - AsType 178
 - Implicit 178, 179, 180
 - TLuaValue fields 177
 - TLuaValue operators 178
 - about TLuaValue record 176
- TLuaValue.AsBoolean 177
- TLuaValue.AsInteger 177
- TLuaValue.AsNumber 177
- TLuaValue.AsPointer 177
- TLuaValue.AsString 178
- TLuaValue.AsTable 178
- TLuaValue.AsType 178
- TLuaValue.Implicit 178, 179, 180
- TLuaValueType 278
- TLuaValueType enumeration 278
- TMusic 283
- TMusic type 283
- TOMATO 393
- TOMATO constant 393
- TPoint 180
- TPoint record 180
 - Create 181
 - Implicit 181, 182
 - Initialize 182
 - TPoint fields 180
 - TPoint methods 181
 - TPoint operators 181
 - X 180
 - Y 180
 - Z 181
 - about TPoint record 180
- TPoint.Create 181
- TPoint.Implicit 181, 182
- TPoint.Initialize 182
- TPoint.X 180
- TPoint.Y 180
- TPoint.Z 181
- TPolyPoint 183
- TPolyPoint class 183
 - AddPoint 184
 - Clear 184
 - Collide 184
 - CollidePoint 185
 - CopyFrom 185
 - Count 185
 - Create 185
 - Destroy 186

FCount 183	Render 191
FPolygon 183	Save 191
Load 186	SegmentVisible 191
Polygon 186	SetSegmentVisible 192
Render 186	TPolygon fields 188
Save 186	TPolygon methods 189
TPolyPoint fields 183	TPolygon records 188
TPolyPoint methods 183	Transform 192
TraceFromSprite 187	WorldPoint 192
TraceFromTexture 187	about TPolygon class 188
Valid 187	TPolygon.AddLocalPoint 189
about TPolyPoint class 183	TPolygon.Clear 190
TPolyPoint.AddPoint 184	TPolygon.CopyFrom 190
TPolyPoint.Clear 184	TPolygon.Create 190
TPolyPoint.Collide 184	TPolygon.Destroy 190
TPolyPoint.CollidePoint 185	TPolygon.FItemCount 188
TPolyPoint.CopyFrom 185	TPolygon.FSegment 189
TPolyPoint.Count 185	TPolygon.FWorldPoint 189
TPolyPoint.Create 185	TPolygon.Load 190
TPolyPoint.Destroy 186	TPolygon.LocalPoint 191
TPolyPoint.FCount 183	TPolygon.PointCount 191
TPolyPoint.FPolygon 183	TPolygon.Render 191
TPolyPoint.Load 186	TPolygon.Save 191
TPolyPoint.Polygon 186	TPolygon.SegmentVisible 191
TPolyPoint.Render 186	TPolygon.SetSegmentVisible 192
TPolyPoint.Save 186	TPolygon.TSegment 188
TPolyPoint.TraceFromSprite 187	TPolygon.TSegment record 188
TPolyPoint.TraceFromTexture 187	TPolygon.Transform 192
TPolyPoint.Valid 187	TPolygon.WorldPoint 192
TPolygon 188	TPolypointTrace 192
TPolygon class 188	TPolypointTrace record 192
AddLocalPoint 189	AddPoint 193
Clear 190	ApplyPolyPoint 193
CopyFrom 190	DelPoint 193
Create 190	Done 194
Destroy 190	GetPointCount 194
FItemCount 188	Init 194
FSegment 189	PrimaryTrace 194
FWorldPoint 189	SimplifyPoly 194
Load 190	TPolypointTrace methods 193
LocalPoint 191	about TPolypointTrace record 192
PointCount 191	TPolypointTrace.AddPoint 193

TPolypointTrace.ApplyPolyPoint 193	TRange.MinY 198
TPolypointTrace.DelPoint 193	TRect 198
TPolypointTrace.Done 194	TRect record 198
TPolypointTrace.GetPointCount 194	Assign 200
TPolypointTrace.Init 194	Create 200
TPolypointTrace.PrimaryTrace 194	Height 199
TPolypointTrace.SimplifyPoly 194	Implicit 201
TPrefs 195	Initialize 201
TPrefs record 195	Intersect 200
Finalize 196	TRect fields 199
GetAppName 195	TRect methods 200
GetOrgName 195	TRect operators 200
GetPath 195	Width 199
GotoPath 196	X 199
Initialize 197	Y 199
SetAppName 196	about TRect record 198
SetOrgName 196	TRect.Assign 200
TPrefs methods 195	TRect.Create 200
TPrefs operators 196	TRect.Height 199
about TPrefs record 195	TRect.Implicit 201
TPrefs.Finalize 196	TRect.Initialize 201
TPrefs.GetAppName 195	TRect.Intersect 200
TPrefs.GetOrgName 195	TRect.Width 199
TPrefs.GetPath 195	TRect.X 199
TPrefs.GotoPath 196	TRect.Y 199
TPrefs.Initialize 197	TScreenshake 202
TPrefs.SetAppName 196	TScreenshake record 202
TPrefs.SetOrgName 196	Active 202
TRange 197	Clear 202
TRange record 197	Finalize 203
Initialize 198	Initialize 203
MaxX 197	Process 202
MaxY 197	Start 203
MinX 198	TScreenshake methods 202
MinY 198	TScreenshake operators 203
TRange fields 197	about TScreenshake record 202
TRange operators 198	TScreenshake.Active 202
about TRange record 197	TScreenshake.Clear 202
TRange.Initialize 198	TScreenshake.Finalize 203
TRange.MaxX 197	TScreenshake.Initialize 203
TRange.MaxY 197	TScreenshake.Process 202
TRange.MinX 198	TScreenshake.Start 203

TSound 284	TSpeechVoiceAttribute enumeration 279
TSound type 284	TSprite 208
TSpeech 203	TSprite class 208
TSpeech record 203	AddGroup 210
Active 204	AddImageFromGrid 210
ChangeVoice 204	AddImageFromRect 210
Clear 204	Clear 211
Finalize 207	Create 211
GetRate 205	Destroy 211
GetVoice 205	FGroup 209
GetVoiceAttribute 205	FGroupCount 209
GetVoiceCount 205	FPageCount 209
GetVolume 205	FTexture 209
Initialize 207	GroupPolyPoint 211
Pause 206	GroupPolyPointCollide 211
Reset 206	GroupPolyPointCollidePoint 212
Resume 206	GroupPolyPointTrace 212
Say 206	ImageCount 212
SetRate 206	ImageHeight 213
SetVolume 207	ImageRect 213
SubstituteWord 207	ImageTexture 213
TSpeech methods 204	ImageWidth 213
TSpeech operators 207	LoadPage 214
about TSpeech record 203	PSpriteGroup 214
TSpeech.Active 204	PSpriteImageRect 214
TSpeech.ChangeVoice 204	RenderImage 214
TSpeech.Clear 204	TSprite fields 208
TSpeech.Finalize 207	TSprite methods 209
TSpeech.GetRate 205	TSprite nested types 214
TSpeech.GetVoice 205	TSprite records 208
TSpeech.GetVoiceAttribute 205	about TSprite class 208
TSpeech.GetVoiceCount 205	TSprite.AddGroup 210
TSpeech.GetVolume 205	TSprite.AddImageFromGrid 210
TSpeech.Initialize 207	TSprite.AddImageFromRect 210
TSpeech.Pause 206	TSprite.Clear 211
TSpeech.Reset 206	TSprite.Create 211
TSpeech.Resume 206	TSprite.Destroy 211
TSpeech.Say 206	TSprite.FGroup 209
TSpeech.SetRate 206	TSprite.FGroupCount 209
TSpeech.SetVolume 207	TSprite.FPageCount 209
TSpeech.SubstituteWord 207	TSprite.FTexture 209
TSpeechVoiceAttribute 279	TSprite.GroupPolyPoint 211

TSprite.GroupPolyPointCollide 211	TTexture methods 216
TSprite.GroupPolyPointCollidePoint 212	TTexture properties 220
TSprite.GroupPolyPointTrace 212	Unload 220
TSprite.ImageCount 212	Unlock 220
TSprite.ImageHeight 213	Width 221
TSprite.ImageRect 213	about TTexture class 215
TSprite.ImageTexture 213	TTexture.Alloc 217
TSprite.ImageWidth 213	TTexture.Create 217
TSprite.LoadPage 214	TTexture.Destroy 217
TSprite.PSpriteGroup 214	TTexture.FHandle 215
TSprite.PSpriteImageRect 214	TTexture.FHeight 215
TSprite.RenderImage 214	TTexture.FLockRect 216
TSprite.TSpriteGroup 208	TTexture.FPitch 216
TSprite.TSpriteGroup record 208	TTexture.FPixelFormat 216
TSprite.TSpriteImageRect 208	TTexture.FPixels 216
TSprite.TSpriteImageRect record 208	TTexture.FWidth 216
TTexture 215	TTexture.GetColor 218
TTexture class 215	TTexture.GetPixel 218
Alloc 217	TTexture.GetSize 218
Create 217	TTexture.Handle 221
Destroy 217	TTexture.Height 221
FHandle 215	TTexture.Load 218
FHeight 215	TTexture.LoadTexture 218
FLockRect 216	TTexture.Lock 219
FPitch 216	TTexture.Render 219
FPixelFormat 216	TTexture.RenderTiled 219
FPixels 216	TTexture.Save 219
FWidth 216	TTexture.SetColor 220
GetColor 218	TTexture.SetPixel 220
GetPixel 218	TTexture.Unload 220
GetSize 218	TTexture.Unlock 220
Handle 221	TTexture.Width 221
Height 221	TTextureAccess 279
Load 218	TTextureAccess enumeration 279
LoadTexture 218	TTimer 221
Lock 219	TTimer record 221
Render 219	Elapsed 222
RenderTiled 219	Finalize 223
Save 219	FrameElapsed 222
SetColor 220	FrameRate 222
SetPixel 220	FrameSpeed 222
TTexture fields 215	Initialize 223

Reset 223	TTransform.Visible 225
TTimer methods 221	TTransform.Width 225
TTimer operators 223	TTransform.X 225
Update 223	TTransform.Y 225
about TTimer record 221	TTransform.Zoom 225
TTimer.Elapsed 222	TURQUOISE 394
TTimer.Finalize 223	TURQUOISE constant 394
TTimer.FrameElapsed 222	TVAlign 279
TTimer.FrameRate 222	TVAlign enumeration 279
TTimer.FrameSpeed 222	TVector 228
TTimer.Initialize 223	TVector record 228
TTimer.Reset 223	Add 230
TTimer.Update 223	Angle 230
TTransform 224	Assign 230, 231
TTransform record 224	Clear 231
Angle 224	Create 232
Assign 226	Distance 232
Create 226, 227	Divide 232
Finalize 227	DivideBy 232
Height 224	DotProduct 232
Implicit 227, 228	Initialize 235
Initialize 228	Magnitude 233
Intersect 227	MagnitudeSquared 233
Origin 225	MagnitudeTruncate 233
TTransform fields 224	Multiply 233
TTransform methods 226	Negate 233
TTransform operators 227	Normalize 234
Visible 225	Project 234
Width 225	Scale 234
X 225	Subtract 234
Y 225	TVector fields 229
Zoom 225	TVector methods 229
about TTransform record 224	TVector operators 235
TTransform.Angle 224	Thrust 234
TTransform.Assign 226	W 229
TTransform.Create 226, 227	X 229
TTransform.Finalize 227	Y 229
TTransform.Height 224	Z 229
TTransform.Implicit 227, 228	about TVector record 228
TTransform.Initialize 228	TVector.Add 230
TTransform.Intersect 227	TVector.Angle 230
TTransform.Origin 225	TVector.Assign 230, 231

TVector.Clear 231	about TVideo record 235
TVector.Create 232	TVideo.Draw 236
TVector.Distance 232	TVideo.Finalize 239
TVector.Divide 232	TVideo.GetFrameRate 236
TVector.DivideBy 232	TVideo.GetHeight 236
TVector.DotProduct 232	TVideo.GetStatus 236
TVector.Initialize 235	TVideo.GetVolume 236
TVector.Magnitude 233	TVideo.GetWidth 237
TVector.MagnitudeSquared 233	TVideo.Initialize 239
TVector.MagnitudeTruncate 233	TVideo.Load 237
TVector.Multiply 233	TVideo.LoadPlay 237
TVector.Negate 233	TVideo.Pause 237
TVector.Normalize 234	TVideo.Play 237
TVector.Project 234	TVideo.Rewind 238
TVector.Scale 234	TVideo.SetVolume 238
TVector.Subtract 234	TVideo.Stop 238
TVector.Thrust 234	TVideo.Unload 238
TVector.W 229	TVideo.Update 238
TVector.X 229	TVideoStatus 279
TVector.Y 229	TVideoStatus enumeration 279
TVector.Z 229	TWindow 239
TVideo 235	TWindow record 239
TVideo record 235	Clear 240
Draw 236	Close 240
Finalize 239	DrawFilledRect 241
GetFrameRate 236	DrawLine 241
GetHeight 236	DrawPoint 241
GetStatus 236	DrawRect 241
GetVolume 236	Finalize 245
GetWidth 237	GetDDPI 242
Initialize 239	GetHDPI 242
Load 237	GetRenderBufferPos 242
LoadPlay 237	GetRendererHandle 242
Pause 237	GetRendererInfo 242
Play 237	GetRendererScale 243
Rewind 238	GetRendererSize 243
SetVolume 238	GetTitle 243
Stop 238	GetVDPI 243
TVideo methods 235	GetViewport 243
TVideo operators 239	GetWindowHandle 243
Unload 238	GetWindowSize 244
Update 238	Initialize 246

IsOpen 244
Open 244
Save 244
SetRenderBufferPos 244
SetTitle 245
Show 245
ShowRenderBuffer 245
TWindow methods 239
TWindow operators 245
 about TWindow record 239
TWindow.Clear 240
TWindow.Close 240
TWindow.DrawFilledRect 241
TWindow.DrawLine 241
TWindow.DrawPoint 241
TWindow.DrawRect 241
TWindow.Finalize 245
TWindow.GetDDPI 242
TWindow.GetHDPI 242
TWindow.GetRenderBufferPos 242
TWindow.GetRendererHandle 242
TWindow.GetRendererInfo 242
TWindow.GetRendererScale 243
TWindow.GetRendererSize 243
TWindow.GetTitle 243
TWindow.GetVDPI 243
TWindow.GetViewport 243
TWindow.GetWindowHandle 243
TWindow.GetWindowSize 244
TWindow.Initialize 246
TWindow.IsOpen 244
TWindow.Open 244
TWindow.Save 244
TWindow.SetRenderBufferPos 244
TWindow.SetTitle 245
TWindow.Show 245
TWindow.ShowRenderBuffer 245
Types 280
UnitToScalarValue 274
UnitToScalarValue function 274
VERSION_MAJOR 394
VERSION_MAJOR constant 394
VERSION_MINOR 394
VERSION_MINOR constant 394
VERSION_PATCH 394
VERSION_PATCH constant 394
VIDEO_SAMPLEBUFFERSIZE 395
VIDEO_SAMPLEBUFFERSIZE constant 395
VIOLET 395
VIOLET constant 395
Variables 284
WHEAT 395
WHEAT constant 395
WHITE 395
WHITE constant 395
WHITE2 395
WHITE2 constant 395
WHITESMOKE 396
WHITESMOKE constant 396
WINDOW_HEIGHT 396
WINDOW_HEIGHT constant 396
WINDOW_WIDTH 396
WINDOW_WIDTH constant 396
WaitForAnyKey 274
WaitForAnyKey function 274
WasRunFromConsole 274
WasRunFromConsole function 274
WriteStringToStream 274
WriteStringToStream function 274
YELLOW 396
YELLOW constant 396
YELLOWGREEN 397
YELLOWGREEN constant 397
afIn enumeration member 275
afNone enumeration member 275
afOut enumeration member 275

B
bmAdd enumeration member 276
bmBlend enumeration member 276
bmInvalid enumeration member 276
bmMod enumeration member 276
bmMul enumeration member 276
bmNone enumeration member 276

E

etInCircle enumeration member 276
etInCubic enumeration member 276
etInExpo enumeration member 276
etInOutCircle enumeration member 276
etInOutCubic enumeration member 276
etInOutExpo enumeration member 276
etInOutQuad enumeration member 276
etInOutQuart enumeration member 276
etInOutQuint enumeration member 276
etInOutSine enumeration member 276
etInQuad enumeration member 276
etInQuart enumeration member 276
etInQuint enumeration member 276
etInSine enumeration member 276
etLinearTween enumeration member 276
etOutCircle enumeration member 276
etOutCubic enumeration member 276
etOutExpo enumeration member 276
etOutQuad enumeration member 276
etOutQuart enumeration member 276
etOutQuint enumeration member 276
etOutSine enumeration member 276

F

fmHorizontal enumeration member 277
fmNone enumeration member 277
fmVertical enumeration member 277

H

haCenter enumeration member 277
haLeft enumeration member 277
haRight enumeration member 277

I

idJoystick enumeration member 277
idKeyboard enumeration member 277
idMouse enumeration member 277

L

liNone enumeration member 277
liParallel enumeration member 277
liTrue enumeration member 277
ltBoolean enumeration member 278
ltFunction enumeration member 278
ltLightUserData enumeration member 278
ltNil enumeration member 278
ltNone enumeration member 278
ltNumber enumeration member 278
ltString enumeration member 278
ltTable enumeration member 278
ltThread enumeration member 278
ltUserData enumeration member 278

S

svaAge enumeration member 279
svaDescription enumeration member 279
svaGender enumeration member 279
svald enumeration member 279
svaLanguage enumeration member 279
svaName enumeration member 279
svaVendor enumeration member 279

T

taStatic enumeration member 279
taStreaming enumeration member 279
taTarget enumeration member 279

V

vaBottom enumeration member 279
vaCenter enumeration member 279
vaTop enumeration member 279
vsPaused enumeration member 279
vsPlaying enumeration member 279
vsStopped enumeration member 279
vtBoolean enumeration member 278
vtDouble enumeration member 278
vtInteger enumeration member 278
vtPointer enumeration member 278

vtString enumeration member 278

vtTable enumeration member 278