

Table of Contents

- 1. Download Data
- 2. Import Libraries and Packages
- 3. Load Images

Download Data

For your convenience, I have placed the data on a server which you can retrieve easily using the **wget** command. So let's run the following line of code to get the data. Given the large size of the image dataset, it might take some time depending on your internet speed.

[]: # get the data | wget https://s3-api.us-geo.objectstorage.softlayer.net/cf-courses-data/CognitiveClass/DL0321EN/data/images/concrete_crack_images_for_classification.zip

And now if you check the left directory pane, you should see the zipped file concrete_crack_images_for_classification.zip appear. So, let's go ahead and unzip the file to access the images. Given the large number of images in the dataset, this might take a couple of minutes, so please be patient, and wait until the code finishes running.

[]: !unzip concrete_crack_images_for_classification.zip

Now, you should see two folders appear in the left pane: Positive and Negative is the negative class like we defined it earlier and it represents the concrete images with no cracks. Positive on the other hand is the positive class and represents the concrete images with cracks.

Important Note: There are thousands and thousands of images in each folder, so please don't attempt to double click on the folders. This may consume all of your memory and you may end up with a 50* error. So please DO NOT DO IT.

Import Libraries and Packages

Before we proceed, let's import the libraries and packages that we will need to complete the rest of this lab.

Please note: You will encounter questions that you will need to answer in order to complete the quiz for this module.

[]: import os
import numpy as np
import matplotlib.pyplot as plt
from PIL import Image

Load Images

Next, we will use the standard approach of loading all images into memory and demonstrate how this approach is not efficient at all when it comes to building deep learning models for classifying images.

Let's start by reading in the negative images. First, we will use os.scandir to build an iterator to iterate through /Negative directory that contains all the images with no cracks.

[]: negative_files = os.scandir('./Negative')
negative_files

Then, we will grab the first file in the directory.

[]: file_name = next(negative_files)
file_name

Since the directory can contain elements that are not files, we will only read the element if it is a file.

[]: os.path.isfile(file_name)

Get the image name.

```
image_name = str(file_name).split("'")[1]
          image_name
          Read in the image data.
    image data = plt.imread('./Negative/{}'.format(image name))
          Question: What is the dimension of a single image according to image_data?
    []: ## You can use this cell to type your code to answer the above question
          Let's view the image.
    [ ]: plt.imshow(image_data)
          Now that we are familiar with the process of reading in an image data, let's loop through all the image in the ./Negative directory and read them all in and save them in the list
          negative_images. We will also time it to see how long it takes to read in all the images.
          negative_images = []
for file_name in negative_files:
   if os.path.isfile(file_name):
        image_name = str(file_name).split(""")[1]
        image_data = plt.imread("./Negative/{}").format(image_name))
        image_data = plt.imread("./Negative/{}").format(image_name))
                   negative images.append(image data)
          negative_images = np.array(negative_images)
          Oops! The kernel died due to an out-of-memory error. Since the kernel died, you may have to run the above cell to load the libraries and packages again.
          Loading images into memory is definitely not the right approach when working with images as you can hit your limit on memory and other resources fairly quickly. Therefore, let's repeat the
          previous process but let's save the paths to the images in a variable instead of loading and saving the images themselves.
          So instead of using os.scandir, we will use os.listdir.
    [ ]: negative_images = os.listdir('./Negative')
negative_images
          Notice how the images are not sorted, so let's call the sort method to sort the images
    [ ]: negative_images.sort()
           negative images
          Before we can show an image, we need to open it, which we can do using the Image module in the PIL library. So to open the first image, we run the following:
    [ ]: image_data = Image.open('./Negative/{}'.format(negative_images[0]))
          Then to view the image, you can simply run:
    [ ]: image_data
          or use the imshow method as follows:
    [ ]: plt.imshow(image_data)
          Let's loop through all the images in the ./Negative directory and add save their paths.
    [ ]: negative_images_dir = ['./Negative/{}'.format(image) for image in negative_images]
          negative images dir
          Let's check how many images with no cracks exist in the dataset.
    [ ]: len(negative_images_dir)
          Question: Show the next four images.
Did you know? IBM Watson Studio lets you build and deploy an Al solution, using the best of open source and IBM software and giving your team a single
environment to work in. Learn more here
     [ ]: ## You can use this cell to type your code to answer the above question
          Your turn: Save the paths to all the images in the /Positive directory in a list called positive_images_dir. Make sure to sort the paths.
    [ ]: ## Type your answer here
          Question: How many images of cracked concrete exist in the ./Positive directory?
    []: ## You can use this cell to type your code to answer the above question
          Question: Show the first four images with cracked concrete.
    [ ]: ## You can use this cell to type your code to answer the above question
```

Thank you for completing this lab!

This notebook was created by Alex Aklson. I hope you found this lab interesting and educational.

This notebook is part of a course on Coursera called Al Capstone Project with Deep Learning. If you accessed this notebook outside the course, you can take this course online by clicking here.

About the Authors:

Joseph Santarcangelo has a PhD in Electrical Engineering, his research focused on using machine learning, signal processing, and computer vision to determine how videos impact human cognition. Joseph has been working for IBM since he completed his PhD.

Alex Aklson. Ph.D., is a data scientist in the Digital Business Group at IBM Canada. Alex has been intensively involved in many exciting data science projects such as designing a smart system that could detect the onset of dementia in older adults using longitudinal trajectories of walking speed and home activity. Before joining IBM, Alex worked as a data scientist at Datascope Analytics, a data science consulting firm in Chicago, IL, where he designed solutions and products using a human-centred, data-driven approach. Alex received his Ph.D. in Biomedical Engineering from the University of Toronto.

Change Log

Date (YYYY-MM-DD)	Version	Changed By	Change Description
2020-09-18	2.0	Shubham	Migrated Lab to Markdown and added to course repo in GitLab

 $Copyright © 2020 \ IBM \ Developer \ Skills \ Network. This \ notebook \ and \ its source \ code \ are \ released \ under \ the \ terms \ of \ the \ MIT \ License.$