

Mandatory Assignment 1

Group 1
IT University of Copenhagen

September 22, 2012

This assignment is a part of the Advance Mobile and Distributed Systems Seminar.

1 Exercise 1, p. 12

$$\begin{aligned} \text{SYSTEM}_1 &\stackrel{\text{def}}{=} (v \text{ talk}_i, \text{switch}_i, \text{give}_i, \text{alert}_i : i = 1, 2) \\ &(\text{CAR}(\text{talk}_1, \text{switch}_1) | \text{BASE}_1 | \text{IDLEBASE}_2 | \text{CENTRE}_1) \end{aligned} \quad (1)$$

$$\begin{aligned} \text{CENTRE}_1 &\stackrel{\text{def}}{=} \overline{\text{give}_1} \langle \text{talk}_2 \text{switch}_2 \rangle . \text{alert}_2 . \text{CENTRE}_2 \\ \text{CENTRE}_2 &\stackrel{\text{def}}{=} \overline{\text{give}_2} \langle \text{talk}_1 \text{switch}_1 \rangle . \text{alert}_1 . \text{CENTRE}_1 \end{aligned} \quad (2)$$

2 Exercise 2, p. 13

$$\begin{aligned} \text{SYSTEM}_1 &\equiv (v \overleftarrow{c})(\text{CAR}/\text{talk}_1, \text{switch}_1) | \text{BASE}_1 | \text{IDLEBASE}_2 | \text{CENTRE}_1) \\ &\rightarrow (v \overleftarrow{c})(\text{CAR}(\text{talk}_1, \text{switch}_1) | \overline{\text{switch}_1} \text{talk}_2 \text{switch}_2 . \text{IDLEBASE}_1 \\ &\quad | \text{IDLEBASE}_2 | \text{alert}_2 . \text{CENTRE}_2) \\ &\rightarrow (v \overrightarrow{c}((\text{CAR}(\text{talk}_2, \text{switch}_2) | \text{IDLEBASE}_1 \\ &\quad | \text{IDLEBASE}_2 | \text{alert}_2 . \text{CENTRE}_2) \\ &\rightarrow (v \overrightarrow{c})(\text{CAR}(\text{talk}_2, \text{switch}_2) | \text{IDLEBASE}_1 | \text{BASE}_2 | \text{CENTRE}_2) \\ &\quad \equiv \text{SYSTEM}_2 \end{aligned} \quad (3)$$

slut exercise 2

$$\begin{aligned} \text{CAR}(\text{talk}, \text{switch}) &\stackrel{\text{def}}{=} \text{talk}.\text{CAR}(\text{talk}, \text{switch}) \\ &\quad + \text{switch}(\text{talk}' \text{switch}').\text{CAR}(\text{talk}', \text{switch}') \end{aligned} \quad (4)$$

$$\begin{aligned} \text{BASE}(\text{talk}, \text{switch}, \text{give}, \text{alert}) &\stackrel{\text{def}}{=} \text{talk}.\text{BASE}(\text{task}, \text{switch}, \text{give}, \text{alert}) \\ &\quad + \text{give}(\text{talk}' \text{switch}').\overline{\text{switch}}(\text{talk}' \text{switch}'). \\ &\quad \text{IDLEBASE}(\text{task}, \text{switch}, \text{give}, \text{alert}) \end{aligned} \quad (5)$$

$$\text{IDLEBASE}(\text{talk}, \text{switch}, \text{give}, \text{alert}) \stackrel{\text{def}}{=} \text{alert}.\text{BASE}(\text{talk}, \text{switch}, \text{give}, \text{alert}) \quad (6)$$

$$\text{BASE}_i \stackrel{\text{def}}{=} \text{BASE}(\text{talk}_i, \text{switch}_i, \text{give}_i, \text{alert}_i) \quad (i = 1, 2) \quad (7)$$

jonas