## **CSCI 235**

# Software Design & Analysis II Hunter College - Summer 2019

### **Programming Rules:**

It is extremely important to follow these rules. Failure to follow them will result in a lower grade or no credit at all for your assignment. Read the following carefully!

These are general submission instructions. You should also follow closely the instructions on each programming assignment for details specific to individual programming projects.

All programming projects must be submitted on **Gradescope** no later than the due date. You have been sent email invitations to Gradescope. Make sure you **login to your Gradescope account right away**. If you have problems logging into Gradescope, seek help from the UTAs immediately during tutoring sessions. The first programming project is due on June 6th.

Submit only the requested source files ( .hpp and .cpp). Do not submit executables.

All programming projects must be submitted by 6pm on the due date.

No credit will be given for assignments submitted late. You may however submit multiple times before the due date and only the last submission will be graded. So be proactive and submit early, this will help you find out if your project has problems and still give you time to fix it.

Although Gradescope allows multiple submissions, it is not a platform for testing and/ or debugging and it should not be used for that. You MUST test and debug your program locally. Before submitting to Gradescope you MUST ensure that your program compiles (with g++) and runs correctly on the Linux machines in the labs at Hunter. That is your baseline, if it runs correctly there it will run correctly on Gradescope, and if it does not, you will have the necessary feedback (compiler error messages, debugger or program output) to guide you in debugging, which you don't have through Gradescope."But it ran on my machine!" is not a valid excuse for a submission that does not compile.

While you are encouraged to discuss project assignments with others, all work submitted must be your own. You MAY NOT show your solution to a classmate or ask another student to see their solution. You may not ask another student to debug your code. You may not use code from the Internet (e.g. StackOverflow). Sometimes it may be appropriate to use a small snippet of code from your textbook or other official source. To do so you must first ask the instructor to confirm it is appropriate, and you must do so with attribution (add a comment citing in detail the source of the code — NOTE: you must always do this whenever you find yourself using others' code). You may not post your code where it is accessible to others, and you may not seek help from online forums. As a rule of thumb, you must type and debug your code without directly copying someone else's code. For the first incident of cheating or plagiarism your grade will be a 0 and it will not be dropped as the lowest. For the second incident, you will fail the class. We report all incidents to the Office of Student Affairs.

Every program must be professionally documented. Every distinct source code file must contain a preamble with the file's title, author, brief description, date of creation. All functions must have a prologue containing comments for each parameter, where appropriate pre and post conditions and return values. You should strive for self-commenting code. However, all nontrivial algorithms must be documented in plain English in a multiline comment block. All nontrivial declarations must have adjoining, brief comments. Proper documentation is worth 10% of your project's grade (unless differently specified the project description).

Please note that all programming project submissions must compile and run with g++ without issue on the Linux lab machines on the 10th floor of Hunter North. These computers provide a common platform to evaluate program execution, free of issues related to OS or IDE. You should always confirm that your assignment code successfully compiles and executes on these machines before submitting to Gradescope. You have all been given accounts on these machines. If you receive an email about a new linux account, follow instructions. If you already have an account

you will not receive an email and must reclaim your account by the due date following this link:

http://www.geography.hunter.cuny.edu/tbw/CS.Linux.Lab.FAQ/department\_of\_computer\_science.faq.htm

If you are working on Windows, please follow instructions on the "<u>Installing</u> <u>Windows Subsystem for Linux</u>" tutorial on the course webpage under **Resources**. If you are working on Mac you can access the terminal in Applications/Utilities. If you are working in Linux a terminal is also available.

# You can remotely login to the lab machines as follows (in a terminal window do the following):

1. To upload your programs on one of the cslab machines you can use **sftp** in order to transfer your code to eniac. First navigate to the local directory where the files you want to upload are. Then to sftp to the sever type:

#### sftp your\_username@eniac.cs.hunter.cuny.edu

You can create or navigate through directories there to organize your files (see review of shell commands below), and then upload your files by typing:

#### put filename

- 2. Once you have uploaded all your files type **exit**, that will bring you back to your local machine.
- 3. To ssh into the server type:

ssh your\_username@eniac.cs.hunter.cuny.edu
Username are case sensitive.

- 4. **type your password** (note that when entering a password no characters will appear on the screen). Passwords are case sensitive.
- 5. Now you are at a gateway machine that is called eniac. Do not do any processing on eniac. Just ssh through eniac to one of the machines in the lab by typing:
  - ssh your\_username@cslabX.cs.hunter.cuny.edu, where X is a number 1 through 29. You can pick any machine. If the machine is down you can try another machine. For instance, to login to the 2nd machine type:

ssh your username@cslab2.cs.hunter.cuny.edu

6. All cslabX machines and eniac see the same directories for your account. That means that you see the same files in all machines.

7. Now that you are logged into a Linux machine in the lab you can remotely compile and run your program with g++ (see the next section).

To learn more about logging in remotely, using Linux, following the lab rules, and dealing with possible issues, visit <a href="http://www.geography.hunter.cuny.edu/tbw/">http://www.geography.hunter.cuny.edu/tbw/</a> <a href="https://www.geography.hunter.cuny.edu/tbw/">CS.Linux.Lab.FAQ/department of computer science.fag.htm</a>

#### Compiling your code with g++

**Separate compilation**: We are now working with multiple source files that must be compiled into a single executable. Assume your programming project consists of the following files: ClassA.hpp, ClassA.cpp, ClassB.hpp, ClassB.cpp, program1.cpp, main.cpp

You compile only the .cpp files.

To compile your program with g++, at a terminal window type:

```
g++ -o myprogram ClassA.cpp ClassB.cpp program1.cpp main.cpp
```

This will produce an executable file named myprogram. To run the compiled program type in terminal:

./myprogram

Alternatively, if you compile the program without giving the output file name (leaving out the command option -o *myprogram*), the executable file will be called a.out, which you can execute the same way:

./a.out

#### A very quick review of some shell commands:

You need to know just a few commands to work comfortably in a Unix terminal: ls, cd, pwd, mkdir, cp, mv, rm.

#### A brief summary:

pwd	print the current working directory
ls	list files in the current directory
ls path/to/a/directory	list files in the directory
cd path/to/a/directory	change directory

These are some useful directory shortcuts:

- the current directory
- .. the parent directory of the current
- the home directory

#### For example:

cd .. go to the parent directory (one level up)

mkdir newdirectoryname	create new directory
cp file1 file2	copy file1 and call the copy file2
mv file1 file2	rename (move) file1 to file2
rmdir directoryname	remove empty directory
rm file	remove file
chmod <options> file</options>	change file permissions (read +r, write +w, execute +x)
man command	documentation about the command

#### Here are some useful references:

Unix tutorial: <a href="http://www.ee.surrey.ac.uk/Teaching/Unix/unix1.html">http://www.ee.surrey.ac.uk/Teaching/Unix/unix1.html</a>

Become a Command Line Ninja: <a href="https://lifehacker.com/5743814/become-a-command-line-ninja-with-these-time-saving-shortcuts">https://lifehacker.com/5743814/become-a-command-line-ninja-with-these-time-saving-shortcuts</a>