


MODULE 01 · 20 MIN

Setup & AI-First Mindset

Claude Code Bootcamp · Day 1 · Block 1 of 10

Instructor: **Luca Berton** · Endorsed by **Packt Certification**



Your instructor — Luca Berton

- **Automation engineer & educator.** 15+ years shipping infrastructure-as-code, Ansible, and developer-tooling for global enterprises.
- **Author & speaker.** Books on Ansible and DevOps; regular conference speaker; runs a YouTube channel on automation.
- **AI-paired delivery practitioner.** Uses Claude Code daily to plan, refactor, document, and review production code.
- **Today's mission:** get you shipping with Claude Code the same way — safely, repeatably, with a loop you can take home.

 lucaberton.com

Claude Code is everywhere (May 2026)

Claude Code is no longer just a CLI — it ships on **four surfaces** with one shared context:

- **Terminal** — hands-on repo work, scripts, `claude -p` piping.
- **VS Code / JetBrains** — inline diffs, editor-native review, gutter actions.
- **Desktop app** — side-by-side sessions, visual diff review, screenshots.
- **Web** — remote/cloud tasks, parallel work, share a session with a teammate.

Today we work mostly in **terminal + IDE**. The patterns transfer to the other surfaces unchanged.

Promise

By the end of this 20-minute block you will:

- 1 Have verified your pre-work environment (Claude Code, Python 3.11+, Node.js 20+, Git).
- 2 Know exactly how the next 4 hours of instruction are structured.
- 3 Be able to name the five steps of the **AI coding loop** we will reuse in every module.


Why this matters

- We are building **10 small projects in 4 hours**. That is impossible by hand. It is achievable when you treat Claude Code as a junior engineer that you direct, review, and merge.
- The cost of "spray-and-pray" prompting compounds: bad prompt → bad code → bad tests → wasted module. A repeatable loop keeps you above the line.
- Production teams using AI-paired coding report 30–50% throughput gains *only when* they use a loop. Everyone else regresses on quality.

Concepts

- **AI-paired coding:** you stay the engineer of record. Claude proposes; you decide.
- **The loop: Plan → Implement → Test → Review → Commit.** Every module repeats this.
- **The skill library:** reusable instructions to Claude that survive across projects (`skills/`).
- **Definition of Done:** a hard checklist per module; if it isn't checked, the module isn't shipped.
- **Submission as proof of work:** every module produces a folder in your final zip.

THE CLAUDE CODE LOOP - 5 STEPS · EVERY MODULE



Live demo flow

1. Instructor opens this repo in their IDE with Claude Code attached.
2. Runs `git status` — clean. Runs `python3 --version` and `node --version` — both green.
3. Asks Claude: *"List the top-level files and tell me what kind of repository this is."*
4. Class watches Claude read the repo and respond with the answer everyone produced in pre-work.
5. Instructor narrates the 5-step loop while Claude is responding.

Mini project

Verify your AI Coding Workspace.

Deliverable for module 1 in your submission zip: `module-01/` containing

- `environment.txt` — output of `python3 --version`, `node --version`, `git --version`
- `loop-notes.md` — your one-paragraph explanation of the 5-step loop, written in your own words

▶ Step-by-step lab

STEP 1 Open a terminal. Run the three `--version` commands; pipe to `module-01/environment.txt`.

STEP 2 In Claude Code, paste the prompt below.

STEP 3 Read Claude's reply. Edit it into your own one-paragraph explanation.

STEP 4 Save it to `module-01/loop-notes.md`.

STEP 5 Tick the Definition of Done.

Suggested Claude Code prompts

```
You are onboarding a new engineer who has never used AI-paired coding.  
In one short paragraph (max 6 sentences), explain the loop:  
Plan → Implement → Test → Review → Commit.  
Use the metaphor of directing a junior engineer.  
End with one sentence about why skipping the Review step is the most common failure mode.
```

✓ Deliverable checklist

- ☐ [] `module-01/environment.txt` contains three valid version strings.
- ☐ [] `module-01/loop-notes.md` exists and is non-empty.
- ☐ [] The notes name all five steps of the loop in order.
- ☐ [] The notes are in **your own words**, not Claude's verbatim output.

✓ Definition of done

- ✓ Environment verified · ✓ Loop explained in your own words · ✓ Submission folder `module-01/` exists with both files.

▶ Review checkpoint

Pair with the person next to you. In 60 seconds each:

- Read each other's `loop-notes.md`.
- Identify one sentence you would tighten.
- Confirm both `environment.txt` files show identical major versions.

Common mistakes

- Copying Claude's reply verbatim — instructor scoring penalises this.
- Treating "Review" as optional. Skipping review is how AI-generated bugs reach production.
- Using PowerShell on Windows. Move to WSL2 (see `student-guide.md`).
- Pre-work skipped — you cannot keep up; pair with a neighbor for module 1 only.

Instructor notes

- Keep this block to 20 min hard. Mindset only — **no live installs**.
- Open with Claude Code on a known repo, not a slide.
- If a student's environment is broken, mark them as paired and continue.
- Reference the schedule table in `README.md` . Set expectations on break placement.

Transition to next module



Now that the loop is named, we apply step 1 — **Plan** — by writing prompts the way a Tech Lead writes specs.

Next: Module 2 — Prompting Like a Tech Lead.