
Precalculus

Factor cubic with one real root using its plot

Todor Miley

2019

Example



Plot the left hand side of the equation with a graphing calculator. Find all real solutions of the equation.

$$2x^3 + x^2 + 5x - 3 = 0$$
$$(x - \frac{1}{2})(2x^2 + 2x + 6) + 0 = 0$$

We see only one root, $x = 0.5 = \frac{1}{2}$. Is our guess correct? Is there another root (far away from 0)? Factor:

Quotient:
$$2x^{2} + 2x + 6$$

$$x - \frac{1}{2}$$


$$- 2x^{3} + x^{2} + 5x - 3$$

$$- 2x^{3} - x^{2}$$

$$- 2x^{2} - x$$

$$- 6x - 3$$
Remainder: 0

Example



Plot the left hand side of the equation with a graphing calculator. Find all real solutions of the equation.

$$(x - \frac{1}{2})(2x^{2} + 2x + 6) + 0 = 0$$

$$x - \frac{1}{2} = 0 \quad \text{or} \quad x = \frac{-2 \pm \sqrt{2^{2} - 4 \cdot 2 \cdot 6}}{2 \cdot 2}$$

$$x = \frac{1}{2} \quad x = \frac{-2 \pm \sqrt{-44}}{2 \cdot 2}$$

no real solution

 $2x^3 + x^2 + 5x - 3 = 0$

We see only one root, $x = 0.5 = \frac{1}{2}$. Is our guess correct? Is there another root (far away from 0)?

2019