

Calculus II

Integrals of the form $\int \sqrt{ax^2 + bx + c} dx$,
quadratic has no real roots.

Todor Milev

2019

Linear substitutions to simplify radicals $\sqrt{ay^2 + by + c}$

- Using linear substitutions, radicals of form $\sqrt{ay^2 + by + c}$, $a \neq 0$, $b^2 - 4ac \neq 0$ can be transformed to (multiple of):
 - $\sqrt{x^2 + 1}$
 - $\sqrt{-x^2 + 1}$
 - $\sqrt{x^2 - 1}$.
- We already studied how to do that using completing the square when dealing with rational functions.

Recall: linear substitution is subst. of the form $u = px + q$.

Example

Use linear substitution to transform $\sqrt{x^2 + x + 1}$ to multiple of $\sqrt{u^2 + 1}$.

$$\sqrt{x^2 + x + 1} =$$

Recall: linear substitution is subst. of the form $u = px + q$.

Example

Use linear substitution to transform $\sqrt{x^2 + x + 1}$ to multiple of $\sqrt{u^2 + 1}$.

$$\sqrt{x^2 + x + 1} = \sqrt{x^2 + 2 \cdot \frac{1}{2}x + ? - ? + 1}$$

Recall: linear substitution is subst. of the form $u = px + q$.

Example

Use linear substitution to transform $\sqrt{x^2 + x + 1}$ to multiple of $\sqrt{u^2 + 1}$.

$$\sqrt{x^2 + x + 1} = \sqrt{x^2 + 2 \cdot \frac{1}{2}x + \frac{1}{4} - \frac{1}{4} + 1}$$

Recall: linear substitution is subst. of the form $u = px + q$.

Example

Use linear substitution to transform $\sqrt{x^2 + x + 1}$ to multiple of $\sqrt{u^2 + 1}$.

$$\begin{aligned}\sqrt{x^2 + x + 1} &= \sqrt{x^2 + 2 \cdot \frac{1}{2}x + \frac{1}{4} - \frac{1}{4} + 1} \\ &= \sqrt{\left(x + ?\right)^2 + ?}\end{aligned}$$

Recall: linear substitution is subst. of the form $u = px + q$.

Example

Use linear substitution to transform $\sqrt{x^2 + x + 1}$ to multiple of $\sqrt{u^2 + 1}$.

$$\begin{aligned}\sqrt{x^2 + x + 1} &= \sqrt{x^2 + 2 \cdot \frac{1}{2}x + \frac{1}{4} - \frac{1}{4} + 1} \\ &= \sqrt{\left(x + \frac{1}{2}\right)^2 + \frac{3}{4}}\end{aligned}$$

Recall: linear substitution is subst. of the form $u = px + q$.

Example

Use linear substitution to transform $\sqrt{x^2 + x + 1}$ to multiple of $\sqrt{u^2 + 1}$.

$$\begin{aligned}
 \sqrt{x^2 + x + 1} &= \sqrt{x^2 + 2 \cdot \frac{1}{2}x + \frac{1}{4} - \frac{1}{4} + 1} \\
 &= \sqrt{\left(x + \frac{1}{2}\right)^2 + \frac{3}{4}} \\
 &= \sqrt{\frac{3}{4} \left(\frac{4}{3} \left(x + \frac{1}{2}\right)^2 + 1\right)}
 \end{aligned}$$

Recall: linear substitution is subst. of the form $u = px + q$.

Example

Use linear substitution to transform $\sqrt{x^2 + x + 1}$ to multiple of $\sqrt{u^2 + 1}$.

$$\begin{aligned}
 \sqrt{x^2 + x + 1} &= \sqrt{x^2 + 2 \cdot \frac{1}{2}x + \frac{1}{4} - \frac{1}{4} + 1} \\
 &= \sqrt{\left(x + \frac{1}{2}\right)^2 + \frac{3}{4}} \\
 &= \sqrt{\frac{3}{4} \left(\frac{4}{3} \left(x + \frac{1}{2}\right)^2 + 1\right)} \\
 &= \frac{\sqrt{3}}{2} \sqrt{\left(\frac{2}{\sqrt{3}} \left(x + \frac{1}{2}\right)\right)^2 + 1}
 \end{aligned}$$

Recall: linear substitution is subst. of the form $u = px + q$.

Example

Use linear substitution to transform $\sqrt{x^2 + x + 1}$ to multiple of $\sqrt{u^2 + 1}$.

$$\begin{aligned}
 \sqrt{x^2 + x + 1} &= \sqrt{x^2 + 2 \cdot \frac{1}{2}x + \frac{1}{4} - \frac{1}{4} + 1} \\
 &= \sqrt{\left(x + \frac{1}{2}\right)^2 + \frac{3}{4}} \\
 &= \sqrt{\frac{3}{4} \left(\frac{4}{3} \left(x + \frac{1}{2}\right)^2 + 1\right)} \\
 &= \frac{\sqrt{3}}{2} \sqrt{\left(\frac{2}{\sqrt{3}} \left(x + \frac{1}{2}\right)\right)^2 + 1}
 \end{aligned}$$

Recall: linear substitution is subst. of the form $u = px + q$.

Example

Use linear substitution to transform $\sqrt{x^2 + x + 1}$ to multiple of $\sqrt{u^2 + 1}$.

$$\begin{aligned}
 \sqrt{x^2 + x + 1} &= \sqrt{x^2 + 2 \cdot \frac{1}{2}x + \frac{1}{4} - \frac{1}{4} + 1} \\
 &= \sqrt{\left(x + \frac{1}{2}\right)^2 + \frac{3}{4}} \\
 &= \sqrt{\frac{3}{4} \left(\frac{4}{3} \left(x + \frac{1}{2}\right)^2 + 1\right)} \\
 &= \frac{\sqrt{3}}{2} \sqrt{\left(\frac{2}{\sqrt{3}} \left(x + \frac{1}{2}\right)\right)^2 + 1} \\
 &= \frac{\sqrt{3}}{2} \sqrt{u^2 + 1},
 \end{aligned}$$

where $u = \frac{2}{\sqrt{3}} \left(x + \frac{1}{2}\right) = \frac{2\sqrt{3}}{3}x + \frac{\sqrt{3}}{3}$.