
Exploring Authentication in ASP.NET Core


mestenius.se




1

About Tore Nestenius NET Work https://nestenius.se






What is the goal of this presentation?



ClaimsPrincipal




```
public class ClaimsPrincipal : IPrincipal
{
    //List of identities
    List<ClaimsIdentity> _identities = new();
    ...
}
```

```
public class ClaimsIdentity : IIdentity
{
    //List of claims
    List<Claim> _instanceClaims = new();
    ...
}
```


https://nestenius.se


/


Claims



ASP.NET Core Request Pipeline








```
Live coding #1

builder.Services.AddAuthentication();
...
app.UseAuthentication();
```



Authentication Handlers //Add the Cookie handler **Authentication Middleware** builder.Services.AddAuthentication() .AddCookie(); **OpenID Connect** Handler // Add the JwtBearer handler (for APIs) builder.Services.AddAuthentication() .AddJwtBearer(); **Cookie Handler** //Add the Cookie and OpenID-Connect handler builder.Services.AddAuthentication() .AddCookie() .AddOpenIdConnect(); https://nestenius.se

Live coding #2


Authentication Middleware


Cookie Handler


https://nestenius.se


17


Authentication Operations



























Live coding #4

```
builder.Services.AddAuthentication(o =>
{
    o.DefaultScheme = "cookie";
})
.AddCookie("cookie", o => {
    o.LoginPath = "/user/login";
    o.LogoutPath = "/user/loggedOut";
    o.AccessDeniedPath = "/user/AccessDenied";
});
```

https://nestenius.se



Validate the username and password

```
[HttpGet]
public IActionResult Login(string ReturnUrl)
{
    return View(new LoginModel() { ReturnUrl = ReturnUrl });
}
[HttpPost]
[ValidateAntiForgeryToken]
public async Task Login(LoginModel loginCredentials)
{
    //...
}

public class LoginModel
{
    public string UserName { get; set; };
    public string Password { get; set; };
    public string ReturnUrl { get; set; };
}
```

31

Create the list of claims

Create an Identity + ClaimsPrincipal

```
//1. Validate username + password
                                                                                       Auth types
//2. Load the claims for this user from the DB
                                                                                       pwd
var claims = new List<Claim>()
                                                                                       External
         new("sub","1234"),
new("name","Bob"),
new("email","bob@tn-data.se"),
new("role","developer")
                                                                                       Windows
                                                                                       Jwt
                                                                                       Cookie
    };
                                                                                       api key
                                                                                       NTLM
//3. Create an Identity for these claims
var identity = new ClaimsIdentity(claims: claims,
                                                                                       Digest
                                         authenticationType: "pwd",
                                                                                       Basic
                                         nameType: "name",
                                                                                       Negotiate
                                         roleType: "role");
//4. Create the principal based on the users Identity
var principal = new ClaimsPrincipal(identity);
                                                                                              https://nestenius.se
```

33


SignIn Principal

Live coding #5

```
//1. Validate username + password
//2. Load the claims for this user from the DB
var claims = new List<Claim>()
    new("sub","1234"),
new("name","Bob"),
new("email","bob@tn-data.se"),
new("role","developer")
var principal = new ClaimsPrincipal(identity);
var prop = new AuthenticationProperties()
     RedirectUri = "/",
     Items =
         { "IpAddress", "192.168.0.3" },
{ "ComputerName", "MyComputer"
{ "ApiKey", "Summer2025!!" }
};
await HttpContext.SignInAsync(scheme: "cookie",
                                   principal: principal,
                                   properties: prop);
return LocalRedirect("/");
                                                                                                          https://nestenius.se
```

35

What happens when we call SignInAsync?



What is inside the authentication cookie?

Set-Cookie: .AspNetCore.cookie=CfDJ8IgPXRNAZH1EkNAOdd3_JvtpVOohM43sH81B8MW4
2T1L57tpORRWmJu8svjUYUWIrYUOW4xoOikClOR3H87teUK4MYy58NBBAsjc8RDRWhKO6JVzOHUHW1eNSfu
nLJ_OO0bZly6kYlF52lkzI8cw8VLPzG4zm33hoynL2JHLTCoWbugN-3kyOLrUSyVJdotB1ANGcvBTjz2rAFuOeUbzCdXXDjm98YzW3E99QffLamD1Llrke7MX1y31NWdxzQ39m4WmGwUNa3b0iHoyDaeSKJvifmz
lMSWT_8o9x4AUtzC6_whIofPVHXhYkwCXGTwtpIYeb_KOGuAvidb3S3tTkK4m3LHcf5Fx9ajfbE8RC_5FLO
sPxbQiQcF3KGmIUPOdnHmtk7MHczg4UR-OgBh_TA_sKyMoPy9Ak9sa4P-XvMwWyssEkOOzxfHbi6F
VWbq5CNDe6W1QZG6z5PwtwGsVmx4vK8C3_4b9r-HU; path=/; secure; samesite=lax; httponly


Live coding #6

```
.AddCookie(o =>
{
    o.DataProtectionProvider = new MyDataProtector();
});

public class MyDataProtector : IDataProtector
{
    public IDataProtector CreateProtector(string purpose)
    {
        return new MyDataProtector();
    }
    public byte[] Protect(byte[] plaintext)
    {
        return plaintext;
    }
    public byte[] Unprotect(byte[] protectedData)
    {
        return protectedData;
    }
}
```

39

SignOut https://nestenius.se



```
Live coding #7

[HttpPost]
public async Task Logout()
{
   await HttpContext.SignOutAsync("cookie");
}
```

LogoutPath

Why are we not redirected?

43

Live coding #8

Using ReturnUrl

/User/Logout?ReturnUrl=/User/LoggedOut



```
HTTP/1.1 200 OK
Content-Length: 0
Set-Cookie: .AspNetCore.cookie=; expires=Thu, 01 Jan 1970 00:00:00 GMT;...
```

45

Live coding #9

/User/Logout?ReturnUrl=/User/LoggedOut

```
.AddCookie(o =>
{
    ...
    o.LogoutPath = "/user/LoggedOut";
    ...
});
.AddCookie(o =>
{
    ...
    o.LogoutPath = "/user/LogOut";
    ...
});
```

```
HTTP/1.1 302 Found
Location: /User/LoggedOut
Set-Cookie: .AspNetCore.cookie=; expires=Thu, 01 Jan 1970 00:00:00 GMT;...
```

Alternatives


```
[HttpPost]
public async Task Logout()
{
    var properties = new AuthenticationProperties()
    {
        RedirectUri = "/User/LoggedOut"
    };
    await HttpContext.SignOutAsync("cookie", properties);
}

[HttpPost]
public async Task<IActionResult> Logout()
{
    await HttpContext.SignOutAsync("cookie");
    return LocalRedirect("/User/LoggedOut");
}
```

47

Are we really signed out?

```
[HttpPost]
public async Task Logout()
{
    await HttpContext.SignOutAsync("cookie");
}
```



Live coding #11 Large cookies! wás ctáîns nêx tîşt ctáîn nêx suč nêx stsînê y nêx nănê Bộc nêx ênăît cộc th đátá sê nêx sộtê đêwêtộrês

