



CredShields

Dragon Tiger Smart Contract Audit

December 31, 2024 • CONFIDENTIAL

Description

This document details the process and result of the Smart Contract audit performed by CredShields Technologies PTE. LTD. on behalf of Allin Gaming between October 29th, 2024, and December 17th, 2024. A retest was performed on December 18th, 2024.

Author

Shashank (Co-founder, CredShields) shashank@CredShields.com

Reviewers

Aditya Dixit (Research Team Lead), Shreyas Koli (Auditor), Naman Jain (Auditor), Sanket Salavi (Auditor)

Prepared for

Allin Gaming

Table of Contents

Table of Contents	2
1. Executive Summary -----	3
State of Security	4
2. The Methodology -----	5
2.1 Preparation Phase	5
2.1.1 Scope	5
2.1.2 Documentation	5
2.1.3 Audit Goals	6
2.2 Retesting Phase	6
2.3 Vulnerability classification and severity	6
2.4 CredShields staff	8
3. Findings Summary -----	9
3.1 Findings Overview	9
3.1.1 Vulnerability Summary	9
4. Remediation Status -----	10
5. Bug Reports -----	11
Bug ID #1 [Fixed]	11
Dead code	11
Bug ID #2 [Fixed]	13
Missing functionality to enable auto-bet	13
Bug ID #3 [Fixed]	14
Missing Ownership Transfer Mechanism	14
Bug ID #4	16
Documentation will mislead stakeholders, affecting clarity	16
6. The Disclosure -----	17

1. Executive Summary -----

Allin Gaming engaged CredShields to perform a smart contract audit from October 29th, 2024, to December 17th, 2024. During this timeframe, 4 vulnerabilities were identified. A retest was performed on December 18th, 2024, and all the bugs have been addressed.

High and Critical vulnerabilities represent the greatest immediate risk to "Allin Gaming" and should be prioritized for remediation, and fortunately, none were found.

The table below shows the in-scope assets and a breakdown of findings by severity per asset. Section 2.3 contains more information on how severity is calculated.

Assets in Scope	Critical	High	Medium	Low	info	Gas	Σ
Dragon Tiger	0	0	0	2	2	0	4
	0	0	0	2	2	0	4

Table: Vulnerabilities Per Asset in Scope

The CredShields team conducted the security audit to focus on identifying vulnerabilities in Dragon Tiger's scope during the testing window while abiding by the policies set forth by Allin Gaming's team.



State of Security

To maintain a robust security posture, it is essential to continuously review and improve upon current security processes. Utilizing CredShields' continuous audit feature allows both Allin Gaming's internal security and development teams to not only identify specific vulnerabilities but also gain a deeper understanding of the current security threat landscape.

To ensure that vulnerabilities are not introduced when new features are added, or code is refactored, we recommend conducting regular security assessments. Additionally, by analyzing the root cause of resolved vulnerabilities, the internal teams at Allin Gaming can implement both manual and automated procedures to eliminate entire classes of vulnerabilities in the future. By taking a proactive approach, Allin Gaming can future-proof its security posture and protect its assets.

2. The Methodology -----

Allin Gaming engaged CredShields to perform the Dragon Tiger Smart Contract audit. The following sections cover how the engagement was put together and executed.

2.1 Preparation Phase

The CredShields team meticulously reviewed all provided documents and comments in the smart contract code to gain a thorough understanding of the contract's features and functionalities. They meticulously examined all functions and created a mind map to systematically identify potential security vulnerabilities, prioritizing those that were more critical and business-sensitive for the refactored code. To confirm their findings, the team deployed a self-hosted version of the smart contract and performed verifications and validations during the audit phase.

A testing window from October 29th, 2024, to December 17th, 2024, was agreed upon during the preparation phase.

2.1.1 Scope

During the preparation phase, the following scope for the engagement was agreed upon:

IN SCOPE ASSETS
https://github.com/AllinGaming1/casino/tree/34b3423bc31dc3645b17e98e9a407665db0d0807/contracts/dragon-tiger

2.1.2 Documentation

The Allin Gaming's team provided documentation for all the assets in scope and promptly answered all our questions.



2.1.3 Audit Goals

CredShields employs a combination of in-house tools and manual methodologies to conduct thorough security audits for Rust-based smart contracts. The audit process primarily involves manually reviewing the contract's source code, following best practices for Rust and WebAssembly (Wasm) development, and leveraging an internally developed, industry-aligned checklist. The team focuses on understanding key concepts, creating targeted test cases, and analyzing business logic to identify potential vulnerabilities.

2.2 Retesting Phase

Allin Gaming is actively partnering with CredShields to validate the remediations implemented towards the discovered vulnerabilities.

2.3 Vulnerability classification and severity

CredShields follows OWASP's Risk Rating Methodology to determine the risk associated with discovered vulnerabilities. This approach considers two factors - Likelihood and Impact - which are evaluated with three possible values - **Low**, **Medium**, and **High**, based on factors such as Threat agents, Vulnerability factors, and Technical and Business Impacts. The overall severity of the risk is calculated by combining the likelihood and impact estimates.

Overall Risk Severity				
Impact	HIGH	● Medium	● High	● Critical
	MEDIUM	● Low	● Medium	● High
	LOW	● None	● Low	● Medium
		LOW	MEDIUM	HIGH
Likelihood				

Overall, the categories can be defined as described below -

1. Informational

We prioritize technical excellence and pay attention to detail in our coding practices. Our guidelines, standards, and best practices help ensure software stability and reliability. Informational vulnerabilities are opportunities for improvement and do not pose a direct risk to the contract. Code maintainers should use their own judgment on whether to address them.

2. Low

Low-risk vulnerabilities are those that either have a small impact or can't be exploited repeatedly or those the client considers insignificant based on their specific business circumstances.

3. Medium

Medium-severity vulnerabilities are those caused by weak or flawed logic in the code and can lead to exfiltration or modification of private user information. These vulnerabilities can harm the client's reputation under certain conditions and should be fixed within a specified timeframe.

4. High

High-severity vulnerabilities pose a significant risk to the Smart Contract and the organization. They can result in the loss of funds for some users, may or may not require specific conditions, and are more complex to exploit. These vulnerabilities can harm the client's reputation and should be fixed immediately.

5. Critical

Critical issues are directly exploitable bugs or security vulnerabilities that do not require specific conditions. They often result in the loss of funds and Ether from Smart Contracts or users and put sensitive user information at risk of compromise or modification. The client's reputation and financial stability will be severely impacted if these issues are not addressed immediately.

6. Gas

To address the risk and volatility of smart contracts and the use of gas as a method of payment, CredShields has introduced a "Gas" severity category. This category deals with optimizing code and refactoring to conserve gas.

2.4 CredShields staff

The following individual at CredShields managed this engagement and produced this report:

- Shashank, Co-founder CredShields shashank@CredShields.com

Please feel free to contact this individual with any questions or concerns you have about the engagement or this document.

3. Findings Summary -----

This chapter presents the results of the security assessment. Findings are organized by severity and categorized by asset, with references to relevant classifications or standards. Each asset section includes a summary for clarity. The executive summary table provides an overview of the total number of identified security vulnerabilities for each asset, grouped by risk level.

3.1 Findings Overview

3.1.1 Vulnerability Summary

During the security assessment, 4 security vulnerabilities were identified in the asset.

VULNERABILITY TITLE	SEVERITY	Vulnerability Type
Dead Code	Low	Code With No Effects
Missing functionality to enable auto-bet	Low	Missing Functionality
Missing Ownership Transfer Mechanism	Informational	Insecure Ownership Transfer
Documentation Will Mislead Stakeholders, Affecting Clarity	Informational	Informational Discrepancy

Table: Findings in Smart Contracts

4. Remediation Status -----

Allin Gaming is actively partnering with CredShields from this engagement to validate the discovered vulnerabilities' remediations. **A retest was performed on December 18th, 2024, and all the issues have been addressed.**

Also, the table shows the remediation status of each finding.

VULNERABILITY TITLE	SEVERITY	REMEDICATION STATUS
Dead Code	Low	Fixed [Dec 18, 2024]
Missing functionality to enable auto-bet	Low	Fixed [Dec 18, 2024]
Missing Ownership Transfer Mechanism	Informational	Fixed [Dec 18, 2024]
Documentation Will Mislead Stakeholders, Affecting Clarity	Informational	

Table: Summary of findings and status of remediation

5. Bug Reports -----

Bug ID #1[Fixed]

Dead code

Vulnerability Type

Code With No Effects - SWC-135

Severity

Low

Description

In the `submit_bet()` function, the contract contains logic to validate bets by calling the `validate_bet()` function. Within `validate_bet()`, there are checks related to auto-bet. If auto-bet is set in bet it will revert. but in the `submit_bet()` function there is some code related to auto-betting, such as iterating over the `iteration_count` of auto-bets and validating stop loss/gain of auto-bets. However, auto-bet is explicitly disabled in the contract, and if detected, the function reverts with an error.

Affected Code

- <https://github.com/AllInBetsCom/casino/blob/34b3423bc31dc3645b17e98e9a407665db0d0807/contracts/dragon-tiger/src/helpers.rs#L151-L155>
- <https://github.com/AllInBetsCom/casino/blob/34b3423bc31dc3645b17e98e9a407665db0d0807/contracts/dragon-tiger/src/contract.rs#L274-L285>
- <https://github.com/AllInBetsCom/casino/blob/34b3423bc31dc3645b17e98e9a407665db0d0807/contracts/dragon-tiger/src/contract.rs#L249-L252>
- <https://github.com/AllInBetsCom/casino/blob/34b3423bc31dc3645b17e98e9a407665db0d0807/contracts/dragon-tiger/src/contract.rs#L257>

Impacts

This does not impact the security aspect of the Smart contract but prevents confusion when the code is sent to other developers or auditors to understand and implement. This reduces the overall size of the contracts and also helps in saving gas.

Remediation

It is recommended to remove any logic or iterations related to auto-betting in the `submit_bet()` functions, as auto-betting is not allowed in the contract. Or you can introduce a function to enable auto-bet if you want to use it in the future.

Retest

This vulnerability has been fixed by adding a new storage access `ALLOW_AUTOBET.save(deps.storage, &false)` and a new function `UpdateAutobetFlag()`.

Bug ID #2 [Fixed]

Missing functionality to enable auto-bet

Vulnerability Type

Missing Functionality

Severity

Low

Description

In the current implementation of the contract, the `validate_bet()` function explicitly disallows auto-betting and reverts when it detects auto-bet-related parameters. Additionally, while there is dead code in the `submit_bet()` function that references auto-bet functionalities, there is no mechanism in the contract for the owner or authorised entity to enable or implement auto-betting functionality in the future.

This results in a design limitation that prevents the contract from adapting to future requirements, such as enabling auto-betting functionality. A scenario may arise where the owner wants to introduce auto-bet features, either to increase the usability of the platform or to support automated betting strategies, but they will not be able to do so without redeploying the contract, which is costly and inefficient.

Affected Code

- <https://github.com/AllInBetsCom/casino/blob/34b3423bc31dc3645b17e98e9a407665db0d0807/contracts/dragon-tiger/src/helpers.rs#L151-L155>

Impacts

The contract cannot accommodate future enhancements related to auto-betting without significant modifications or redeployment.

Remediation

It is recommended to implement functionality to enable auto-bet.

Retest

This vulnerability has been fixed by adding a new storage access `ALLOW_AUTOBET.save(deps.storage, &false)?` and a new function `UpdateAutobetFlag()`.

Bug ID #3 [Fixed]

Missing Ownership Transfer Mechanism

Vulnerability Type

Insecure Ownership Transfer

Severity

Informational

Description

The contract sets the initial administrator (owner) during deployment via the instantiate function. However, it does not provide any functionality to transfer ownership or update the admin after deployment. This creates a design limitation as the ownership cannot be changed, even if there is a need to transfer it to a new owner.

Ownership transfer is an essential feature for decentralized systems to ensure flexibility and recoverability. If the current admin's private keys are lost or compromised, the inability to transfer ownership could lead to the permanent loss of control over the contract.

Affected Code

- <https://github.com/AllInBetsCom/casino/blob/34b3423bc31dc3645b17e98e9a407665db0d0807/contracts/dragon-tiger/src/contract.rs>

Impacts

If the admin loses access to their private keys or if the keys are compromised, there is no way to transfer ownership to a new secure address, leading to a permanent loss of control over the contract

Remediation

It is recommended to implement a two-step ownership transfer in contract.

Example code :

```
// Execute: Transfer Ownership
pub fn execute_transfer_ownership(
    deps: DepsMut,
    _env: Env,
    info: MessageInfo,
    new_admin: String,
```

```

)-> Result<Response, ContractError> {
    let admin = ADMIN.load(deps.storage)?;

    if info.sender != admin {
        return Err(ContractError::OnlyAdmin {});
    }

    if new_admin.is_empty(){
        return Err(ContractError::EmptyNewAdmin {});
    }

    PENDING_ADMIN.save(deps.storage, &Some(new_admin.clone()))?;
    Ok(Response::new().add_attribute("action",
"transfer_ownership").add_attribute("pending_admin", new_admin))
}

// Execute: Accept Ownership
pub fn execute_accept_ownership(
    deps: DepsMut,
    _env: Env,
    info: MessageInfo,
)-> Result<Response, ContractError> {
    let pending_admin = PENDING_ADMIN.load(deps.storage)?;

    if pending_admin.is_none() || pending_admin.as_ref().unwrap() != &info.sender.to_string()
{
        return Err(ContractError::OnlyPendingAdmin {});
    }

    ADMIN.save(deps.storage, &info.sender.to_string())?;
    PENDING_ADMIN.save(deps.storage, &None)?;

    Ok(Response::new().add_attribute("action",
"accept_ownership").add_attribute("new_admin", info.sender.to_string()))
}

```

Retest

This issue has been fixed by adding new functions: `transfer_admin_control()` and `accept_admin_control()`.

Bug ID #4

Documentation will mislead stakeholders, affecting clarity

Vulnerability Type

Informational Discrepancy

Severity

Informational

Description

The Dragon Tiger betting system documentation mentions that a color-related feature has been implemented. However, upon reviewing the source code, it is clear that no such implementation exists. This inconsistency between the documentation and the actual code can lead to confusion for stakeholders, developers, and users referencing the documentation for accurate guidance.

Affected Code

- <https://github.com/AllInBetsCom/casino/blob/34b3423bc31dc3645b17e98e9a407665db0d0807/contracts/dragon-tiger/src/helpers.rs#L50-L114>

Impacts

This discrepancy could result in stakeholders being misinformed about the capabilities of the system, leading to potential misunderstandings in the development or testing process. Developers or other teams relying on the documentation may waste time searching for a feature that does not exist, which could delay the project or cause unnecessary confusion.

Remediation

It is recommended that the color-related feature reference be removed from the documentation to align it with the actual implementation. This will ensure the accuracy and reliability of the documentation, preventing confusion and unnecessary issues for anyone using or referencing it.

Retest

-

6. The Disclosure -----

The Reports provided by CredShields are not an endorsement or condemnation of any specific project or team and do not guarantee the security of any specific project. The contents of this report are not intended to be used to make decisions about buying or selling tokens, products, services, or any other assets and should not be interpreted as such.

Emerging technologies such as Smart Contracts and Solidity carry a high level of technical risk and uncertainty. CredShields does not provide any warranty or representation about the quality of code, the business model or the proprietors of any such business model, or the legal compliance of any business. The report is not intended to be used as investment advice and should not be relied upon as such.

CredShields Audit team is not responsible for any decisions or actions taken by any third party based on the report.

YOUR **SECURE FUTURE** STARTS HERE



At CredShields, we're more than just auditors. We're your strategic partner in ensuring a secure Web3 future. Our commitment to your success extends beyond the report, offering ongoing support and guidance to protect your digital assets

Q Audited by

