

Social Acceptance of Nomadic Virtual Reality

Alexander Eder

Alexander.Eder@stud.uni-regensburg.de
Universität Regensburg
Regensburg, Deutschland

Stephan Jäger

Stephan.Jaeger@stud.uni-regensburg.de
Universität Regensburg
Regensburg, Deutschland

Tom Nedorost

Alexander-Tom.Nedorost@stud.uni-regensburg.de
Universität Regensburg
Regensburg, Deutschland

ABSTRACT

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue duis dolore te feugait nulla facilisi. Lorem ipsum dolor sit amet, consetetur adipiscing elit, sed diam nonumy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat.

CCS CONCEPTS

• **Computer systems organization** → **Embedded systems**; *Redundancy*; Robotics; • **Networks** → Network reliability.

KEYWORDS

virtual reality, social acceptance, nomadic, field study

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

Regensburg '19, June 02–??, 2019, Bayern, DE

© 2018 Association for Computing Machinery.

ACM ISBN 978-x-xxxx-xxxx-x/YY/MM...\$00.00

<https://doi.org/10.1145/1122445.1122456>

ACM Reference Format:

Alexander Eder, Stephan Jäger, and Tom Nedorost. 2018. Social Acceptance of Nomadic Virtual Reality. In *Regensburg '19: Social Acceptance of Nomadic Virtual Reality, June 02–??, 2019, Bayern, DE*. ACM, New York, NY, USA, 5 pages. <https://doi.org/10.1145/1122445.1122456>

1 INTRODUCTION

New presentation methods such as VR experiences are a growing trend as alternatives to conventional screens in different end devices for example tablets or mobile phones. These devices are always improving in measurements, functionality, and appearance because of this trend, to accommodate the mobility of modern life. Because this development process is never standing still VR devices might be prospectively used in the same way we already use mobile phones today, at any time and everywhere. To achieve a broad utilization, it is not only important to focus on the unique user and establish hardware with high usability for the users themselves, but also something that fits all the tangentially involved people and their needs for well-being, comfort, and privacy. The most important issue to start with, which also is the topic of this paper, is the question about the current state of social acceptance of VR devices in public spaces. Before spreading out this type of gear and gaining the possibility of high sales output it is essential to find out if those devices are already accepted by society and which impacts they have on society.

[4] Several researchers already tried to investigate this potential issues regarding the social acceptance by showing pictures and videos of people wearing VR devices in public spaces to a group of test persons under laboratory conditions to find out more about their opinions, feelings, and reactions confronted with this subject. With the inspection of images, people will always keep a certain emotional distance to the context shown. The spontaneous confrontation with a previously completely unexpected situation in daily life might have another effect on their emotional acceptance. VR devices might be fully accepted by society, but it can also be that they evoke discomfort because people are not used to not seeing each other's eyes while passing by or sitting next to them on the bench. Sunglasses of course act similar but since today's VR glasses still cover almost half of the wearers

face it cannot be generalized and needs to be examined more accurately. In this paper, we reexamined the topic of social acceptance of VR devices using a field study to achieve a high validity.

2 RELATED WORK

Previous work already dealt with social acceptance and mobile devices. Gesture control has also been investigated. In the following, three papers will be analysed that already tried to gather information about how devices of that kind are accepted in a social context.

One work dealing with gesture control and mobile devices and their social acceptance is a work by J. Rico and S. Brewster [2]. It mainly observes the extent to which social acceptance can be measured. They found out that the social acceptance of technology use is not just a question of embarrassment or politeness, but a combination of factors ranging from appearance and social status to culture. It was also stressed that gesture-based user interfaces face acceptance problems as they require users to evaluate a range of new actions. This would require the user to define new standards for social acceptance. In a survey, they found that location and audience have a significant impact on whether a user wants to perform gestures. For example, a user would be more likely to make gestures in front of trusted people. This led to the conclusion that users would be more likely to use gesture-controlled mobile devices at home. Two other areas that were defined were the semi-public space, i.e. with a restricted but not necessarily familiar audience, and the public space, i.e. the sidewalk. They then carried out another experiment to see how participants behave when they make gestures on a busy street. Since this work is not about the design question, the last attempt is negligible.

The paper "Understanding the Social Acceptability of Mobile Devices using the Stereotype Content Model" [3] criticized that there was no robust model to explain the underlying factors why a device was socially acceptable. Therefore, the devices were regarded as social objects and it was examined whether the stereotypical content model (SCM) could be applied to them. The focus of this work was clearly on whether mobile applications in themselves meet a stereotype. This has been proven in two studies. In the first study it was found that different devices have a different impact on the person wearing them. LED glasses, for example, were viewed negatively. In the work, this was associated with low warmth and low competence. Medical devices, on the other hand, were rated more positively or warmer. VR headsets were rated well in terms of being more competitive, but they overall were received as contemptuous. It was also found that devices systematically trigger emotions when people use them. This may allow the SCM to explain the results of

older work, as the social acceptance of highly competitive devices such as smart glasses depends on the stereotype of the person wearing the device. Here the comparison was made between older people wearing a VR headset and other people. A weaker attraction was also measured for VR glasses than for other devices. It can therefore be assumed that the SCM can be used to measure the social acceptance of a mobile device. These assumptions were confirmed in a second study. In this study no images of human stereotypes were used and since it showed no significant difference to the stereotype device combinations of the first study, it was assumed that a possible effect of human stereotype images is negligible. In addition, it was proven once again that VR glasses are assigned a certain competence and that they are perceived more competitively.

Schwind et al investigated the more precise acceptance of VR glasses in 2018 [4]. It was assumed that mobile VR glasses are therefore less frequently used in public because they are not socially accepted. Therefore, an online experiment was conducted to investigate the acceptance of VR glasses in six different contexts. Prior work proved that it depends on the environment the device is used in. So it seems to be more acceptable to use VR glasses in bed, a train or the subway. In public places, on the other hand, or when the user is supposed to interact with a person in the environment, they are less acceptable. In the online experiment, the test person was shown pictures of people wearing VR glasses. They were asked to answer a number of questions. In addition, different places and persons of different sexes were shown with VR glasses. Subsequently, the subjects were asked to assign one of eight statements, which stood for Awkward, Normal, Appropriate, Rude, Uncomfortable, Distracting, Useful and Unnecessary, to the respective images.

One can therefore assume that the street is a public area. If a gesture is performed in that place, this would be seen as less appropriate. One should also assume that more inappropriate the usage of VR glasses in a certain context is the less comfortable people feel while performing gestures with this type of device. The SCM can be used as a classification. The VR glasses are assigned competence but also a certain coolness, i.e. separation.

3 STUDY: ACCEPTANCE OF NOMADIC VIRTUAL REALITY

As already mentioned VR devices represent a potential upcoming alternative to conventional screens in the mobile context. The specific goal of this study was to examine more about the current state of social acceptance in the open field by confronting unprepared bystanders with this topic in different real life scenarios. This was done with the help of a field study because of our hypothesis that the procedure

under laboratory conditions will have another result due to emotional distances.

Study Design

The design of the study is a two-factorial within-subject design and conducted with three independent variables GENDER, WEARING OF VR-GOGGLES WITHOUT PERFORMING GESTURES and WEARING VR-GOGGLES WITH PERFORMING GESTURES. Since VR devices always rely on some level of gestures for interaction, gesture control with the help of connected controllers is essential for the use of VR devices of any kind. Since performing those gestures might have a big impact on the acceptance this also was an important issue to test to find out more about the general acceptance and how people react when being confronted with this situation. It is also important to investigate whether the gender of the wearer has an influence on the results or not.

Conditions

In earlier researches pictures and videoclips have been used for probing [4]. Since we wanted to extend those results and test their external validity we used confrontations in real life situations in the open field rather than representations of it. The first important factor was the gender.




Figure 1: Three different female stimuli




Figure 2: Three different male stimuli

We wanted to find out if the gender itself plays an important role in the acceptance of such devices in general. Both genders have been tested without using any VR tools to get a baseline for upcoming steps and procedures, the actors using a smartphone instead for the baseline. Another stimulus we used was the fact that both our actor and our actress wore a VR goggle to test its influence on the pedestrians.




Figure 3: Used VR gestures

Last but not least we tested the goggles in combination with controllers and gesture controls which is our final stimulus. In this study we combined those three stimuli to receive as much information as possible about peoples reactions on different types of situations.

Survey Procedure

After handing out the informed consent, the randomly chosen participants answered a short demographic questionnaire in which we request allegations to gender and age. Afterwards we handed out another Questionnaire to measure the acceptability of wearable devices [1]. The so-called WEAR Scale is a questionnaire that consists of several items to find out how acceptable a device is with regard to e.g. aesthetic itself, the wearers charisma it awakes and the own attitude towards the gadget. Subsequent each participant received a little thank-you gift.

Participants

Because this study has not been researched under laboratory conditions it was not possible to recruit test persons. Another reason for us to not hire subjects was, that this would have not lead to the result we were looking for. We wanted to examine this Acceptance Rating by collecting real life reactions and the opinions. For this type of field study it was essential to blindside pedestrians in their daily life to receive an unbiased output.

REFERENCES

[1] Norene Kelly. 2016. The WEAR Scale: Development of a measure of the social acceptability of a wearable device. (2016).

- [2] Julie Rico and Stephen Brewster. 2010. Usable gestures for mobile interfaces: evaluating social acceptability. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, 887–896.
- [3] Valentin Schwind, Niklas Deierlein, Romina Poguntke, and Niels Henze. 2019. Understanding the Social Acceptability of Mobile Devices using the Stereotype Content Model. (2019).
- [4] Valentin Schwind, Jens Reinhardt, Rufat Rzayev, Niels Henze, and Katrin Wolf. 2018. Virtual reality on the go?: a study on social acceptance of VR glasses. In *Proceedings of the 20th International Conference on Human-Computer Interaction with Mobile Devices and Services Adjunct*. ACM, 111–118.

LIST OF FIGURES

1	Three different female stimuli	4
2	Three different male stimuli	4
3	Used VR gestures	4