The z-Transform, Part II

Digital Signal Processing

October 9, 2025



Properties of the *z***-Transform**

- Linearity
- 2 Time-Shift
- 3 Convolution

1. Linearity

Linearity Property

The z-transform is a linear operator:

If $x[n] \overset{\mathcal{Z}}{\longleftrightarrow} X(z)$, and $y[n] \overset{\mathcal{Z}}{\longleftrightarrow} Y(z)$, then

$$ax[n] + by[n] \stackrel{\mathcal{Z}}{\longleftrightarrow} aX(z) + bY(z),$$

for all complex constants $a, b \in \mathbb{C}$.

Proof of Linearity

$$\mathcal{Z}\{ax[n] + by[n]\} = \sum_{n = -\infty}^{\infty} (ax[n] + by[n])z^{-n}$$

$$= \sum_{n = -\infty}^{\infty} ax[n]z^{-n} + \sum_{n = -\infty}^{\infty} by[n]z^{-n}$$

$$= a\sum_{n = -\infty}^{\infty} x[n]z^{-n} + b\sum_{n = -\infty}^{\infty} y[n]z^{-n}$$

$$= aX(z) + bY(z)$$

2. Time-Shift

Time-Shift Property

Shifting a signal by a time delay of $m \in \mathbb{Z}$ results in a multiplication of the z-transform by z^{-m} :

$$x[n-m] \stackrel{\mathcal{Z}}{\longleftrightarrow} z^{-m}X(z).$$

Proof of Time-Shift

$$\begin{split} \mathcal{Z}\{x[n-m]\} &= \sum_{n=-\infty}^{\infty} x[n-m]z^{-n} \\ &= \sum_{k=-\infty}^{\infty} x[k]z^{-m-k} \qquad \text{substitute} \\ &= \sum_{k=-\infty}^{\infty} x[k]z^{-m}z^{-k} \\ &= z^{-m} \sum_{k=-\infty}^{\infty} x[k]z^{-k} \\ &= z^{-m} X(z) \end{split}$$

substitute k = n - m

3. Convolution

Convolution Property

Convolution of two signals results in the multiplication of their z-transforms:

$$x[n] * y[n] \stackrel{\mathcal{Z}}{\longleftrightarrow} X(z)Y(z).$$

Proof of Convolution Property

$$\begin{split} \mathcal{Z}\{x[n]*y[n]\} &= \sum_{n=-\infty}^{\infty} \left(x[n]*y[n]\right)z^{-n} \\ &= \sum_{n=-\infty}^{\infty} \left(\sum_{k=-\infty}^{\infty} x[k]y[n-k]\right)z^{-n} \\ &= \sum_{k=-\infty}^{\infty} \sum_{n=-\infty}^{\infty} x[k]y[n-k]z^{-n} \\ &= \sum_{k=-\infty}^{\infty} x[k] \sum_{n=-\infty}^{\infty} y[n-k]z^{-n} \\ &= \sum_{k=-\infty}^{\infty} x[k]z^{-k}Y(z) \\ &= X(z)Y(z) \end{split}$$

z-Transforms of Linear Time-Invariant Systems

Recall Linear Time-Invariant Systems

Let $T\{\cdot\}$ be an LTI system. Remember this means

$$T\{x[n]\} = x[n]*h[n],$$

where $h[n] = T\{\delta[n]\}$ is the impulse response function.

z-Transform of an LTI System

Definition (System Function)

Consider an LTI system:


$$y[n] = x[n] * h[n].$$

Using the convolution property of the z-transform, this means

$$Y(z) = X(z)H(z).$$

H(z) is called the system function or transfer function for T.

Example: Impulse Function



$$\mathcal{Z}\{\delta[n]\} = \sum_{n=-\infty}^{\infty} \delta[n] z^{-n} = z^0 = 1$$

Example: Feedforward Comb Filter

Remember the FFCF:

$$y[n] = x[n] + gx[n-k]$$

Its impulse response function is:

$$h[n] = \delta[n] + g\delta[n - k]$$

Using linearity and the time-shift property, we get the system function:

$$H(z) = 1 + gz^{-k}$$

ROC: |z| > 0

Example: Feedback Comb Filter

Remember the FBCF:

$$y[n] = x[n] + gy[n-k]$$

To get system function, plug in $x[n] = \delta[n]$:

$$\begin{split} &h[n]=\delta[n]+gh[n-k]\\ \iff &H(z)=1+gz^{-k}H(z) &\text{take z-transform}\\ \iff &H(z)-gz^{-k}H(z)=1 &\text{rearrange $H(z)$ to left side}\\ \iff &H(z)=\frac{1}{1-gz^{-k}} &\text{solve for $H(z)$} \end{split}$$

Alternate Method

Start from the impulse response:

$$h[n] = \sum_{m=0}^{\infty} g^m \delta[n - mk]$$

Using linearity and time-shift property:

$$H(z) = \sum_{m=0}^{\infty} g^m z^{-mk} = \sum_{m=0}^{\infty} \left(g z^{-k} \right)^m = \frac{1}{1 - g z^{-k}},$$

using geometric series formula with $r = gz^{-k}$.

ROC for FBCF

For geometric series to converge, we need |r| < 1. Assuming q > 0, we have:

$$1 > |r| = |gz^{-k}| = g|z|^{-k},$$

Or

$$|z|^k > g \Rightarrow |z| > g^{\frac{1}{k}}.$$