

```

=== v0_7: Convergence + Baseline Calibration + Perturbation Robustness +
Gap/Isolation + Open-system (v23) ===
Qubits: 4 (d=16) | terms=5
Batches: 3 × 5000 seeds (base_seed=0, stride=1000000)
Neighbor eps=0.050
Dominant set: keep_mass=0.90 (mass-based; guarantees non-empty mask)
Bins (SigAbs): ent_step=0.100 | leak_step=0.050
Bins (SigQ_GLOBAL fine): q_bins=10 (pooled REAL+NULL per batch)
Bins (SigQG_COARSE): q_bins_coarse=6 + dom_bin(dom/d) + leak_bin_coarse
(pooled REAL+NULL per batch)
Leakage proxy times=[0.5, 1.0, 1.5] (FAST analytic evolution in
eigenpair)
Stable selection: stable_frac=0.010 per model (optional leak constraint
max=None, q=None)
Perturbation robustness: eta=[] | reps=3 | seeds=0 | pairs/seed=5 |
dH_terms=None
Open-system (v23): enabled=True | include_baselines=True |
pairs_per_cat=400 | noise=both(phi=0.1,g1=0.02) | t=5.0/25 |
states=rand64 | basis=eigen | noise_qubits=subset:[3] | stable_pool=False
TopK=25 | min_overall=3 | min_stable=3 | alpha=0.5
Optional family filter: p_tail_max=None
Pauli ops: precomputed cache (excluding all-I)

```

```

-----
Batch 1/3 (seed_offset=0)
Model: REAL | candidates=46747 | stable_rate=0.0100 (score-only
ref=0.0100)
  score(mean/median/max)=0.429/0.422/0.700
  leakage(mean/median/min)=0.076/0.080/0.000
  entropy(mean/median/max)=2.962/3.036/4.000
  dom_count(mean/median/max)=9.96/10.0/15
  gaps: ΔE_in(mean/med/p90)=0.00146/5.551e-16/1.998e-15 |
ΔE_out(mean/med/p90)=0.1623/0.04393/0.4891 |
logR(mean/med/p90)=0.760/6.537/7.685
  gaps_cond(ΔE_in>iso_eps): n=2759 |
ΔE_in(mean/med/p90)=0.02321/0.02244/0.0437
  entropy effect (stable-overall)=-0.032 bits CI95=(-
0.05551828082318287, -0.004830457738185095)

```

```

Top signature families (REAL, SigQ_GLOBAL (fine)):
Format: sig=(a,b,c,d) | overall | stable | expected | p_tail | -log10(p)
| enrichment
(14, 2, 2, 1) | 1376 | 280 | 13.75 | 2.79e-265 | 264.55 |
1150.98x
(14, 3, 3, 1) | 949 | 81 | 9.48 | 1.25e-47 | 46.90 |
484.81x
(14, 7, 7, 1) | 264 | 35 | 2.64 | 5.40e-28 | 27.27 |
758.08x
(14, 6, 6, 1) | 258 | 20 | 2.58 | 3.34e-12 | 11.48 |
447.92x
(14, 5, 5, 1) | 245 | 17 | 2.45 | 7.51e-10 | 9.12 |
402.62x
(14, 4, 4, 1) | 405 | 20 | 4.05 | 9.04e-09 | 8.04 |
285.54x

```

(14, 2, 3, 1)	35	4	0.35	4.07e-04	3.39
715.97x					
(14, 8, 8, 1)	182	5	1.82	3.69e-02	1.43
170.22x					

Top signature families (REAL, SigQG_COARSE):

Format: sig=(a,b,c,d)	overall	stable	expected	p_tail	-log10(p)
enrichment					
(3, 1, 1, 1)	4545	320	45.40	3.88e-158	157.41
613.08x					
(3, 2, 2, 1)	1781	64	17.79	1.15e-17	16.94
314.81x					
(3, 4, 4, 1)	961	44	9.60	2.90e-16	15.54
402.42x					
(3, 3, 3, 1)	925	32	9.24	3.09e-09	8.51
305.34x					
(3, 5, 5, 1)	448	3	4.48	8.25e-01	0.08
67.85x					

Model: NULL_HAAR_BASIS | candidates=46747 | stable_rate=0.0100 (score-only ref=0.0100)

score(mean/median/max)=0.421/0.421/0.467
leakage(mean/median/min)=0.083/0.084/0.035
entropy(mean/median/max)=3.414/3.433/3.946
dom_count(mean/median/max)=10.06/10.0/14
gaps: ΔE_in(mean/med/p90)=0.001492/9.992e-16/3.109e-15 |
ΔE_out(mean/med/p90)=0.1549/0.02988/0.4777 |
logR(mean/med/p90)=0.455/6.327/7.675
gaps_cond(ΔE_in>iso_eps): n=2956 |
ΔE_in(mean/med/p90)=0.02319/0.0223/0.04352
entropy effect (stable-overall)=-0.002 bits CI95=(-
0.014131806881240671, 0.01576770180457149)

Top signature families (NULL, SigQ_GLOBAL (fine)):

Format: sig=(a,b,c,d)	overall	stable	expected	p_tail	-log10(p)
enrichment					
(12, 6, 9, 1)	170	30	1.70	5.07e-28	27.30
1252.95x					
(12, 3, 9, 1)	125	23	1.25	2.78e-22	21.56
1311.55x					
(12, 7, 9, 1)	172	22	1.72	7.72e-18	17.11
913.59x					
(12, 5, 9, 1)	159	21	1.59	2.18e-17	16.66
944.14x					
(12, 6, 8, 1)	183	18	1.83	7.16e-13	12.15
706.15x					
(12, 8, 9, 1)	138	16	1.38	1.04e-12	11.98
834.44x					
(12, 4, 8, 1)	139	16	1.39	1.17e-12	11.93
828.46x					
(12, 5, 7, 1)	156	16	1.56	6.98e-12	11.16
738.46x					
(12, 6, 7, 1)	149	15	1.49	4.09e-11	10.39
726.19x					
(12, 7, 8, 1)	160	15	1.60	1.13e-10	9.95
676.42x					

... (25 total, showing 10)

Top signature families (NULL, SigQG_COARSE):

Format: sig=(a,b,c,d) | overall | stable | expected | p_tail | -log10(p)
| enrichment

(2, 2, 3, 2)	7	4	0.07	3.40e-07	6.47
5499.58x					
(3, 3, 4, 1)	27	5	0.27	6.69e-06	5.17
1833.19x					
(2, 3, 4, 2)	7	3	0.07	3.39e-05	4.47
4277.45x					
(3, 2, 4, 1)	27	4	0.27	1.45e-04	3.84
1499.89x					
(3, 4, 5, 1)	51	5	0.51	1.59e-04	3.80
978.89x					
(3, 3, 3, 1)	12	3	0.12	2.05e-04	3.69
2566.47x					
(3, 2, 3, 1)	24	3	0.24	1.72e-03	2.76
1309.42x					
(2, 3, 5, 1)	4705	64	47.00	1.02e-02	1.99
125.64x					
(2, 4, 5, 1)	4585	56	45.80	7.82e-02	1.11
112.94x					
(2, 2, 5, 1)	4036	49	40.32	1.00e-01	1.00
112.40x					

... (21 total, showing 10)

Open-system logical retention (Lindblad; v23):

settings: noise=both | gamma_phi=0.1 | gamma_1=0.02 | t_max=5.0 |
t_steps=25 | states=rand64 | stable_pool=False | pairs_per_cat=400
REAL_Q4: n_pairs=400 | t_fid90_med=1.04 | t_leak10_med=1.04
leak(q10/q50/q90): t=0=0.000/0.000/0.000 | t=2.5=0.129/0.216/0.226 |
t=5=0.221/0.354/0.382
fid_uncond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.774/0.782/0.825 | t=5=0.615/0.639/0.701
fid_cond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.950/0.998/1.000 | t=5=0.910/0.994/1.000
AUC medians: fid_uncond=3.974 | fid_cond=4.987 | leak=1.013
REAL_Q1: n_pairs=400 | t_fid90_med=1.04 | t_leak10_med=1.04
leak(q10/q50/q90): t=0=0.000/0.000/0.000 | t=2.5=0.125/0.216/0.225 |
t=5=0.224/0.351/0.380
fid_uncond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.774/0.783/0.822 | t=5=0.617/0.642/0.693
fid_cond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.931/0.997/1.000 | t=5=0.878/0.994/1.000
AUC medians: fid_uncond=3.980 | fid_cond=4.986 | leak=1.013
NULL_Q4: n_pairs=400 | t_fid90_med=1.25 | t_leak10_med=1.25
leak(q10/q50/q90): t=0=0.000/0.000/0.000 | t=2.5=0.177/0.204/0.218 |
t=5=0.312/0.354/0.376
fid_uncond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.775/0.783/0.796 | t=5=0.609/0.623/0.647
fid_cond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.965/0.984/0.994 | t=5=0.931/0.965/0.984
AUC medians: fid_uncond=3.960 | fid_cond=4.917 | leak=0.974

Batch 1: Jaccard(Top-25) REAL vs NULL: fine=0.000 | coarse=0.040

Baseline scoreboard (REAL - NULL):
delta median entropy (bits): -0.397
delta median leakage : -0.003
delta median dom_count : +0.000
entropy Cohen's d : -1.093

Batch 2/3 (seed_offset=1000000)
Model: REAL | candidates=46735 | stable_rate=0.0100 (score-only
ref=0.0100)
score(mean/median/max)=0.430/0.422/0.678
leakage(mean/median/min)=0.076/0.080/0.000
entropy(mean/median/max)=2.954/3.035/4.000
dom_count(mean/median/max)=9.92/10.0/15
gaps: ΔE_{in} (mean/med/p90)=0.001474/5.551e-16/1.998e-15 |
 ΔE_{out} (mean/med/p90)=0.1648/0.04704/0.5011 |
logR(mean/med/p90)=0.831/6.560/7.696
gaps_cond(ΔE_{in} >iso_eps): n=2778 |
 ΔE_{in} (mean/med/p90)=0.02325/0.02285/0.04482
entropy effect (stable-overall)=+0.038 bits
CI95=(0.00020487540639864253, 0.07994945318162947)

Top signature families (REAL, SigQ_GLOBAL (fine)):
Format: sig=(a,b,c,d) | overall | stable | expected | p_tail | -log10(p)
| enrichment
(14, 2, 2, 1) | 1302 | 282 | 13.01 | 2.43e-275 | 274.61 |
1230.20x
(14, 3, 3, 1) | 942 | 71 | 9.41 | 1.94e-38 | 37.71 |
430.29x
(14, 7, 7, 1) | 254 | 28 | 2.54 | 1.66e-20 | 19.78 |
635.17x
(14, 2, 3, 1) | 60 | 15 | 0.60 | 3.45e-17 | 16.46 |
1453.16x
(14, 4, 4, 1) | 384 | 28 | 3.84 | 8.60e-16 | 15.07 |
420.42x
(14, 5, 5, 1) | 238 | 18 | 2.38 | 5.94e-11 | 10.23 |
439.97x
(14, 6, 6, 1) | 188 | 12 | 1.88 | 5.56e-07 | 6.25 |
376.13x
(14, 8, 8, 1) | 175 | 3 | 1.75 | 2.55e-01 | 0.59 |
113.12x

Top signature families (REAL, SigQG_COARSE):
Format: sig=(a,b,c,d) | overall | stable | expected | p_tail | -log10(p)
| enrichment
(3, 1, 1, 1) | 4303 | 335 | 43.00 | 1.23e-178 | 177.91 |
676.89x
(3, 2, 2, 1) | 1718 | 61 | 17.17 | 1.13e-16 | 15.95 |
310.72x
(3, 4, 4, 1) | 935 | 33 | 9.34 | 1.09e-09 | 8.96 |
310.92x
(3, 3, 3, 1) | 917 | 28 | 9.16 | 3.57e-07 | 6.45 |
269.70x
(3, 1, 2, 1) | 68 | 3 | 0.68 | 3.09e-02 | 1.51 |
443.64x

Model: NULL_HAAR_BASIS | candidates=46735 | stable_rate=0.0100 (score-only ref=0.0100)

score(mean/median/max)=0.421/0.421/0.463
leakage(mean/median/min)=0.084/0.084/0.039
entropy(mean/median/max)=3.414/3.434/3.915
dom_count(mean/median/max)=10.05/10.0/14
gaps: ΔE_{in} (mean/med/p90)=0.001515/9.992e-16/3.109e-15 |
 ΔE_{out} (mean/med/p90)=0.1572/0.03236/0.4879 |
 $\log R$ (mean/med/p90)=0.515/6.336/7.683
gaps_cond($\Delta E_{in} > iso_eps$): n=3006 |
 ΔE_{in} (mean/med/p90)=0.02317/0.02258/0.04497
entropy effect (stable-overall)=-0.006 bits CI95=(-
0.018475240869027743, 0.004674808135118195)

Top signature families (NULL, SigQ_GLOBAL (fine)):

Format: sig=(a,b,c,d) | overall | stable | expected | p_tail | -log10(p)
| enrichment

(12, 7, 9, 1)	165	24	1.65	1.16e-20	19.93
1034.07x					
(12, 4, 7, 1)	138	22	1.38	5.86e-20	19.23
1134.78x					
(12, 7, 8, 1)	147	22	1.47	2.42e-19	18.62
1065.54x					
(12, 5, 9, 1)	162	22	1.62	2.09e-18	17.68
967.19x					
(12, 8, 9, 1)	181	22	1.81	2.35e-17	16.63
865.94x					
(12, 5, 6, 1)	160	21	1.60	2.50e-17	16.60
935.72x					
(12, 4, 9, 1)	155	20	1.55	1.99e-16	15.70
920.88x					
(12, 3, 8, 1)	109	17	1.09	1.35e-15	14.87
1116.36x					
(12, 4, 6, 1)	126	17	1.26	1.63e-14	13.79
966.34x					
(12, 3, 9, 1)	111	16	1.11	3.29e-14	13.48
1033.69x					

... (25 total, showing 10)

Top signature families (NULL, SigQG_COARSE):

Format: sig=(a,b,c,d) | overall | stable | expected | p_tail | -log10(p)
| enrichment

(3, 2, 5, 1)	38	9	0.38	1.25e-10	9.90
2264.96x					
(3, 4, 5, 1)	42	8	0.42	8.67e-09	8.06
1835.81x					
(3, 4, 4, 1)	24	5	0.24	3.61e-06	5.44
2060.60x					
(3, 3, 4, 1)	32	5	0.32	1.60e-05	4.80
1553.37x					
(3, 3, 5, 1)	49	5	0.49	1.32e-04	3.88
1019.89x					
(3, 5, 5, 1)	12	3	0.12	2.05e-04	3.69
2570.13x					

(2, 4, 5, 1)	4550	67	45.47	1.56e-03	2.81
136.16x					
(2, 5, 5, 1)	2176	31	21.74	3.50e-02	1.46
132.85x					
(2, 2, 5, 1)	4152	49	41.49	1.38e-01	0.86
109.42x					
(2, 1, 5, 1)	1607	20	16.06	1.91e-01	0.72
117.06x					

... (20 total, showing 10)

Open-system logical retention (Lindblad; v23):

settings: noise=both | gamma_phi=0.1 | gamma_l=0.02 | t_max=5.0 |
t_steps=25 | states=rand64 | stable_pool=False | pairs_per_cat=400
REAL_Q4: n_pairs=400 | t_fid90_med=1.04 | t_leak10_med=1.04
leak(q10/q50/q90): t=0=0.000/0.000/0.000 | t=2.5=0.113/0.216/0.225 |
t=5=0.207/0.352/0.382
fid_uncond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.774/0.783/0.831 | t=5=0.616/0.641/0.717
fid_cond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.941/0.999/1.000 | t=5=0.892/0.996/1.000
AUC medians: fid_uncond=3.977 | fid_cond=4.993 | leak=1.013
REAL_Q1: n_pairs=400 | t_fid90_med=1.04 | t_leak10_med=1.04
leak(q10/q50/q90): t=0=0.000/0.000/0.000 | t=2.5=0.125/0.216/0.225 |
t=5=0.227/0.352/0.381
fid_uncond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.774/0.783/0.821 | t=5=0.615/0.641/0.698
fid_cond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.936/0.997/1.000 | t=5=0.882/0.993/1.000
AUC medians: fid_uncond=3.980 | fid_cond=4.984 | leak=1.012
NULL_Q4: n_pairs=400 | t_fid90_med=1.25 | t_leak10_med=1.25
leak(q10/q50/q90): t=0=0.000/0.000/0.000 | t=2.5=0.180/0.204/0.218 |
t=5=0.318/0.355/0.377
fid_uncond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.775/0.782/0.796 | t=5=0.608/0.621/0.644
fid_cond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.968/0.984/0.994 | t=5=0.936/0.966/0.985
AUC medians: fid_uncond=3.957 | fid_cond=4.920 | leak=0.979

Batch 2: Jaccard(Top-25) REAL vs NULL: fine=0.000 | coarse=0.042

Baseline scoreboard (REAL - NULL):

delta median entropy (bits)	-0.399
delta median leakage	-0.004
delta median dom_count	+0.000
entropy Cohen's d	-1.093

Batch 3/3 (seed_offset=2000000)

Model: REAL | candidates=46879 | stable_rate=0.0100 (score-only
ref=0.0100)

score(mean/median/max)	=0.429/0.422/0.600
leakage(mean/median/min)	=0.076/0.080/0.000
entropy(mean/median/max)	=2.955/3.036/4.000
dom_count(mean/median/max)	=9.93/10.0/15

gaps: $\Delta E_{in}(\text{mean/med/p90})=0.001513/5.551e-16/2.109e-15$ |
 $\Delta E_{out}(\text{mean/med/p90})=0.1598/0.03551/0.4934$ |
 $\log R(\text{mean/med/p90})=0.584/6.397/7.689$
gaps_cond($\Delta E_{in}>\text{iso_eps}$): n=2884 |
 $\Delta E_{in}(\text{mean/med/p90})=0.0231/0.02188/0.04488$
entropy effect (stable-overall)=+0.005 bits CI95=(-
0.033251884171931444, 0.04972155688816217)

Top signature families (REAL, SigQ_GLOBAL (fine)):

Format: sig=(a,b,c,d) | overall | stable | expected | p_tail | -log10(p)
| enrichment

(14, 2, 2, 1)	1382	279	13.83	3.80e-263	262.42
1151.51x					
(14, 3, 3, 1)	983	74	9.83	6.41e-40	39.19
431.45x					
(14, 7, 7, 1)	296	27	2.96	1.08e-17	16.97
528.27x					
(14, 6, 6, 1)	241	24	2.41	9.08e-17	16.04
577.83x					
(14, 4, 4, 1)	354	26	3.54	7.75e-15	14.11
425.78x					
(14, 5, 5, 1)	245	18	2.45	9.74e-11	10.01
429.21x					
(14, 2, 3, 1)	54	9	0.54	3.56e-09	8.45
992.84x					
(14, 8, 8, 1)	178	10	1.78	1.49e-05	4.83
335.04x					

Top signature families (REAL, SigQG_COARSE):

Format: sig=(a,b,c,d) | overall | stable | expected | p_tail | -log10(p)
| enrichment

(3, 1, 1, 1)	4330	330	43.32	4.52e-173	172.34
662.04x					
(3, 2, 2, 1)	1679	56	16.80	2.62e-14	13.58
291.82x					
(3, 4, 4, 1)	999	40	9.99	4.61e-13	12.34
351.50x					
(3, 3, 3, 1)	942	33	9.42	1.35e-09	8.87
308.33x					
(3, 5, 5, 1)	442	7	4.42	1.58e-01	0.80
147.03x					

Model: NULL_HAAR_BASIS | candidates=46879 | stable_rate=0.0100 (score-only ref=0.0100)

score(mean/median/max)=0.421/0.421/0.465
leakage(mean/median/min)=0.084/0.084/0.039
entropy(mean/median/max)=3.414/3.435/3.907
dom_count(mean/median/max)=10.06/10.0/14
gaps: $\Delta E_{in}(\text{mean/med/p90})=0.001543/9.992e-16/3.109e-15$ |
 $\Delta E_{out}(\text{mean/med/p90})=0.1527/0.02167/0.4839$ |
 $\log R(\text{mean/med/p90})=0.305/6.123/7.681$
gaps_cond($\Delta E_{in}>\text{iso_eps}$): n=3073 |
 $\Delta E_{in}(\text{mean/med/p90})=0.02313/0.02197/0.04488$
entropy effect (stable-overall)=+0.004 bits CI95=(-
0.010766970625623883, 0.017046250245701815)

Top signature families (NULL, SigQ_GLOBAL (fine)):

Format: sig=(a,b,c,d)	overall	stable	expected	p_tail	-log10(p)
enrichment					
(12, 6, 9, 1)	180	29	1.80	6.16e-26	25.21
1140.37x					
(12, 6, 8, 1)	181	27	1.81	2.46e-23	22.61
1057.20x					
(12, 5, 9, 1)	161	25	1.61	3.64e-22	21.44
1101.71x					
(12, 4, 9, 1)	148	24	1.48	8.37e-22	21.08
1151.17x					
(12, 8, 9, 1)	158	21	1.58	1.97e-17	16.71
946.48x					
(12, 4, 6, 1)	137	19	1.37	2.88e-16	15.54
989.54x					
(12, 3, 6, 1)	84	16	0.84	3.38e-16	15.47
1362.48x					
(12, 7, 9, 1)	173	20	1.73	1.77e-15	14.75
824.43x					
(12, 5, 6, 1)	155	19	1.55	2.97e-15	14.53
875.00x					
(12, 6, 7, 1)	180	20	1.80	3.83e-15	14.42
792.46x					
... (25 total, showing 10)					

Top signature families (NULL, SigQG_COARSE):

Format: sig=(a,b,c,d)	overall	stable	expected	p_tail	-log10(p)
enrichment					
(3, 4, 4, 1)	14	5	0.14	1.86e-07	6.73
3471.26x					
(3, 4, 5, 1)	42	6	0.42	3.86e-06	5.41
1399.64x					
(3, 3, 3, 1)	14	3	0.14	3.36e-04	3.47
2208.99x					
(3, 3, 4, 1)	35	4	0.35	4.09e-04	3.39
1160.05x					
(3, 2, 5, 1)	30	3	0.30	3.32e-03	2.48
1050.17x					
(2, 3, 5, 1)	4734	65	47.36	8.31e-03	2.08
126.61x					
(2, 4, 5, 1)	4517	59	45.19	2.70e-02	1.57
120.53x					
(2, 5, 5, 1)	2188	29	21.89	8.22e-02	1.09
123.36x					
(2, 2, 5, 1)	3983	46	39.85	1.83e-01	0.74
106.83x					
(2, 3, 4, 1)	4968	56	49.70	2.02e-01	0.69
104.07x					
... (19 total, showing 10)					

Open-system logical retention (Lindblad; v23):

settings: noise=both | gamma_phi=0.1 | gamma_1=0.02 | t_max=5.0 |
t_steps=25 | states=rand64 | stable_pool=False | pairs_per_cat=400
REAL_Q4: n_pairs=400 | t_fid90_med=1.04 | t_leak10_med=1.04
leak(q10/q50/q90): t=0=0.000/0.000/0.000 | t=2.5=0.084/0.214/0.225 |
t=5=0.150/0.349/0.380


```

    fid_uncond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.774/0.784/0.841 | t=5=0.616/0.645/0.733
    fid_cond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.916/0.997/1.000 | t=5=0.853/0.992/1.000
    AUC medians: fid_uncond=3.986 | fid_cond=4.982 | leak=1.008
    REAL_Q1: n_pairs=400 | t_fid90_med=1.04 | t_leak10_med=1.04
    leak(q10/q50/q90): t=0=0.000/0.000/0.000 | t=2.5=0.120/0.216/0.226 |
t=5=0.213/0.352/0.383
    fid_uncond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.773/0.783/0.836 | t=5=0.615/0.641/0.725
    fid_cond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.934/0.997/1.000 | t=5=0.881/0.993/1.000
    AUC medians: fid_uncond=3.977 | fid_cond=4.985 | leak=1.013
    NULL_Q4: n_pairs=400 | t_fid90_med=1.25 | t_leak10_med=1.25
    leak(q10/q50/q90): t=0=0.000/0.000/0.000 | t=2.5=0.183/0.204/0.218 |
t=5=0.320/0.354/0.375
    fid_uncond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.775/0.783/0.796 | t=5=0.609/0.623/0.644
    fid_cond(q10/q50/q90): t=0=1.000/1.000/1.000 |
t=2.5=0.969/0.985/0.994 | t=5=0.937/0.967/0.984
    AUC medians: fid_uncond=3.959 | fid_cond=4.923 | leak=0.974

```

Batch 3: Jaccard(Top-25) REAL vs NULL: fine=0.000 | coarse=0.091

Baseline scoreboard (REAL - NULL):

```

    delta median entropy (bits): -0.399
    delta median leakage          : -0.004
    delta median dom_count        : +0.000
    entropy Cohen's d             : -1.087

```

==== Convergence diagnostics (REAL) ====

```

REAL overlap fine:   Jaccard(Top-25) batch1 vs batch2 = 1.000
REAL overlap coarse: Jaccard(Top-25) batch1 vs batch2 = 0.667
REAL overlap fine:   Jaccard(Top-25) batch1 vs batch3 = 1.000
REAL overlap coarse: Jaccard(Top-25) batch1 vs batch3 = 1.000
REAL overlap fine:   Jaccard(Top-25) batch2 vs batch3 = 1.000
REAL overlap coarse: Jaccard(Top-25) batch2 vs batch3 = 0.667

```

==== Notes (scientific reading) ====

- 1) Compare REAL vs NULL primarily via deltas/effect sizes and batch stability, not raw entropy levels (d differs with n_qubits).
- 2) Use fine families for within-model discovery; use coarse families for cross-model interpretability.
- 3) If results at n=4 resemble n=3 (stable deltas + stable overlaps), that is strong qualitative evidence the effect is not a 3-qubit artifact.

==== End of v22 ====