

---

# User Manual

Cafeteria Management System: Resolve Solution  
Partners (Pty) Limited  
Client: Gareth Botha and Jaco Pieterse

T-RISE  
Rendani Dau (13381467)  
Elana Kuun (12029522)  
Semaka Malapane (13081129)  
Antonia Michael (13014171)  
Isabel Nel (13070305)

<https://github.com/toniamichael94/MainProjectCOS301>

October 16, 2015

---



# Contents

1	Introduction . . . . .	3
2	Vision . . . . .	3
3	Background . . . . .	3
	3.1    The current situation/ problems the client currently experience . . . . .	3
	3.2    How the aforementioned problems will be alleviated by the CMS . . . . .	3
4	System Overview . . . . .	4
5	System Configuration . . . . .	4
6	Installation . . . . .	6
	6.1    Prerequisites . . . . .	6
	6.2    Setting up CMS . . . . .	7
7	Getting Started . . . . .	9
	7.1    Administrative Users . . . . .	10
	7.2    Creating an Account . . . . .	10
	7.3    Logging In . . . . .	12
8	Using The System . . . . .	15
	8.1    The Navigation pane . . . . .	15
	8.2    The "Menu" Page . . . . .	17
	8.3    The "On my plate" Page . . . . .	20
	8.4    The "Edit Profile" Page . . . . .	22
	8.5    The "Profile" Page . . . . .	23
	8.6    The "Change Password" Page . . . . .	24
	8.7    Superuser: The "Administrative Settings" Page . . . . .	25
	8.8    Superuser: The "Branding Settings" Page . . . . .	30
	8.9    Cafeteria Manager: The "Manage Inventory" Page . . . . .	31
	8.10    Cafeteria Manager: The "Manage Menu" Page . . . . .	33
	8.11    Cashier: The "Process Orders" Page . . . . .	37
	8.12    Financial Manager: The "View Employee Bills" Page . . . . .	40
9	Troubleshooting . . . . .	42
	9.1    Problems with setting up the system . . . . .	42



<b>Document Title</b>	User Manual
<b>Document Identification</b>	Document 0.0.8
<b>Author</b>	Rendani Dau, Isabel Nel, Elana Kuun, Semaka Malapane, Antonia Michael
<b>Version</b>	0.0.8
<b>Document Status</b>	Eighth Version - edited entire document with changes and added new pages for reporting and graphs

# **1 Introduction**

This document contains the user manual for the Resolve Cafeteria Management System that will be created for Software Engineering (COS 301) at the University of Pretoria 2015, by the group T-RISE.

## **2 Vision**

The vision of this project is to implement a fully functional software application that will be maintainable, with detailed supporting documentation and an instruction manual for the Cafeteria Management System. This system will, amongst others, assist in executing orders from the cafeteria, managing the cafeteria's inventory, generating bills, and perform various reporting tasks.

## **3 Background**

### **3.1 The current situation/ problems the client currently experience**

As specified in the project proposal document from Resolve, the cafeteria is currently cash only and does not accept bank cards or electronic payments. This is inconvenient for employees as they have to carry around cash if they want to purchase anything from the cafeteria. Employees may choose to go to an external food outlet where they can pay with their preferred method of payment, which uses time and fuel. Thus, this means the cafeteria does not achieve the maximum amount of income which hinders its growth and improvement.

A problem with the cafeteria itself is that certain meal items are hardly in stock due to either lack of ingredients to make the meal or under estimating the quantity of the meal item required.

### **3.2 How the aforementioned problems will be alleviated by the CMS**

The Cafeteria Management System will provide a means to accept payments from employees, at the canteen, using their employee access cards or access card numbers, with an amount being deducted from their salary at the end of the month. The option of cash payments ,however, will not be discarded. At

the end of each month, the bill for the month will be sent to either payroll, to the employee, or to both. This option is thus configurable from the user's profile. The employee can also set a spending limit for each month. There will also be a system wide limit that users cannot exceed.

The system will predict which inventory items needs to be bought for the next week in order to avoid the "out of stock" situation described above. The system will also enforce that the cafeteria manager

## 4 System Overview

The Cafeteria Management System is a system designed to assist users to order food efficiently from their office's canteen and to be notified when their order is ready for collection. The system will also assist cafeteria staff with keeping track of the orders in real time as well as managing inventory. The system will also provide for configuring the branding settings of the cafeteria. The system is intended to be used in a corporate environment whereby users have the option to allow their cafeteria expenses to be deducted from their salary or immediately pay for orders. In addition, the system will allow management to view the bill reports of the different users. All users will also be able to access their spending history, set favourites and other similar functionality which will all be explained in this user manual.

## 5 System Configuration

The system requires a Windows/Unix based host to run the server. This host must have the associated technologies installed (the installation of these technologies will be discussed below). The host must be connected to the internet in order to allow any required dependencies to be installed and set up for the operating system environment. The configuration of the server requires an active email account to facilitate communication between the system and end users.

End users will only require a PC equipped with a web browser such as Mozilla, Chrome or Internet Explorer, as well as an active internet connection. The types of data that will be communicated and stored will be data of the NoSQL database MongoDB. The menu items that the cafeteria manager will add to the menu as well as images thereof, will be stored in the database, to be

communicated/displayed on the menu page. The inventory items that these menu items entail will be stored too. The categories that can be added to the menu by the cafeteria manager will also be stored in the database in order to populate the navigation bar, the actual dynamic pages and various other places in which these are displayed. The cafeteria manager is the only user who is able to retrieve the menu and inventory data, in order to edit or delete it. The other users will just be able to view the menu data on the menu page. The user's sign up information will also be stored and will be communicated on the profile page of the user. Each user will only have access to their own information. The superuser, however, will be able to search for users and update their IDs or delete them from the system. The branding information such as the cover image, the theme, and the canteen name will also be stored to be communicated on various pages. The superuser is the only user who be able to edit and add this information. Other settings that the superuser can configure, such as the system limit and the roles of the users will be stored and used for determining the privileges associated with the various roles and the checks done on the users' personal spending limits. The superuser will also have access to the audit trail of all actions performed on the system. The finance manager will have access to the order history of each user in order to view their bills and invoices. The cashier will also have access to the orders placed in order to process them i.e. mark an order as ready and as completed. All the crucial information such as the order history and other changes made will be stored in an auditing table.




Figure 1: Overview of System - Servers and Clients

## 6 Installation

### 6.1 Prerequisites

For the programmer, who will maintain the code:

The Cafeteria Management System must have the associated technologies, NodeJS, MongoDB, AngularJS, Express, Bower and grunt installed on the host (the installation of these technologies will be discussed below). These are free and open source software and can be obtained from the following sites:

<https://nodejs.org/download/>

<https://www.mongodb.org/downloads>

The applications are available for both Windows and Unix environments and include setup guides on their respective web pages.

Once installed, NodeJS includes a package manager called NPM. This package manager will be available from the terminal and will be used to

install all dependencies. The following dependencies have to be installed first (Run these commands one by one in the command prompt or terminal):

```
$npm install -g bower  
$npm install -g grunt-cli
```

After these commands have successfully installed the respective applications you can download the Cafeteria Management Software from the GitHub repository : <https://github.com/toniamichael94/MainProjectCOS301>

This can be done by cloning the repository onto a remote location on your PC, if you do not know how to clone a GitHub repository, please visit:

<https://git-scm.com/book/en/v2/Git-Basics-Getting-a-Git-Repository> under the section "How to clone an existing repository" you will find the GitHub documentation on how to do this.

Once you have cloned the GitHub repository and installed the above mentioned technologies, please move on to the next section , which will take you step by step in configuring the Cafeteria Management System (CMS).

*Please note that 'CMS' will be referred to in the rest of this document as an abbreviation for the Cafeteria Management System*

## 6.2 Setting up CMS

For the programmer, who will maintain the system:

Before starting the system, an email account has to be set up to facilitate communication between the system and end users. The details of this account can be configured in the following config file:

```
~/Cafeteria_Management_System/config/env/production.js
```

*(The document can be opened in any text editor or IDE such as NetBeans, WebStorm or atom - just to name a few )*

Under the section 'Mailer', the following fields should be specified:

- MAILER\_FROM: A name indicating the sender of mail.
- MAILER\_SERVICE\_PROVIDER: The service provider of the email account
- MAILER\_EMAIL\_ID: The email ID of the account set up for CMS

- MAILER\_PASSWORD: The password of the account set up for CMS

In a terminal/command prompt, navigate to the CMS directory and execute the 'npm install' command. This will install all the packages required to run the system:

```
~/ Cafeteria_Management_System/ $npm install
```


If all dependencies were installed successfully, then MongoDB can be started with the following command in a completely new terminal or command prompt:

```
~/mongod --dbpath "directory"
```

Where "directory" is a path to the folder which Mongo will use as a working directory.

*Remember that this command has to be executed in a separate terminal.*

Below is an example of what the output should look like :




```
2015-08-03T08:55:54.147+0200 I JOURNAL [initandlisten] recover : no journal files present, no recovery needed
2015-08-03T08:55:54.522+0200 I JOURNAL [initandlisten] preallocateIsFaster=true 2.32
2015-08-03T08:55:54.918+0200 I JOURNAL [durability] Durability thread started
2015-08-03T08:55:54.919+0200 I JOURNAL [journal writer] Journal writer thread started
2015-08-03T08:55:55.124+0200 I CONTROL [initandlisten] MongoDB starting : pid=1156 port=27017 dbpath=C:\MongoDB 64-bit host=Nebula-PC
2015-08-03T08:55:55.124+0200 I CONTROL [initandlisten] targetMinOS: Windows 7/W indows Server 2008 R2
2015-08-03T08:55:55.124+0200 I CONTROL [initandlisten] db version v3.0.1
2015-08-03T08:55:55.125+0200 I CONTROL [initandlisten] git version: 534b5a3f9d10f00cd27737fbcd951032248b5952
2015-08-03T08:55:55.125+0200 I CONTROL [initandlisten] OpenSSL version: OpenSSL 1.0.1j-fips 15 Oct 2014
2015-08-03T08:55:55.125+0200 I CONTROL [initandlisten] build info: windows sys.getwindowsversion(major=6, minor=1, build=7601, platform=2, service_pack='Service Pack 1') BOOST_LIB_VERSION=1_49
2015-08-03T08:55:55.125+0200 I CONTROL [initandlisten] allocator: system
2015-08-03T08:55:55.126+0200 I CONTROL [initandlisten] options: { storage: { dbPath: "C:\MongoDB" } }
2015-08-03T08:55:55.176+0200 I NETWORK [initandlisten] waiting for connections on port 27017
```

Figure 2: MongoDB Terminal - Expected output when running MongoDB

Once mongo has been started, the CMS server can be started with the following command:

```
~/Cafeteria_Management_System/$ grunt
```



```
grunt
[nits when a value is 0. (zero-units) Browsers: All
[L71:C17]
WARNING: Values of 0 shouldn't have units specified. You don't need to specify u
nits when a value is 0. (zero-units) Browsers: All
>> 3 files lint free.

Running "concurrent:default" (concurrent) task
Running "watch" task
Waiting...
Running "nodemon:dev" (nodemon) task
[nodemon] v1.2.1
[nodemon] to restart at any time, enter `rs`
[nodemon] watching: app/views/**/*.* gruntfile.js server.js config/**/*.* app/*
**/*.js
[nodemon] starting `node --debug server.js`
Debugger listening on port 5858
NODE_ENV is not defined! Using default development environment
{ [Error: Cannot find module '../build/Release/bson'] code: 'MODULE_NOT_FOUND' }

js-bson: Failed to load c++ bson extension, using pure JS version
{ [Error: Cannot find module '../build/Release/bson'] code: 'MODULE_NOT_FOUND' }

js-bson: Failed to load c++ bson extension, using pure JS version
MEAN.JS application started on port 3000
```

Figure 3: Grunt - When grunt is running, output should be similar to this.

Now the Server and the Database are running and we can get started with the rest of the setup process.

Note: Inside the browser one will run localhost:3000 to view system.

To terminate the server, the user can enter the Ctrl+C command in the "grunt" terminal. The user can also terminate the MongoDB service by executing the same command (Ctrl+C) in the MongoDB terminal.

## 7 Getting Started

Access to the Cafeteria Management System is through a standard web browser. Different types of users have access to different facets of the system. The system has a default super user account and an admin user account, where both of these users can assign different roles (cafeteria manager, cashier, etc.) to the users. They also have global access to the whole system. These users can then sign in to access the facet of the system they are authorised to.

## 7.1 Administrative Users

When the CMS is started initially with an empty database there will be no users in the database and this includes no administrative users.

Thus, to generate the administrative users, on the first startup of the system, one should navigate to the sign in page and sign in with empty credentials. If the system is started for the first time with an empty database, on sign in with empty credentials (proceeding to submit the signin form without filling in username or password) administrative users will be created.

**The system will have a Super User:**

Employee ID: SuperUser

Password: SuperUser

**And the system will also have an Admin User:**

Employee ID: AdminUser

Password: AdminUser

**WARNING :**

Administrative users will have global access to the whole system, thus it is of utmost importance that the administrative users should be set up with the first start up of the system and their credentials should immediately be changed for security.

*\* Note at all times there can only be 1 super user and 1 admin user - this is done for security purposes*

## 7.2 Creating an Account

Once the user has clicked the "Sign Up" option on the navigation pane, the user will be directed to the signup form, where the user should fill in their details.




Figure 4: Sign Up - red circled button should be clicked to sign up

When the button is clicked, the CMS will direct the user to the signup page where the user can fill out all the details. Once the user have completed the form, the user will click submit and if the form is correctly filled in , the user will be notified upon success and will be signed up for the system. They will hence be redirected to the home page. The user will then use the password created and employee ID to log in to the system. If the information entered is not valid, a thorough error message will be displayed indicating what the problem is so that the user can rectify it.

 A screenshot of the 'Sign Up' page from the Isabella's Canteen website. The page has a white background with various input fields and labels. At the top, there is a header bar with the 'Isabella's Canteen' logo, 'Menu', 'On my plate (0)', and 'Sign Up' buttons. Below the header, the word 'Sign Up' is visible. The form consists of several input fields: 'Employee ID' (with placeholder 'Employee ID'), 'First Name' (with placeholder 'First Name'), 'Last Name' (with placeholder 'Last Name'), 'Email' (with placeholder 'Email'), 'Send monthly bill to:' (checkboxes for 'Finance' and 'My email address'), 'Spending limit (ZAR)' (a dropdown menu), 'Password' (input field), and 'Confirm Password' (input field). At the bottom of the form, there is a large orange 'SIGN UP' button and a link 'or Sign in'.

Figure 5: Sign Up Page - details to be filled in - all fields are required

*Employee ID* will be assigned to users by their company - no Employee ID can be reused.

The *e-mail address* to receive notifications of when their orders are ready and to receive monthly financial bills.

The *spending Limit* is the maximum amount you may spend each month.

*Note that all the fields may be edited when logged in*

After signing up and creating a new account the user will automatically be logged in.

### 7.3 Logging In

To sign in, the user must click on the 'Sign In' tab on the navigation bar.




Figure 6: Sign In - red circled button should be clicked to sign in

Once the user clicks on the sign in tab, the CMS should direct to the sign in page :




Figure 7: Sign In page - Type the appropriate information in the textboxes and click submit to sign in

The user will fill in their password and Employee ID in the provided slots and click submit to proceed. If the information entered is valid, the user will be notified upon success and redirected to the home page, logged in on their

personal account. If the information entered is not valid, a thorough error message will be displayed indicating what the problem is so that the user can rectify it. If the user can not login due to forgetting his/her password they can click on the forget password link which will redirect to the forget password page:




Figure 8: Forgot password page

The "Forgot your password?" option, which once clicks leads the user to a page where the user must enter their Employee ID. The user will then be notified that an email has been sent to their personal email account with further instructions on how to rectify the situation. The user will be sent a link to a page, in order to set a new password.

The rest of the functionality will be described in the section below in detail under the respective headings of how to navigate between pages to administrative settings to ordering an item and so forth.




Figure 9: After submitting the form - notified about email sent




Figure 10: The url sent via email leads to this page - fill in the textboxes and new password is set

## 8 Using The System

### 8.1 The Navigation pane

#### The Navigation pane - once the user is not logged on

On the home page, the name of the canteen is displayed. The user will also see that the navigation pane is located at the top of the screen. The actions available on the pane are "Sign in", "Sign up", "Menu" and "On your plate". The Navigation pane will be displayed as follows if the user has not logged in:




Figure 11: Home Page - user not logged in

The numbers in the images are described below:

1. The Home button - when clicking on this button it will always redirect to the home page
2. The Menu button - this button will direct user to the menu page
3. The on my plate button - this button will direct user to an orders page showing items you have currently ordered and the bill total
4. The Sign Up button - this button will direct to the signup page where a new account can be created
5. The Sign In button - this button will direct to a page where the user can sign in and log into his/her account

The user cannot proceed to order food if the user has not signed up and logged in. Hence, the first step a new user should take is signing up/ registering with the system.

If a user has not signed in, the user will still be allowed, however, to view the menu, without ordering anything. However, the user will be able to add items to their plate and view them on the "On My Plate" page, but the order will not be sent to the system until the user signs in.

## The Navigation pane - once the user has logged on

The user will now view a drop down menu with various options displayed on it. The following options will be displayed if the user is a normal user: "Edit Profile", "Profile", "Sign out". These pages will be discussed below.




Figure 12: Home Page - user not logged in

When a user is logged in as a normal user he/she will have the following view of the navigation pane as the above image.  
below we describe what each of those buttons do:

1. The Home button - when clicking on this button it will always redirect to the home page
2. The Menu button - this button will redirect to the menu page
3. The on my plate button - this button will redirect to an orders page showing items you have currently ordered and the bill total
4. The User button - this button will display the user's name and when clicked, will launch a dropdown menu with different options depending on what the role of the user is - the example used is just a normal user with the basic options. These are described below:
5. View Profile - this will redirect to the profile page of the respective user.
6. Edit Profile - this will redirect to the edit profile page where a user can change his/her current details and save it onto the CMS
7. Change Password - this will redirect to the change password page where a user can change his/her current password
8. Sign Out - this will sign a user out of the CMS and redirect the user to the home page

### **Normal User**

A normal user will only have the options in the dropdown menu as displayed in the image above. If the user obtains another role, there will be extra settings displaying in the dropdown menu.

### **Superuser or Admin User**

If the user is a superuser or an admin user the options "Admin Settings" and "Branding Settings" will also be displayed in the dropdown menu. The superuser and the admin user will hence be in control of assigning roles, changing employee ID's, setting the system wide spending limit, changing the canteen name and the cover image of the canteen.

### **Cafeteria Manager**

If the user is a cafeteria manager, the options "Manage Menu Items" and "Manage Inventory" will be displayed. Manage Inventory is where the stock additions and removals are kept track of. Manage Menu Items is where the different menu meal items will be logged.

### **Finance**

If user is a financial manager, the option "Finance" will be displayed. The financial manager will be able to search for employees and view their bills, to keep track of these.

### **Cashier**

If the user is a cashier, the options "Placed Orders" will be displayed and it is here where the transactions will occur, such as marking whether orders are ready, and paid for. The cashier will also send notifications to the user, when the food is ready for the user to collect.

## **8.2 The "Menu" Page**

This is where the user will be able to view the menu items and their prices. An item can be added to the user's plate by simply clicking the 'Add to Plate' button alongside each item. These can then be viewed on the 'On my Plate' page. If a menu item is not in stock it will be written in red on the menu item that it is "out of stock" and there will be no option to click the add to plate button since that item will not be available.




Figure 13: The menu page from which a user can order food

On the menu page there is also a breadcrumb which indicates the different meal categories to make the search more efficient. There is also a search bar on all these pages.




Figure 14: The menu page - Can be navigated via the search bar as illustrated




Figure 15: The menu page - Can be navigated via the category breadcrumb as indicated to view sub menus




Figure 16: The menu page - order menu items by clicking the addToPlate button

### 8.3 The "On my plate" Page

This page serves to indicate the current meal items that the user has on their plate. The user can also specify any preferences, if any, for each item on their plate, as well as the quantities of each item they wish to order. The total will dynamically increase/decrease accordingly when they add/remove items or change the quantities.




Figure 17: On my plate page - The meal you selected on the menu page is displayed here (Navigate here via the navigation bar)




Figure 18: One can increase the quantity of items ordered by editing the quantity field indicated




Figure 19: One can remove orders as well as specify preferences by clicking in the indicated areas

## 8.4 The "Edit Profile" Page

The user will be presented with a similar form to that which they signed up with, however, the details that the user entered in the signup form will be present in these textboxes. The user can proceed to edit these here. Clicking the submit button will indicate whether changes have been saved or if errors have been made and how the user can correct these.




Figure 20: Edit profile page - Edit profile by typing into the text boxes and submitting for validation message and to save new information




Figure 21: You must ensure your monthly spending limit is within the bounds of the maximum spending limit of the system, set by the super user

## 8.5 The "Profile" Page

This is where the user will be able to view their profile i.e. the details they entered when they signed up/ edited their profile.




Figure 22: The profile page - where you view your profile (via the orange navigation tab menu indicated)

## 8.6 The "Change Password" Page

The user is presented with a form where the user will be asked to enter their old and new passwords to change their password.




Figure 23: Can change password on this page - validation message will be displayed indicating if change was successful or not

## 8.7 Superuser: The "Administrative Settings" Page

At the top of the page there is a section labelled assign roles, where different admin roles will be assigned to different users. The super user simply has to type in an employee ID and select a role from the dropdown menu below. There is a section underneath that where the superuser can change the user ID of an employee. Self explanatory text boxes are provided for the superuser to fill in and the submit button will save the changes, unless an error occurs. This page also consists of a section labelled "Change system limit" and it is here where the superuser can alter the limit of the system, i.e. the maximum value that a user can set their daily spending limits to. Hence a textbox is provided for the super user to type the new limit and save it.




Figure 24: The admin page - superuser can assign roles such as cashier to users




Figure 25: The admin page - superuser can change the users' employee IDs




Figure 26: The admin page - superuser can remove users from the system




Figure 27: The admin page - superuser can set the monthly spending limit for the users

The screenshot shows a Mozilla Firefox browser window titled 'RSP - Mozilla Firefox'. The address bar displays 'localhost:3000/#/settings/audits'. The main content area is titled 'Audits' and shows a table of audit logs. The table has columns for 'Date', 'Event', and 'Details'. The details column contains JSON-like strings representing the actions taken. A search bar at the top allows filtering by date range ('From' and 'To') and action type ('Audit details for: all'). An orange button labeled 'GET AUDITS' is present. On the right, a vertical sidebar for a 'Super User' account is open, showing options like 'Notifications (0)', 'View Profile', 'Edit Profile', 'My History', 'Administrative settings', 'Branding settings', 'Audits' (which is selected and highlighted in orange), 'Change Password', and 'Logout'. The bottom status bar shows the URL 'localhost:3000/#/settings/audits' and the time '2015-10-07T12:52:47.345Z'.

Date	Event	Details
Mon Oct 1, 2015 17:49:47	Branding settings change	"The canteen name has been changed to orange"
Mon Oct 1, 2015 19:59:42	Branding settings change	"The canteen name has been changed to Byte Me"
Tue Oct 2, 2015 17:44:57	EmployeeID change	"EmployeeID changed from 12345 to 12456"
Wed Oct 3, 2015 11:26:52	EmployeeID change	"EmployeeID changed from 12456 to 12345"
Wed Oct 3, 2015 14:52:47	Menu update	[{"_v":0,"user":"559a3264a7b3cd150eae9e8e","itemName":"cheeses burger","price":25,"id":"5615159188985fd11551508","imagePath":"","ingredients":[{"quantities":1,[2,2,1]}],"quantities":1,[2,2,1]}, {"beef (units)":1,"lettuce (mg)":1,"Tomatoes (grams)":1,"sdf (mg)":1}, {"category":"burgers"}, {"description":"cheesy"}, {"created":"2015-10-07T12:52:47.345Z"}] has been added"
Wed Oct 3, 2015 14:53:18	Create order	[{"itemName":"cheeses burger","price":25,"ingredients":[{"beef (units)":1,"lettuce (mg)":1,"Tomatoes (grams)":1,"sdf (mg)":1}], "quantities":1,[2,2,1], "quantity":2, "username": "12345", "orderNumber":2}]

Figure 28: The admin page - superuser can view the audit trail for all actions performed in the system for a specified period.

**all**

**Branding settings change**

**EmployeeID change**

**Menu update**

**Create order**

**Inventory update**

**Cashier action**

**Role change**

Figure 29: The admin page - the dropdown menu for the field to select audit details contains the following actions, more specifically all the main actions a user can perform in the system

The screenshot shows a Mozilla Firefox browser window titled 'RSP - Mozilla Firefox'. The address bar displays 'localhost:3000/#!/settings/audits'. The main content area is titled 'Audits' and shows a table of audit logs. At the top of the table, there is a search/filter section with dropdown menus for 'Audit details for:' (set to 'Role change'), 'From:' (set to '06/08/2015'), 'To:' (set to '16/10/2015'), and a large orange 'GET AUDITS' button. The table has columns for 'Date', 'Event', and 'Details'. The data in the table is as follows:

Date	Event	Details
Thu Oct 4, 2015 10:28:6	Role change	"cafeteriaManager role has been assigned to 12345 by Superuser"
Thu Oct 4, 2015 11:27:25	Role change	"cashier role has been assigned to RSP321 by Superuser"
Thu Oct 4, 2015 12:56:6	Role change	"cashier role has been assigned to tonia by Superuser"
Thu Oct 4, 2015 15:23:13	Role change	"cashier role has been assigned to tonia by Superuser"
Thu Oct 4, 2015 15:25:26	Role change	"cafeteriaManager role has been assigned to cafeteria by Superuser"
Thu Oct 4, 2015 15:25:53	Role change	"finance role has been assigned to finance by Superuser"
Thu Oct 4, 2015 15:27:10	Role change	"cafeteriaManager role has been assigned to cafeteria by Superuser"
Fri Oct 5, 2015 14:1:23	Role change	"finance role has been assigned to undefined by Superuser"
Fri Oct 5, 2015 14:2:42	Role change	"finance role has been assigned to cafeteria by Superuser"
Fri Oct 5, 2015 14:32:29	Role change	"cafeteriaManager role has been assigned to cafeteria by Superuser"
Wed Oct 3, 2015 16:23:44	Role change	"cashier role has been assigned to tonia by Superuser"

Figure 30: The admin page - if the superuser selects one of the options, the audit trail is limited to that option

## 8.8 Superuser: The "Branding Settings" Page

There are two sections on this page. One where the user can change the canteen name, by merely typing in a new name over the old name in the allocated textbox, and another where the superuser can upload a new cover photo for the system. The superuser can also configure the colour scheme for the system.




Figure 31: The admin settings page - superuser can change the cover photo




Figure 32: The admin settings page - superuser can change the canteen name

## 8.9 Cafeteria Manager: The "Manage Inventory" Page

This page is available to the cafeteria manager under the dropdown menu on the navigation pane. This is where the cafeteria manager adds inventory

items to be used when an actual meal is stored in the menu in order to keep track of stock to note when a specific meal item is out of stock. These inventory items can be deleted, updated and searched for.




Figure 33: The manage inventory page - Cafeteria Manager can add inventory items




Figure 34: The manage inventory page - Cafeteria Manager can update and delete inventory items

## 8.10 Cafeteria Manager: The "Manage Menu" Page

This is the page where the cafeteria manager adds menu items so that these can be displayed on the menu page found under the menu tab. The items can also be updated, deleted and searched for. The cafeteria manager can also add categories to the dynamic menu page.




Figure 35: The manage menu page - Cafeteria Manager can add menu items




Figure 36: The manage menu page - Cafeteria Manager can search for menu items




Figure 37: The manage menu page - Cafeteria Manager can update menu items




Figure 38: The manage menu page - Cafeteria Manager can delete menu items




Figure 39: The menu page indicating a navigation bar of dynamically added categories. The cafeteria manager can proceed to add more categories as is shown in the successive screenshot




Figure 40: The manage menu page - Cafeteria Manager can add new menu categories




Figure 41: The menu page - the added category is now displayed on the navigation pane

## 8.11 Cashier: The "Process Orders" Page

This page is for use by the cashier. Orders that are "open" will be displayed on the page. Orders can be marked as ready, paid or collected. When the order is marked as ready, the button will disappear and the employee will be sent an email informing them to come collect their order. When the "Employee Paid" button is clicked, the cashier will choose whether it was a cash or credit purchase and the amount will be deducted accordingly from the user's account.




Figure 42: The process orders page - The cashier is authorized to facilitate these transactions




Figure 43: The process orders page - The cashier can select the appropriate radio button as to whether the employee is paying with cash or credit.




Figure 44: The process orders page - If the cashier does not select a payment method, an error message will be alerted




Figure 45: The process orders page - The order will be removed from the page when the cashier clicks the "Employee paid" button. Order 7 - The cheese salad is now removed from the page due to this

## 8.12 Financial Manager: The "View Employee Bills" Page

There is a field labelled "Employee Id" and it is in here where a user will type in the employee ID of the employee whose bill the finance manager would like to view. The date ranges can also be selected here.




Figure 46: The View Employee Bills Page - The employee ID of the employee whose bill would like to be viewed is entered in the box as shown.




Figure 47: The View Employee Bills Page - The date ranges can be specified by using the drop down calender




Figure 48: The View Employee Bills Page - Once the "Display Bill" button is clicked, the pdf will be dowloaded and the invoice will look as shown.

## 9 Troubleshooting

### 9.1 Problems with setting up the system

If the system does not start up when you run the 'grunt' command, either of the following procedures can be followed:

- Ensure you have an active internet connection as the system requires an internet connection.
- Ensure you have MongoDB running in a separate terminal.  
The line

```
Waiting for connections on port 27017
```

should be displayed at the end of the Mongo terminal.

- If the above does not solve the problem, the command npm update should be run from inside the CMS directory:

```
~/Cafeteria Management System$ npm update
```

- If the problem persists the following commands should be run in order:

```
~/Cafeteria Management System$ bower install
```

```
~/Cafeteria Management System$ npm install
```

```
~/Cafeteria Management System$ npm update
```

<b>Version</b>	<b>Date</b>	<b>Summary</b>	<b>Authors</b>
0.0.1	9 July 2015	First draft contains how to run system	Rendani Dau, Elana Kuun, Semaka Malapane, Antonia Michael Isabel Nel,
0.0.2	20 July 2015	Second draft adding page assistance and explanation of how to use functionality on page	Rendani Dau, Elana Kuun, Semaka Malapane, Antonia Michael Isabel Nel
0.0.3	23 July 2015	Third draft containing screenshots of the of different page and their functionality	Rendani Dau, Elana Kuun, Semaka Malapane, Antonia Michael Isabel Nel
0.0.4	3 August 2015	Fourth draft Added Troubleshooting Section	Rendani Dau, Elana Kuun, Semaka Malapane, Antonia Michael Isabel Nel
0.0.5	28 August 2015	Fifth draft containing screenshots of the of different page and their functionality	Rendani Dau, Elana Kuun, Semaka Malapane, Antonia Michael Isabel Nel
0.0.6	22 September	Sixth draft containing edited according to feedback given and add new content	Rendani Dau, Elana Kuun, Semaka Malapane, Antonia Michael Isabel Nel
0.0.7	9 October	Seventh draft containing added audit, notifications, 42 statistics, and themes	Rendani Dau, Elana Kuun, Semaka Malapane, Antonia Michael Isabel Nel
0.0.8	16 October	Eighth draft containing edits and additions to the document	Rendani Dau, Elana Kuun, Semaka Malapane