

# Quantum Computing Cheat Sheet

---

**bra-ket notation:** Quantum states are represented by column vectors, called kets

$$|\psi\rangle = \begin{pmatrix} \alpha \\ \beta \end{pmatrix}$$

To get a bra from a given ket, we take the conjugate transpose of the ket. (this is known as dagger)

$$\langle\psi| = |\psi\rangle^\dagger = \begin{pmatrix} \alpha \\ \beta \end{pmatrix}^\dagger = ( \alpha^* \quad \beta^* )$$

---

**Inner Product:** Multiplying a bra and a ket is an inner product that yields the projection, or amplitude, of the states onto each other. The inner product yields a scalar output.

$$\begin{aligned} \langle\psi|\psi\rangle &= \begin{pmatrix} \alpha \\ \beta \end{pmatrix}^\dagger \begin{pmatrix} \alpha \\ \beta \end{pmatrix} = ( \alpha^* \quad \beta^* ) \begin{pmatrix} \alpha \\ \beta \end{pmatrix} \\ \langle\phi|\psi\rangle &= \begin{pmatrix} \gamma \\ \delta \end{pmatrix}^\dagger \begin{pmatrix} \alpha \\ \beta \end{pmatrix} = ( \gamma^* \quad \delta^* ) \begin{pmatrix} \alpha \\ \beta \end{pmatrix} \end{aligned}$$

- A state whose inner product with itself equals 1 is normalized.
- States with inner product equaling 0 are orthogonal.

---

**Outer Product:** Multiplying a ket and a bra is an outer product, which is a square matrix.

---

## Quantum gates & Matrices:

- Quantum gates are unitary matrices, which satisfy:  $UU^\dagger = U^\dagger U = I$
- Unitary matrices are always reversible with:  $U^{-1} = U^\dagger$

The dagger operation on a matrix, is the conjugate transpose:  $A^\dagger = (\overline{A})^T$   
Transpose of a Matrix A:

$$A_{3 \times 3} = \begin{bmatrix} a & b & c \\ d & e & f \\ g & h & i \end{bmatrix} \quad A^T = \begin{bmatrix} a & d & g \\ b & e & h \\ c & f & i \end{bmatrix}$$

An example of dagger operation:

$$A_{2 \times 2} = \begin{bmatrix} 1+i & 3i \\ 0 & 3-i \end{bmatrix} \quad A^\dagger = \begin{bmatrix} 1-i & 0 \\ -3i & 3+i \end{bmatrix}$$

- **Trace of a matrix** is the sum of all diagonal elements.
-

**Global phase factor:** A complex number  $z$  can be written as  $z = re^{i\theta}$  in the case where  $r = 1$  and  $\theta$  is a real number, then  $z$  is known as a phase factor and it can be simply ignored, as in it will not affect the state.

---

**Density Matrix:** A general way of expressing a quantum state. When state vectors and wavefunctions can only describe pure states, a density matrix can describe mixed states as well.

A density matrix is defined as:

$$\rho = \sum_j P_j |\psi_j\rangle \langle \psi_j|$$

where  $P_j$  is the probability of obtaining the state  $|\psi_j\rangle$ .

Every density matrix can also be written as a linear combination of Pauli gates, as follows:

$$\rho = \frac{1}{2}I + c_1X + c_2Y + c_3Z$$

where

$$I = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix} \quad X = \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix} \quad Y = \begin{bmatrix} 0 & -i \\ i & 0 \end{bmatrix} \quad Z = \begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix}$$

and  $c_1, c_2, c_3$  give us the bloch vector in cartesian coordinates:

$$\vec{r} = (x, y, z) = (2c_1, 2c_2, 2c_3)$$

---

**State Purity:** a scalar quantity to measure how pure a state is, defined as:

$$purity = \gamma = tr(\rho^2)$$

such that  $\gamma$  can be between  $\frac{1}{d}$  and 1, where  $d$  is the dimension of the Hilbert space.

$$\begin{aligned} \gamma = 1 &\rightarrow \text{pure state} \\ \gamma \neq 1 &\rightarrow \text{mixed state} \\ \gamma = \frac{1}{d} &\rightarrow \text{completely mixed state} \end{aligned}$$

---

**Fidelity:** a scalar value that measure the closeness of the output state to the input state, after going through a quantum gate, defined as:

$$F(|\psi_i\rangle, |\psi_f\rangle) = |\langle \psi_i | \psi_f \rangle|^2$$

Fidelity holds the following properties:

- **Symmetry:**  $F(|\psi_i\rangle, |\psi_f\rangle) = F(|\psi_f\rangle, |\psi_i\rangle)$
  - **Bounded values:**  $0 \leq F(|\psi_i\rangle, |\psi_f\rangle) \leq 1$  and  $F(|\psi\rangle, |\psi\rangle) = 1$
-