

## KEYBOARD SHORTCUTS (1/4)

-FOR LINUX APPLICATIONS-

[Keep learning. Stay alive.]

### UBUNTU

general

C-M-t | <f11>

launch terminal | full screen

switch

M-<tab> | C-M-<direction>

switch application | switch workspace

ck

C-<f1> | C-<f2>

switch or launch inkscape | switch or launch evince

ck

C-<f3> | C-<f4> | C-<f5>

switch or launch emacs | switch or launch terminal | switch or launch chromium

specific actions

ck

<f6> | C-<return>

custom keybinding

copy location bar in chromium and go to emacs | do C-c

### TERMINAL

By default, the line editing commands are similar to those of Emacs.

window

S-<prior> | S-<next>

window scrolling up | window scrolling down

C-S- n | t | w

open new terminal | open new tab | close tab

M-<number> | C-l

switch to tab <number> | clear the screen

process

C-z | C-c

suspend process | kill process

retrieve command

<tab> | C-r | C-p | C-n

autocomplete | reverse i-search | previous command | next command

move within line

C-f | C-b | M-f | M-b

forward character | backward character | forward word | backward word

C-a | C-e

line beginning | line end

delete/kill

<backspace> | C-d

delete backward character | delete forward character

M-<backspace> | M-d

kill backward word | kill forward word

C-k | C-u

kill forward line | kill backward line

past/yank

C-S-v | C-y

past | yank

## KEYBOARD SHORTCUTS (2/4)

-FOR LINUX APPLICATIONS-

[Keep learning. Stay alive.]

### CHROMIUM

#### setting

To profit from Emacs-style text editing shortcuts in chromium text box, you must enable it in GNOME. To enable this style and see the defined keybindings, just run the lines below:

```
$ gsettings set  
org.gnome.desktop.interface  
gtk-key-theme "Emacs"  
$ cat /usr/share/themes/Emacs/  
gtk-3.0/gtk-keys.css
```

The Saka Key extension offers an handy interface to customize keyboard shortcuts to browse the web.

The Saka extension is an elegant tab search, selection and beyond.

#### original keyboard shortcuts

##### miscellaneous

**C-l** | **C-o** | **C-h**

select location bar | open file |  
history sidebar

**<tab>** | **S-<tab>**

focus next link or input field  
| focus previous link or input  
field

**C-n** | **C-S-w**

new window | close window

##### search

**C-f** | **C-g** | **C-S-g**

find | find again | find previous

##### zoom

**C-+** | **C--** | **C-0**

zoom in | zoom out | zoom reset

##### tabs

**C-t** | **C-S-t** | **C-r** | **C-w**

new tab | restore tab | refresh  
tab | close tab

**C-<tab>** | **C-S-<tab>**

next tab | previous tab

##### navigation

**M-<left>** | **M-<right>**

go back | go forward

##### dev part

**<f12>** | **C-u**

open developer tool | page source

#### saka key and saka extensions

##### toggle saka

ck

**C-x**

toggle saka

##### link hints

hint characters: asurimefqndblwj

ck

**l**

**o l**

**o r**

open link | open link in  
foreground tab | open link in  
background tab

##### navigation

ck

**g b**

**g f**

**g u**

**g r**

go back | go forward | go up | go  
to root

##### scroll

ck

**n**

**p**

**<**

**>**

scroll half page down | scroll  
half page up | scroll to top |  
scroll to bottom

##### zoom

ck

**+**

**-**

**0**

zoom in | zoom out | zoom reset

##### tabs

ck

**t**

**y t**

**y d**

## KEYBOARD SHORTCUTS (3/4)

-FOR LINUX APPLICATIONS-

[Keep learning. Stay alive.]

new tab | restore tab | duplicate tab

ck **r** | **m** | **s p**

refresh tab | toggle mute tab | toggle pin tab

ck **x** | **c o** | **c u** | **c i**

close tab | close other tabs | close left tabs | close right tabs

ck **a** | **u** | **i** | **e**

first tab | previous tab | next tab | last tab

ck **b** | **f** | **s a** | **s e**

move tab left | move tab right | move tab first | move tab last

— windows —

ck **o o** | **s o**

new window | move tab new window

## I3 WINDOW MANAGEMENT

When using i3 program, some gnome internal programs are not available or reduced to basics stuff. For example, you have to set your keyboard layout by command line interface. I use the modular key 'window key' (W) to define some of the key bindings.

To reload or restart i3, you can run in the terminal 'i3-msg reload' or 'i3-msg restart'.

— direct actions —

**<f10>**

fullscreen toggle

— dmenu/kill/exit —

**W-m** | **W-q** | **W-S-q**

dmenu | kill focused window | exit i3

— start applications —

**W-1** | **W-2** | **W-3**

emacs | i3-sensible-terminal | chromium-browser

— split —

**W-h** | **W-m**

horizontal split | vertical split

— focus —

**W-** | **s** | **r** | **d** | **l**

focus left | focus right | focus up | focus down

**W-S-**

**s** | **r** | **d** | **l**

move left | move right | move up | move down

— workspaces —

**C-<f3>** | **C-<f4>** | **C-<f5>**

switch to workspace 1 | switch to workspace 2 | switch to workspace 3

**W-S-1** | **W-S-2** | **W-S-3**

move workspace 1 | move workspace 2 | move workspace 3

— mode layout —

**<f3>**

enter in mode layout

layout **<return>**

quit mode layout

layout **u** | **i** | **e**

layout stacking | layout tabbed | layout toggle split

layout **p** | **n**

focus parent | focus child

## KEYBOARD SHORTCUTS (4/4)

-FOR LINUX APPLICATIONS-

[Keep learning. Stay alive.]

layout `left` | `right` | `up` | `down`

shrink width | grow width | grow  
height | shrink height

layout `h` | `v` | `m` | `q`

horizontal split | vertical split  
| dmenu | quit focused window

layout `s` | `r` | `d` | `l`

focus left | focus right | focus  
up | focus down

layout `S-` `s` | `r` | `d` | `l`

move left | move right | move up  
| move down

layout `1` | `2` | `3`

move workspace 1 | move workspace  
2 | move workspace 3

## LINKS

[gnu.org](https://gnu.org): command line editing

[key.saka.io](https://key.saka.io): saka key introduction

[saka.io](https://saka.io): saka home page

[i3wm.org](https://i3wm.org): i3 window management