


NGC 2623

NGC 2623/Arp 243 is a galaxy located in the constellation Cancer. NGC 2623 is the result of two spiral galaxies that have merged together. Scientists believe that this situation is similar to what will occur to the Milky Way, which contains our solar system, and the neighboring galaxy, the Andromeda Galaxy in four billion years.^[6] Studying this galaxy and its properties have provided scientists with a better idea of the collision of the Milky Way and the Andromeda. Due to NGC 2623 being in the late stage of merging, the compression of the gas within the galaxy has led to a large amount of star formation, and to its unique structure of a bright core with two extending tidal tails.^[6]

NGC 2623



Hubble image of NGC 2623.

Observation data (J2000.0 epoch)	
Constellation	Cancer ^[1]
Right ascension	08 ^h 38 ^m 24.093 ^s ^[2]
Declination	+25° 45′ 16.70″ ^[2]
Redshift	0.01847 ^[3]
Helio radial velocity	5486 km/s ^[4]
Distance	250 mly ^[1]
Apparent magnitude (V)	13.36 ^[5]
Apparent magnitude (B)	13.99 ^[5]
Characteristics	
Type	SABcd ^[5]
Other designations	
NGC 2623, PGC 24288, MCG+04-21-009, UGC 4509, Arp 243 ^[4]	

Contents

Discovery

Appearance

Merging

Properties

Physical properties

Classification

Star formation

Tidal tails

Environment

See also


References

Discovery

NGC 2623 was discovered on January 19, 1885, by the French astronomer Édouard Jean-Marie Stephan. A significant discovery made within NGC 2623 was SN 1999gd. SN 1999gd is a Type 1a Supernova, and was discovered in 1999.^[7] This supernova is the result of the fusion of both the elements carbon and oxygen, which causes a gravitational collapse of the core of the white dwarf causing it to collapse.^[8]


Appearance

The center of NGC 2623 is very bright and circular, and connected to it are two elongated tails, called tidal tails, of star clusters.^[7] Because of how bright it is, it is classified as a super luminous galaxy.^[9] The galaxy is very bright for both the radio waves and infrared waves it emits.^[10] There are two very distinct features of the X-rays that NGC 2623 emits. One is the spectral hard and compact, nuclear feature, and the other one is a cool feature that is not located in the nucleus.^[9] The cool feature of the X-rays is similar to X-ray outflows, that are observed around many other starburst galaxies, and this



An image of the constellation, Cancer relative to other known constellations

specific cool feature has a very diffuse structure is believed to be observed ejected gas, that comes from the inefficiency of star formation, as the process can't turn all matter into stars, therefore ejecting excess gas by supernova explosions, and stellar and galactic winds.^[9]



Édouard Jean-Marie Stephan

Merging

NGC 2623 is in the late stage of merging, and is called a titanic galaxy merger.^[7] The centers of the galaxies that have formed NGC 2623 have already collided, forming the bright and circular center of NGC 2623, which is very prominent. One true nucleus is believed to exist in this galaxy, and it is symmetric.^[9]

There have been inferences made that state that the

merger should create a region of both compressed gas and dust, due to the observations that gas clouds are colliding within NGC 2623.^[9]

Properties

Physical properties

The size of NGC 2623 spans 50 thousand light years across.^[7] In comparison, the Milky Way, the galaxy that our solar system is located in and also a spiral galaxy, has a diameter of approximately 150 thousand to 200 thousand light years across.^[11]

The infrared luminosity of this galaxy is $3.3 \cdot 10^{11} L_{\odot}$ (solar luminosity).^[12] Luminosity is a space objects measure for brightness. Only some galaxies can emit energy that has infrared wavelengths, as most only emit radio wavelengths. This type of emission is seen in Seyfert Galaxies, since their cores are especially bright.^[13]


The distance modulus, which is the absolute magnitude subtracted from the apparent magnitude of an object in space is 34.50.^{[14][15]} This value has come from distances that have been acquired from recession velocities that are relative to the local groups.^[16]

Classification

The nucleus of this galaxy is filled with many young stars, due to the star formation that takes place. Because there is a such a large amount, NGC 2623 is classified as a Seyfert Galaxy.^[7] Seyfert Galaxies have very bright cores and similar properties as quasars.^[17] Quasars are nuclei of galaxies that contain super massive black holes and emit a massive amount of energy. While both types of galaxies contain supermassive black holes at their centers, Seyfert Galaxies, such as NGC 2623, tend to emit a much lower amount of visible light. Seyfert galaxies are still very uncommon as only 10 percent of spiral galaxies fall under this classification.^[18]

Star formation

In NGC 2623 there are bright star clusters in the tails of the galaxy, and many of them are situated in the upper tail. There are at least 170 star clusters within the galaxy.^[19] In addition to this both tails contain many young stars in their respective early stages in evolution.^[7] The most active part of the galaxy in regards to star formation is the upper and more prominent tail. Through HST and GALEX, which are two space telescopes, images it is evident that recent star formation has occurred



Hubble Image

within the galaxy.^[12] Though there are many star clusters in the tails of NGC 2623, the nucleus, or center of the galaxy still is responsible for more than 99 percent of the star formation occurring.^[12]

Tidal tails

The large trails of gas on each end of NGC 2623 are known as tidal tails. Tidal tails are long strips of bright star clusters that occur due to the interactions between different galaxies. In the case of this galaxy, the tidal tails are formed due to the merging of the galaxies that formed NGC 2623.^[15] Tidal tails are very strong indicators of whether a galaxy has been formed due to the merging of multiple other galaxies. Tidal tails can also be seen in the Antennae galaxy, as they were also formed by the merging of galaxies, similar to how NGC 2623 was formed. Tidal tails are helpful to astronomers as they can indicate the formation and evolution of a galaxy.^[15]

Environment

NGC 2623 is located in the constellation Cancer. Cancer is located 253 million light years away from the Earth, and it travels away from the Earth at a speed of approximately 5,500 kilometers per second.^[7] Other galaxies that are also in the constellation Cancer like NGC 2623, are Messier 67(King Cobra Cluster), and Messier 44(Beehive Cluster), which also has the designation NGC 2632.^[20]

See also

- List of galaxies

References

- "Hubble Unravels a Twisted Cosmic Knot" (<https://www.nasa.gov/image-feature/goddard/2017/hubble-unravels-a-twisted-cosmic-knot>). NASA. 23 October 2017.
- Skrutskie, M.; et al. (2006). "The Two Micron All Sky Survey (2MASS)". *The Astronomical Journal*. **131** (2): 1163–1183. Bibcode:2006AJ....131.1163S (<https://ui.adsabs.harvard.edu/abs/2006AJ....131.1163S>). doi:10.1086/498708 (<https://doi.org/10.1086%2F498708>).

3. Adelman-McCarthy, J. K.; et al. (2009). "VizieR Online Data Catalog: The SDSS Photometric Catalog, Release 7". *VizieR On-line Data Catalog*. Bibcode:2009yCat.2294....0A (<https://ui.adsabs.harvard.edu/abs/2009yCat.2294....0A>).
4. "NGC 2623" (<http://simbad.u-strasbg.fr/simbad/sim-basic?Ident=NGC+2623>). *SIMBAD*. Centre de données astronomiques de Strasbourg. Retrieved 23 September 2017.
5. Gil de Paz, Armando; et al. (December 2007). "The GALEX Ultraviolet Atlas of Nearby Galaxies". *The Astrophysical Journal Supplement Series*. **173** (2): 185–255. arXiv:[astro-ph/0606440](https://arxiv.org/abs/astro-ph/0606440) (<https://arxiv.org/abs/astro-ph/0606440>). Bibcode:2007ApJS..173..185G (<https://ui.adsabs.harvard.edu/abs/2007ApJS..173..185G>). doi:10.1086/516636 (<https://doi.org/10.1086%2F516636>).
6. information@eso.org. "A glimpse of the future" (<https://www.spacetelescope.org/images/potw1742a/>). *www.spacetelescope.org*. Retrieved 2019-10-27.
7. "NGC 2623, a pair of merging galaxies in Cancer" (<http://annesastronomynews.com/photo-gallery-ii/galaxies-clusters/ngc-2623-by-martin-pugh/>). *Anne's Astronomy News* (in Dutch). 2014-03-15. Retrieved 2019-10-27.
8. "Supernovae" (<https://imagine.gsfc.nasa.gov/science/objects/supernovae2.html>). *imagine.gsfc.nasa.gov*. Retrieved 2019-10-27.
9. Read, A. M.; Ponman, T. J. (June 1998). "The X-ray Evolution of Merging Galaxies" (<https://arxiv.org/abs/astro-ph/9801317>). *Monthly Notices of the Royal Astronomical Society*. **297** (1): 143–176. doi:10.1046/j.1365-8711.1998.01445.x (<https://doi.org/10.1046%2Fj.1365-8711.1998.01445.x>). ISSN 0035-8711 (<https://www.worldcat.org/issn/0035-8711>).
10. "NGC 2623, Colliding Galaxies" (<http://www.kopernik.org/images/archive/n2623.htm>). *www.kopernik.org*. Retrieved 2019-10-27.
11. López-Corredoira, M.; Allende Prieto, C.; Garzón, F.; Wang, H.; Liu, C.; Deng, L. (April 2018). "Disk stars in the Milky Way detected beyond 25 kpc from its center" (<https://www.aanda.org/10.1051/0004-6361/201832880>). *Astronomy & Astrophysics*. **612**: L8. doi:10.1051/0004-6361/201832880 (<https://doi.org/10.1051%2F0004-6361%2F201832880>). ISSN 0004-6361 (<https://www.worldcat.org/issn/0004-6361>).
12. "Off-Nuclear Star Formation" (<https://iopscience.iop.org/article/10.1086/533499/fulltext/22075.text.html>). doi:10.1086/533499/fulltext/22075.text.html (<https://doi.org/10.1086%2F533499%2Ffulltext%2F22075.text.html>).
13. "Luminous Infrared Galaxies" (<https://ned.ipac.caltech.edu/level5/Sanders/Sanders2.html>). *ned.ipac.caltech.edu*. Retrieved 2019-10-27.
14. Mulia, A. J.; Chandar, R.; Whitmore, B. C. (May 2015). "AGES OF STAR CLUSTERS IN THE TIDAL TAILS OF MERGING GALAXIES" (<https://doi.org/10.1088%2F0004-637x%2F805%2F2%2F99>). *The Astrophysical Journal*. **805** (2): 99. doi:10.1088/0004-637X/805/2/99 (<https://doi.org/10.1088%2F0004-637X%2F805%2F2%2F99>). ISSN 0004-637X (<https://www.worldcat.org/issn/0004-637X>).
15. "Tidal Tails | COSMOS" (<http://astronomy.swin.edu.au/cosmos/T/Tidal+Tails>). *astronomy.swin.edu.au*. Retrieved 2019-10-27.
16. "Distance Modulus | COSMOS" (<http://astronomy.swin.edu.au/cosmos/D/Distance+Modulus>). *astronomy.swin.edu.au*. Retrieved 2019-10-27.
17. "Seyfert Galaxies" (https://archive.stsci.edu/hut/papers/afdscorev_b/node9.html). *archive.stsci.edu*. Retrieved 2019-10-27.
18. "Lecture 37: Active Galaxies" (http://www.astronomy.ohio-state.edu/~ryden/ast162_9/notes37.html). *www.astronomy.ohio-state.edu*. Retrieved 2019-10-27.
19. Garner, Rob (2017-10-20). "Hubble Unravels a Twisted Cosmic Knot" (<http://www.nasa.gov/image-feature/goddard/2017/hubble-unravels-a-twisted-cosmic-knot>). *NASA*. Retrieved 2019-10-27.
20. "Cancer Constellation | Messier Objects" (<https://www.messier-objects.com/tag/cancer-constellation/>). Retrieved 2019-10-27.

Retrieved from "https://en.wikipedia.org/w/index.php?title=NGC_2623&oldid=925560109"

This page was last edited on 10 November 2019, at 22:13 (UTC).

Text is available under the Creative Commons Attribution-ShareAlike License; additional terms may apply. By using this site, you agree to the Terms of Use and Privacy Policy. Wikipedia® is a registered trademark of the Wikimedia

Foundation, Inc., a non-profit organization.