Introduction to SQL
Introduction To MyS...
What are basic MongoDB commands and how to use them?
SQL Server
SQLite
MySQL GUI
Postgre SQL
SQL Interview Questi...
Top 65 SQL Interview Questions You Must Prepare In 2020
Top 50 MySQL Interview Questions You Must Prepare In 2020
Top 50 DBMS Interview Questions You Need to know

Databases


Topics Covered

- Cassandra (14 Blogs)
- MongoDB Dev and Admin (15 Blogs)
- MySQL (55 Blogs)
- SQL Essentials Training and Certification (9 Blogs)

SEE MORE →

edureka! NEW LAUNCH

myMock Interview Service for Real Tech Jobs



TAKE MYSQL MOCK INTERVIEW

Top 65 SQL Interview Questions You Must Prepare In 2020

Last updated on May 07,2020 *636.7K Views*



Aayushi Johari
A technophile who likes writing about different technologies and spreading knowledge.

6 Comments Bookmark

1 / 3 Blog from SQL Interview Questions

edureka! NEW LAUNCH



myMock Interview Service for Real Tech Jobs

- Mock interview in latest tech domains i.e JAVA, AI, DEVOPS,etc
- Get interviewed by leading tech experts
- Real time assessment report and video recording

TAKE MYSQL MOCK INTERVIEW >

RDBMS is one of the most commonly used databases till date, and therefore ***SQL skills*** are indispensable in most of the job roles. In this SQL Interview Questions blog, I will introduce you to the most frequently asked questions on SQL (Structured Query Language). This blog is the perfect guide for you to learn all the concepts related to SQL, Oracle, MS SQL Server and MySQL database.

Our SQL Interview Questions blog is the *one-stop resource* from where you can boost your interview preparation. It has a set of **top 65 questions** which an interviewer plans to ask during an interview process. It starts with the basic SQL interview questions and later continues to advanced questions based on your discussions and answers. These SQL Interview questions will help you with different expertise levels to reap the maximum benefit from this blog.

Want to Upskill yourself to get ahead in Career? Check out the ***Top Trending Technologies***.
Let's get started!

SQL Interview Questions

1. What is the difference between SQL and MySQL?
2. What are the different subsets of SQL?
3. What do you mean by DBMS? What are its different types?
4. What do you mean by table and field in SQL?
5. What are joins in SQL?
6. What is the difference between CHAR and VARCHAR2 datatype in SQL?
7. What is the Primary key?
8. What are Constraints?
9. What is the difference between DELETE and TRUNCATE statements?
10. What is a Unique key?

Q1. What is the difference between SQL and MySQL?

SQL	MySQL
SQL is a standard language which stands for Structured Query Language based on the English language	MySQL is a database management system.
SQL is the core of the relational database which is used for accessing and managing database	MySQL is an RDMS (Relational Database Management System) such as SQL Server, Informix etc.

SQL vs MySQL

Q2. What are the different subsets of SQL?

- *DDL (Data Definition Language)* – It allows you to perform various operations on the database

- *DDL (Data Definition Language)* – It allows you to perform various operations on the database such as CREATE, ALTER and DELETE objects.
- *DML (Data Manipulation Language)* – It allows you to access and manipulate data. It helps you to insert, update, delete and retrieve data from the database.
- *DCL (Data Control Language)* – It allows you to control access to the database. Example – Grant, Revoke access permissions.

Q3. What do you mean by DBMS? What are its different types?



A database is a structured collection of data.

A **Database Management System** (**DBMS**) is a software application that interacts with the user, applications and the database itself to capture and analyze data.

A DBMS allows a user to interact with the database. The data stored in the database can be modified, retrieved and deleted and can be of any type like strings, numbers, images etc.

There are two types of DBMS:

- *Relational Database Management System*: The data is stored in relations (tables). Example – MySQL.
- *Non-Relational Database Management System*: There is no concept of relations, tuples and attributes. Example – Mongo

Q4. What do you mean by table and field in SQL?

A table refers to a collection of data in an organised manner in form of rows and columns. A field refers to the number of columns in a table. For example:

Table: StudentInformation
Field: Stu Id, Stu Name, Stu Marks

Q5. What are joins in SQL?

A JOIN clause is used to combine rows from two or more tables, based on a related column between them. It is used to merge two tables or retrieve data from there. There are 4 joins in SQL namely:

- Inner Join
- Right Join
- Left Join
- Full Join

Q6. What is the difference between CHAR and VARCHAR2 datatype in SQL?

Both Char and Varchar2 are used for characters datatype but varchar2 is used for character strings of variable length whereas Char is used for strings of fixed length. For example, char(10) can only store 10 characters and will not be able to store a string of any other length whereas varchar2(10) can store any length i.e 6,8,2 in this variable.

Q7. What is a Primary key?

- A Primary key is a column (or collection of columns) or a set of columns that uniquely identifies each row in the table.
- Uniquely identifies a single row in the table
- Null values not allowed

Student Table	
Stu_ID	Stu_Name
1	John
2	Jack
3	Tyler
4	Sofia

Example- In the Student table, Stu_ID is the primary key.

Q8. What are Constraints?

Constraints are used to specify the limit on the data type of the table. It can be specified while creating or altering the table statement. The sample of constraints are:

- NOT NULL
- CHECK
- DEFAULT
- UNIQUE
- PRIMARY KEY
- FOREIGN KEY

Q9. What is the difference between DELETE and TRUNCATE statements?

DELETE	TRUNCATE
Delete command is used to delete a row in a table.	Truncate is used to delete all the rows from a table.
You can rollback data after using delete statement.	You cannot rollback data.
It is a DML command.	It is a DDL command.

It is slower than truncate statement.	It is faster.

DELETE vs TRUNCATE

Q10. What is a Unique key?

- Uniquely identifies a single row in the table.
- Multiple values allowed per table.
- Null values allowed.

Apart from this SQL Interview Questions blog, if you want to get trained from professionals on this technology, you can opt for a structured training from edureka! Click below to know more.

Q11. What is a Foreign key?

- Foreign key maintains referential integrity by enforcing a link between the data in two tables.
- The foreign key in the child table references the primary key in the parent table.
- The foreign key constraint prevents actions that would destroy links between the child and parent tables.

Q12. What do you mean by data integrity?

Data Integrity defines the accuracy as well as the consistency of the data stored in a database. It also defines integrity constraints to enforce business rules on the data when it is entered into an application or a database.

Q13. What is the difference between clustered and non clustered index in SQL?

The differences between the clustered and non clustered index in SQL are :


1. Clustered index is used for easy retrieval of data from the database and its faster whereas reading from non clustered index is relatively slower.
2. Clustered index alters the way records are stored in a database as it sorts out rows by the column which is set to be clustered index whereas in a non clustered index, it does not alter the way it was stored but it creates a separate object within a table which points back to the original table rows after searching.
3. One table can only have one clustered index whereas it can have many non clustered index.

Q14. Write a SQL query to display the current date?

In SQL, there is a built-in function called GetDate() which helps to return the current timestamp/date.

Q15. List the different type of joins?

There are various types of joins which are used to retrieve data between the tables. There are four types of joins, namely:



Inner join: Inner Join in MySQL is the most common type of join. It is used to return all the rows from multiple tables where the join condition is satisfied.

Left Join: Left Join in MySQL is used to return all the rows from the left table but only the matching rows from the right table where the join condition is fulfilled.

Right Join: Right Join in MySQL is used to return all the rows from the right table but only the matching rows from the left table where the join condition is fulfilled.

Powered by Edureka
80% INTERVIEW REJECTIONS HAPPEN IN FIRST 90 SECONDS



Take MYSQL Mock Interview

- Get Interviewed by Industry Experts
- Personalized interview feedback

BOOK A SLOT

Full Join: Full join returns all the records when there is a match in any of the tables. Therefore, it returns all the rows from the left-hand side table and all the rows from the right-hand side table.

Q16. What do you mean by Denormalization?

Denormalization refers to a technique which is used to access data from higher to lower forms of a database. It helps the database managers to increase the performance of the entire infrastructure as it introduces redundancy into a table. It adds the redundant data into a table by incorporating database queries that combine data from various tables into a single table.

Q17. What are Entities and Relationships?

Entities: A person, place, or thing in the real world about which data can be stored in a database. Tables store data that represents one type of entity. For example – A bank database has a customer table to store customer information. Customer table stores this information as a set of attributes (columns within the table) for each customer.

Relationships: Relation or links between entities that have something to do with each other. For example – The customer name is related to the customer account number and contact information, which might be in the same table. There can also be relationships between separate tables (for example, customer to accounts).

Q18. What is an Index?

An index refers to a performance tuning method of allowing faster retrieval of records from the table. An index creates an entry for each value and hence it will be faster to retrieve data.

Q19. Explain different types of index.

There are three types of index namely:

Unique Index:

This index does not allow the field to have duplicate values if the column is unique indexed. If a primary key is defined, a unique index can be applied automatically.

Clustered Index:

This index reorders the physical order of the table and searches based on the basis of key values. Each table can only have one clustered index.

Non-Clustered Index:

Non-Clustered Index does not alter the physical order of the table and maintains a logical order of the data. Each table can have many nonclustered indexes.

Q20. What is Normalization and what are the advantages of it?

Normalization is the process of organizing data to avoid duplication and redundancy. Some of the advantages are:

- Better Database organization
- More Tables with smaller rows
- Efficient data access
- Greater Flexibility for Queries
- Quickly find the information
- Easier to implement Security
- Allows easy modification
- Reduction of redundant and duplicate data
- More Compact Database
- Ensure Consistent data after modification

Apart from this SQL Interview Questions Blog, if you want to get trained from professionals on this technology, you can opt for a structured training from edureka! Click below to know more.

Q21. What is the difference between DROP and TRUNCATE commands?

DROP command removes a table and it cannot be rolled back from the database whereas TRUNCATE command removes all the rows from the table.

Q22. Explain different types of Normalization.

There are many successive levels of normalization. These are called **normal forms**. Each consecutive normal form depends on the previous one.The first three normal forms are usually adequate.

- *First Normal Form (1NF)* – No repeating groups within rows
- *Second Normal Form (2NF)* – Every non-key (supporting) column value is dependent on the

whole primary key.
- *Third Normal Form (3NF)* – Dependent solely on the primary key and no other non-key (supporting) column value.

Q23. What is ACID property in a database?

ACID stands for Atomicity, Consistency, Isolation, Durability. It is used to ensure that the data transactions are processed reliably in a database system.

Atomicity: Atomicity refers to the transactions that are completely done or failed where transaction refers to a single logical operation of a data. It means if one part of any transaction fails, the entire transaction fails and the database state is left unchanged.

Consistency: Consistency ensures that the data must meet all the validation rules. In simple words, you can say that your transaction never leaves the database without completing its state.

Isolation: The main goal of isolation is concurrency control.

Durability: Durability means that if a transaction has been committed, it will occur whatever may come in between such as power loss, crash or any sort of error.

Q24. What do you mean by "Trigger" in SQL?

Trigger in SQL is are a special type of stored procedures that are defined to execute automatically in place or after data modifications. It allows you to execute a batch of code when an insert, update or any other query is executed against a specific table.

Q25. What are the different operators available in SQL?

There are three operators available in SQL, namely:

1. Arithmetic Operators
2. Logical Operators
3. Comparison Operators

Apart from this SQL Interview Questions blog, if you want to get trained from professionals on this technology, you can opt for a structured training from edureka! Click below to know more.

Q26. Are NULL values same as that of zero or a blank space?

A NULL value is not at all same as that of zero or a blank space. NULL value represents a value which is unavailable, unknown, assigned or not applicable whereas a zero is a number and blank space is a character.

Q27. What is the difference between cross join and natural join?

The cross join produces the cross product or Cartesian product of two tables whereas the natural join is based on all the columns having the same name and data types in both the tables.

Q28. What is subquery in SQL?

A subquery is a query inside another query where a query is defined to retrieve data or information back from the database. In a subquery, the outer query is called as the main query whereas the inner query is called subquery. Subqueries are always executed first and the result of the subquery is passed on to the main query. It can be nested inside a SELECT, UPDATE or any other query. A subquery can also use any comparison operators such as >,< or =.

Q29. What are the different types of a subquery?

There are two types of subquery namely, Correlated and Non-Correlated.

Correlated subquery: These are queries which select the data from a table referenced in the outer query. It is not considered as an independent query as it refers to another table and refers the column in a table.

Non-Correlated subquery: This query is an independent query where the output of subquery is substituted in the main query.

Q30. List the ways to get the count of records in a table?

To count the number of records in a table, you can use the below commands:

```
SELECT * FROM table1

SELECT COUNT(*) FROM table1

SELECT rows FROM sysindexes WHERE id = OBJECT_ID(table1) AND indid < 2
```

Apart from this SQL Interview Questions Blog, if you want to get trained from professionals on this technology, you can opt for a structured training from edureka! Click below to know more.

Q31. Write a SQL query to find the names of employees that begin with 'A'?

To display name of the employees that begin with 'A', type in the below command:


```
SELECT * FROM Table_name WHERE EmpName like 'A%'
```

Q32. Write a SQL query to get the third highest salary of an employee from employee_table?

```
SELECT TOP 1 salary
FROM(
SELECT TOP 3 salary
FROM employee_table
ORDER BY salary DESC) AS emp
ORDER BY salary ASC;
```

Q33. What is the need for group functions in SQL?

Group functions work on the set of rows and returns one result per group. Some of the commonly used group functions are: AVG, COUNT, MAX, MIN, SUM, VARIANCE.



Q34 . What is a Relationship and what are they?

Relation or links are between entities that have something to do with each other. Relationships are defined as the connection between the tables in a database. There are various relationships, namely:

- One to One Relationship.
- One to Many Relationship.
- Many to One Relationship.
- Self-Referencing Relationship.

Q35. How can you insert NULL values in a column while inserting the data?

NULL values can be inserted in the following ways:

- Implicitly by omitting column from column list.
- Explicitly by specifying NULL keyword in the VALUES clause

Q36. What is the main difference between 'BETWEEN' and 'IN' condition operators?

BETWEEN operator is used to display rows based on a range of values in a row whereas the IN condition operator is used to check for values contained in a specific set of values.

Example of BETWEEN:

```
SELECT * FROM Students where ROLL_NO BETWEEN 10 AND 50;
```

Example of IN:

```
SELECT * FROM students where ROLL_NO IN (8,15,25);
```

Q37. Why are SQL functions used?

SQL functions are used for the following purposes:

- To perform some calculations on the data
- To modify individual data items
- To manipulate the output
- To format dates and numbers
- To convert the data types

Q38. What is the need of MERGE statement?

This statement allows conditional update or insertion of data into a table. It performs an UPDATE if a row exists, or an INSERT if the row does not exist.

Q39. What do you mean by recursive stored procedure?

Recursive stored procedure refers to a stored procedure which calls by itself until it reaches some boundary condition. This recursive function or procedure helps the programmers to use the same set of code n number of times.

Q40. What is CLAUSE in SQL?

SQL clause helps to limit the result set by providing a condition to the query. A clause helps to filter the rows from the entire set of records.

For example – WHERE, HAVING clause.

Apart from this SQL Interview Questions Blog, if you want to get trained from professionals on this technology, you can opt for a structured training from edureka! Click below to know more.

Q41. What is the difference between 'HAVING' CLAUSE and a 'WHERE' CLAUSE?

HAVING clause can be used only with SELECT statement. It is usually used in a GROUP BY clause and whenever GROUP BY is not used, HAVING behaves like a WHERE clause.
Having Clause is only used with the GROUP BY function in a query whereas WHERE Clause is applied to each row before they are a part of the GROUP BY function in a query.

Q42. List the ways in which Dynamic SQL can be executed?

Following are the ways in which dynamic SQL can be executed:

- Write a query with parameters.
- Using EXEC.
- Using sp_executesql.

Q43. What are the various levels of constraints?

Constraints are the representation of a column to enforce data entity and consistency. There are two levels of a constraint, namely:

- column level constraint
- table level constraint

Q44. How can you fetch common records from two tables?

You can fetch common records from two tables using INTERSECT. For example:

```
1 Select studentID from student. <strong>INTERSECT </strong> Select StudentID from Exam
```

Q45. List some case manipulation functions in SQL?

There are three case manipulation functions in SQL, namely:

- LOWER: This function returns the string in lowercase. It takes a string as an argument and returns it by converting it into lower case. Syntax:

```
LOWER('string')
```

- UPPER: This function returns the string in uppercase. It takes a string as an argument and returns it by converting it into uppercase. Syntax:

```
UPPER('string')
```

- INITCAP: This function returns the string with the first letter in uppercase and rest of the letters in lowercase. Syntax:

```
INITCAP('string')
```

Apart from this SQL Interview Questions blog, if you want to get trained from professionals on this technology, you can opt for a structured training from edureka! Click below to know more.

Q46. What are the different set operators available in SQL?

Some of the available set operators are – Union, Intersect or Minus operators.

Q47. What is an ALIAS command?

ALIAS name can be given to any table or a column. This alias name can be referred in WHERE clause to identify a particular table or a column.

For example-

```
Select emp.empID, dept.Result from employee emp, department as dept where emp.empID=c
```

In the above example, emp refers to alias name for employee table and dept refers to alias name for department table.

Q48. What are aggregate and scalar functions?

Aggregate functions are used to evaluate mathematical calculation and returns a single value. These calculations are done from the columns in a table. For example- max(),count() are calculated with respect to numeric.

Scalar functions return a single value based on the input value. For example – UCASE(), NOW() are calculated with respect to string.

Q49. How can you fetch alternate records from a table?

You can fetch alternate records i.e both odd and even row numbers. For example- To display even numbers, use the following command:

Select studentId from (Select rowno, studentId from student) where mod(rowno,2)=0

Now, to display odd numbers:

```
Select studentId from (Select rowno, studentId from student) where mod(rowno,2)=1
```

Q50. Name the operator which is used in the query for pattern matching?

LIKE operator is used for pattern matching, and it can be used as -.

1. % – It matches zero or more characters.

For example- select * from students where studentname like 'a%'

_ (Underscore) – it matches exactly one character.
For example- select * from student where studentname like 'abc_'

Apart from this SQL Interview Questions Blog, if you want to get trained from professionals on this technology, you can opt for a structured training from edureka! Click below to know more.

Q51. How can you select unique records from a table?

You can select unique records from a table by using the DISTINCT keyword.

```
Select DISTINCT studentID from Student
```

Using this command, it will print unique student id from the table Student.

Powered by Edureka



NEED HELP FOR YOUR UPCOMING INTERVIEW?

Take MYSQL Mock Interview

- Get Interviewed by Industry Experts
- Personalized interview feedback

BOOK A SLOT

Q52. How can you fetch first 5 characters of the string?

There are a lot of ways to fetch characters from a string. For example:

Select SUBSTRING(StudentName,1,5) as studentname from student

Q53. What is the main difference between SQL and PL/SQL?

SQL is a query language that allows you to issue a single query or execute a single insert/update/delete whereas PL/SQL is Oracle's "Procedural Language" SQL, which allows you to write a full program (loops, variables, etc.) to accomplish multiple operations such as selects/inserts/updates/deletes.

Q54. What is a View?

A view is a virtual table which consists of a subset of data contained in a table. Since views are not present, it takes less space to store. View can have data of one or more tables combined and it depends on the relationship.

Q55. What are Views used for?

A view refers to a logical snapshot based on a table or another view. It is used for the following reasons:

- Restricting access to data.
- Making complex queries simple.
- Ensuring data independence.
- Providing different views of same data.

Q56. What is a Stored Procedure?

A Stored Procedure is a function which consists of many SQL statements to access the database system. Several SQL statements are consolidated into a stored procedure and execute them whenever and wherever required which saves time and avoid writing code again and again.

Q57. List some advantages and disadvantages of Stored Procedure?

Advantages:

A Stored Procedure can be used as a modular programming which means create once, store and

call for several times whenever it is required. This supports faster execution. It also reduces network traffic and provides better security to the data.

Disadvantage:

The only disadvantage of Stored Procedure is that it can be executed only in the database and utilizes more memory in the database server.

Q58. List all the types of user-defined functions?

There are three types of user-defined functions, namely:

- Scalar Functions
- Inline Table-valued functions
- Multi-statement valued functions

Scalar returns the unit, variant defined the return clause. Other two types of defined functions return table.

Q59. What do you mean by Collation?

Collation is defined as a set of rules that determine how data can be sorted as well as compared. Character data is sorted using the rules that define the correct character sequence along with options for specifying case-sensitivity, character width etc.

Q60. What are the different types of Collation Sensitivity?

Following are the different types of collation sensitivity:

- Case Sensitivity: A and a and B and b.
- Kana Sensitivity: Japanese Kana characters.
- Width Sensitivity: Single byte character and double-byte character.
- Accent Sensitivity.

Apart from this SQL Interview Questions Blog, if you want to get trained from professionals on this technology, you can opt for a structured training from edureka! Click below to know more.

Q61. What are Local and Global variables?

Local variables:

These variables can be used or exist only inside the function. These variables are not used or referred by any other function.

Global variables:

These variables are the variables which can be accessed throughout the program. Global variables cannot be created whenever that function is called.

Q62. What is Auto Increment in SQL?

Auto increment keyword allows the user to create a unique number to get generated whenever a new record is inserted into the table.
This keyword is usually required whenever PRIMARY KEY is used.

AUTO INCREMENT keyword can be used in Oracle and IDENTITY keyword can be used in SQL SERVER.

Q63. What is a Datawarehouse?

Datawarehouse refers to a central repository of data where the data is assembled from multiple sources of information. Those data are consolidated, transformed and made available for the mining as well as online processing. Warehouse data also have a subset of data called Data Marts.

Q64. What are the different authentication modes in SQL Server? How can it be changed?

Windows mode and Mixed Mode – SQL and Windows. You can go to the below steps to change authentication mode in SQL Server:

- Click Start> Programs> Microsoft SQL Server and click SQL Enterprise Manager to run SQL Enterprise Manager from the Microsoft SQL Server program group.
- Then select the server from the Tools menu.
- Select SQL Server Configuration Properties, and choose the Security page.

Q65. What are STUFF and REPLACE function?

STUFF Function: This function is used to overwrite existing character or inserts a string into another string. Syntax:

```
STUFF(string_expression,start, length, replacement_characters)
```

where,
string_expression: it is the string that will have characters substituted
start: This refers to the starting position
length: It refers to the number of characters in the string which are substituted.

replacement_string: They are the new characters which are injected in the string.

REPLACE function: This function is used to replace the existing characters of all the occurrences. Syntax:

```
REPLACE (string_expression, search_string, replacement_string)
```

Here every search_string in the string_expression will be replaced with the replacement_string.
So this brings us to the end of the SQL interview questions blog. I hope this set of SQL Interview Questions will help you ace your job interview. **All the best for your interview!**

Apart from this SQL Interview Questions Blog, if you want to get trained from professionals on this technology, you can opt for a structured training from edureka! Click below to know more.

Check out this MySQL DBA Certification Training by Edureka, a trusted online learning company with a network of more than 250,000 satisfied learners spread across the globe. This course trains you on the core concepts & advanced tools and techniques to manage data and administer the MySQL Database. It includes hands-on learning on concepts like MySQL Workbench, MySQL Server, Data Modeling, MySQL Connector, Database Design, MySQL Command line, MySQL Functions etc. End of the training you will be able to create and administer your own MySQL Database and manage data.


*Got a question for us? Please mention it in the comments section of this "*SQL Interview Questions*" blog and we will get back to you as soon as possible.*

Recommended videos for you



Introduction to MongoDB

Watch Now



Build Application With MongoDB

Watch Now

Recommended blogs for you



MongoDB Vs Cassandra

Read Article



Understanding SQL Joins – All You Need To Know About SQL Joins

Read Article



Primary Key In SQL : Everything You Need To Know About Primary Key Operations

Read Article

Comments

6 Comments

Brandon says:
Mar 29, 2019 at 5:36 am GMT

This is really helpful, but I managed to get this book on Amazon, got all the details I needed to prepare for my interview. Very well written, detailed and concise. Very good exercises as well, so easy to get through a difficult language of coding, especially if this is your first job interview.
I recommend.

http://www.amazon.com/TOP-SQL-Interview-Coding-Tasks-ebook/dp/B07GC5RS3K

Reply

Roopa says:
Mar 29, 2019 at 5:38 am GMT

Hi,

I needed a clarification about the question no. 6.

Difference between char and varchar2.

You've explained with an example, char(10) – which can only store 10 characters and not able to store a string of any other length.

According to my knowledge, we can store the data of any length but it should not exceed 10 characters(if we define char(10)).

And if we insert less no.of characters say length 6, then oracle server automatically will add blank spaces in place of remaining 4 bits.

If I'm wrong, please correct me!

Thanks

Reply



Prash Gedam says:

Jun 28, 2020 at 6:58 pm GMT

Very nice

Reply



Mansur Haider says:

Nov 5, 2018 at 12:41 pm GMT

Nice set of questions, thanks

Reply



Chinmayee says:

Mar 29, 2019 at 5:37 am GMT

Can we join two table which have same data types but different column name ?

Reply



Prash Gedam says:

Jun 28, 2020 at 6:56 pm GMT

This question set is enough for interview.. 👍☺ Enjoy the Study in Quarantine..

Reply

Join the discussion

Trending Courses in Databases



SQL Essentials Training & Certification

7k Enrolled Learners
Weekend/Weekday
Self Paced

Reviews



MySQL DBA Certification Training

4k Enrolled Learners
Weekend
Live Class

Reviews



MongoDB Certification Training

16k Enrolled Learners
Weekend
Live Class

Reviews



Apache Cassandra Certification Training

13k Enrolled Learners
Weekend
Live Class

Reviews

Browse Categories

Artificial Intelligence | BI and Visualization | Big Data | Blockchain | Cloud Computing | Cyber Security | Data Science | Data Warehousing and ETL | DevOps | Digital Marketing | Enterprise | Front End Web Development | Mobile Development | Operating Systems | Programming & Frameworks | Project Management and Methodologies | Robotic Process Automation | Software Testing | Systems & Architecture

Apache Spark and Scala Certification Training
Microsoft Power BI Training
Online Java Course and Training
Python Certification Course
Test Automation Engineer Masters Program
Post-Graduate Program in Artificial Intelligence & Machine Learning
Post-Graduate Program in Big Data Engineering
Community Sitemap
Webinars

GET IT ON Google Play

CATEGORIES

Cloud Computing | DevOps | Big Data | Data Science | BI and Visualization | Programming & Frameworks | Software Testing | Project Management and Methodologies | Robotic Process Automation | Frontend Development | Data Warehousing and ETL | Artificial Intelligence | Blockchain | Databases | Cyber Security | Mobile Development | Operating Systems | Architecture & Design Patterns | Digital Marketing

TRENDING BLOG ARTICLES

Selenium tutorial | Selenium interview questions | Java tutorial | What is HTML | Java interview questions | PHP tutorial | JavaScript interview questions | Spring tutorial | PHP interview questions | Inheritance in Java | Polymorphism in Java | Spring interview questions | Pointers in C | Linux commands | Android tutorial | JavaScript tutorial | jQuery tutorial | SQL interview questions | MySQL tutorial | Machine learning tutorial | Python tutorial | What is machine learning | Ethical hacking tutorial | SQL injection | AWS certification career opportunities | AWS tutorial | What Is cloud computing | What is blockchain | Hadoop tutorial | What is artificial intelligence | Node Tutorial | Collections in Java | Exception handling in java | Python Programming Language | Python interview questions | Multithreading in Java | ReactJS Tutorial | Data Science vs Big Data vs Data Analyt... | Software Testing Interview Questions | R Tutorial | Java Programs | JavaScript Reserved Words and Keywor... | Implement thread.yield() in Java: Exam... | Implement Optical Character Recogniti... | All you Need to Know About Implemen...

© 2020 Brain4ce Education Solutions Pvt. Ltd. All rights Reserved. Terms & Conditions Legal & Privacy

"PMP®","PMI®", "PMI-ACP®" and "PMBOK®" are registered marks of the Project Management Institute, Inc. MongoDB®, Mongo and the leaf logo are the registered trademarks of MongoDB, Inc.