gitlog.tex)

Project 1 and Conquerency 1

by Sinan Topkaya

CS 444 - Spring 2016

Abstract: This paper includes information on how to build and work on kernel plus information on choices I made making a multi threded consumer producer program.

WRITE-UP

Project 1

Log of commands for Project1:

- git init
- git clone git://gityoctoproject.org/linux-yocto-3.14
- git checkout -b v3.14.26
- git tag -1
- cp .config cp sb-sdk-qemux.ex3
- source /scratch/opt/environment-setup-i586-linux
- make -j4 all
- qemu-system-i386-gdb tcp::5630-S-nographic-kernel linux-yocto-3.14/arch/x86/boot/bzImage-drive file=core-image-lsb-sdk-qemux86.ext3,if=virtio-enable-kvm-net none-usb-localtime-no-rebootappend "root=/dev/vda rw console=ttyS0 debug"
- opened another putty session
- gdb
- target remote localhost:5630
- c
- uname -r

Qemu Command and its flags:

- The code: qemu-system-i386-gdb tcp::5630-S -nographic -kernel linux-yocto-3.14/arch/x86/boot/bzImage -drive file=core-image-lsb-sdk-qemux86.ext3,if=virtio -enable-kvm -net none -usb -localtime -no-reboot -append "root=/dev/vda rw console=ttyS0 debug"
- -gdb tcp::5630: This flag allows us to debug the program using gdb, we have to connect to localhost 5630 to see what is exactly going on with the running program
- -S: This option makes qemu launch wait till gdb connection.
- -nongraphic: Disables grahical putput so that QEMU is a simple command line application.
- -kernel: This option is needed to provide the Linux kernel image.
- -drive: defines the drive.
- -if=virtio: specifies the controller's PCI.

- -enable-kvm: Enables KVM full virtualization support.
- -net none: Indicates that no network devices should be configured.
- -usb: Enables USB drivers.
- -localtime: Set RTC start at local time.
- -no-reboot: Exit instead of rebooting.
- -append: is used to give the kernel command line argument.

Conqurency 1

Reflection: 1. I think the main point was to learn how to use program multi-threaded programs, this assignment refreashed my memory working with them.

- 2. Since I did not remember too much, I read and watched few videos on producer-consumer problems. Also I approached the assignment piece by piece I created threads then worked on producer first, once I was sure the thread was doing what it was supposed to do, I continued working on the consumer.
- 3. Approaching the problem piece by piece made it much easier. As mentioned above I made sure the producer thread worked right before I started working on the consumer, I have also ran the program multiple times and waited if I am generating correct random numbers or not.
- 4. Well I could say I have learned alot about threads. It was actually a really fun assignment to learn more about threads and how to handle them, also thinking about error it might have was really interresting like blocking signals.

git log

Detail	Author	Description
e0f6bfa	topkayas	first commit
6443ef7	topkayas	First Commit Kernel v3.14.26
44dc181	topkayas	Summary Week 1
040e0b0	topkayas	updates
b489bd0	topkayas	update
12818e6	topkayas	update
d30ab81	topkayas	week 2 summary
18c007a	topkayas	IEEEtran
9c9e7bf	topkayas	summaries done
f4d7951	topkayas	title page
da69ee0	topkayas	summary
47b8240	topkayas	last changes
74dbc03	topkayas	1 column
902be28	topkayas	one column
eaba13e	topkayas	changes
8937dde	topkayas	changes
cbbc8ff	topkayas	starting with the pdf file
77d005b	topkayas	pdf
99459b0	topkayas	change pdf
c1e5297	topkayas	update
3eefb8f	topkayas	update
ff63e14	topkayas	update
9003cf9	topkayas	update

work log

When	What
	Started
	with
	Project
	1, con-
	nected
	to the
	os-
	class
	and
	ran
	the al-
	ready
	given
4/4/2016	bzIm-
	age,
	got fa-
	miliar
	with
	git and
	build
	my
	own
	ver-
	sion
	control
	sys-
	tem. Built
	kernel
	using
	git be-
	cause
	last
	time I
	could
	not.
4/5/2016	Started