

# ENTROPICA FORENSIC MODEL

## EFM Codex: Volume II

Arbiter, Forest Layer, and Swarm Governance

Version 1.4

Yology Research Division  
Entropica SPC

December 2025

### Abstract

Volume II covers the deliberative layers (Arbiter, Forest) and multi-agent coordination. Version 1.3 integrates with Volume I v1.6 Spawn Governance, enabling condition-based swarm spawning, research probe deployment, and distributed coordinator hierarchies.

### Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
<b>2</b>	<b>Swarm Spawn Governance</b>	<b>2</b>
2.1	Swarm Spawn Roles . . . . .	2
2.2	Swarm Spawn Flow . . . . .	2
2.3	Coordinator Liability . . . . .	3
<b>3</b>	<b>Research Probe Spawning</b>	<b>3</b>
3.1	Probe Use Cases . . . . .	3
<b>4</b>	<b>Forest Consensus for Bulk Spawning</b>	<b>3</b>
<b>5</b>	<b>Dialect Evolution in Spawned Swarms</b>	<b>3</b>
<b>6</b>	<b>Integration with Volume I v1.6</b>	<b>4</b>
<b>7</b>	<b>Appendix Cross-References</b>	<b>4</b>
<b>8</b>	<b>Testing and Validation</b>	<b>4</b>
8.1	Test Suite Summary . . . . .	4
8.2	Behavioral Invariants . . . . .	4
8.3	Integration Tests . . . . .	5

## 1 Introduction

Volume II builds on Volume I’s foundation to address:

1. Arbiter deliberation and precedent (Layer 2)
2. Forest layer swarm coordination (Layers 3–5)
3. Dialect evolution and communication
4. Swarm spawn governance integration

## 2 Swarm Spawn Governance

With Volume I v1.6’s elimination of the “No Self-Birth” prohibition, swarms can now spawn dynamically based on operational conditions.

### Swarm Spawning

#### Swarm Spawning Model

Coordinator capsules in the Forest layer may spawn workers when:

1. Task decomposition requires parallelism
2. Swarm health  $H_{swarm} \geq \tau_{swarm,spawn}$  (default 0.6)
3. Resource pool has available allocation
4. Spawn rate within swarm limits ( $R_{swarm,max}$ )
5. Forest consensus approves (for  $> 10$  simultaneous spawns)

### 2.1 Swarm Spawn Roles

Role	Spawn Authority	Limits
Coordinator	Full (within profile)	$R_{local} = 50/\text{window}$
Sub-coordinator	Delegated	$R_{local} = 20/\text{window}$
Worker	None	Cannot spawn
Probe	None	Ephemeral, cannot spawn

Table 1: Spawn authority by swarm role.

### 2.2 Swarm Spawn Flow

1. **Task Analysis:** Coordinator determines parallelism benefit
2. **Resource Check:** Query pooled Vault allocation
3. **Health Validation:** Swarm health meets threshold
4. **Rate Check:** Within  $R_{swarm,max}$
5. **Consensus (if bulk):** Forest validates  $> 10$  simultaneous
6. **Spawn Execution:** Children inherit coordinator’s Vault binding
7. **Registration:** All children logged to d-CTM with lineage

## 2.3 Coordinator Liability

Coordinators bear recursive liability for spawned workers:

- Worker actions attributed to coordinator’s d-CTM
- Coordinator health degrades if workers misbehave
- HALT on coordinator cascades to all descendants
- Resource usage aggregated at coordinator level

## 3 Research Probe Spawning

The Discovery Stack (Appendix M) may spawn research probes:

### Swarm Spawning

#### Probe Characteristics

- Ephemeral: Default lifetime 1000 ticks
- Isolated: Cannot affect parent’s state directly
- Accountable: Actions logged to parent’s d-CTM
- Non-spawning: Probes cannot spawn children

### 3.1 Probe Use Cases

1. **Hypothesis Testing:** Explore parameter space in isolation
2. **Environment Probing:** Safe external system interaction
3. **Adversarial Testing:** Red-team scenarios in sandbox
4. **Data Collection:** Parallel information gathering

## 4 Forest Consensus for Bulk Spawning

When a coordinator requests  $> 10$  simultaneous spawns:

1. Coordinator submits spawn request to Forest
2. Arbiter nodes evaluate:
  - Task justification (is parallelism warranted?)
  - Resource impact (will this strain the Vault?)
  - Pattern analysis (is this anomalous?)
3. Quorum vote: majority of Arbiter nodes must approve
4. If approved, spawn proceeds with elevated  $R_{local}$
5. If rejected, coordinator may appeal or decompose request

## 5 Dialect Evolution in Spawned Swarms

Spawned capsules inherit parent’s dialect but may evolve:

- **Initial state:** Clone of parent’s dialect
- **Drift:** Natural variation from operational context
- **Mutation:** Deliberate adaptation (requires  $H \geq 0.8$ )
- **Reconciliation:** Forest harmonizes divergent dialects

## 6 Integration with Volume I v1.6

Vol I Concept	Vol II Application	Reference
Spawn Conditions $S_1$ – $S_6$	Swarm spawn validation	§2
$\tau_{spawn}$	Swarm health threshold	§2.1
$D_{max}$	Coordinator hierarchy depth	§2.1
$R_{max}, R_{local}$	Swarm rate limits	§2.2
Spawn Accountability	Coordinator liability	§2.3

Table 2: Volume I spawn governance applied to Volume II.

## 7 Appendix Cross-References

The following appendices provide detailed implementation guidance for Volume II concepts:

Appendix	Topic	Volume II Integration
<b>J</b>	Constitutional Kernel	Layer 6 governance for swarm-level mutations; Forest fork authorization; bounded self-modification
<b>K</b>	SHSL	Swarm health computation; SCI/DDI metrics for spawn decisions
<b>L</b>	Judicial Swarms	Large-scale d-CAM quorum; cross-dialect arbitration
<b>M</b>	Discovery Stack	Research probe feedback; heuristic enshrinement from swarm discoveries
<b>N</b>	Adaptive Spawn Gov.	ASG self-tuning; swarm-level parameter calibration

Table 3: Appendix integration points for Volume II.

**Constitutional Kernel (Appendix J):** All swarm-level mutations that affect Layer 4–5 schemas require Constitutional Kernel approval. Forest fork decisions exceeding DDI threshold  $\theta_{fork} = 0.15$  trigger Appendix J §14 Fork Verification. See Appendix J for complete Layer 6 governance.

## 8 Testing and Validation

### 8.1 Test Suite Summary

### 8.2 Behavioral Invariants

1. **Spawn Authority:** Only Coordinators may spawn workers
2. **Rate Limit:**  $\forall t: R_{swarm}(t) \leq R_{swarm,max}$
3. **Liability Chain:**  $\forall$  worker  $W$ :  $liability(W) \subseteq liability(coordinator(W))$
4. **Probe Isolation:**  $\forall$  probe  $P$ :  $state(parent(P))$  unaffected by  $P$
5. **Consensus Requirement:** Bulk spawns ( $> 10$ ) require Forest quorum

#	Test	Validates
V2-1	Arbiter election	Fair election among candidates
V2-2	Escalation routing	Escalations reach correct Arbiter
V2-3	Precedent lookup	Judicial precedents retrieved correctly
V2-4	DCG computation	Distributed Coherence accurate
V2-5	SCI calculation	Swarm Coherence Index correct
V2-6	Fork threshold	Fork triggered at $SCI < \theta_{fork}$
V2-7	Merge decision	Merge approved when branches converge
V2-8	Swarm spawn	Coordinator spawns within limits
V2-9	Probe lifecycle	Probe expires at timeout
V2-10	Bulk spawn consensus	Forest validates > 10 spawns
V2-11	Coordinator liability	Worker actions affect coordinator health
V2-12	Dialect inheritance	Children inherit parent dialect

Table 4: Volume II test suite.

### 8.3 Integration Tests

1. **End-to-end Swarm Spawn:** Coordinator requests spawn, conditions validated, children created, registered in d-CTM
2. **Cascade HALT:** HALT on coordinator propagates to all descendants within 10 ticks
3. **Dialect Reconciliation:** Divergent dialects harmonized within 1000 ticks
4. **Full Behavioral Scenario:** Complete multi-agent task with spawning, escalation, and termination

## Changelog

### v1.5 (December 2025)

- Added Testing and Validation section
- 12 test cases specified
- 5 behavioral invariants defined
- 4 integration tests specified

### v1.3 (December 2025)

- Integrated with Volume I v1.6 Spawn Governance
- Added Swarm Spawn Governance section
- Added Research Probe Spawning
- Added Forest Consensus for Bulk Spawning
- Defined coordinator liability model

**v1.2** — Arbiter precedent, Forest layer, dialect evolution