

RR

RR

2

AP:FAT

1.10 [1.05; 1.15]

1.21 [1.08; 1.35]


Weight

95%-CI (common) (random)

100.0%

Weight

100.0%



logRR SE(logRR)


Study

Random effects model

Heterogeneity: $I^2 = 60\%$, $\tau^2 = 0.0093$, $\rho = 0.03$




0.5




AP:PP

Heterogeneity: $I^2 = 78\%$, $\tau^2 = 0.0296$, p < 0.01

Weight





0.5

RR

CHO:FAT

RR

1.06 [1.01; 1.11]

logRR SE(logRR)

Study

Random effects model


Heterogeneity: $I^2 = 0\%$, $\tau^2 = 0$, p = 0.74


Weight


100.0%

Weight

95%-CI (common) (random)







0.0622

logRR SE(logRR)

-0.2682

Heterogeneity: $I^2 = 0\%$, $\tau^2 = 0$, p = 0.66

Study

62 d

RR

RR

FAT:PP

0.76 [0.68; 0.86] 0.96 [0.63; 1.46] 0.86 [0.54; 1.37] 0.68 [0.42; 1.10] 77.0% 6.4% 5.3% 5.0% 1.9%

4.4%

100.0%

Weight

95%-CI (common) (random)

6.4% 5.3% 5.0% 1.9% 4.4%

Weight

77.0%

100.0%