Global exercise - GUE11

Tuan Vo

12th January, 2023

Summary of content covered: Analysis

- Review line integral of the 1st kind (scalar field) and 2nd kind (vector field)
- Surface integral of the 1st kind (scalar field) and 2nd kind (vector field)
- Gauss's theorem and its useful applications

1 Course evaluation

The evaluation for the course

22W-11.03530~(L)Mathematische Grundlagen III (CES) (Übung)

has been opened from now on until Friday 20.01.2023 23:59:00 via QR code



Figure 1: Evaluation QR-code.

or via the following link

https://www.campus.rwth-aachen.de/evasys/online.php?pswd=8J5FHC8JH9

2 Summary: Line integral and Surface integral

2.1 First kind: Scalar field

Recall 1. Line integral of a scalar field $\phi: \Omega \to \mathbb{R}$ is defined as follows

$$\int_{\Gamma} \phi \, ds := \int_{a}^{b} \phi(\gamma(t)) \, \big\| \gamma'(t) \big\| \, dt \tag{1}$$

 \rightarrow Mass

Recall 2. Surface integral of a scalar field $\phi: \Omega \to \mathbb{R}$ is defined as follows

$$\int_{\Gamma} \phi \, dA := \int_{B} \phi(\Phi(p, q)) \, \left\| \Phi_{p} \times \Phi_{q} \right\| \, d(p, q) \tag{2}$$

 \rightarrow Mass

2.2 Second kind: Vector field

Recall 3. Line integral of a vector field $\mathbf{f}: \Omega \to \mathbb{R}^n$ is defined as follows

$$\int_{\Gamma} \mathbf{f} \cdot d\mathbf{x} := \int_{a}^{b} \left\langle \mathbf{f}(\gamma(t)), \gamma'(t) \right\rangle dt \tag{3}$$

 \rightarrow Work done

Recall 4. Surface integral of a **vector field** $f: \Omega \to \mathbb{R}^n$ is defined as follows

$$\int_{\Gamma} \langle \boldsymbol{f}, \boldsymbol{v} \rangle \, dA = \int_{\Gamma} \boldsymbol{f} \cdot d\boldsymbol{A} := \int_{B} \left\langle \phi(\Phi(p, q)), \Phi_{p} \times \Phi_{q} \right\rangle d(p, q) \tag{4}$$

 \rightarrow Work done

3 Analysis: Surface integral of the first kind

Example 1. Examine

Approach:

4 Analysis: Surface integral of the second kind

Example 2. Examine

Approach:

5 Analysis: Gauss theorem

Example 3. Examine

Approach: