# Esmuflily - SMuFL / Ekmelos for LilyPond

Esmuflily is an extension for LilyPond that supports SMuFL compliant fonts, in particular, to facilitate the use of glyphs from Ekmelos: clefs, time signatures, note heads, articulations, etc.

Esmuflily provides switches to turn the SMuFL support on or off for individual types of graphical objects (clefs, note heads, etc.) and it defines additional commands and styles for SMuFL glyphs which are not available in LilyPond (note head styles, function theory symbols, etc.) So scores can benefit from both SMuFL's comprehensive character set and LilyPond's awesome Emmentaler font.

This documentation uses the Ekmelos font for all SMuFL glyph.

Esmuflily requires LilyPond version 2.24.0 or higher.

See Ekmelily for accidentals and key signatures.

4 October 2025

# Contents

Author and License																												3
Download, Installation, Usage																												4
Fonts																												5
Font Metadata																												6
Font Symbols																												7
Commands																												8
SMuFL switches																												9
Clefs																												11
Time signatures																												14
Cadenza signatures																												16
Staff dividers and Separators																												17
Note heads																												18
Shape note heads																												24
Note name note heads .																												28
Note clusters																												29
Note head markup																												31
Augmentation dots																												33
Flags and Grace note slashes																												34
Rests																												36
Rest markup																												38
System start delimiters																												39
Dynamics																												41
Scripts - Expressive marks .																												43
Multi-segment spanner																												48
Trill spans and pitches .																												54
Laissez vibrer	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	 •	•	•	•	•	•	•	•	•	57
Breathing signs and Caesuras																												58
Colon and Segno bar lines .																												59
Percent repeats																												60
Tremolo marks																												61
Symbols on stem																												62
Arpeggios																												64
Ottavation																												66
																											•	70
Tuplet numbers																							•	•	•	•	•	70 72
Fingering instructions	•																					•	•	•	•	•	•	75
String number indications .	•																					•	•	•	•	•	•	73 77
Piano pedals																		•	 •	•	•	•	•	•	•	•	•	77 79
Harp pedals	•	•	•	•	٠											•	•	•	 •	•	•	•	•	•	•	•	•	80
Fret diagrams	•	•	•	•	٠											•	•	•	 •	•	•	•	•	•	•	•	•	82
	•																						•	٠	•	•	•	86
Falls and doits	•																							•	•	•	•	87
	•	•	•	٠	•														 •	•	•		•	٠	•	•	•	
Figured bass	•	•	•	•	•	٠	•	•	•		•	•	•	•	•	•	•	•	 •	•	•	•	•	•	٠	•	•	88
Lyrics	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	 •	•	•	•	•	•	٠	•	•	90
Analytics symbols																			•	•	•	•	•	•	٠	•	•	91
, ,	•	•	•	•	٠	٠	•	•															•	•	٠	•	•	92
Arrows and arrow heads .	•	•	٠	•	٠	٠	٠	٠	٠	٠								•	 •	•			•	•	٠	•	٠	98
Percussion symbols	•		•	•	٠	•			•	_	-	٠	-		-	-	_	•	 •	•		•	•	•	٠	-	•	100
Electronic music symbols .	•	•	•	•	٠	٠		•										•		•		•	•	•			•	102
Other symbols																								•			•	104
•	•																											106
Extended text																										•		110
3	•																									-		111
Orientation																												112

### **Author and License**

Esmuflily was written by Thomas Richter, thomas-richter@aon.at

Copyright © 2020-2025 Thomas Richter

Esmuflily is licensed under the MIT License.

This license is copied below, and is also available in the file LICENSE.txt, and at mit-license.org.

The MIT License (MIT)

Copyright © 2020-2025 Thomas Richter

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## Download, Installation, Usage

#### Download

The folder ly contains the include files.

Copy the following files into an appropriate folder:

```
esmufl.ily
ekmd.scm
```

Copy the metadata cache file for the desired font or the template cache file into the same folder.

Some cache files are already available:

```
ekmd-template.scm
ekmd-bravura.scm
ekmd-ekmelos.scm
ekmd-leland.scm
```

### Usage

Add the following lines near the top of your LilyPond input file.

```
ekmFont = FONTNAME
\include "esmufl.ily"
```

### Esmuflily + Ekmelily

To combine Esmuflily with Ekmelily add e.g. the following lines near the top of your LilyPond input file.

```
ekmFont = FONTNAME
ekmSystem = TUNING
\include "cosmufl.ily"
\language "LANGUAGE"
\ekmelicStyle STYLENAME
```

The default values correspond with LilyPond:

FONTNAME Ekmelos
TUNING 24, i.e. it includes ekmel-24.ily

LANGUAGE nederlands in most tunings

STYLENAME stc (Stein/Couper) in tuning 24

#### **Fonts**

Esmuflily requires a SMuFL compliant font.

It uses Ekmelos by default. Another font can be selected, either with the variable

```
ekmFont = FONTNAME
```

preceding the include file, or with the command line option

```
-dekmfont=FONTNAME
```

Note that this option produces a warning 'no such internal option', which can be ignored. Warnings can be suppressed with the command line option --loglevel=ERROR or --loglevel=NONE.

### Drawing paths

Esmuflily supports drawing paths instead of font glyphs, which allows e.g. to produce stand-alone SVG output. This requires the Scheme procedure <code>ekm-path-stencil</code> as it is provided for Ekmelos by the include file <code>ly/ekmelos-paths.ily</code>.

A trailing # in FONTNAME switches to globally drawing paths, i.e. it effects all SMuFL output except for the markup commands \ekm-charf and \ekm-str.

Note that spaces and other glyphs without a contour, as well as side-bearing and font features like stylistic alternates or ligatures are not available with paths. See the second output below:

To draw Ekmelos glyphs as paths, add the following lines near the top of your LilyPond input file. A single "#" is equivalent to "Ekmelos#".

```
ekmFont = "#"
\include "ekmelos-paths.ily"
\include "esmufl.ily"
```

### Font Metadata

Esmuflily can use metadata provided by a SMuFL compliant, font-specific JSON file

MD\_DIR/MD\_NAME

MD\_NAME is one of the file names (where FNAME is FONTNAME in all lowercase):

- 1. FNAME\_metadata.json
- 2. FNAME.json
- 3. metadata.json

### MD\_DIR is one of the locations (see SMuFL ch. 3.11):

- 1. PRIVATE\_DIR
- 2. USER\_DIR/SMuFL/Fonts/FONTNAME
- 3. SYSTEM\_DIR/SMuFL/Fonts/FONTNAME

### PRIVATE\_DIR can be specified either with the variable

ekmMetadata = PRIVATE\_DIR

preceding the include file, or with the command line option

-dekmmetadata=PRIVATE\_DIR

### USER\_DIR and SYSTEM\_DIR are platform-specific.

USER\_DIR SYSTEM\_DIR

Linux \$XDG\_DATA\_HOME \$XDG\_DATA\_DIRS

macOS ~/Library/Application Support /Library/Application Support

Windows %LOCALAPPDATA% %CommonProgramFiles%

%CommonProgramFiles(x86)%

Note that Esmuflily requires glyphs given with their canonical glyph name, not with the Unicode code point.

The JSON file is read only once for a new font, and a cache file <code>ekmd-FNAME.scm</code> is created which is used subsequently. A trailing (or solitary) % in PRIVATE\_DIR forces creating a cache file even if it already exists. This is useful if the file is out-dated (e.g. a new font version).

### Font Symbols

The musical symbols supported by Esmuflily are SMuFL-compliant glyphs given with their Unicode code point.

All symbols are assembled in a single table arranged according to type (usage), where some types correspond to LilyPond's graphical objects, like note heads, flags, rests, and clefs.

The standard table contains SMuFL recommended characters. The cache file ekmd-FNAME.scm can provide a font-specific table (beside the metadata) that is merged into the standard table.

The styles, names, tokens, and size ranges for musical symbols listed in this documentation come from the standard table. The font-specific details for Ekmelos or other fonts are listed separately after that.

\ekmMergeType TYPE TABLE

Merge TABLE into the table for TYPE. New styles, names, and tokens are added. Already existing ones are replaced. See internals.md for all supported types and their required table structures. Use this command with care.

Note: The style ekm is used for internal purposes, (tremolo marks, arrows, percussion beaters, etc.)

### Commands

Most of the commands, in particular, all markup commands always produce SMuFL output, independent of any switches. Other commands behave differently when the corresponding switch is turned off:

- [Ly] Produces normal LilyPond output.
- [Err] Causes an error or produces useless output.

Some commands with a corresponding LilyPond command are simpler implemented, e.g. they ignore properties, while a few provide additional features.

Some commands and properties accept one of the following special values:

- EXTEXT: A code point, a list of code points, or markup.
- DEFINITION: A string of tokens.
- · ORIENTATION: Sum of axis and direction.

SMuFL glyphs are always accessed by code point (EXTEXT). See the file ly/ekmelos-map.ily at Ekmelos with definitions to access glyphs by name.

All commands have the prefix ekm or ekm-.

### SMuFL switches

```
\ekmSmuflOn #'TYPE
\ekmSmuflOn #'(TYPE ...)
\ekmSmuflOff #'TYPE
\ekmSmuflOff #'(TYPE ...)
```

Turn the SMuFL support on and off, respectively, for one or more types of graphical objects. TYPE is one of the following symbols. Any other value is ignored.

These commands set/undo context and grob properties (usually the stencil) in the current bottom context, except for colon and segno which are set independently of a context and cannot be turned off.

all All following types

clef Clefs and clef modifiers

time Time signatures

notehead Note heads

dot Augmentation dots

flag Flags and grace note slashes rest Rests and multi-measure rests

systemstart System start delimiters dynamic Absolute dynamic marks

script Scripts textspan Text span

trill Trill span and trill pitch

lvLaissez vibrercolonColon bar linessegnoSegno bar linespercentPercent repeats

tremolo Tremolos arpeggio Arpeggios

tuplet Tuplet numbers

fingering Fingering instructions
stringnumber String number indications

pedal Piano pedals
fbass Figured bass
lyric Lyric text

The following example demonstrates possible places for SMuFL switches: a \with block, a \layout block, and in the music stream. Note that \ekmTremolo works independent of the tremolo switch which is turned on after that.


```
\score {
  \new Staff \with {
    \ekmSmuflOn #'trill
  \relative c'' {
    \ekmSmuflOn #'notehead
    \override NoteHead.style = #'triangle
    c4 a
    \ekmSmuflOff #'notehead
    \revert NoteHead.style
    \autoBeamOff
    a8
    \ekmFlag #'straight
    a <a d> a16 <a d>
    \ekmFlag #'default
    \ekmPitchedTrill #'slash #'bracket
    d2 \ekmStartTrillSpan #'(-4 . 0) e d4 c8. a16 \stopTrillSpan
    \ekmTremolo unmeasured { c4:16 a: }
    \ekmSmuflOn #'tremolo
    { c4:16 a: }
  }
  \layout {
    \context {
      \Score
      \ekmSmuflOn #'(flag dot)
    }
  }
}
```




# Clefs

#### \ekmSmuflOn #'clef


Draw SMuFL clefs and clef modifiers.





### Clef modifiers

Transposition and style are drawn with the fingering italic symbols for digits, parentheses, and brackets, and with the following special symbols (i.e. not with precomposed clef glyphs).



### Change clefs

They are drawn either with a special glyph or with the normal glyph but smaller.

The relative font size for change clefs can be set with:

**O** 

0

### Ekmelos clefs

"frenchG" U+F40E gClef8vbFrench
"varC" "altovarC" U+F633 cClefFrench20C

"tenorvarC" :

"baritonevarC"


"string" U+F71C stringClef

"behindbridgestring" U+F71D behindBridgeStringClef



### Ekmelos tab clefs

"tab"	U+F61E	6stringTabClefClassic
"moderntab"	U+E06D	6stringTabClef
"talltab"	U+F40A	6stringTabClefTall
"seriftab"	U+F40B	6stringTabClefSerif
"4stringtab"	U+F61F	4stringTabClefClassic
"4stringmoderntab"	U+E06E	4stringTabClef
"4stringtalltab"	U+F40C	4stringTabClefTall
"4stringseriftab"	U+F40D	4stringTabClefSerif



### Ekmelos change clefs

"GG"	U+F630	gClef8vbOldChange
"tenorG"	U+F631	gClef8vbCClefChange
"varC"	U+F634	cClefFrench20CChange
"neomensural-c3"	U+F632	cClefSquareChange
"percussion"	U+F635	unpitchedPercussionClef1Change
"varpercussion"	U+F636	unpitchedPercussionClef2Change
"semipitched"	U+F6BE	semipitchedPercussionClef1Change
"varsemipitched"	U+F6BF	semipitchedPercussionClef2Change



# Time signatures

\ekmSmuflOn #'time

Draw SMuFL time signatures.

\ekmCompoundMeter TIME-SIGNATURE

Set the numeric time signature.

\ekm-compound-meter TIME-SIGNATURE

Draw the numeric time signature as markup.

Compound meters use the large plus sign between fractions and the small plus sign between the numbers in a numerator. Some rational numbers can be part of a numerator. If specified in a pair, e.g. (1 . 1/2), this is treated as a single number without a plus sign in between.

4/4	$\mathbf{c}$	U+E08A	timeSigCommon
2/2	¢	U+E08B	timeSigCutCommon
0	<b>O</b> :	U+E080	timeSig0
9	9	U+E089	timeSig9
+	+	U+E08C	timeSigPlus
	+	U+E08D	timeSigPlusSmall
1/4	1/4	U+E097	timeSigFractionQuarter
1/2	1/2	U+E098	timeSigFractionHalf
3/4	3⁄4	U+E099	time SigFraction Three Quarters
1/3	1/3	U+E09A	time SigFraction One Third
2/3	2∕3	U+E09B	timeSigFractionTwoThirds

```
\relative c'' {
          \ekmCompoundMeter #'(5 8)
          c8 c c c c
          \ensuremath{\mbox{\mbox{\sc helmCompoundMeter}}\xspace \#'((2\ 8)\ (3\ 8))
          c8 c c c c
           \ekmCompoundMeter #'(2 3 8)
          c8 c c c c
           \break
          \ekmCompoundMeter #'(1 1/4 2)
          c8 c c c c
           \ensuremath{\mbox{\mbox{\sc helmCompoundMeter}}} \#'(((1 . 1/4) 2))
          c8 c c c c
           \break
           \ekmCompoundMeter #'((2 4) (1 4) (1 8))
          c8 c c c c c c
          \ekmCompoundMeter #'((2 4) (2 1 8))
          c8 c c c c c c
           c8 c c c c c c
          \break
          \ensuremath{\mbox{\mbox{\mbox{$^{\prime}$}}}\ensuremath{\mbox{\mbox{\mbox{$^{\prime}$}}}\ensuremath{\mbox{\mbox{$^{\prime}$}}}\ensuremath{\mbox{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\ensuremath{\mbox{$^{\prime}$}}\en
          c8 c c c c c c
          \ensuremath{\mbox{\mbox{chmCompoundMeter}}} \#'((2\ 4)\ ((1\ .\ 1/2)\ 4))
          c8 c c c c c c
          \ensuremath{\mbox{\sc hekmCompoundMeter}} #'(2 (1 . 1/2) 4)
          c8 c c c c c c
}
```

# Cadenza signatures

\ekmCadenzaOn STYLE

Start a cadenza like \cadenzaOn and set a signature.

### Styles

"X" U+E09C timeSigX

"~" U+E09D timeSigOpenPenderecki


'time-x deprecated 'time-penderecki deprecated



# Staff dividers and Separators

### \ekmStaffDivider DIRECTION

Draw the next barline with an indicator to split or recombine the staff and set a  $\briangle$ . The direction specifies the type of indicator (arrow).



system-separator-markup = \ekmSlashSeparator SIZE

Draw a system separator mark, corresponding to SIZE (set within a \paper block).

### Size ranges

```
U+E007 systemDivider
U+E008 systemDividerLong
U+E009 systemDividerExtraLong
```

```
\new Staff
<<
    \new Voice {
      \relative c'' {
       \voiceOne
      g a b c
      \bar "||" \ekmStaffDivider #CENTER
    }
}
\new Voice {
    \relative c' {
      \voiceTwo
      e c f e
    }
}
</pre>
```




### Note heads

### \ekmSmuflOn #'notehead


Draw SMuFL note heads. The harmonic and cross glyphs are also used with commands like harmonic and xNote.












## Ekmelos styles



### Shape note heads

All forms in LilyPond are supported, but some note heads of Feta don't have exact matches in SMuFL, e.g. the thin shapes of \southernHarmonyHeads and the reversed shapes for stem up of \funkHeads.

### Sacred Harp

\sacredHarpHeads


	-		
fa		U+ECD3	noteShapeTriangleLeftDoubleWhole
	į	U+E1B6	noteShapeTriangleLeftWhite
	į	U+E1B7	noteShapeTriangleLeftBlack
		U+ECD2	noteShapeTriangleRightDoubleWhole
	į	U+E1B4	noteShapeTriangleRightWhite
	I	U+E1B5	noteShapeTriangleRightBlack
sol	į	U+ECD0	noteShapeRoundDoubleWhole
	I	U+E1B0	noteShapeRoundWhite
		U+E1B1	noteShapeRoundBlack
la	į	U+ECD1	noteShapeSquareDoubleWhole
	I	U+E1B2	noteShapeSquareWhite
		U+E1B3	noteShapeSquareBlack
mi	I	U+ECD4	noteShapeDiamondDoubleWhole
		U+E1B8	noteShapeDiamondWhite
	į.	U+E1B9	noteShapeDiamondBlack
	· · · · · · · · · · · · · · · · · · ·		





### Southern Harmony

\southernHarmonyHeads



\southernHarmonyHeadsMinor



# Funk (Harmonia Sacra)

## \funkHeads

do	U+ECDB	noteShapeMoonLeftDoubleWhole
	U+E1C6	noteShapeMoonLeftWhite
	U+E1C7	noteShapeMoonLeftBlack
re	U+ECDC	noteShapeArrowheadLeftDoubleWhole
	U+E1C8	noteShapeArrowheadLeftWhite
	U+E1C9	noteShapeArrowheadLeftBlack
mi	U+ECD4	noteShapeDiamondDoubleWhole
	U+E1B8	noteShapeDiamondWhite
	U+E1B9	noteShapeDiamondBlack
fa	U+ECD3	noteShapeTriangleLeftDoubleWhole
	U+E1B6	noteShapeTriangleLeftWhite
	U+E1B7	noteShapeTriangleLeftBlack
	U+ECD2	noteShapeTriangleRightDoubleWhole
	U+E1B4	noteShapeTriangleRightWhite
	U+E1B5	noteShapeTriangleRightBlack
sol	U+ECD0	noteShapeRoundDoubleWhole
	U+E1B0	noteShapeRoundWhite
	U+E1B1	noteShapeRoundBlack
la	U+ECD1	noteShapeSquareDoubleWhole
	U+E1B2	noteShapeSquareWhite
	U+E1B3	noteShapeSquareBlack
ti	U+ECDD	noteShapeTriangleRoundLeftDoubleWhole
	U+E1CA	noteShapeTriangleRoundLeftWhite
	U+E1CB	noteShapeTriangleRoundLeftBlack
		· · · · · · · · · · · · · · · · · · ·

## \funkHeadsMinor



## Walker

### \walkerHeads

do	U+ECD8	noteShapeKeystoneDoubleWhole
	U+E1C0	noteShapeKeystoneWhite
	U+E1C1	noteShapeKeystoneBlack
re	U+ECD9	
	U+E1C2	•
	U+E1C3	noteShapeQuarterMoonBlack
mi	U+ECD4	•
	U+E1B8	noteShapeDiamondWhite
	U+E1B9	noteShapeDiamondBlack
fa	U+ECD3	·
	U+E1B6	noteShapeTriangleLeftWhite
	U+E1B7	noteShapeTriangleLeftBlack
	U+ECD2	
	U+E1B4	noteShapeTriangleRightWhite
	U+E1B5	noteShapeTriangleRightBlack
sol	U+ECD0	
	U+E1B0	noteShapeRoundWhite
	U+E1B1	noteShapeRoundBlack
la	U+ECD1	noteShapeSquareDoubleWhole
	U+E1B2	noteShapeSquareWhite
	U+E1B3	noteShapeSquareBlack
ti	U+ECDA	noteShapeIsoscelesTriangleDoubleWhole
	U+E1C4	noteShapeIsoscelesTriangleWhite
	U+E1C5	noteShapeIsoscelesTriangleBlack



## \walkerHeadsMinor



# Aiken (Christian Harmony)

## \aikenHeads

	1141		
		U+E1BF	noteShapeTriangleRoundBlack
<del></del>		U+E1BE	noteShapeTriangleRoundWhite
ti		U+ECD7	noteShapeTriangleRoundDoubleWhole
		U+E1B3	noteShapeSquareBlack
		U+E1B2	noteShapeSquareWhite
la		U+ECD1	noteShapeSquareDoubleWhole
		U+E1B1	noteShapeRoundBlack
		U+E1B0	noteShapeRoundWhite
sol		U+ECD0	noteShapeRoundDoubleWhole
		U+E1B5	noteShapeTriangleRightBlack
		U+E1B4	noteShapeTriangleRightWhite
		U+ECD2	noteShapeTriangleRightDoubleWhole
		U+E1B7	noteShapeTriangleLeftBlack
14		U+E1B6	noteShapeTriangleLeftWhite
fa		U+ECD3	noteShapeTriangleLeftDoubleWhole
		U+E1B9	noteShapeDiamondBlack
		U+E1B8	noteShapeDiamondWhite
mi		U+ECD4	noteShapeDiamondDoubleWhole
		U+E1BD	noteShapeMoonBlack
16		U+E1BC	noteShapeMoonWhite
re		U+ECD6	noteShapeMoonDoubleWhole
		U+E1BA U+E1BB	noteShapeTriangleUpWhite noteShapeTriangleUpBlack
do		U+ECD5 U+E1BA	
do	ı	U+ECD5	noteShapeTriangleUpDoubleWhole





### Note name note heads

#### \ekmNameHeads...

Draw note heads with solfège (easy play) note names. [ Err ]





### Note clusters


#### \ekmMakeClusters MUSIC

Draw clusters instead of chords in MUSIC, consisting of a bottom and a top note head, and ignoring inner notes of the chords ('Cowell clusters').


### Styles







### Ekmelos styles



#### Note:

For intervals larger than a third (except for square) the drawn cluster is a stack of one bottom segment, M middle segments, and one top segment. Mid and Top are the staff positions of the middle and top segments relative to the bottom segment.

Interval	M	Mid	Top
4th	0	-	3
5th	1	2	4
6th	2	23	5
7th	3	234	6
octave	4	2345	7

The segment glyphs in Ekmelos are designed for these values.


However, in the implementation notes of SMuFL Note clusters, the octave cluster is said to have 3 middle segments, while the 6th cluster has 2 middle segments. The "appropriate number of middle segments" varies apparently depending on the font.


## Note head markup

\ekm-note-by-number STYLE LOG DOTS DIRECTION


Draw a note with augmentation dots as markup. It does not support stem lengths. STYLE can also be one of the note head styles . LOG is usually in the range -1 to 10.

### Styles





### Ekmelos styles



'straight U+F637 noteheadLongaUp U+F683 note8thUpStraight U+F686 note16thUpStraight U+F689 note32ndUpStraight

'short U+F637 noteheadLongaUp

U+F684

note8thUpShort U+F687 note16thUpShort U+F68A note32ndUpShort

'beamed U+F637 note head Longa Up

> U+F685 note8thUpBeamed U+F688 note16thUpBeamed U+F68B note32ndUpBeamed

# Augmentation dots

\ekmSmuflOn #'dot

Draw SMuFL augmentation dots.




# Flags and Grace note slashes

\ekmSmuflOn #'flag

Draw SMuFL flags and grace note slashes with \slashedGrace.

\ekmFlag STYLE

Set the specified flag style. It overrides the properties Flag.style and Stem.details.lengths.[Err]




### Bravura and Ekmelos styles



### Rests

### \ekmSmuflOn #'rest

Draw SMuFL rests and multi-measure rests, as well as SMuFL time signature digits for multi-measure rest numbers.



In the following example, the time signatures are LilyPond's Emmentaler glyphs while the multi-measure rest numbers are SMuFL glyphs.

```
\relative c'' {
  \ekmSmuflOn #'rest
  \compressMMRests {
    \times 2/4
   R2 R1 R\breve R\longa R\maxima
    \break
   \times 3/4
   R2. R2.*3 R2.*7 R2.*10
   R2.*35
    \override MultiMeasureRest.space-increment = 2.5
   R2.*35
    \break
  }
 \time 4/4
 R1
 \override MultiMeasureRest.staff-position = #1
  \override MultiMeasureRest.staff-position = #2
 R1
  \override MultiMeasureRest.staff-position = #4
 R1
  \override MultiMeasureRest.staff-position = #-1
  \override MultiMeasureRest.staff-position = #-2
  \override MultiMeasureRest.staff-position = #-8
 R1
}
```

# Rest markup

```
\ekm-rest-by-number LOG DOTS
```

Draw a rest with augmentation dots as markup. LOG is in the range -3 to 10. The dots are vertically centered, contrary to \rest-by-number.

#### Used properties:

- font-size (0)
- ledgers ('(-101))
- style ('())

\ekm-multi-measure-rest-by-number MEASURES

Draw a multi-measure rest as markup, with the number placed centered above unless it is 1.

# Used properties:

- font-size (0)
- expand-limit (10)
- style ('())
- word-space
- width (8)
- multi-measure-rest-number (#t)

\ekm-rest DURATION

Draw either a rest or a multi-measure rest as markup.

```
\ekm-rest-by-number #-1 #1
\ekm-rest-by-number #2 #2
\ekm-rest-by-number #3 #1

\ekm-multi-measure-rest-by-number #7
\ekm-multi-measure-rest-by-number #16

\ekm-rest { \breve. }
\ekm-rest { 4.. }
\ekm-rest { 8. }

\override #'(multi-measure-rest . #t)
\override #'(multi-measure-rest-number . #f)
\ekm-rest { 1*7 }

\override #'(multi-measure-rest . #t)
\ekm-rest { 1*7 }
```

$$\mathbf{r} \cdot \boldsymbol{\xi} \cdot \cdot \boldsymbol{\gamma} \cdot \boldsymbol{\gamma}$$

# System start delimiters

\ekmSmuflOn #'systemstart

 $\textbf{Draw SMuFL system start delimiters, using $$ \ekm-system-start . }$ 









 $\verb|\ekm-system-start STYLE HEIGHT| \\$ 

Draw a system start delimiter of HEIGHT in staff units as markup.

# Used property:

• font-size (0)

# Styles



# Bravura and Ekmelos styles

<sup>&#</sup>x27;brace makes use of Bravura's stylistic alternates or Ekmelos' size variants, each intended for a specific size range.

# Dynamics

\ekmSmuflOn #'dynamic

Draw SMuFL absolute dynamic marks, using  $\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\verb|}\ensuremath{\ensuremath{\verb|}\ensuremath{\e$ 

\ekm-dynamic DEFINITION

Draw a dynamic symbol according to DEFINITION as markup.

DEFINITION must be either a single token or a sequence of the letters f, m, n, p, r, s, z, whose corresponding symbols are concatenated. This is slightly different from the usual interpretation of definition strings.

р	$oldsymbol{p}$	U+E520	dynamicPiano
m	m	U+E521	dynamicMezzo
f	${m f}$	U+E522	dynamicForte
r	$m{r}$	U+E523	dynamicRinforzando
S	S	U+E524	dynamicSforzando
Z	$\boldsymbol{z}$	U+E525	dynamicZ
n	$\boldsymbol{n}$	U+E526	dynamicNiente
mp	mp	U+E52C	dynamicMP
mf	mf	U+E52D	dynamicMF
pf	<b>pf</b>	U+E52E	dynamicPF
fp	fp	U+E534	dynamicFortePiano
pppppp	pppppp	U+E527	dynamicPPPPPP
	:		
pp	pp	U+E52B	dynamicPP
ff	$f\!\!f$	U+E52F	dynamicFF
	:		
ffffff	<i>ffffff</i>	U+E533	dynamicFFFFFF
fz	<b>f</b> z	U+E535	dynamicForzando
sf	sf	U+E536	dynamicSforzando1
sfp	sfp	U+E537	dynamicSforzandoPiano
sfpp	sfpp	U+E538	dynamicSforzandoPianissimo
sfz	s <b>f</b> z	U+E539	dynamicSforzato
sfzp	sfzp	U+E53A	dynamicSforzatoPiano
sffz	s <b>ff</b> z	U+E53B	dynamicSforzatoFF
rf	rf	U+E53C	dynamicRinforzando1
rfz	r <b>f</b> z	U+E53D	dynamicRinforzando2
Ekmelos tokens			
sff	s <b>f</b> f	U+F645	dynamicSforzandoFF
sp	sp	U+F646	dynamicSP
spp	spp	U+F647	dynamicSPP
sfffz	s <b>fff</b> z	U+F6F4	dynamicSforzatoFFF
sffffz	s <b>ffff</b> z	U+F6F5	dynamicSforzatoFFFF

\ekmParensDyn STYLE DYNAMIC-MARK

Draw the absolute dynamic mark parenthesized.


# Styles

- 'default
- 'bracket
- 'brace
- 'angle



\ekmParensHairpin STYLE

Draw the subsequent hairpin parenthesized.



\ekmSmuflOn #'script

Draw SMuFL scripts for expressive marks like articulations, ornamentations, performance indications, fermatas, repeat signs, etc.

```
\ekmScript SCRIPT-NAME #'(EXTEXT-DOWN . EXTEXT-UP)
\ekmScript SCRIPT-NAME EXTEXT
```

Create a script from EXTEXT, either a pair for down and up or a single value for both directions. If the latter is a list it must be enclosed in a list. SCRIPT-NAME is the symbol of an existing script like accent, marcato, trill, turn, upbow, open, lheel, segno, etc. It determines the vertical positioning of the script. [Ly]

```
\ekmScriptSmall SCRIPT-NAME #'(EXTEXT-DOWN . EXTEXT-UP)
\ekmScriptSmall SCRIPT-NAME EXTEXT
```

Create a script with a 3 steps smaller font size. [Ly]

#### Articulations

\accent U+E4A0 articAccentAbove U+E4A1 articAccentBelow \ekmScript #'accent #'(#xE4B1 . #xE4B0) U+ED40 \espressivo articSoftAccentAbove U+ED41 articSoftAccentBelow \ekmScript #'espressivo #'(#xED43 #xED42) > O O O O O O O O \marcato U+E4AC articMarcatoAbove U+E4AD articMarcatoBelow \ekmScript #'marcato #'(#xE4BD . #xE4BC) \tenuto U+E4A4 articTenutoAbove U+E4A5 articTenutoBelow articTenutoStaccatoAbove \portato U+E4B2 U+E4B3 articTenutoStaccatoBelow O O U+E4A2 articStaccatoAbove \staccato articStaccatoBelow U+E4A3 \staccatissimo U+E4A6 articStaccatissimoAbove U+E4A7 articStaccatissimoBelow \ekmScript #'staccatissimo #'(#xE4A9 . #xE4A8) \ekmScript #'staccatissimo #'(#xE4AB . #xE4AA)

\ekmScript #'accent #'(#xE4B7 . #xE4B6)
\ekmScript #'accent #'(#xE4B9 . #xE4B8)



# Ornamentations

\ekmScriptSmall	#'trill	##xE566				
\prall		U+E56C	ornamentS	hortTrill		
\prallprall		U+E56E	ornamentT	remblement		
\mordent		U+E56D	ornamentM	lordent		
\prallmordent		U+E5BD	ornamentP	recompTrillWith	Mordent	
dr	<b>dr</b>	*	***	<b>4</b>	**	
0	0	0	0	0	0	


<b>***</b>	( ***	<b>(** *</b>	Cook	~~
\lineprall			U+E5B2	ornamentPrecompAppoggTrill
\pralldown			U+E5C8	ornamentPrecompTrillLowerSuffix
\prallup	;	3 ×	U+E59D U+E5A4	ornamentZigZagLineNoRightEnd ornamentRightVerticalStroke
\downmordent			U+E5C7	or nament PrecompInverted Mordent Upper Prefix
\upmordent			U+E5B8	ornamentPrecompSlideTrillBach
\downprall			U+E5C6	or nament Precomp Mordent Upper Prefix
\upprall	:	2 ×	U+E59A U+E59D U+E59E	ornamentBottomLeftConcaveStroke ornamentZigZagLineNoRightEnd ornamentZigZagLineWithRightEnd

\reverseturn	U+E568	ornamentTurnInverted		
\slashturn	U+E569	ornamentTurnSlash		
\haydnturn \ekmScript #'turn ##xE56A	U+E56F	ornamentHaydn		
veximocripe # curn ##xE30F	රු	∞	2	


#### Performance indications

\upbow U+E612 stringsUpBow \ekmScript #'upbow ##xE61C \ekmScript #'upbow ##xE61E \ekmScript #'upbow ##xE613 V O O O \downbow U+E610 stringsDownBow \ekmScript #'downbow ##xE61B \ekmScript #'downbow ##xE61D \ekmScript #'downbow ##xE611 \ekmScript #'downbow ##xE626 \ekmScript #'upbow ##xE61F \ekmScript #'downbow #'(#xE621 . #xE620)  $(\square \lor)$ O O O <del>....</del> \flageolet U+E614 stringsHarmonic \snappizzicato U+E631 pluckedSnapPizzicatoAbove U+E630 pluckedSnapPizzicatoBelow \ekmScript #'snappizzicato ##xE632 \stopped U+E633 pluckedLeftHandPizzicato \ekmScript #'stopped ##xE5E5 \ekmScript #'halfopen ##xE5E6 \ekmScript #'open ##xE5E7 Ф O O O \lheel U+E661 keyboardPedalHeel1 \rheel U+E662 keyboardPedalHeel2 \ekmScript #'lheel ##xE663 \ltoe U+E664 keyboardPedalToe1 \rtoe U+E665 keyboardPedalToe2 \ekmScript #'rtoe ##xE674

#### Fermatas



# Repeat signs



#### Ekmelos scripts (Examples)

```
\ekmScript #'accent #'((#xE4A1 1) . (#xE4A0 1))
\ekmScript #'accent #'((#xE4A1 2) . (#xE4A0 2))
\ekmScript #'accent #'((#xE4A5 #xE4A1 #xE4A1) .
                         (#xE4A4 #xE4A0 #xE4A0))
\ekmScript #'portato #'((#xE4AD #xE4A5 #xE4A3) .
                          (#xE4AC #xE4A4 #xE4A2))
                                   \leq
                                   O
                                                  O
                            O
                                           O
             O
                                                         O
                                           ≥
                                                          \dot{\overline{\mathbf{v}}}
\ekmScript #'trill #'((#xE260 #xE566))
\ekmScript #'turn #'((#xE260 #xE567 #xE262))
\ekmScript #'downbow #'((#xE626 1))
\ekmScript #'downbow #'((#xE626 2))
            ŧr
                                      \Gamma
\open
\halfopen
#(make-articulation 'halfopenvertical)
\ekmScript #'stopped #'((#xE633 #xE614) . (#xE614 #xE633))
          0
          O
                                O
                                           O
                     O
                                                      O
\ekmScript #'veryshortfermata #'(#xF69F . #xF69E)
\ekmScript #'verylongfermata #'(#xF6A1 . #xF6A0)
\ekmScript #'segno #'((#xE047 1))
\ekmScript #'coda #'((#xE048 1))
                          O
                  0
                                    <u>E</u>
```

# Multi-segment spanner

\ekmSmuflOn #'textspan

Draw text spans assembled from SMuFL multi-segment glyphs.

\ekmSmuflOn #'trill

Draw trill spans assembled from SMuFL multi-segment glyphs, and SMuFL trill pitches.

See also Trill spans and pitches.

\ekmStartSpan STYLE TEMPO ATTACHMENT

Start a text span or trill span. [Ly]

The style trill starts a trill span. A second style can be added to draw other glyphs, e.g.

trill-vibrato-large. Any other style starts a text span. An undefined style like dashed-line produces normal LilyPond output.

TEMPO is a number or a pair of numbers (rounded to integer) for the segments of the spanner. 0 is the main (medium) segment. Positive values mean faster (narrower) segments. Negative values mean slower (wider) segments. A pair ' (A . B) draws all segments from A through B, evenly distributed over the spanner. The available range of numbers depends on the style.

ATTACHMENT is an EXTEXT or a pair ' (EXTEXT-LEFT . EXTEXT-RIGHT) for the edge symbols. A single EXTEXT is equivalent to ' (EXTEXT . 0). It must be specified in a pair if itself is a list.

#f draws the standard glyph on the left and right edge according to the style.

\ekmStartSpanMusic STYLE TEMPO ATTACHMENT MUSIC

Start a text span or trill span at MUSIC. [Ly]

This is a music function that doesn't need the textspan or trill SMuFL switch turned on.


#### Styles

'trill			
left	<b>Ar</b>	U+E566	ornamentTrill
4	•	U+EAA0	wiggleTrillFastest
	:		
0	~	U+EAA4	wiggleTrill
	:		
-4	~	U+EAA8	wiggleTrillSlowest
'vibrato			
'vibrato left	r	U+EACC	wiggleVibratoStart
	U. 1	U+EACC U+EADB	wiggleVibratoStart wiggleVibratoMediumFastest
left			
left	•		
left 3	• :	U+EADB	wiggleVibratoMediumFastest
left 3	• :	U+EADB	wiggleVibratoMediumFastest


'vibrato-small			
left	v	U+EACC	wiggleVibratoStart
3	۸	U+EAD4	wiggleVibratoSmallFastest
	•	012/101	mggio viorato emain actoci
0	~	U+EAD7	wiggleVibratoSmallFast
-	:		
-3	~	U+EADA	wiggleVibratoSmallSlowest
'vibrato-smallest			
left	v.	U+EACC	wiggleVibratoStart
3	•	U+EACD	wiggleVibratoSmallestFastest
	:		
0	~	U+EAD0	wiggleVibratoSmallestFast
	:		
-3	~	U+EAD3	wiggleVibratoSmallestSlowest
'vibrato-large			
left	v	U+EACC	wiggleVibratoStart
3	v	U+EAE2	wiggleVibratoLargeFastest
	· ·	0,2,12	
0	<b>~</b>	U+EAE5	wiggleVibratoLargeFast
	:		
-3	$\sim$	U+EAE8	wiggleVibratoLargeSlowest
'vibrato-largest			
left	U	U+EACC	wiggleVibratoStart
3	<b>1</b>	U+EAE9	wiggleVibratoLargestFastest
_	:		
0	$\sim$	U+EAEC	wiggleVibratoLargestFast
2	:	= 4 = 5	
-3		U+EAEF	wiggleVibratoLargestSlowest
'circular			
left	G,	U+EAC4	wiggleCircularStart
4	<i>/</i> *3	U+EACA	wiggleCircularSmall
	:		
0	,·*;	U+EAC9	wiggleCircular
	:		
-4	,,,,,,,	U+EAC5	wiggleCircularLargest
right	, <del>~</del>	U+EACB	wiggleCircularEnd
'circular-constant	•	II E400	win als Circular Constant and
2	7	U+EAC2	wiggleCircularConstantLarge
1	d	U+EAC0	wiggleCircularConstant
0	7	U+EAC0	wiggleCircularConstant
-1	Q.	U+EAC1	wiggleCircularConstantFlipped
	_		
-2	Q	U+EAC3	wiggleCircularConstantFlippedLarge

'wavy 1 0 -1	$\bigwedge^{\wedge}$	U+EAB4 U+EAB5 U+EAB6	wiggleWavyNarrow wiggleWavy wiggleWavyWide
'square 1 0 -1	т 	U+EAB7 U+EAB8 U+EAB9	wiggleSquareWaveNarrow wiggleSquareWave wiggleSquareWaveWide
'sawtooth 1 0 -1	^ ^	U+EABA U+EABB U+EABC	wiggleSawtoothNarrow wiggleSawtooth wiggleSawtoothWide
'beam 7	ſ	U+EB02	beamAccelRit15
0	· :	U+EAFB	beamAccelRit8
-7		U+EAF4	beamAccelRit1
right	1	U+EB03	beamAccelRitFinal

# Ekmelos styles



```
\relative c'' {
  \ekmSmuflOn #'textspan
  c1 \ekmStartSpan
       #'vibrato
       #'(3 . -3)
       ##f
  c c c c2 \stopTextSpan
  d2 \ekmStartSpan
       #'vibrato-large
       #'(3 . -3)
       #0
  d1 d d \stopTextSpan
  R1
  c1 \ekmStartSpan
       #'circular
       \#'(-4 . -1)
       ##f
  c d d e e f \stopTextSpan
  R1
  \textSpannerDown
  d1 \ekmStartSpan
       #'wavy
       #'(0 . -6) % this range uses Ekmelos glyphs
       #'((#xE651 #xE652) . #xE653)
  d d d d d d d d d d d
  R1 \stopTextSpan
  \textSpannerNeutral
  c1 \ekmStartSpan
       #'beam
       \#'(-5.5)
       ##f
  c c c c c c
 R1 \stopTextSpan
}
```



# Trill spans and pitches

\ekmSmuflOn #'trill

Draw trill spans assembled from SMuFL multi-segment glyphs, and SMuFL trill pitches.

\ekmStartTrillSpan TEMPO

Start a trill span with the style trill. See Multi-segment spanner. [Ly]

TEMPO is a number or a pair of numbers (rounded to integer) for the segments of the spanner, usually in the range 4 to -4.

\startTrillSpan is equivalent to \ekmStartTrillSpan #0
and to \ekmStartSpan #'trill #0 ##f

\ekmPitchedTrill NOTEHEAD-STYLE PARENS-STYLE MAIN-NOTE AUXILIARY-NOTE

Draw a trill pitch. For NOTEHEAD-STYLE see Noteheads . For variable accidentals on AUXILIARY-NOTE see Ekmelily . [ Err ]

\pitchedTrill is equivalent to \ekmPitchedTrill #'default #'default


#### Parenthesis styles

U+E26A	accidentalParensLeft
U+E26B	accidentalParensRight
U+E26C	accidentalBracketLeft
U+E26D	accidentalBracketRight
	<i>4</i> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
0	O O
•	U+E26B U+E26C U+E26D

# Ekmelos parenthesis styles

	dp	•	<i>fp</i>
angre		U+F6D7	accidentalAngleRight
'angle		U+F6D6	accidentalAngleLeft
		U+F6D5	accidentalBraceRight
'brace		U+F6D4	accidentalBraceLeft

```
\relative c'' {
  \ekmSmuflOn #'trill
  c1 \ekmStartTrillSpan #0
  c c2. d4 \stopTrillSpan
 R1
  c \ekmStartTrillSpan #-1
  d \ekmStartTrillSpan #-2
  e \ekmStartTrillSpan #-3
  f \ekmStartTrillSpan #-4
  g \stopTrillSpan
 R1
  c, \ekmStartTrillSpan #'(-1 . -4)
  d e f g \stopTrillSpan
  R1
  \afterGrace
  d2 \ekmStartTrillSpan #2
  { c16[ d] }
  c2 \stopTrillSpan
  R1
  \ekmPitchedTrill #'triangle #'bracket
  d1 \ekmStartTrillSpan #4
  d d2 c \stopTrillSpan
  c1 \ekmStartSpan
       #'trill
       \# - 1
       \#'((\#xE262 \ \#xE566) \ . \ 0) \ % \ draws an Ekmelos ligature
  c c2. d4 \stopTrillSpan
  R1
  c1 \ekmStartSpan
       #'trill
       #-3
       #`(,(markup #:concat
             (#:ekm-char #xE566
              #:general-align Y -0.7
                #:fontsize -2
                  #:ekm-char #xE262))
          . 0)
  c c2. d4 \stopTrillSpan
  R1
  c1 \ekmStartSpan
       #'trill-vibrato-large
       #'(3 . -3)
       #"tr"
  ccccccstopTrillSpan
}
```





# Laissez vibrer

\ekmSmuflOn #'lv

Draw SMuFL laissez vibrer ties.

\ekmLaissezVibrer SIZE

Draw a laissez vibrer tie after a note, corresponding to SIZE. [Ly]

\laissezVibrer is equivalent to \ekmLaissezVibrer #0

# Size range

any number	U+E4BA	articLaissezVibrerAbove
	U+E4BB	articLaissezVibrerBelow

# Ekmelos size ranges


<= 5.5	U+E4BA	articLaissezVibrerAbove
	U+E4BB	articLaissezVibrerBelow
<= 8	U+F6FC	articLaissezVibrerAboveLong
	U+F6FD	articLaissezVibrerBelowLong
> 8	U+F6FE	articLaissezVibrerAboveExtraLong
	U+F6FF	articLaissezVibrerBelowExtraLong



# Breathing signs and Caesuras

\ekmBreathing EXTEXT

Draw a breathing sign or caesura from  $\mathsf{EXTEXT}$  .



# Colon and Segno bar lines

\ekmSmuflOn #'colon


Draw SMuFL colon bar lines.

\ekmSmuflOn #'segno

Draw SMuFL segno bar lines.

Note that both, colon and segno are set independently of a context and cannot be turned off.

# Bar glyphs : U+E043 repeatDots S U+E04A segnoSerpent1 Ekmelos bar glyphs s U+F6C8 segnoSerpentSmall1 \$ U+F6CA segnoSerpentLarge1



# Percent repeats

\ekmSmuflOn #'percent

Draw SMuFL percent repeats.

```
U+E504 repeatBarSlash
U+E500 repeat1Bar
U+E501 repeat2Bars
```


```
\relative c'' {
  \ekmSmuflOn #'percent

\repeat percent 2 { c2 }
  \repeat percent 4 { c4 }
  \repeat percent 4 { c8 d }
  \repeat percent 4 { c16 d e f }
  \repeat percent 5 { c32 d e f }
  \repeat percent 4 { c64 d e f }
  \repeat percent 4 { c128 d e f }
  \repeat percent 2 { c4 d e d }
  \repeat percent 2 { c2 e }
  \break

\repeat percent 2 { c4 d e d }
  \repeat percent 2 { c4 d e d }
  \repeat percent 2 { c4 d e d }
  \repeat percent 2 { c4 d e d | c2 e }
}
```










# Tremolo marks

\ekmSmuflOn #'tremolo

Draw SMuFL tremolo marks on stems.

The style (shape) can be set with

\override StemTremolo.shape = #STYLE



#### \ekmTremolo EXTEXT MUSIC

Names


Draw a tremolo mark from EXTEXT on the stems of the tremolo notes in MUSIC, independent of the subdivision: N, and independent of the tremolo switch. A list of code points or a markup is centered horizontally, while a single code point is assumed being a centered stem decoration. Some strings are defined as names of symbols.

# "buzzroll" "penderecki" "stockhausen" "unmeasured" "unmeasuredS" U+E22A buzzRoll pendereckiTremolo pendereckiTremolo u+E232 stockhausenTremolo unmeasuredTremolo unmeasuredTremoloSimple

# Symbols on stem (Stem decorations)

#### \ekmStem EXTEXT MUSIC

Draw a symbol from EXTEXT vertically centered on the stems in MUSIC. A list of code points or a markup is centered horizontally, while a single code point is assumed being a centered stem decoration. Some strings are defined as names of symbols.





# **Arpeggios**

\ekmSmuflOn #'arpeggio


Draw SMuFL arpeggios.

The style can be set with


\override Arpeggio.style = #STYLE

Use \ekmArpeggioNormal, \ekmArpeggioArrowUp, and \ekmArpeggioArrowDown instead of \arpeggioNormal, etc. which turn off the SMuFL support (they revert the stencil).

# Styles



```
\new PianoStaff \with {
  \ekmSmuflOn #'arpeggio
}
<<
  \set PianoStaff.connectArpeggios = ##t
  \new Staff \relative c'' {
    \time 6/4
    <c e g c>4 \arpeggio
    \once \override PianoStaff.Arpeggio.arpeggio-direction = #UP
    <g c e g> \arpeggio
    \once \override PianoStaff.Arpeggio.arpeggio-direction = #DOWN
    <e g c e> \arpeggio
    \override PianoStaff.Arpeggio.style = #'swash
    <c' e g c> \arpeggio
    \once \override PianoStaff.Arpeggio.arpeggio-direction = #UP
    <g c e g> \arpeggio
    \once \override PianoStaff.Arpeggio.arpeggio-direction = #DOWN
    <e g c e> \arpeggio
  \new Staff \relative c, {
    \clef bass
    <c e g c>4 \arpeggio
    <c e g c> \arpeggio
>>
```




# Ottavation


# The ottavation style (markups) can be set with


\set Staff.ottavationMarkups = #(ekm-ottavation STYLE)


# Styles












#### Note:

According to the implementation notes of SMuFL Octaves, the suffixes vb and mb as in simple-ordinals and ordinals-b are corruptions of the more correct forms va bassa and ma bassa as in ordinals-bassa. The recommended abbreviation for 8va bassa is 8ba as in numbers-ba and ordinals-ba.

# Ekmelos styles



# \ekm-ottavation DEFINITION

# Draw an ottavation text according to DEFINITION as markup.

8	8	U+E510	ottava
8^va	$8^{va}$	U+E511	ottavaAlta
8va	8va	U+E512	ottavaBassa
8ba	8ba	U+E513	ottavaBassaBa
8vb	8vb	U+E51C	ottavaBassaVb
15	<i>1</i> 5	U+E514	quindicesima
15^ma	$15^{ma}$	U+E515	quindicesimaAlta
15ma	<b>15</b> ma	U+E516	quindicesimaBassa
15mb	<i>1</i> 5mb	U+E51D	quindicesimaBassaMb
22	22	U+E517	ventiduesima
22^ma	$22^{ma}$	U+E518	ventiduesimaAlta
22ma	22ma	U+E519	ventiduesimaBassa
22mb	22mb	U+E51E	ventiduesimaBassaMb
(	(	U+E51A	octaveParensLeft
( )	(	U+E51A U+E51B	octaveParensLeft octaveParensRight
	`		
)	)	U+E51B	octaveParensRight
) bassa	bassa loco a	U+E51B U+E51F	octaveParensRight octaveBassa
) bassa loco	bassa loco	U+E51B U+E51F U+EC90	octaveParensRight octaveBassa octaveLoco
bassa loco ^a	bassa loco a	U+E51B U+E51F U+EC90 U+EC92	octaveParensRight octaveBassa octaveLoco octaveSuperscriptA
<pre>bassa loco ^a ^b</pre>	bassa loco a b	U+E51B U+E51F U+EC90 U+EC92 U+EC94	octaveParensRight octaveBassa octaveLoco octaveSuperscriptA octaveSuperscriptB
<pre>bassa loco ^a ^b ^m</pre>	bassa loco a b	U+E51B U+E51F U+EC90 U+EC92 U+EC94 U+EC96	octaveParensRight octaveBassa octaveLoco octaveSuperscriptA octaveSuperscriptB octaveSuperscriptM
<pre>bassa loco ^a ^b ^m</pre> <pre>^v</pre>	bassa loco a b m	U+E51B U+E51F U+EC90 U+EC92 U+EC94 U+EC96 U+EC98	octaveParensRight octaveBassa octaveLoco octaveSuperscriptA octaveSuperscriptB octaveSuperscriptM octaveSuperscriptV
<pre>bassa loco ^a ^b ^m ^v a</pre>	bassa loco a b m v	U+E51B U+E51F U+EC90 U+EC92 U+EC94 U+EC96 U+EC98 U+EC91	octaveParensRight octaveBassa octaveLoco octaveSuperscriptA octaveSuperscriptB octaveSuperscriptM octaveSuperscriptV octaveBaselineA
<pre>bassa loco ^a ^b ^m ^v a b</pre>	bassa loco a b m v a b	U+E51B U+E51F U+EC90 U+EC92 U+EC94 U+EC96 U+EC98 U+EC91 U+EC93	octaveParensRight octaveBassa octaveLoco octaveSuperscriptA octaveSuperscriptB octaveSuperscriptM octaveSuperscriptV octaveBaselineA octaveBaselineB

# Ekmelos tokens

8^vb	$8^{vb}$	U+F652	ottavaBassaSupVb
15^mb	$15^{mb}$	U+F653	quindicesimaBassaSupMb
22^mb	$22^{mb}$	U+F654	ventiduesimaBassaSupMb
29	<b>29</b>	U+F6F8	ventinovesima
29^ma	$29^{ma}$	U+F6F9	ventinovesimaAlta
29ma	29ma	U+F6FA	ventinovesimaBassa
29^mb	$29^{mb}$	U+F655	ventinovesimaBassaSupMb
29mb	29mb	U+F6FB	ventinovesimaBassaMb

# **Tuplet numbers**

```
\ekmSmuflOn #'tuplet
```

Draw SMuFL tuplet numbers as numerator only. Set the first formatting function below, so this switch is not required if one of these functions is set explicitly.

```
        0
        U+E880
        tuplet0

        :
        9
        9
        U+E889
        tuplet9

        :
        U+E88A
        tupletColon
```

```
ekm-tuplet-number::calc-denominator-text
ekm-tuplet-number::calc-fraction-text
(ekm-tuplet-number::non-default-tuplet-denominator-text NUM)
(ekm-tuplet-number::non-default-tuplet-fraction-text NUM DENOM)

(ekm-tuplet-number::append-note-wrapper
    FUNCTION DURATION)
(ekm-tuplet-number::fraction-with-notes
    NUM-DURATION DENOM-DURATION)
(ekm-tuplet-number::non-default-fraction-with-notes
    NUM NUM-DURATION DENOM DENOM-DURATION)
```

Tuplet formatting functions. The last three draw metronome style notes for the specified durations.

```
(ekm-tuplet-number NUM DENOM)
```

Draw NUM:DENOM, or NUM only if DENOM is 0. Use the actual tuplet fraction for NUM or DENOM if #f is specified. It is called by the first four functions above, i.e. they are equivalent to:

```
(ekm-tuplet-number #f 0)
(ekm-tuplet-number #f #f)
(ekm-tuplet-number NUM 0)
(ekm-tuplet-number NUM DENOM)
```

```
\relative c'' {
  \cadenzaOn
  c4
  \override TupletNumber.text =
    #ekm-tuplet-number::calc-denominator-text
  \t 5/4  {
   f8 e f
    \tuplet 3/2 { e[ f g] }
  \bar "|"
  \override TupletNumber.text =
    #ekm-tuplet-number::calc-fraction-text
  \tuplet 12/7 { c,,8[ defgabcdefg] }
  \tuplet 2/3 { e4 d }
  \bar "|"
  \break
  \once \override TupletNumber.text =
    #(ekm-tuplet-number::append-note-wrapper
      ekm-tuplet-number::calc-fraction-text
       (ly:make-duration 2 0))
  \tuplet 5/4 { c8[ d c d c d c d c d] }
  \bar "|"
  \once \override TupletNumber.text =
    #(ekm-tuplet-number::fraction-with-notes
      (ly:make-duration 2 1)
      (ly:make-duration 3 0))
  \tuplet 3/2 { c4. b a g }
  \bar "|"
  \once \override TupletNumber.text =
    #(ekm-tuplet-number::non-default-fraction-with-notes
     12 (ly:make-duration 3 0)
     4 (ly:make-duration 2 0))
  \bar "|"
}
```

# Fingering instructions

# \ekmSmuflOn #'fingering

Draw SMuFL fingering instructions specified with a digit or with  $\finger$ , as well as right-hand fingerings specified with  $\finger$ , using  $\ensuremath{\mbox{\mbox{chm-finger}}}$ .

Note: The  $\t$ humb command always produces normal LilyPond output. Use  $\t$ inger "th" to draw the corresponding SMuFL glyph.

# \ekm-finger DEFINITION

Draw a fingering instruction according to DEFINITION as markup. If the first character is \* the italic style symbols are drawn, else the default symbols.

'default			
0	0	U+ED10	fingering0
	:		
5	5	U+ED15	fingering5
6	6	U+ED24	fingering6
	:		
9	9	U+ED27	fingering9
(	(	U+ED28	fingeringLeftParenthesis
)	)	U+ED29	fingeringRightParenthesis
[	[	U+ED2A	fingeringLeftBracket
]	]	U+ED2B	fingeringRightBracket
•	•	U+ED2C	fingeringSeparatorMiddleDot
,	0	U+ED2D	fingering Separator Middle Dot White
/	/	U+ED2E	fingeringSeparatorSlash
~~	^	U+ED20	fingeringSubstitutionAbove
~	$\smile$	U+ED21	fingeringSubstitutionBelow
_	-	U+ED22	fingeringSubstitutionDash
М	С	U+ED23	fingeringMultipleNotes
th	Q	U+E624	stringsThumbPosition
ht	ò	U+E625	stringsThumbPositionTurned
T	T	U+ED16	fingeringTUpper
t	t	U+ED18	fingeringTLower
р	$\boldsymbol{p}$	U+ED17	fingeringPLower
i	i	U+ED19	fingeringILower
m	m	U+ED1A	fingeringMLower
a	$\boldsymbol{a}$	U+ED1B	fingeringALower
С	$\boldsymbol{c}$	U+ED1C	fingeringCLower
X	$\boldsymbol{x}$	U+ED1D	fingeringXLower
е	e	U+ED1E	fingeringELower
0	0	U+ED1F	fingeringOLower
q	$\boldsymbol{q}$	U+ED8E	fingeringQLower
S	8	U+ED8F	fingeringSLower

```
R
                                         U+E66E
                                                    keyboardPlayWithRH
RE
                                         U+E66F
                                                    keyboardPlayWithRHEnd
\mathbf{L}
                                         U+E670
                                                    keyboardPlayWithLH
LE
                                         U+E671
                                                    keyboardPlayWithLHEnd
'italic
                                         U+ED80
0
                                                    fingering0Italic
                            0
9
                                         U+ED89
                            9
                                                    fingering9Italic
                                         U+ED8A
                                                    fingeringLeftParenthesisItalic
(
)
                                         U+ED8B
                                                    fingeringRightParenthesisItalic
                            [
                                         U+ED8C
                                                    fingeringLeftBracketItalic
                                         U+ED8D
                                                    fingeringRightBracketItalic
                                         U+ED2C
                                                    fingeringSeparatorMiddleDot
                                         U+ED2D
                                                    fingeringSeparatorMiddleDotWhite
                                         U+ED2E
                                                    fingeringSeparatorSlash
                                         U+ED20
                                                    fingeringSubstitutionAbove
                                         U+ED21
                                                    fingeringSubstitutionBelow
                                         U+ED22
                                                    fingeringSubstitutionDash
```

#### \ekmPlayWith HAND START MUSIC

Draw a keyboardPlayWith... symbol (see R RE L LE above) alongside the notes in MUSIC. HAND is RIGHT or LEFT. START is #t for the start symbol placed to the left, or #f for the end symbol placed to the right.

```
\relative c'' {
  \ekmSmuflOn #'fingering

c4 - 2
  c - \finger "4~3"
  c - \finger "*4~~3"
  c - \finger "[c]"
  a _ \finger "th"
  b _ \finger "ht"
  < a - \finger "t"
       a' - \finger "(m_/_i)" >2
}
```



```
\relative c' {
  \ekmSmuflOn #'fingering

c \rightHandFinger #1
  e \rightHandFinger #2
  g \rightHandFinger #3
  c \rightHandFinger #4
  < c, \rightHandFinger #1
       e \rightHandFinger #2
       g \rightHandFinger #3
       c \rightHandFinger #3
       c \rightHandFinger #4 >1
}
```

```
\relative c'' {
  \ekmSmuflOn #'fingering

  \ekmPlayWith #RIGHT ##t c
  \ekmPlayWith #RIGHT ##f g

  \ekmPlayWith #LEFT ##t c
  \ekmPlayWith #LEFT ##f g
}
```



## String number indications

\ekmSmuflOn #'stringnumber

Draw SMuFL string number indications specified with \NUMBER, using \ekm-string-number.

Note:  $\mbox{\colored}$  vomanStringNumbers overrides the SMuFL switch so that reverting with  $\mbox{\colored}$  variables produces normal LilyPond output.

```
\ekm-string-number ARG
```

Draw a string number indication as markup. ARG is a number or string. For a number or a string representing a number, either the defined symbol is drawn or the number with the normal text font and a cicle around. Any other string, e.g. a Roman numeral, is drawn in italic style.

```
0
0
                                        U+E833
                                                   guitarString0
                            9
9
                                        U+E83C
                                                   guitarString9
                            10
10
                                        U+E84A
                                                   guitarString10
                            (13)
13
                                        U+E84D
                                                   guitarString13
```

```
\relative c'' {
   \ekmSmuflOn #'stringnumber

   c \2
   a \3
   d \13
   e \14
   < c,\5 e\4 g\3 >1
}
```



```
\relative c' {
   \ekmSmuflOn #'(fingering stringnumber)

   < c -3 \5 \rightHandFinger #1 >
   < e -2 \4 \rightHandFinger #2 >
   < g -0 \3 \rightHandFinger #3 >
   < c -1 \2 \rightHandFinger #4 >
}

$ \text{$ \text{$$ \text{$ \text{$ \text{$ \text{$ \text{$ \text{$ \text{$ \text{$ \text{$ \text{$$ \text{$$ \text{$$ \end{$$ \text{$$ \text{$ \text{$$ \text{$ \text{$$ \text{$$ \text{
```

# Piano pedals

\ekmSmuflOn #'pedal

Draw SMuFL piano pedals for sustain, sostenuto, and una corda, using \ekm-piano-pedal.

\ekm-piano-pedal DEFINITION


Draw piano pedal symbols according to DEFINITION as markup.

Ped.	Red.	U+E650	keyboardPedalPed
P	$\mathfrak{T}$	U+E651	keyboardPedalP
е	e	U+E652	keyboardPedalE
d	9	U+E653	keyboardPedalD
Sost.	Sost.	U+E659	keyboardPedalSost
S	S	U+E65A	keyboardPedalS
•	•	U+E654	keyboardPedalDot
-	~	U+E658	keyboardPedalHyphen
*	*	U+E655	keyboardPedalUp
0	83	U+E65D	keyboardPedalUpSpecial
,	35°	U+E65B	keyboardPedalHalf2
1	<b>3</b> %.	U+E65C	keyboardPedalHalf3
H	_/_	U+E656	keyboardPedalHalf
^	٨	U+E657	keyboardPedalUpNotch
1	J	U+E65E	keyboardLeftPedalPictogram
m	T	U+E65F	keyboardMiddlePedalPictogram
r	L	U+E660	keyboardRightPedalPictogram
(	(	U+E676	keyboardPedalParensLeft
)	)	U+E677	keyboardPedalParensRight

### Ekmelos tokens

Ped	Red	U+F434	keyboardPedalPedNoDot
Sost	Sost	U+F435	keyboardPedalSostNoDot
Sos.	Sos.	U+F6D1	keyboardPedalSos2
sos.	<b>SOS.</b>	U+F6D0	keyboardPedalSos
unacorda	$una\ corda$	U+F6CC	keyboardPedalUnaCorda
trecorde	$tre\ corde$	U+F6CD	keyboardPedalTreCorde
u.c.	u.c.	U+F6CE	keyboardPedalUC
t.c.	t.c.	U+F6CF	keyboardPedalTC
1/2Ped	½ Xed.	U+F6B0	keyboardPedalHalf4
1/4	$\frac{1}{4}$	U+F6BA	keyboardPedalPosQuarter
1/2	$\frac{1}{2}$	U+F6BB	keyboardPedalPosHalf
3/4	<u>3</u> 4	U+F6BC	key board Pedal Pos Three Quarters
1	1	U+F6BD	keyboardPedalPosFull

```
\new Staff \with {
 \ekmSmuflOn #'pedal
}
\relative c'' {
 \set Staff.pedalSustainStrings = #'("Ped." "H" "*")
 c4 \sustainOn d c b c \sustainOff \sustainOn d c b c1 \sustainOff
 \break
 \set Staff.pedalSostenutoStyle = #'text
  \set Staff.pedalSostenutoStrings = #'("S-P" "(')" "S. *")
 c4 \sostenutoOn d c b c \sostenutoOff \sostenutoOn d c b c1 \sostenutoOff
 \break
 % draws Ekmelos glyphs "unacorda" and "t.c."
 \set Staff.pedalUnaCordaStyle = #'text
 \set Staff.pedalUnaCordaStrings = #'("unacorda" "^__t.c." "o")
 c4 \unaCorda d c b c \treCorde \unaCorda d c b c1 \treCorde
}
  Red.
```



# Harp pedals

\ekm-harp-pedal DEFINITION

Draw a harp pedal diagram according to DEFINITION as markup. Space between tokens is ignored.

\ekm-harp-change EXTEXT Y

Draw EXTEXT as markup with an ellipse translated vertically by Y. Used by the following change tokens.

^	<u> </u>	U+E680	harpPedalRaised
o^ -	+	U+E681	harpPedalCentered
o- v	ī	U+E682	harpPedalLowered
ov	+	U+E683	harpPedalDivider

#### Ekmelos tokens

```
O^ U+F648 harpPedalRaisedChange
O− U+F649 harpPedalCenteredChange
O∨ Ū U+F64A harpPedalLoweredChange
```

```
\relative c'' {
  \textLengthOn
  cis1 _ \markup \ekm-harp-pedal #"^v-|vv-^"
  c! _ \markup \ekm-harp-pedal #"^o--|vv-^"
}
```



# Fret diagrams

\ekm-fret-diagram-terse DEFINITION

Draw a fret diagram according to DEFINITION as markup. Fingering is always placed below. Used properties:

- fret-diagram-details top-fret-thickness (3): > 1 draws the ... Nut glyph.
- fret-diagram-details finger-code (#t): 'none draws no fingering.
- fret-diagram-details finger-style('sans)

3 strings		U+E850	fretboard3String
		U+E851	fretboard3StringNut
4 strings		U+E852	fretboard4String
		U+E853	fretboard4StringNut
5 strings		U+E854	fretboard5String
		U+E855	fretboard5StringNut
6 strings		U+E856	fretboard6String
		U+E857	fretboard6StringNut
	•	U+E858	fretboardFilledCircle
х	x	U+E859	fretboardX
0	o	U+E85A	fretboardO

```
\relative c'' {
 \textLengthOn
 c ^ \markup \ekm-fret-diagram-terse #"x;3-3;2-2;o;1-1;o;"
 cis ^ \markup \ekm-fret-diagram-terse #"x;x;3-3;1-1-(;2-2;1-1-);"
 e ^ \markup {
        \override #'(fret-diagram-details . (
                      (top-fret-thickness . 1)
                      (finger-code . none)))
        \ekm-fret-diagram-terse #"o;2-2;2-3;1-1;o;o;"
      }
 f ^ \markup {
        \override #'(fret-diagram-details . (
                      (finger-style . finger)))
        \ekm-fret-diagram-terse #"1-1-(;3-3;3-4;2-2;1-1;1-1-);"
      }
 c ^ \markup \ekm-fret-diagram-terse #"o;o;o;3-3;"
 dis ^ \markup \ekm-fret-diagram-terse #"o;3-2-(;3-2-);"
}
```

# Accordion registers

### \ekm-accordion NAME

Draw an accordion register symbol as markup. NAME has a prefix for the register style separated by a space. "d" (discant) is the default and can be omitted.

Most of the symbols use precomposed glyphs. The others are composed using accdnCombRH3RanksEmpty (U+E8C6) etc.

Note: # (use-modules (scm accreg)) is not required.

#### \ekmAccordion NAME

Set an accordion register symbol as a standalone music event. This is equivalent to

<> ^ \markup \ekm-accordion NAME

### Names

"d"	Discant		
"d 1"		U+E8A4	accdnRH3RanksBassoon
"d 10"	$\odot$	U+E8A1	accdnRH3RanksClarinet
"d 11"		U+E8AB	accdnRH3RanksBandoneon
"d 1+0"		U+E8A2	accdnRH3RanksUpperTremolo8
"d 1+1"	•		
"d 1-0"		U+E8A3	accdnRH3RanksLowerTremolo8
"d 1-1"	•		
"d 20"		U+E8AE	accdnRH3RanksTwoChoirs
"d 21"		U+E8AF	accdnRH3RanksTremoloLower8ve
"d 2+0"		U+E8A6	accdnRH3RanksViolin
"d 2+1"		U+E8AC	accdnRH3RanksAccordion
"d 2-0"	•••		
"d 2-1"			
"d 30"		U+E8A8	accdnRH3RanksAuthenticMusette
"d 31"		U+E8B1	accdnRH3RanksDoubleTremoloLower8ve
"d 100"		U+E8A0	accdnRH3RanksPiccolo
"d 101"		U+E8A9	accdnRH3RanksOrgan
"d 110"	$\odot$	U+E8A5	accdnRH3RanksOboe
"d 111"	•	U+E8AA	accdnRH3RanksHarmonium
"d 11+0"			
"d 11+1"			
"d 11-0"	$ \stackrel{\bullet}{\bullet} $		
"d 11-1"	•		

"d 120"		U+E8B0	accdnRH3RanksTremoloUpper8ve
"d 121"		U+E8AD	accdnRH3RanksMaster
"d 12+0"		U+E8A7	accdnRH3RanksImitationMusette
"d 12+1"			
"d 12-0"			
"d 12-1"			
"d 130"		U+E8B2	accdnRH3RanksDoubleTremoloUpper8ve
"d 131"		U+E8B3	accdnRH3RanksFullFactory
"sb"	Standard ba	iss	
"sb Soprano"		U+E8B4	accdnRH4RanksSoprano
"sb Alto"		U+E8B5	accdnRH4RanksAlto
"sb Tenor"		U+E8B6	accdnRH4RanksTenor
"sb Master"		U+E8B7	accdnRH4RanksMaster
"sb Soft Bass"		U+E8B8	accdnRH4RanksSoftBass
"sb Soft Tenor"		U+E8B9	accdnRH4RanksSoftTenor
"sb Bass/Alto"		U+E8BA	accdnRH4RanksBassAlto
"sb4"	Standard ba	ass, four reec	I
		505.4	1.000
"sb4 Soprano"		U+E8B4	accdnRH4RanksSoprano
"sb4 Alto"		U+E8B5	accdnRH4RanksAlto
"sb4 Tenor"			
"sb4 Master"			
"sb4 Soft Bass"			
"sb4 Bass/Alto"		U+E8BA	accdnRH4RanksBassAlto
"sb4 Soft Bass/Alto"			
"sb4 Soft Tenor"		U+E8B9	accdnRH4RanksSoftTenor

"sb5"	Standard ba	ss, five reed	
"sb5 Bass/Alto"		U+E8BA	accdnRH4RanksBassAlto
"sb5 Soft Bass/Alto"			
"sb5 Alto"			
"sb5 Tenor"			
"sb5 Master"			
"sb5 Soft Bass"			
"sb5 Soft Tenor"		U+E8B9	accdnRH4RanksSoftTenor
"sb5 Soprano"		U+E8B4	accdnRH4RanksSoprano
"sb5 Sopranos"			
"sb5 Solo Bass"			
"sb6"	Standard ba	ss, six reed	
"sb6 Soprano"		U+E8B4	accdnRH4RanksSoprano
"sb6 Alto"			
"sb6 Soft Tenor"	$\odot$	U+E8B9	accdnRH4RanksSoftTenor
"sb6 Master"		U+E8B7	accdnRH4RanksMaster
"sb6 Alto/Soprano"			
"sb6 Bass/Alto"		U+E8BA	accdnRH4RanksBassAlto
"sb6 Soft Bass"		U+E8B8	accdnRH4RanksSoftBass
220 2010 2000		0,2020	
"fb"	Free bass		
"fb 10"	$\odot$	U+E8BB	accdnLH2Ranks8Round
"fb 1"	$\odot$	U+E8BC	accdnLH2Ranks16Round
"fb 11"	<b>:</b>	U+E8BD	accdnLH2Ranks8Plus16Round
"fb Master"	$\Theta$	U+E8BE	accdnLH2RanksMasterRound
"fb Master 1"	$\odot$	U+E8BF	accdnLH2RanksMasterPlus16Round
"fb Master 11"	<b>③</b>	U+E8C0	accdnLH2RanksFullMasterRound

"sq"	Square		
"sq 1"	•	U+E8C1	accdnLH3Ranks8Square
"sq 100"		U+E8C2	accdnLH3Ranks2Square
"sq 2"	• •	U+E8C3	accdnLH3RanksDouble8Square
"sq 101"	•	U+E8C4	accdnLH3Ranks2Plus8Square
"sq 102"	•	U+E8C5	accdnLH3RanksTuttiSquare

# Accordion ricochet


### \ekmRicochet NUMBER

Draw a ricochet symbol as an expressive mark (script). [ Ly ]

	0	0	0	0	0
	2.	3.	4	5	<u></u>
6			U+E8D1	accdnRicochet6	
5			U+E8D0	accdnRicochet5	
4			U+E8CF	accdnRicochet4	
3			U+E8CE	accdnRicochet3	
2			U+E8CD	accdnRicochet2	

### \ekmStemRicochet NUMBER MUSIC


Draw a ricochet symbol vertically centered on the stems in MUSIC.



## Falls and doits


### \ekmBendAfter STYLE DIRECTION

Draw a fall or doit (lift) symbol after a note.



\ekmScoop DIRECTION MUSIC

Draw a scoop or plop symbol to the left of each note in MUSIC.



# Figured bass

### \ekmSmuflOn #'fbass

 $\label{lem:composed} \begin{tabular}{ll} Draw SMuFL bass figures with $$\figuremode$. Some raised / diminished figures use precomposed glyphs which ignore the property $$figuredBassPlusDirection$. \end{tabular}$ 

0	0	U+EA50	figbass0
1	1	U+EA51	figbass1
2	2	U+EA52	figbass2
3	3	U+EA54	figbass3
4	4	U+EA55	figbass4
5	5	U+EA57	figbass5
6	6	U+EA5B	figbass6
7	7	U+EA5D	figbass7
8	8	U+EA60	figbass8
9	9	U+EA61	figbass9
!	ф	U+EA65	figbassNatural
_	b	U+EA64	figbassFlat
+	#	U+EA66	figbassSharp
	₩	U+EA63	figbassDoubleFlat
++	×	U+EA67	figbassDoubleSharp
	₩,	U+ECC1	figbassTripleFlat
+++	<b>x</b> #	U+ECC2	figbassTripleSharp
\+	+	U+EA6C	figbassPlus
/	/	U+EA6D	figbassCombiningRaising
\\	_	U+EA6E	figbassCombiningLowering
2\+	2,	U+EA53	figbass2Raised
4\+	<b>4</b> +	U+EA56	figbass4Raised
5\+	<b>5</b> †	U+EA58	figbass5Raised1
5\\	5	U+EA59	figbass5Raised2
5/	<b>5</b>	U+EA5A	figbass5Raised3
6\\	6.	U+EA5C	figbass6Raised
6\+	8	U+EA6F	figbass6Raised2
7\+	7	U+EA5E	figbass7Raised1
7\\	7	U+EA5F	figbass7Raised2
7/	7	U+ECC0	figbass7Diminished
9\\	9	U+EA62	figbass9Raised

```
\new Staff
<<
  \relative c'' {
    \cadenzaOn
   b b b b b b b
    \break
   b b b s
   b b b s
   b b b s
   b b b s
  }
  \figures {
    <7! 6+ 4-> <5++> <3---> <_+> <7 _!> <6\+ 5/> <7/> <6\\>
    <9\+> <5+> <6 4-> r
    \set figuredBassAlterationDirection = #RIGHT
    <9\+> <5+> <6 4-> r
    \set figuredBassPlusDirection = #RIGHT
    <9\+> <5+> <6 4-> r
    \set figuredBassAlterationDirection = #LEFT
    <9\+> <5+> <6 4-> r
  }
>>
\layout {
  \context {
    \Score
    \ekmSmuflOn #'fbass
    \override StaffSymbol.line-count = #1
  }
}
  ‡7
‡6
♭4
         ₩3
      х5
+9
    #5
               +9
                    5#
                               9+
```

## Lyrics

```
\ekmSmuflOn #'lyric
```

Draw the words in a lyric input mode (\lyricmode etc.) with \ekm-tied-lyric.

Note: The characters \_ and % must be quoted in order to be passed on to this command.

```
\ekm-tied-lyric STRING
```

Draw STRING as markup, replacing tokens with the corresponding glyphs. The space between the adjoining words depends on the width of the respective glyph, while the property word-space is ignored. In the token ~?~ (for narrow elision), ? can be any Unicode character, not only ASCII.

```
    U+E551 lyricsElision
    U+E550 lyricsElisionNarrow
    U+E552 lyricsElisionWide
    U+E553 lyricsHyphenBaseline
    U+E555 lyricsTextRepeat
```

```
\relative {
  \cadenzaOn
  b'~ b c fis, fis c' b e,
}
\addlyrics {
  Che~~in ques -- ta~ē~in quel -- l'al -- "tr_on" -- "da %"
}
\layout {
  \context {
   \Score
   \ekmSmuflOn #'lyric
  }
}
```



# Analytics symbols

# \ekm-analytics DEFINITION

Draw analytics symbols according to DEFINITION as markup.

Н	Н	U+E860	analyticsHauptstimme
СН	CH	U+E86A	analyticsChoralmelodie
RH	RH	U+E86B	analyticsHauptrhythmus
N	N	U+E861	analyticsNebenstimme
[	Γ	U+E862	analyticsStartStimme
1	٦	U+E863	analyticsEndStimme
Th	Th	U+E864	analyticsTheme
hT	Τh	U+E865	analyticsThemeRetrograde
ihT	ЧЦ	U+E866	analyticsThemeRetrogradeInversion
iTh	Тh	U+E867	analyticsThemeInversion
T	T	U+E868	analyticsTheme1
iT	Т	U+E869	analyticsInversion1

## Function theory symbols

#### \ekm-func DEFINITION

Draw a function theory symbol according to DEFINITION as markup. The definition string consists of several parts which are all optional:

Paren Function, Bass, Soprano ^ Extra ... Paren

The bass symbol is placed below the function symbol.

The soprano symbol is placed above the function symbol.

The extra symbols are stacked vertically and raised to the right of the function symbol.

A leading/trailing parenthesis, bracket, or brace is placed separately before/after the entire symbol.

### Used properties:

- font-size (0) for the function symbol.
- func-size (-4) relative to the font size for bass, soprano, and extra symbols.
- func-skip (2.5) for vertical distances.
- func-space (0.3) for horizontal space around the function symbol.

#### \ekmFunc DEFINITION

Set a function theory symbol as a music expression, for use in a Lyrics context. The symbol is drawn with a 4 steps smaller font size compared to \ekm-func.


DEFINITION is a string as described above, with a further optional suffix:

- Starts an extender line after the symbol.
- . Stops an extender line at the symbol.
- + Inserts the symbol between notes with \set stanza.
- \* Dito but with the 4 steps larger font size of \ekm-func.


Note that the Lyrics context requires the Text\_spanner\_engraver to draw extender lines.

#### \ekmFuncList DEFINITION-LIST

Set a sequence of function theory symbols as music expressions, for use in a Lyrics context. DEFINITION-LIST is a list of strings as for  $\ensuremath{\verb{NekmFunc}}$ .



DD	Ф	U+EA81	functionDD
/DD	Ø d	U+EA82	functionSlashedDD
d		U+EA80	functionDLower
S	S	U+EA89	functionSUpper
Sg	S S S S S S S S S S S S S S S S S S S		
Sp	$S_p$		
SS	<i>જુ</i>	U+EA7D	functionSSUpper
S	S	U+EA8A	functionSLower
SS	8	U+EA7E	functionSSLower
F	F	U+EA99	functionFUpper
G	G	U+EA83	functionGUpper
g	g	U+EA84	functionGLower
I	I	U+EA9A	functionIUpper
i	i	U+EA9B	functionILower
K	K	U+EA9C	functionKUpper
k	k	U+EA9D	functionKLower
L	L	U+EA9E	functionLUpper
1	1	U+EA9F	functionLLower
М	M	U+ED00	functionMUpper
m	m	U+ED01	functionMLower
N	N	U+EA85	functionNUpper
n	n	U+EA86	functionNLower
Р	Р	U+EA87	functionPUpper
р	p	U+EA88	functionPLower
r	r	U+ED03	functionRLower
V	V	U+EA8D	functionVUpper
v	V	U+EA8E	functionVLower
0	0	U+EA70	functionZero
	:		
9	9	U+EA79	functionNine



The tokens b # bb x = draw standard accidentals for chord symbols.

The token  $\,\sim\,$  draws a space with the dimensions of functionZero (U+EA70) . This is especially useful for empty extra symbols.

### Ekmelos tokens

/D **D** U+F644 functionSlashedD

The following example uses \ekm-func in text scripts to attach function theory symbols to chords and spacer rest. It sets \textLengthOn and TextScript.staff-padding for a consistent vertical alignment.

```
\relative c' {
 \textLengthOn
 \override TextScript.staff-padding = #6
 <e g bes! c\markup \ekm-func "(D,3^7)"
 \override TextScript.staff-padding = #11
 <c e g c>4_\markup \ekm-func "T____"
 <g e' g c>_\markup \ekm-func "D^4^6"
 s_\markup \ekm-func "^-^-"
 \g d' g b>_\markup \ekm-func "^3^5"
 \key es \major
 \override TextScript.staff-padding = #7
 <g' b d>1_\markup \ekm-func "V#"
 <f as c e>_\markup \ekm-func "IV^7#"
 <ces es as!>_\markup \ekm-func "VI,b"
}
```



The following example uses \ekmFuncList in a Lyrics context to synchronise function theory symbols to music. The Lyrics context requires the Text\_spanner\_engraver and is aligned to a NullVoice context. It is taken from lsr.di.unimi.it/LSR/Item?id=967 and adapted for Esmuflily.

```
funcSoprano = \relative c'' {
  e4 e e (d)
  c4 d d2
  d4 e8 d c4 c
  d8(c) < b q > 4 c2
}
funcAltTenor = \relative c'' {
  \langle c q \rangle 4 \langle bes q \rangle \langle a f \rangle 2
  <a d,>4 <c a> <c a> ( <b g>)
  <b e,>2 <g e>4 <a f>
  <a d,>4 d,8(f) < g e>2
}
funcBass = \relative c {
  \clef bass
  c4 cis d2
  f4 fis q2
  gis2 bes4 a8 g
  fis4 g c,2
}
funcAligner = \relative c {
  c4 cis d d
  f4 fis g g
  gis4 gis8 gis bes4 a8 g
  fis8 fis g g c,2
funcSymbols = \lyricmode {
  \set stanza = #"C major:"
  \ekmFuncList #'(
    "T,,3" " (*" "/D,3^7^9>" ")*" "Sp^9-" "^8."
    "S^5^6" "(D,3^7)" "D^2^4-" "^1^3."
    "(D,3^7-" "^8" "^7." "_) [Tp] +" "(D,7)" "S,3-" ",2."
    "DD,3^8-" "^7." "D^5-" "^7." "T"
  )
}
\layout {
  \context {
    \Lyrics
    \consists "Text_spanner_engraver"
    \override StanzaNumber.font-family = #'sans
    \override StanzaNumber.font-series = #'medium
  }
}
```

```
\new GrandStaff
</
    \new Staff
    \new Voice \partCombine \funcSoprano \funcAltTenor

    \new Staff
    <<
         \new Voice \funcBass
         \new NullVoice = "funcaligner" \funcAligner
         \new Lyrics \lyricsto "funcaligner" \funcSymbols
    >>
>>
```



## Arrows and arrow heads

## \ekm-arrow STYLE ORIENTATION

Draw an arrow or arrow head of STYLE according to ORIENTATION as markup.

Arrows can have glyphs for several orientations. The remaining orientations are achieved by flipping or rotating through 90° or 45°. All following six styles have glyphs for the 8 orientations  $N \dots NW$ .

## Styles

'black	<b>†</b>	U+EB60	arrowBlackUp
'white	Ŷ	U+EB68	arrowWhiteUp
'open	<b>↑</b>	U+EB70	arrowOpenUp
'black-head	<b>A</b>	U+EB78	arrowheadBlackUp
'white-head	Δ	U+EB80	arrowheadWhiteUp
'open-head	٨	U+EB88	arrowheadOpenUp

## Examples for all orientations

ORIENTATION	#N	#NE	#E	#SE	#S	#SW	#W	#NW	#NS	#NESW	#EW	#SENW	
'black	<b>†</b>	A	<b>→</b>	×	<b>\</b>	¥	<b>←</b>	×	<b>†</b>	*	<b>→</b>	×	
'open-head	٨	7	>	4	٧	L	<	٢	٨	1	>	4	

\ekm-arrow-head AXIS DIRECTION FILLED

Draw an arrow head as markup, i.e. black-head if FILLED is a true value, else open-head.

# Ekmelos styles

•		
'simple	$\uparrow$	U+2191
'double	$\uparrow$	U+21D1
'triple	$\blacksquare$	U+290A
'quadruple	⇑	U+27F0
'black-wide	<b>†</b>	U+2B06
'white-wide	Û	U+21E7
'triangle	<b>†</b>	U+2B61
'triangle-bar	<b> ↑</b>	U+2B71
'two-headed	<b>†</b>	U+2BED
'dashed	<b>↑</b>	U+21E1
'triangle-dashed	<b>†</b>	U+2B6B
'opposite	$\uparrow\downarrow$	U+21C5
'triangle-opposite	$\uparrow\downarrow$	U+2B81
'paired	$\uparrow\uparrow$	U+21C8
'triangle-paired	$\uparrow\uparrow$	U+2B85
'bent-tip	<b> </b>	U+21B1
'long-bent-tip	$\rightarrow$	U+2BA3
'curving	♪	U+2934
'equilateral-head	<b>A</b>	U+2B9D
'three-d-head	A	U+2B99
'black-triangle		U+25B2
'white-triangle	$\triangle$	U+25B3
'black-small-triangle	<b>A</b>	U+25B4
'white-small-triangle	Δ	U+25B5
'half-circle		U+2BCA
'circle-half-black	lue	U+25D3
'square-half-black		U+2B12
'diamond-half-black	<b>□ ♦</b>	U+2B18
'circle-quarters		U+25D4

# Percussion symbols

### \ekm-beater STYLE ORIENTATION

Draw a percussion beater of STYLE according to ORIENTATION as markup.

Percussion beaters can have glyphs for several orientations. The remaining orientations are achieved by flipping or rotating through 90° or 30°. Most of the following styles have glyphs for the orientations N, S, NE, NW or N, S.

## Styles

'xyl-soft		U+E770	pictBeaterSoftXylophoneUp
'xyl-medium	P	U+E774	pictBeaterMediumXylophoneUp
'xyl-hard	•	U+E778	pictBeaterHardXylophoneUp
'xyl-wood		U+E77C	pictBeaterWoodXylophoneUp
'glsp-soft	Î	U+E780	pictBeaterSoftGlockenspielUp
'glsp-hard	Ť	U+E784	pictBeaterHardGlockenspielUp
'timpani-soft		U+E788	pictBeaterSoftTimpaniUp
'timpani-medium	P	U+E78C	pictBeaterMediumTimpaniUp
'timpani-hard	T	U+E790	pictBeaterHardTimpaniUp
'timpani-wood		U+E794	pictBeaterWoodTimpaniUp
'yarn-soft	Î	U+E7A2	pictBeaterSoftYarnUp
'yarn-medium	P	U+E7A6	pictBeaterMediumYarnUp
'yarn-hard	†	U+E7AA	pictBeaterHardYarnUp
'gum-soft	T	U+E7BB	pictGumSoftUp
'gum-medium	Ma T	U+E7BF	pictGumMediumUp
'gum-hard	Ť	U+E7C3	pictGumHardUp
'bass-soft	7	U+E798	pictBeaterSoftBassDrumUp
'bass-medium	P	U+E79A	pictBeaterMediumBassDrumUp
'bass-hard	Ŧ	U+E79C	pictBeaterHardBassDrumUp
'bass-metal	X T	U+E79E	pictBeaterMetalBassDrumUp
'bass-double	7	U+E7A0	pictBeaterDoubleBassDrumUp
'stick	İ	U+E7E8	pictDrumStick
'stick-snare	Λ	U+E7D1	pictBeaterSnareSticksUp
'stick-jazz	Ĭ	U+E7D3	pictBeaterJazzSticksUp
'hammer-wood		U+E7CB	pictBeaterHammerWoodUp
'hammer-plastic	<b>P</b>	U+E7CD	pictBeaterHammerPlasticUp
'hammer-metal	abla	U+E7CF	pictBeaterHammerMetalUp

'wound-hard	0	U+E7B3	pictWoundHardUp
'wound-soft	•	U+E7B7	pictWoundSoftUp
'metal	8	U+E7C7	pictBeaterMetalUp
'brass-mallets	*	U+E7D9	pictBeaterBrassMalletsUp
'triangle	<b></b>	U+E7D5	pictBeaterTriangleUp
'triangle-plain	/	U+E7EF	pictBeaterTrianglePlain
'wire-brushes	Ψ	U+E7D7	pictBeaterWireBrushesUp
'superball	Î	U+E7AE	pictBeaterSuperballUp
'mallet	T	U+E7DF	pictBeaterMallet
'metal-hammer	7	U+E7E0	pictBeaterMetalHammer
'hammer	7	U+E7E1	pictBeaterHammer
'hand		U+E7E3	pictBeaterHand
'finger	6	U+E7E4	pictBeaterFinger
'fist	<b>©</b>	U+E7E5	pictBeaterFist
'fingernails	A	U+E7E6	pictBeaterFingernails

# Examples for all orientations

ORIENTATION	#N	#NE	#E	#SE	#S	#SW	#W	#NW	#NS	#NESW	#EW	#SENW	
'xyl-medium	•	9	<b>→</b>	6	•	d	<b>←</b>	٩	•	9	<b>→</b>	7	
'bass-metal	X T	A	<b>-</b> ⊠	B	$\boxtimes$	$\phi$	$\boxtimes$ —	R	X T	A	<b>-</b> ⊠	$\Diamond$	
'finger	P	B	F	P	P	D		<i>P</i>	P	B	F	R	

## Electronic music symbols

```
\ekm-fader LEVEL ORIENTATION \ekm-midi LEVEL ORIENTATION
```

Draw a fader (volume control) and a MIDI controller, respectively, as markup.

LEVEL  $\geq 0$  is a percent value.

LEVEL < 0 is a decibel (dB) value, e.g. -6.0 is equivalent to 50.


LEVEL is drawn as a label next to the control according to ORIENTATION . #f draws no label.

For the thumb position, LEVEL is rounded to the nearest integral percent value, limited to 100. If a symbol is defined exactly for this value, this symbol is drawn. Else if an empty control and a thumb symbol are defined, they are combined. Else the symbol for the value nearest to LEVEL is drawn.


### Used properties:

- label-format (#f): #f uses "~a%" for percent and "~adB" for decibel values.
- font-size (0)
- label-size (-4) relative to the font size.
- padding (0.3)

### Symbols



## Examples for all orientations



# Other symbols

### \ekm-fermata STYLE

Draw a fermata as markup.

## Used property:

• direction

## Styles

'default	lacktriangle	U+E4C0	fermataAbove
		U+E4C1	fermataBelow
'short	$\Lambda$	U+E4C4	fermataShortAbove
		U+E4C5	fermataShortBelow
'long		U+E4C6	fermataLongAbove
		U+E4C7	fermataLongBelow
'veryshort	$\triangle$	U+E4C2	fermataVeryShortAbove
		U+E4C3	fermataVeryShortBelow
'verylong		U+E4C8	fermataVeryLongAbove
		U+E4C9	fermataVeryLongBelow
'henzeshort	<i>(</i> .	U+E4CC	fermataShortHenzeAbove
		U+E4CD	fermataShortHenzeBelow
'henzelong	$\odot$	U+E4CA	fermataLongHenzeAbove
		U+E4CB	fermataLongHenzeBelow
Ekmelos styles			
'extrashort		U+F69E	fermataExtraShortAbove
		U+F69F	fermataExtraShortBelow
'extralong		U+F6A0	fermataExtraLongAbove
-		U+F6A1	fermataExtraLongBelow
			-

# \ekm-eyeglasses DIRECTION

# Draw eyeglasses as markup.

60/	U+EC62	miscEyeglasses

# Ekmelos symbols

60	U+EC62	miscEyeglasses			
<i>pd</i>	U+F65F	miscEyeglassesRight			

\ekm-metronome COUNT

Draw COUNT metronome strokes (tickings) as markup.

ı

### Used property:

• word-space

Ekmelos symbol

U+F614 noteTick

\ekmMetronome MUSIC

Attach metronome strokes to each note, chord, or rest in MUSIC as a horizontally centered markup above the staff, using \ekm-metronome. The number of strokes equals the number of quarter note values of the respective duration (possibly rounded up).

```
\relative c'' {
  \ekmMetronome {
    c4
    c2.
    <g c>1
    R1
  }
  \time 6/4
  \ekmMetronome r4
  \ekmMetronome r1*5/4
}
```



## Basic markup commands

They implement the underlying SMuFL output in Esmuflily.

\ekm-char CODEPOINT

Draw the glyph of CODEPOINT, or the point-stencil for zero.

#### Used property:

• font-size (0)

\ekm-chars CODEPOINT-LIST

Draw the glyphs of the CODEPOINTs in the list adjoined horizontally without padding, or the point-stencil for an empty list.

### Used property:

• font-size (0)

```
\ekm-chars #'(#xE260 #xE2B4 #xE2B2)

\ekm-chars #'(#xE262 #xE566 #xEAA6 #xEAA5)

\ekm-chars #'(#xE1F0 #xE1F7 #xE1FC #xE1F7 #xE1F4)
```

\ekm-charf CODEPOINT FEATURES

Draw the glyph of CODEPOINT with font features.

FEATURES is either a list of one or more strings, or the number of a stylistic alternate, or a negative number to draw the path instead of the font glyph.

```
#1 and #'(1) and #'("salt 1") are equivalent. #0 and #'() do not set font features.
```

#-1 and #' (-1) draw a filled path. Any other negative number  $-\mathbb{N}$  draws the outline of the path with thickness  $\mathbb{N}$  which is scaled to the current font size.

This command is independent of globally drawing paths.

### Used property:

• font-size (0)

```
\ekm-charf ##xE242 #0
\ekm-charf ##xE242 #'("salt 1")
\ekm-charf ##xE242 #'(2)
\ekm-charf ##xE242 #-20
```

\ekm-str STRING

Draw STRING with the selected font, independent of globally drawing paths .

\ekm-text EXTEXT

Draw EXTEXT. Depending on the argument type, it calls \ekm-char, \ekm-charf, or \ekm-chars, or it draws markup.

```
\ekm-text #'(#xE242 0)
\ekm-text #'(#xE242 "salt 1")
\ekm-text #'(#xE242 -20)
\ekm-text #'(#xE242 -20)
\ekm-text #'(#xE260 #xE2B4 #xE2B2)
```

\ekm-concat EXTEXT-LIST

Draw the EXTEXTs in the list stacked in a line without padding.

\ekm-line EXTEXT-LIST

Draw the EXTEXTs in the list stacked in a line.

Used properties:

- word-space
- text-direction

```
\ekm-line #'(#xE046 "al fine")

D.C. al fine
\ekm-line #'(#xE6D0 "with" #xE78E)

\ekm-line #'((#xE6D0 1) "with" #xE78E)

\int with \mathcal{P}
```

\ekm-combine CODEPOINT X Y CODEPOINT2

Combine the glyphs of CODEPOINT and CODEPOINT2, where CODEPOINT2 is translated scaled by X,Y.

```
\ekm-combine ##xECA5 #-0.5 #1.0 ##xE56E \(\frac{2}{\ekm-combine}\) \(\text{km-combine}\) \(\text{tekm-combine}\) \(\text{tekm-
```

\ekm-cchar CENTER CODEPOINT

Draw the glyph of CODEPOINT, centered horizontally if CENTER is CX or CXY, and vertically if CENTER is CY or CXY.

\ekm-ctext CENTER EXTEXT

Draw EXTEXT. Markup is centered like \ekm-cchar. A list of code points is centered only horizontally. A single code point (possibly with font features) is never centered.

This command is intended to draw symbols on stem.

#### \ekm-def MAP DEFINITION

Draw a text according to DEFINITION.

MAP is an alist of EXTEXTs mapped onto tokens (strings). A token which is a prefix of other tokens must be arranged after them in MAP, i.e. the correct order is "abc", "ab", "a". A shared token (" ", "\_", etc.) can be overridden. The special value #f draws nothing, i.e. the token is simply ignored.

```
#(define my-map `(
    (".|:" . #xE040)
    ("tr#~" . (#xE262 #xE566 #xEAA6 #xEAA5))
    ("timp" . (#xE6D0 1))
    (" " . #f)
     ("w" . "with")
     ("box/" . , (markup #:box #:ekm-beater 'timpani-medium NE))
))

\ekm-def #my-map #".|:___tr#~"
\ekm-def #my-map #"timp w box/"
```

\ekm-number STYLE NUMBER

Draw the integer NUMBER according to STYLE, either as a sequence of decimal digit symbols or as a single number symbol (string and scale).

### Styles

time	4
time-turned	7
time-reversed	4
tuplet	4
finger	4
finger-italic	4
fbass	4
func	4
string	4
scale	<b>4</b>
sans	4
roman	4
typewriter	4

#### \ekm-label ORIENTATION LABEL ARG

Combine a markup with another markup placed as a label next to it according to ORIENTATION (= #f ignores the label).

## Used properties:

- font-size (0)
- label-size (-4) relative to the font size.
- padding (0.3)

\ekm-orient TYPE STYLE ORIENTATION

Draw the symbol of TYPE and STYLE according to ORIENTATION as markup.

```
\ekm-orient #'arrow #'black #NW \\ekm-orient #'beater #'mallet #NE
```

### Extended text

Some commands accept an EXTEXT value, or a pair or list of EXTEXT values.

EXTEXT can be:

• a single code point (integer). Calls \ekm-char.

```
##xE695
```

• a list of a single code point followed by font features, i.e. one or more strings or a number 0 to 31 of a stylistic alternate, or a negative number to draw the path instead of the font glyph. Higher values are treated as code points (see below). Calls \ekm-charf.

```
#'(#xE626 "salt 2")
#'(#xE626 2)
#'(#xE626 -1)
```

• a list of one or more code points. Calls \ekm-chars.

```
#'(#xE260 #xE567 #xE262)
```

· any markup.

```
#"poco a poco"
#(markup #:box #:ekm-char #xED19)
```

Note: The commands \ekmTremolo and \ekmStem interpret some strings as names of symbols.

# **Definition string**

Some commands and properties accept a DEFINITION value. This is a string of one or more tokens, each consisting of one or more characters. Their corresponding symbols are stacked in a line. Any other character in the string produces a warning and only the text created so far is drawn.

### Shared tokens

Additional tokens that are always applicable in DEFINITION values.

The shared tokens in the standard table defines space markup:

<space></space>	\hspace	#1	SP
_	\hspace	#0.17	HSP
	\hspace	#0.78	THSP
	\hspace	#2	ENSP
	\hspace	#4	<b>EMSP</b>

## Orientation

Some commands accept an ORIENTATION value. This is the sum of axis  $(0, 1, \text{ or } \pm 0.5 \text{ for diagonal})$  and direction  $(\pm 1)$ . The following symbols are defined for the 12 possible values. The last four values are intended for "bilateral" orientations. An unsupported value is substituted with N .

N	2	Υ	+ UP
NE	1.5	0.5	+ UP
E	1	Χ	+ RIGHT
SE	0.5	-0.5	+ RIGHT
S	0	Υ	+ DOWN
SW	-0.5	0.5	+ DOWN
W	-1	Χ	+ LEFT
NW	-1.5	-0.5	+ LEFT
NS	-2	Υ	+ -3
NESW	-2.5	0.5	+ -3
EW	-3	Χ	+ -3
SENW	-3.5	-0.5	+ -3

The commands  $\ensuremath{\verb||} ekm-arrow$  and  $\ensuremath{\verb||} ekm-beater$  support all 12 orientations. Missing symbols are completed by flipping or rotating. Missing bilateral symbols are substituted with the symbols for N, NE, E, SE. Currently, only the arrow style  $\ensuremath{\verb||} simple$  in Ekmelos has glyphs for all 12 orientations.