

SAFETY DATA SHEET

AS-755-100 WINDSHIELD WASH

SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME : AS-755-100 WINDSHIELD WASH
SYNONYMS : Product is a mixture: No synonyms are available.
PRODUCT USE : Flammable Material
SUPPLIER : WESMAR CO. INC.
SUPPLIER'S ADDRESS : 5720 204TH ST. SW, LYNNWOOD, WA 98036
(206) 783-5344
EMERGENCY RESPONSE PHONE NUMBER : PERS: 1-800-633-8253



SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS U.S. – CLASSIFICATION : H302 Harmful if swallowed.
: H315 Causes skin irritation
: H319 Causes serious eye irritation

LABEL ELEMENTS : **GHS – US HAZARD PICTOGRAMS**

The product is classified and labeled according to the Globally Harmonized System (GHS).

HAZARD PICTOGRAMS :



SIGNAL WORD : DANGER

HAZARD STATEMENTS (GHS-US)

: H225 Highly flammable liquid and vapor
: H301 Toxic if swallowed.
: H302 Harmful if swallowed.
: H311 Toxic in contact with skin.
: H315 Causes skin irritation.
: H319 Causes serious eye irritation.
: H331 Toxic if inhaled
: H336 May cause drowsiness or dizziness.
: H370 Causes damage to organs.

PRECAUTIONARY STATEMENTS (SGS-US)

PREVENTION

: P101 If medical advice is needed, have product container or label at hand.
: P102 Keep out of reach of children.
: P103 Read label before use.
: P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.
: P233 Keep container tightly closed.
: P240 Ground/bond container and receiving equipment.
: P241 Use explosion proof electrical/ventilation/light...equipment
: P242 Use only non-sparking tools.
: P243 Take precautionary measures against static discharge.
: P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
: P264 Wash skin and contaminated clothing thoroughly after handling.
: P270 Do not eat, drink, or smoke when using this product.
: P271 Use only outdoors or in a well-ventilated area.
: P280 Wear suitable protective gloves/protective clothing/eye protection/face protection.

SAFETY DATA SHEET

AS-755-100 WINDSHIELD WASH

RESPONSE	:	P305+P351 +P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
	:	P337+P313	If eye irritation persists, get medical attention.
	:	P303+P361 +351	IF ON SKIN: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	:	P304+P340	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable to breathing.
	:	P337+P313	If eye irritation persists: Get medical advice/attention.
STORAGE	:	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
	:	P403+P235	Store in a well-ventilated place. Keep cool.
	:	P405	Store locked up.
DISPOSAL	:	P501	Dispose of contents/container in accordance with local/regional/national/international regulations
TARGET ORGANS	:	Methanol: Eyes, Central Nervous System	
CLASSIFICATION SYSTEM	:	NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.	
NFPA RATINGS (SCALE 0-4)	:	Health = 2, Fire = 2, Reactivity = 0	
HMIS RATINGS (SCALE 0-5)	:	Health = 2, Fire = 2, Reactivity = 0	

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC	:	Mixtures
DESCRIPTION	:	Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS #	EC #	GHS CLASS
Methanol (Methyl alcohol)	50-70	67-56-1	200-659-6	Flammable Liquid Category 2, Acute Oral Toxic Category 3, Acute Dermal Toxic Category 3, Acute Inhalation Toxic Category 3, Specific Target Organ Toxicity-Single Exposure Category 1
Alcohol Ethoxylated	0.1-1.0	127087-87-0	500-315-8	Eye Damage Category 1
Diethylene Glycol Monobutyl Ether	1-5	112-34-5	203-961-6	Eye Irritant Category 2B

SECTION 4 – FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL	:	If you feel unwell, seek medical advice. Show the label where possible. Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area
EYE CONTACT	:	Immediately flush the eyes with low pressure water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so. Continue rinsing. If irritation persists, get immediate medical attention.
SKIN CONTACT	:	Remove contaminated clothing and shoes. Wash affected skin area with soap and water. If irritation persists, get immediate medical attention. Wash contaminated clothing before reuse.
SWALLOWING (INGESTION)	:	If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear and have victim lean forward to prevent aspiration. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.
INHALATION	:	Remove to fresh air. If signs/symptoms continue, get medical attention. Give oxygen or artificial respiration as needed.
OTHER INSTRUCTIONS	:	Rescue personnel must wear appropriate protective equipment during removal of

SAFETY DATA SHEET

AS-755-100 WINDSHIELD WASH

victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

- | | |
|---|---|
| EXTINGUISHING MEDIA | : Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide. |
| SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS | : Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Keep unopened containers cool by spraying with water |
| UNUSUAL FIRE AND EXPLOSION HAZARDS | : Vapors may travel to source of ignition and flash back. |
| OSHA/NFPA (ISOPROPANOL) | : Class 1B Flammable Liquid. |
| FLASH POINT (ISOPROPANOL) | : 12°C/ 53°F Closed Cup. |

SECTION 6 – ACCIDENTAL RELEASE MEASURES

- | | |
|--|--|
| PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES | : Do not inhale vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact. |
| ENVIRONMENTAL PROCEDURES | : Keep spilled material away from sewage/drainage systems and waterways. |
| METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP | : All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Collect with an electrically protected vacuum cleaner or by wet-brushing and place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers. |

SECTION 7 – HANDLING AND STORAGE

- | | |
|--------------------------------------|---|
| PRECAUTIONS FOR SAFE HANDLING | : Do not get on skin or in eyes. Do not inhale vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge. |
| ENVIRONMENTAL PRECAUTIONS | : Stop leak. Contain spill if possible and safe to do so. Prevent product from entering drains. |
| CONDITIONS FOR SAFE STORAGE | : Keep container tightly closed in a cool, dry, and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available. |



SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

- | | |
|------------------------------------|---|
| TLV (THRESHOLD LIMIT VALUE) | : The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit. |
|------------------------------------|---|

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
-----------	----------------	-------------	--------------

SAFETY DATA SHEET

AS-755-100 WINDSHIELD WASH

Methanol (Methyl alcohol)	200 ppm, (260 mg/m ³)	200 ppm	250 ppm
Alcohol Ethoxylated	Not Established	Not Established	Not Established
Diethylene Glycol Monobutyl Ether	Not Established	Not Established	Not Established

- EYE PROTECTION** : Use chemical safety goggles and/or a full face-shield where splashing is possible. Use equipment approved by appropriate government standards, such as NIOSH (US) or EN166 (EU) Maintain eye wash fountain and quick-drench facilities in work area.
- SKIN PROTECTION** : Wear impervious, flame retardant, antistatic protective clothing, including boots, gloves, lab coat, apron, or coveralls, as appropriate, to prevent skin contact.
- RESPIRATORY PROTECTION** : Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
- HAND PROTECTION** : Handle with gloves. Gloves must be inspected prior to use. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
- APPROPRIATE ENGINEERING CONTROLS** : General room or local exhaust ventilation is usually required to meet exposure limit(s). Electrical equipment should be grounded and conform to applicable electrical code.
- ADDITIONAL MEASURES** : Emergency eyewash and safety shower facilities should be available in the immediate work area.
- REQUIRED WORK/HYGIENE** : Wash hands thoroughly after handling. Keep away from all food stuffs, beverages, and feed. Do not eat, drink, or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

- APPEARANCE** : Clear blue liquid with mild odor.
- ODOR** : Mild odor
- ODOR THRESHOLD** : Not available
- PH** : 6.5 ± 1.0
- MELTING POINT/FREEZING POINT** : Not available
- BOILING POINT** : Approx. 212° F.
- FLASH POINT** : Nonflammable, noncombustible
- EVAPORATION RATE** : Not available
- FLAMMABILITY** : Nonflammable, Noncombustible
- LOWER FLAMMABILITY LIMIT** : Not available
- UPPER FLAMMABILITY LIMIT** : Not available
- VAPOR PRESSURE** : Not available
- VAPOR DENSITY (AIR=1)** : Not available
- RELATIVE DENSITY** : 0.79
- SOLUBILITY IN WATER** : Soluble in water
- PARTITION COEFFICIENT n-
OCTANOL/WATER** : Not available
- AUTOIGNITION TEMPERATURE** : Not available
- DECOMPOSITION
TEMPERATURE** : Not available

SECTION 10 – STABILITY AND REACTIVITY

- STABILITY** : Stable under recommended storage conditions.

SAFETY DATA SHEET

AS-755-100 WINDSHIELD WASH

HAZARDOUS CONDITIONS TO AVOID : Heat, flames, and sparks. Extreme temperatures and direct sunlight.

INCOMPATIBLE MATERIALS : Oxidizing agents, Acid anhydrides, Aluminum, Halogenated compounds, Acids.

HAZARDOUS DECOMPOSITION PRODUCTS : Carbon oxides are expected to be, under fire conditions, the primary hazardous decomposition products.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION : **Methanol**

ACUTE TOXICITY : LD50 Oral (rat): 5628 mg/kg. LD50 Dermal (rabbit): 15,800 mg/kg, LDLO Oral (human) Acute: 143 mg/kg.

IRRITATION : Eyes: Risk of serious damage to eyes, Skin: Irritation may cause burns on long term exposure.

STOT SINGLE EXPOSURE : Central nervous system.

ADDITIONAL INFORMATION : Symptoms may be delayed.

TOXICOLOGICAL INFORMATION : **Alcohol Ethoxylated**

ACUTE TOXICITY : LD50 Oral (rat): 16,000 mg/kg,

INHALATION LC50 : No data available

DERMAL LD50 : LD50 Dermal (rabbit): 4,490 mg/kg.

PRIMARY SKIN IRRITATION : Slight irritation.

PRIMARY EYE IRRITATION : No data available.

CARCINOGENICITY : This product is not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA.

TOXICOLOGICAL INFORMATION : **Diethylene Glycol Monobutyl Ether**

ACUTE TOXICITY : Oral LD50 Oral (rat): 5560 mg/kg. LC50 dermal and inhalation: Not listed.

CHRONIC EFFECTS : Prolonged absorption causes liver and kidney damage, and red cell hemolysis (blood in urine) in laboratory animals; no such effects have been seen in humans

SENSITISATION : Not a sensitizer.

CARCINOGENICITY : No component of this product present at levels greater than or equal to 0.1% is identified as probable or confirmed human carcinogen by IARC, ACGIH, NTP, and OSHA.

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION : **Methanol**

ECOTOXICITY FISH : 15400 mg/L: 96 hr, Bluegill sunfish)

ECOTOXICITY DAPHNIA, OTHER AQUATIC INVERTEBRATES : >10000 mg/L; (IUCLID: 24 hr, Daphnia magna)

ECOTOXICITY TO ALGAE : 8000 mg/L (IUCLID: 16 hr. Scenedesmus quadricauda)

ECOTOXICITY TO BACTERIA : 6600 mg/L (IUCLID: 16 hr. Pseudomonas fluorescens)

MOBILITY : This material is expected to have very high mobility in soil. It does not absorb to most soil types.

PERSISTENCE AND DEGRADABILITY : Readily biodegradable 99 % (OECD Test Guideline 301D, 30day)

BIOACCUMULATIVE POTENTIAL : BOD: 600-1200 mg/g (IUCLID)COD: 1400 mg/g (IUCLID)

BIOACCUMULATIVE POTENTIAL : Bio-concentration is not expected to occur.

ECOLOGICAL INFORMATION : **Alcohol Ethoxylated**

ECOTOXICITY : Not available.

PERSISTENCE AND DEGRADABILITY : No data available.

BIOACCUMULATIVE POTENTIAL : No data available.

SAFETY DATA SHEET

AS-755-100 WINDSHIELD WASH

ECOLOGICAL INFORMATION	: Diethylene Glycol Monobutyl Ether
ECOTOXICITY	: This product cannot accumulate in living tissue; diluted, this product is readily and rapidly in a wastewater treatment facility; in BOD test, 88% degraded in 28 says; half-life in air estimated as 10 hours.
PERSISTENCE AND DEGRADABILITY	: No data available.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL	: This product must be disposed of in accordance with Federal, state, and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.
-----------------------	---

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER SHIPPING NAME	: UN1230 METHANOL, SOLUTION 3, PGII
HAZARD CLASS AND LABEL	: 3 (Flammable Liquid)
UN NUMBER	: UN1230
PACKAGING GROUP	: PGII
EPA REPORTABLE QUANTITY (RQ)	: N/A
MARINE POLLUTANT	: No
EMERGENCY RESPONSE GUIDE	: ERG-131



SECTION 15 – REGULATORY INFORMATION

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information.

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN	: Not listed.
TSCA STATUS	: The ingredients of this product are listed in TSCA inventory (40CFR 710.)
SARA SECTION 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA SECTION 312	: Dipropylene Glycol Methyl Ether : Chronic health hazard Isopropanol : Acute health hazard, Chronic health hazard, Fire hazard.
SARA SECTION 313	: The following components are subject to reporting levels established by SARA title III, Section 313: ISOPROPANOL (CAS# 67-63-0)
CERCLA	: No chemicals in this material with known CAS numbers are subject to the reporting requirements of CERCLA.
NFPA HEALTH	: 2
NFPA FLAMMABILITY	: 2
NFPA REACTIVITY	: 0

CANADIAN REGULATORY INFORMATION:

WHMIS CATEGORY	: Methanol: B2: Flammable Liquid
	: Methanol: D2B: Materials that cause other toxic effects (TOXIC).
DOMESTIC SUBSTANCES LIST (DSL)	: Listed



SAFETY DATA SHEET

AS-755-100 WINDSHIELD WASH

INGREDIENT DISCLOSURE LIST : Listed

SECTION 16 – OTHER INFORMATION

DISCLAIMER	: The information contained herein has been compiled from sources believed to be reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Wesmar Co. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.
CERCLA	: Comprehensive Environmental Response, Compensation, and Liability Act.
EINECS	: European Inventory of Existing Commercial Chemical Substances
IMDG	: International Maritime Code for Dangerous Goods
IARC	: International Agency for Research on Cancer
IATA	: International Air Transportation Association
ACGIH	: American Conference of Governmental Industrial Hygienists
NFPA	: National Fire Protection Association (USA)
NTP	: National Toxicology Program
SARA	: Superfund Amendments and Reauthorization Act
TSCA	: Toxic Substances Control Act
HMIS	: Hazardous Materials Identification System (USA)
WHMIS	: Workplace Hazardous Materials Information System
LC50	: Lethal concentration, 50 percent
LD50	: Lethal dose, 50 percent
STOT	: Systemic Target Organ Toxicity
DATE PREPARED	: JAN 12, 2021
DATE REVISED	: JUL 12, 2024