

SAFETY DATA SHEET

CLOUD 9-EX (PHOSPHATE FREE)

SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME CLOUD 9-EX (PHOSPHATE FREE)
SYNOMYS Product is a mixture: No synonyms are available
PRODUCT USE PH Neutral Material
SUPPLIER United Formulas
SUPPLIER'S ADDRESS 601 6th St SW, Unit 5
Great Falls MT 59404
(406) 231-1205
EMERGENCY RESPONSE Infotrac: 1-800-535-5053
PHONE UF Customer Service: (406) 727-4144



SECTION 2 – HAZARD IDENTIFICATION

GHS – US CLASSIFICATION :
HAZARD PICTOGRAMS : 
SIGNAL WORD : Irritant
GHS LABEL ELEMENTS : The product is classified and labeled according to the Globally Harmonized System (GHS).
GHS PHYSICAL HAZARDS : H303 May by harmful if swallowed
: H315 Causes skin irritation
: H319 Causes serious eye irritation
OSHA HAZARDS : Not Applicable
TARGET ORGANS : Not Applicable
CLASSIFICATION SYSTEM : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.
NFPA RATINGS (SCALE 0-4) : Health = 2, Fire = 0, Reactivity = 0
HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC : Mixtures
DESCRIPTION : Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS #	EC #	GHS CLASS
Methyl tallow diethylenetriamine condensate, polyethoxylated, methyl sulfate	5-10	68410-69-5		Eye Irrit: Cat 2, Skin Irrit Cat 3 Acute Aquatic Tox: Cat 3

Irrit = Irritation, Corr = Corrosion, Cat = Category, Dam = Damage, Tox = Toxic, STOT SE = Specific Target Organ Toxicity Single Exposure. Also contains non-hazardous biodegradable fragrance and dye.

SECTION 4 – FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible.
EYE CONTACT : Immediately flush the eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. If irritation persists, get immediate medical attention.

SAFETY DATA SHEET

CLOUD 9-EX (PHOSPHATE FREE)

- SKIN CONTACT** : Remove contaminated clothing and shoes. Wash affected skin area with soap and water. If irritation occurs, get medical attention.
- SWALLOWING (INGESTION)** : If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep the airway clear. Give more water when vomiting stops.
- INHALATION** : Remove to fresh air. If symptoms persist, get medical attention.
- OTHER INSTRUCTIONS** : Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES


- EXTINGUISHING MEDIA** : Dry chemical, foam, water, or carbon dioxide.
- SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS** : In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all non-essential personnel from the danger area. Use water spray to cool nearby containers.
- UNUSUAL FIRE AND EXPLOSION HAZARDS** : No further relevant information is available.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

- PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES** : Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.
- ENVIRONMENTAL PROCEDURES** : Keep spilled material away from sewage/drainage systems and waterways.
- METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP** : All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

- PRECAUTIONS FOR SAFE HANDLING** : Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.
- CONDITIONS FOR SAFE STORAGE** : Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.



SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

- TLV (THRESHOLD LIMIT VALUE)** : The TLV in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
-----------	----------------	-------------	--------------

SAFETY DATA SHEET
CLOUD 9-EX (PHOSPHATE FREE)

Methyl tallow diethylenetriamine condensate, polyethoxylated, methyl sulfate	Not Established	Not Established	Not Established
--	-----------------	-----------------	-----------------

- EYE PROTECTION** : Wear chemical safety glasses or goggles.
- SKIN PROTECTION** : Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.
- RESPIRATORY PROTECTION** : In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.
- VENTILATION** : Ensure adequate ventilation.
- ADDITIONAL MEASURES** : Emergency eyewash and safety shower facilities should be available in the immediate work area.
- REQUIRED WORK/HYGIENE** : Wash hands thoroughly after handling. Keep away from all food stuff, beverages, and feed. Do not eat, drink, or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

- APPEARANCE** : Opaque pink liquid.
- ODOR** : Pleasant fragrance.
- ODOR THRESHOLD** : Not available
- PH** : 6.0 - 8.0 AS IS
- MELTING POINT/FREEZING POINT** : Not available
- BOILING POINT** : Approx. 212° F.
- FLASH POINT** : Nonflammable, Noncombustible
- EVAPORATION RATE** : Not available
- FLAMMABILITY** : Nonflammable, Noncombustible
- LOWER FLAMMABILITY LIMIT** : Not available
- UPPER FLAMMABILITY LIMIT** : Not available
- VAPOR PRESSURE** : Not available
- VAPOR DENSITY (AIR=1)** : Not available
- RELATIVE DENSITY** : 1.0
- SOLUBILITY IN WATER** : Soluble in water
- PARTITION COEFFICIENT n-octanol/water** : Not available
- AUTOIGNITION TEMPERATURE** : Not available
- DECOMPOSITION TEMPERATURE** : Not available

SECTION 10 – STABILITY AND REACTIVITY

- STABILITY** : Stable under recommended storage conditions.
- HAZARDOUS CONDITIONS TO AVOID** : No decomposition if used according to specifications
- INCOMPATIBLE MATERIALS** : Keep away from strong acids.
- HAZARDOUS DECOMPOSITION PRODUCTS** : No dangerous decomposition products known.

SECTION 11 – TOXICOLOGICAL INFORMATION

- TOXICOLOGICAL INFORMATION** : **Methyl tallow diethylenetriamine condensate, polyethoxylated, methyl sulfate**
- ACUTE TOXICITY** : Prolonged inhalation may be harmful. Causes skin irritation. Causes eye irritation.
- SYMPTOMS** : Tearing, redness and temporary blurred vision.

SAFETY DATA SHEET
CLOUD 9-EX (PHOSPHATE FREE)

DERMAL TOXICITY	: No data available
RESPIRATORY/SKIN	: No data available
SENSITISATION	
GERM CELL MUTAGENICITY	: No data available
CARCINOGENICITY	: No components of this product present at levels greater than or equal to 0.1% are identified as probable, possible, or confirmed human carcinogen by IARC ACGIH, NTP or OSHA.
SPECIFIC TARGET ORGAN	
TOXICITY	: Single exposure/Repeated exposure: Not applicable.

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION	: Methyl tallow diethylenetriamine condensate, polyethoxylated, methyl sulfate
TOXICITY TO FISH	: Toxic to aquatic life
PERSISTANCE AND	: No data available
DEGRADABILITY	
BIOACCUMULATIVE POTENTIAL	: No data available.
MOBILITY IN SOIL	: No data available.
OTHER ADVERSE EFFECTS	: No other adverse environmental effects are expected from this component.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL	: This product must be disposed of in accordance with Federal, state, and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.
-----------------------	---

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER	: Not Hazardous
SHIPPING NAME	
HAZARD CLASS AND LABEL	: Not Applicable.
UN NUMBER	: Not Applicable.
PACKAGING GROUP	: Not Applicable.
EPA REPORTABLE QUANTITY	: Not Applicable.
(RQ)	
MARINE POLLUTANT	: Not listed.
EMERGENCY RESPONSE GUIDE	: Not Applicable.

SECTION 15 – REGULATORY INFORMATION

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN	: Not listed.
TSCA STATUS	: The ingredients of this product are listed in TSCA inventory (40CFR 710.)
SARA SECTION 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA SECTION 312	: Chronic health hazard: None

SAFETY DATA SHEET

CLOUD 9-EX (PHOSPHATE FREE)

SARA SECTION 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

NFPA HEALTH

: 2

NFPA FLAMMABILITY

: 0

NFPA REACTIVITY

: 0

CANADIAN REGULATORY INFORMATION:

WHMIS CATEGORY : D2B: Materials that cause other toxic effects (TOXIC).
DOMESTIC SUBSTANCES LIST (DSL) : Listed



INGREDIENT DISCLOSURE LIST : Listed

SECTION 16 – OTHER INFORMATION

DISCLAIMER

: The information contained herein has been compiled from sources believed to be reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. United Formulas assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.

CERCLA

: Comprehensive Environmental Response, Compensation, and Liability Act.

EINECS

: European Inventory of Existing Commercial Chemical Substances

IMDG

: International Maritime Code for Dangerous Goods

IARC

: International Agency for Research on Cancer

IATA

: International Air Transportation Association

ACGIH

: American Conference of Governmental Industrial Hygienists

NFPA

: National Fire Protection Association (USA)

NTP

: National Toxicology Program

SARA

: Superfund Amendments and Reauthorization Act

TSCA

: Toxic Substances Control Act

HMIS

: Hazardous Materials Identification System (USA)

WHMIS

: Workplace Hazardous Materials Information System

LC50

: Lethal concentration, 50 percent

LD50

: Lethal dose, 50 percent

STOT

: Systemic Target Organ Toxicity

DATE PREPARED

: OCT 12, 2023

DATE REVISED

: SEP 22, 2025