


















Resolution (%)













































































































Energy loss | -3000 < p < -2940

Count




Energy loss | -2940 < p < -2880

Count



Energy loss | $-2880 < p < -2820$

Count



XP

$$\frac{\sigma}{\mu} = 11.03 \pm 0.29 \%$$

$$\mu = 513.3 \pm 1.5$$

$$\sigma = 56.6 \pm 1.3$$

WF

$$\frac{\sigma}{\mu} = 11.59 \pm 0.31 \%$$


$$\mu = 517.7 \pm 1.5$$

$$\sigma = 60.0 \pm 1.4$$

dE/dx (ADC counts/cm)

Energy loss | -2820 < p < -2760

Count



XP

$$\frac{\sigma}{\mu} = 10.46 \pm 0.28 \%$$

$$\mu = 507.6 \pm 1.4$$

$$\sigma = 53.1 \pm 1.3$$

WF

$$\frac{\sigma}{\mu} = 11.02 \pm 0.32 \%$$


$$\mu = 510.8 \pm 1.5$$

$$\sigma = 56.3 \pm 1.5$$

dE/dx (ADC counts/cm)

Energy loss | -2760 < p < -2700

Count



XP

$$\frac{\sigma}{\mu} = 11.46 \pm 0.32 \%$$

$$\mu = 508.9 \pm 1.6$$

$$\sigma = 58.3 \pm 1.5$$

WF

$$\frac{\sigma}{\mu} = 11.38 \pm 0.33 \%$$


$$\mu = 511.6 \pm 1.7$$

$$\sigma = 58.2 \pm 1.5$$

dE/dx (ADC counts/cm)

Energy loss | -2700 < p < -2640

Count



XP

$$\frac{\sigma}{\mu} = 11.12 \pm 0.29 \%$$

$$\mu = 508.8 \pm 1.4$$

$$\sigma = 56.6 \pm 1.3$$

WF

$$\frac{\sigma}{\mu} = 11.84 \pm 0.32 \%$$


$$\mu = 512.7 \pm 1.5$$

$$\sigma = 60.7 \pm 1.5$$

dE/dx (ADC counts/cm)

Energy loss | -2640 < p < -2580

Count



XP

$$\frac{\sigma}{\mu} = 10.93 \pm 0.28 \%$$

$$\mu = 506.5 \pm 1.4$$

$$\sigma = 55.4 \pm 1.3$$

WF

$$\frac{\sigma}{\mu} = 11.39 \pm 0.31 \%$$


$$\mu = 510.4 \pm 1.5$$

$$\sigma = 58.1 \pm 1.4$$

dE/dx (ADC counts/cm)


Energy loss | -2580 < p < -2520

Count




Energy loss | -2520 < p < -2460

Count




Energy loss | -2460 < p < -2400

Count




Energy loss | -2400 < p < -2340

Count




Energy loss | $-2340 < p < -2280$

Count




Energy loss | -2280 < p < -2220

Count




Energy loss | -2220 < p < -2160

Count




Energy loss | -2160 < p < -2100

Count




Energy loss | -2100 < p < -2040

Count




Energy loss | -2040 < p < -1980

Count



Energy loss | -1980 < p < -1920

Count



XP

$$\frac{\sigma}{\mu} = 11.06 \pm 0.27 \%$$

$$\mu = 485.6 \pm 1.2$$

$$\sigma = 53.7 \pm 1.2$$

WF

$$\frac{\sigma}{\mu} = 11.75 \pm 0.25 \%$$


$$\mu = 492.3 \pm 1.3$$

$$\sigma = 57.9 \pm 1.1$$

dE/dx (ADC counts/cm)


Energy loss | -1920 < p < -1860

Count



Energy loss | -1860 < p < -1800

Count



XP

$$\frac{\sigma}{\mu} = 10.83 \pm 0.25 \%$$

$$\mu = 484.0 \pm 1.1$$

$$\sigma = 52.4 \pm 1.1$$

WF

$$\frac{\sigma}{\mu} = 11.57 \pm 0.27 \%$$


$$\mu = 489.0 \pm 1.2$$

$$\sigma = 56.6 \pm 1.2$$

dE/dx (ADC counts/cm)


Energy loss | $-1800 < p < -1740$

Count




Energy loss | -1740 < p < -1680

Count



Energy loss | -1680 < p < -1620

Count



XP

$$\frac{\sigma}{\mu} = 10.87 \pm 0.22 \%$$

$$\mu = 479.6 \pm 1.1$$

$$\sigma = 52.1 \pm 0.9$$

WF


$$\frac{\sigma}{\mu} = 11.50 \pm 0.23 \%$$

$$\mu = 483.3 \pm 1.1$$

$$\sigma = 55.6 \pm 1.0$$

dE/dx (ADC counts/cm)


Energy loss | -1620 < p < -1560



Energy loss | $-1560 < p < -1500$

Count

400
350
300
250
200
150
100
50
0



XP

$$\frac{\sigma}{\mu} = 10.54 \pm 0.21 \%$$

$$\mu = 472.7 \pm 1.0$$

$$\sigma = 49.8 \pm 0.9$$

WF

$$\frac{\sigma}{\mu} = 11.22 \pm 0.22 \%$$


$$\mu = 476.6 \pm 1.0$$

$$\sigma = 53.4 \pm 0.9$$

dE/dx (ADC counts/cm)

Energy loss | -1500 < p < -1440

Count



XP

$$\frac{\sigma}{\bar{\mu}} = 10.92 \pm 0.23 \%$$

$$\mu = 469.9 \pm 1.0$$

$$\sigma = 51.3 \pm 1.0$$

WF

$$\frac{\sigma}{\bar{\mu}} = 11.63 \pm 0.24 \%$$


$$\mu = 474.3 \pm 1.1$$

$$\sigma = 55.2 \pm 1.0$$

dE/dx (ADC counts/cm)


Energy loss | -1440 < p < -1380

Count



Energy loss | -1380 < p < -1320

Count



Energy loss | -1320 < p < -1260

Count

500

400

300

200

100

0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$$\frac{\sigma}{\mu} = 10.29 \pm 0.21 \%$$

$$\mu = 458.6 \pm 0.9$$


$$\sigma = 47.2 \pm 0.9$$

WF

$$\frac{\sigma}{\mu} = 11.12 \pm 0.23 \%$$


$$\mu = 462.0 \pm 1.0$$

$$\sigma = 51.4 \pm 1.0$$



Energy loss | $-1260 < p < -1200$

Count



XP

$$\frac{\sigma}{\mu} = 10.22 \pm 0.19 \%$$

$$\mu = 456.8 \pm 0.9$$

$$\sigma = 46.7 \pm 0.8$$

WF

$$\frac{\sigma}{\mu} = 11.00 \pm 0.21 \%$$


$$\mu = 460.3 \pm 0.9$$

$$\sigma = 50.6 \pm 0.8$$

dE/dx (ADC counts/cm)

Energy loss | -1200 < p < -1140

Count



XP

$$\frac{\sigma}{\mu} = 10.08 \pm 0.19 \%$$

$$\mu = 453.5 \pm 0.8$$

$$\sigma = 45.7 \pm 0.8$$

WF

$$\frac{\sigma}{\mu} = 10.45 \pm 0.21 \%$$


$$\mu = 455.6 \pm 0.9$$

$$\sigma = 47.6 \pm 0.9$$

dE/dx (ADC counts/cm)

Energy loss | $-1140 < p < -1080$

Count



XP

$$\frac{\sigma}{\mu} = 9.80 \pm 0.21 \%$$

$$\mu = 449.3 \pm 0.8$$

$$\sigma = 44.0 \pm 0.9$$

WF

$$\frac{\sigma}{\mu} = 10.67 \pm 0.21 \%$$


$$\mu = 453.3 \pm 0.9$$

$$\sigma = 48.4 \pm 0.9$$

dE/dx (ADC counts/cm)


Energy loss | $-1080 < p < -1020$

Count




Energy loss | $-1020 < p < -960$

Count



Energy loss | $-960 < p < -900$

Count



XP

$$\frac{\sigma}{\mu} = 9.95 \pm 0.19 \%$$

$$\mu = 437.8 \pm 0.8$$

$$\sigma = 43.5 \pm 0.8$$

WF

$$\frac{\sigma}{\mu} = 10.56 \pm 0.20 \%$$


$$\mu = 440.7 \pm 0.8$$

$$\sigma = 46.6 \pm 0.8$$

dE/dx (ADC counts/cm)

Energy loss | $-900 < p < -840$

Count



XP

$$\frac{\sigma}{\mu} = 9.70 \pm 0.19 \%$$

$$\mu = 431.4 \pm 0.7$$

$$\sigma = 41.8 \pm 0.7$$

WF

$$\frac{\sigma}{\mu} = 10.27 \pm 0.18 \%$$


$$\mu = 434.2 \pm 0.7$$

$$\sigma = 44.6 \pm 0.7$$

dE/dx (ADC counts/cm)

Energy loss | $-840 < p < -780$

Count



XP

$$\frac{\sigma}{\mu} = 9.91 \pm 0.20 \%$$

$$\mu = 427.9 \pm 0.7$$

$$\sigma = 42.4 \pm 0.8$$

WF

$$\frac{\sigma}{\mu} = 10.14 \pm 0.17 \%$$


$$\mu = 431.3 \pm 0.7$$

$$\sigma = 43.7 \pm 0.7$$

dE/dx (ADC counts/cm)

Energy loss | $-780 < p < -720$

Count



XP

$$\frac{\sigma}{\mu} = 9.43 \pm 0.20 \%$$

$$\mu = 423.2 \pm 0.7$$

$$\sigma = 39.9 \pm 0.8$$

WF

$$\frac{\sigma}{\mu} = 10.05 \pm 0.18 \%$$


$$\mu = 426.4 \pm 0.7$$

$$\sigma = 42.9 \pm 0.7$$

dE/dx (ADC counts/cm)

Energy loss | $-720 < p < -660$

Count



XP

$$\frac{\sigma}{\mu} = 9.28 \pm 0.16 \%$$

$$\mu = 419.5 \pm 0.6$$

$$\sigma = 38.9 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 10.15 \pm 0.18 \%$$


$$\mu = 422.3 \pm 0.7$$

$$\sigma = 42.9 \pm 0.7$$

dE/dx (ADC counts/cm)

Energy loss | $-660 < p < -600$

Count



XP

$$\frac{\sigma}{\mu} = 9.42 \pm 0.16 \%$$

$$\mu = 415.2 \pm 0.6$$

$$\sigma = 39.1 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 9.76 \pm 0.17 \%$$


$$\mu = 416.8 \pm 0.7$$

$$\sigma = 40.7 \pm 0.7$$

dE/dx (ADC counts/cm)

Energy loss | $-600 < p < -540$

Count



XP

$$\frac{\sigma}{\mu} = 9.07 \pm 0.16 \%$$

$$\mu = 410.1 \pm 0.6$$

$$\sigma = 37.2 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 9.52 \pm 0.18 \%$$


$$\mu = 410.9 \pm 0.7$$

$$\sigma = 39.1 \pm 0.7$$

dE/dx (ADC counts/cm)

Energy loss | $-540 < p < -480$

Count



XP

$$\frac{\sigma}{\mu} = 8.92 \pm 0.13 \%$$

$$\mu = 407.3 \pm 0.5$$

$$\sigma = 36.3 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 9.37 \pm 0.15 \%$$


$$\mu = 408.3 \pm 0.6$$

$$\sigma = 38.3 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-480 < p < -420$

Count



XP

$$\frac{\sigma}{\mu} = 8.90 \pm 0.17 \%$$

$$\mu = 402.5 \pm 0.6$$

$$\sigma = 35.8 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 9.51 \pm 0.16 \%$$


$$\mu = 403.6 \pm 0.6$$

$$\sigma = 38.4 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-420 < p < -360$

Count



XP

$$\frac{\sigma}{\mu} = 8.55 \pm 0.16 \%$$

$$\mu = 400.0 \pm 0.5$$

$$\sigma = 34.2 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 9.03 \pm 0.16 \%$$


$$\mu = 400.1 \pm 0.6$$

$$\sigma = 36.1 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-360 < p < -300$

Count



XP

$$\frac{\sigma}{\mu} = 9.05 \pm 0.15 \%$$

$$\mu = 398.0 \pm 0.5$$

$$\sigma = 36.0 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 9.53 \pm 0.17 \%$$


$$\mu = 398.1 \pm 0.6$$

$$\sigma = 37.9 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-300 < p < -240$

Count



XP

$$\frac{\sigma}{\mu} = 8.88 \pm 0.15 \%$$

$$\mu = 399.7 \pm 0.6$$

$$\sigma = 35.5 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 9.42 \pm 0.18 \%$$


$$\mu = 400.0 \pm 0.6$$

$$\sigma = 37.7 \pm 0.7$$

dE/dx (ADC counts/cm)

Energy loss | $-240 < p < -180$

Count



XP

$$\frac{\sigma}{\mu} = 9.34 \pm 0.22 \%$$

$$\mu = 410.1 \pm 0.8$$

$$\sigma = 38.3 \pm 0.8$$

WF

$$\frac{\sigma}{\mu} = 10.06 \pm 0.21 \%$$


$$\mu = 410.6 \pm 0.8$$

$$\sigma = 41.3 \pm 0.8$$

dE/dx (ADC counts/cm)


Energy loss | -180 < p < -120

Count




Energy loss | $-120 < p < -60$

Count



Energy loss | $-60 < p < 0$

Count



XP

$$\frac{\sigma}{\mu} = 9.52 \pm 0.19 \%$$

$$\mu = 554.4 \pm 1.0$$

$$\sigma = 52.8 \pm 0.9$$

WF

$$\frac{\sigma}{\mu} = 10.08 \pm 0.20 \%$$


$$\mu = 549.6 \pm 1.0$$

$$\sigma = 55.4 \pm 1.0$$

dE/dx (ADC counts/cm)

Energy loss | $0 < p < 60$

Count



XP

$$\frac{\sigma}{\mu} = 11.26 \pm 0.23 \%$$

$$\mu = 511.5 \pm 1.1$$

$$\sigma = 57.6 \pm 1.1$$

WF

$$\frac{\sigma}{\mu} = 11.62 \pm 0.23 \%$$


$$\mu = 506.5 \pm 1.1$$

$$\sigma = 58.9 \pm 1.0$$

dE/dx (ADC counts/cm)

Energy loss | $60 < p < 120$

Count



XP

$$\frac{\sigma}{\mu} = 9.26 \pm 0.29 \%$$

$$\mu = 553.3 \pm 1.4$$

$$\sigma = 51.2 \pm 1.5$$

WF

$$\frac{\sigma}{\mu} = 10.18 \pm 0.30 \%$$

$$\mu = 549.7 \pm 1.5$$

$$\sigma = 56.0 \pm 1.5$$

dE/dx (ADC counts/cm)

Energy loss | $120 < p < 180$

Count

100

80

60

40

20

0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$$\frac{\sigma}{\mu} = 13.92 \pm 0.54 \%$$

$$\mu = 557.7 \pm 2.6$$


$$\sigma = 77.6 \pm 2.6$$

WF

$$\frac{\sigma}{\mu} = 13.45 \pm 0.50 \%$$


$$\mu = 563.0 \pm 2.6$$

$$\sigma = 75.7 \pm 2.5$$



Energy loss | $180 < p < 240$

Count



XP

$$\frac{\sigma}{\mu} = 11.56 \pm 0.32 \%$$

$$\mu = 454.4 \pm 1.3$$

$$\sigma = 52.5 \pm 1.3$$

WF

$$\frac{\sigma}{\mu} = 12.23 \pm 0.35 \%$$


$$\mu = 459.3 \pm 1.4$$

$$\sigma = 56.2 \pm 1.5$$

dE/dx (ADC counts/cm)

Energy loss | $240 < p < 300$

Count



XP

$$\frac{\sigma}{\mu} = 9.99 \pm 0.23 \%$$

$$\mu = 413.9 \pm 0.8$$

$$\sigma = 41.3 \pm 0.9$$

WF

$$\frac{\sigma}{\mu} = 10.65 \pm 0.22 \%$$


$$\mu = 416.4 \pm 0.8$$

$$\sigma = 44.4 \pm 0.8$$

dE/dx (ADC counts/cm)


Energy loss | $300 < p < 360$

Count



Energy loss | $360 < p < 420$

Count



dE/dx (ADC counts/cm)

Energy loss | $420 < p < 480$

Count

1000

800

600

400

200

0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$$\frac{\sigma}{\mu} = 9.01 \pm 0.14 \%$$

$$\mu = 401.0 \pm 0.5$$


$$\sigma = 36.1 \pm 0.5$$

WF


$$\frac{\sigma}{\mu} = 9.78 \pm 0.15 \%$$

$$\mu = 403.2 \pm 0.6$$


$$\sigma = 39.4 \pm 0.6$$



Energy loss | $480 < p < 540$




Energy loss | $540 < p < 600$



Energy loss | $600 < p < 660$

Count



XP

$$\frac{\sigma}{\mu} = 8.98 \pm 0.15 \%$$

$$\mu = 412.4 \pm 0.6$$

$$\sigma = 37.0 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 9.67 \pm 0.16 \%$$


$$\mu = 414.8 \pm 0.6$$

$$\sigma = 40.1 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $660 < p < 720$


Count



dE/dx (ADC counts/cm)

Energy loss | $720 < p < 780$

Count



XP

$$\frac{\sigma}{\mu} = 9.24 \pm 0.15 \%$$

$$\mu = 420.3 \pm 0.6$$

$$\sigma = 38.8 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 9.90 \pm 0.16 \%$$


$$\mu = 422.7 \pm 0.6$$

$$\sigma = 41.8 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $780 < p < 840$

Count



XP

$$\frac{\sigma}{\mu} = 9.60 \pm 0.16 \%$$

$$\mu = 425.2 \pm 0.6$$

$$\sigma = 40.8 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 9.72 \pm 0.15 \%$$


$$\mu = 427.3 \pm 0.6$$

$$\sigma = 41.5 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $840 < p < 900$

Count



XP

$$\frac{\sigma}{\mu} = 9.60 \pm 0.17 \%$$

$$\mu = 428.5 \pm 0.6$$

$$\sigma = 41.1 \pm 0.7$$

WF

$$\frac{\sigma}{\mu} = 10.02 \pm 0.15 \%$$


$$\mu = 432.7 \pm 0.7$$

$$\sigma = 43.4 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $900 < p < 960$

Count



XP

$$\frac{\sigma}{\mu} = 9.39 \pm 0.16 \%$$

$$\mu = 432.5 \pm 0.6$$

$$\sigma = 40.6 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 10.16 \pm 0.18 \%$$


$$\mu = 435.5 \pm 0.7$$

$$\sigma = 44.2 \pm 0.7$$

dE/dx (ADC counts/cm)

Energy loss | $960 < p < 1020$

Count



XP

$$\frac{\sigma}{\mu} = 9.72 \pm 0.17 \%$$

$$\mu = 438.4 \pm 0.7$$

$$\sigma = 42.6 \pm 0.7$$

WF

$$\frac{\sigma}{\mu} = 9.89 \pm 0.17 \%$$


$$\mu = 440.7 \pm 0.7$$

$$\sigma = 43.6 \pm 0.7$$

dE/dx (ADC counts/cm)


Energy loss | $1020 < p < 1080$

Count



Energy loss | $1080 < p < 1140$

Count



XP

$$\frac{\sigma}{\mu} = 9.89 \pm 0.16 \%$$

$$\mu = 445.2 \pm 0.7$$

$$\sigma = 44.0 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 10.23 \pm 0.18 \%$$


$$\mu = 447.3 \pm 0.7$$

$$\sigma = 45.7 \pm 0.7$$

dE/dx (ADC counts/cm)

Energy loss | $1140 < p < 1200$

Count



XP

$$\frac{\sigma}{\mu} = 10.08 \pm 0.19 \%$$

$$\mu = 447.8 \pm 0.7$$

$$\sigma = 45.1 \pm 0.8$$

WF

$$\frac{\sigma}{\mu} = 10.26 \pm 0.17 \%$$


$$\mu = 451.4 \pm 0.7$$

$$\sigma = 46.3 \pm 0.7$$

dE/dx (ADC counts/cm)


Energy loss | $1200 < p < 1260$

Count



Energy loss | $1260 < p < 1320$

Count



XP

$$\frac{\sigma}{\mu} = 9.66 \pm 0.19 \%$$

$$\mu = 454.8 \pm 0.8$$

$$\sigma = 43.9 \pm 0.8$$

WF

$$\frac{\sigma}{\mu} = 10.24 \pm 0.19 \%$$

$$\mu = 457.5 \pm 0.8$$

$$\sigma = 46.9 \pm 0.8$$

dE/dx (ADC counts/cm)

Energy loss | $1320 < p < 1380$

Count

600
500
400
300
200
100
0

XP

$$\frac{\sigma}{\mu} = 9.83 \pm 0.18 \%$$

$$\mu = 457.8 \pm 0.8$$

$$\sigma = 45.0 \pm 0.8$$

WF

$$\frac{\sigma}{\mu} = 9.97 \pm 0.19 \%$$

$$\mu = 460.1 \pm 0.8$$

$$\sigma = 45.9 \pm 0.8$$

0

200

400

600

800


1000

1200

dE/dx (ADC counts/cm)


Energy loss | $1380 < p < 1440$

Count




Energy loss | $1440 < p < 1500$

Count



Energy loss | $1500 < p < 1560$

Count



XP

$$\frac{\sigma}{\mu} = 10.26 \pm 0.19 \%$$

$$\mu = 467.0 \pm 0.9$$

$$\sigma = 47.9 \pm 0.8$$

WF

$$\frac{\sigma}{\mu} = 10.69 \pm 0.20 \%$$


$$\mu = 469.7 \pm 0.9$$

$$\sigma = 50.2 \pm 0.8$$

dE/dx (ADC counts/cm)

Energy loss | $1560 < p < 1620$

Count



XP

$$\frac{\sigma}{\mu} = 10.67 \pm 0.22 \%$$

$$\mu = 471.1 \pm 0.9$$

$$\sigma = 50.3 \pm 0.9$$

WF

$$\frac{\sigma}{\mu} = 10.66 \pm 0.21 \%$$


$$\mu = 473.3 \pm 0.9$$

$$\sigma = 50.4 \pm 0.9$$

dE/dx (ADC counts/cm)

Energy loss | $1620 < p < 1680$

Count



XP

$$\frac{\sigma}{\mu} = 10.44 \pm 0.20 \%$$

$$\mu = 473.6 \pm 0.9$$

$$\sigma = 49.4 \pm 0.8$$

WF

$$\frac{\sigma}{\mu} = 10.74 \pm 0.21 \%$$


$$\mu = 475.6 \pm 1.0$$

$$\sigma = 51.1 \pm 0.9$$

dE/dx (ADC counts/cm)

Energy loss | $1680 < p < 1740$

Count



XP

$$\frac{\sigma}{\mu} = 10.38 \pm 0.20 \%$$

$$\mu = 476.2 \pm 1.0$$

$$\sigma = 49.4 \pm 0.8$$

WF

$$\frac{\sigma}{\mu} = 10.66 \pm 0.23 \%$$


$$\mu = 477.2 \pm 1.0$$

$$\sigma = 50.9 \pm 1.0$$

dE/dx (ADC counts/cm)

Energy loss | $1740 < p < 1800$

Count



XP

$$\frac{\sigma}{\bar{\mu}} = 10.47 \pm 0.22 \%$$

$$\mu = 476.9 \pm 1.0$$

$$\sigma = 49.9 \pm 1.0$$

WF

$$\frac{\sigma}{\bar{\mu}} = 11.08 \pm 0.23 \%$$


$$\mu = 480.6 \pm 1.0$$

$$\sigma = 53.3 \pm 1.0$$

dE/dx (ADC counts/cm)


Energy loss | $1800 < p < 1860$

Count



Energy loss | $1860 < p < 1920$

Count



XP

$$\frac{\sigma}{\mu} = 10.64 \pm 0.21 \%$$

$$\mu = 483.6 \pm 1.0$$

$$\sigma = 51.4 \pm 0.9$$

WF

$$\frac{\sigma}{\mu} = 10.52 \pm 0.21 \%$$


$$\mu = 485.9 \pm 1.0$$

$$\sigma = 51.1 \pm 0.9$$

dE/dx (ADC counts/cm)


Energy loss | $1920 < p < 1980$

Count




Energy loss | $1980 < p < 2040$

Count



Energy loss | $2040 < p < 2100$


Count



Energy loss | $2100 < p < 2160$

Count

350
300
250
200
150
100
50
0



XP

$$\frac{\sigma}{\mu} = 10.69 \pm 0.26 \%$$

$$\mu = 489.5 \pm 1.1$$

$$\sigma = 52.3 \pm 1.2$$

WF

$$\frac{\sigma}{\mu} = 10.94 \pm 0.25 \%$$


$$\mu = 492.9 \pm 1.1$$

$$\sigma = 53.9 \pm 1.1$$

dE/dx (ADC counts/cm)


Energy loss | $2160 < p < 2220$

Count




Energy loss | $2220 < p < 2280$

Count




Energy loss | $2280 < p < 2340$

Count




Energy loss | $2340 < p < 2400$

Count



Energy loss | $2400 < p < 2460$

Count



XP

$$\frac{\sigma}{\mu} = 10.74 \pm 0.27 \%$$

$$\mu = 494.7 \pm 1.2$$

$$\sigma = 53.2 \pm 1.2$$

WF

$$\frac{\sigma}{\mu} = 10.83 \pm 0.27 \%$$


$$\mu = 497.8 \pm 1.2$$

$$\sigma = 53.9 \pm 1.2$$

dE/dx (ADC counts/cm)


Energy loss | $2460 < p < 2520$

Count



Energy loss | $2520 < p < 2580$

Count



XP

$$\frac{\sigma}{\mu} = 10.54 \pm 0.27 \%$$

$$\mu = 499.6 \pm 1.3$$

$$\sigma = 52.6 \pm 1.2$$

WF

$$\frac{\sigma}{\mu} = 10.87 \pm 0.27 \%$$


$$\mu = 503.4 \pm 1.3$$

$$\sigma = 54.7 \pm 1.2$$

dE/dx (ADC counts/cm)

Energy loss | $2580 < p < 2640$

Count



XP

$$\frac{\sigma}{\mu} = 9.90 \pm 0.22 \%$$

$$\mu = 498.7 \pm 1.1$$

$$\sigma = 49.3 \pm 1.0$$

WF

$$\frac{\sigma}{\mu} = 10.13 \pm 0.27 \%$$


$$\mu = 501.2 \pm 1.2$$

$$\sigma = 50.8 \pm 1.2$$

dE/dx (ADC counts/cm)


Energy loss | $2640 < p < 2700$

Count




Energy loss | $2700 < p < 2760$

Count




Energy loss | $2760 < p < 2820$

Count




Energy loss | $2820 < p < 2880$

Count




Energy loss | $2880 < p < 2940$

Count




Energy loss | $2940 < p < 3000$

Count



Energy loss | $3000 < p < 3060$

Count



Energy loss | $-90 < \theta < -88$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-88 < \theta < -86$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-86 < \theta < -84$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-84 < \theta < -82$

Count



dE/dx (ADC counts/cm)

Energy loss | $-82 < \theta < -80$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$


Energy loss | $-80 < \theta < -78$

Count



Energy loss | $-78 < \theta < -76$

Count



XP

$$\frac{\sigma}{\bar{\mu}} = 0.36 \pm 1.79 \%$$

$$\mu = 71.2 \pm 2.4$$

$$\sigma = 0.3 \pm 1.3$$

WF

$$\frac{\sigma}{\bar{\mu}} = 0.36 \pm 1.79 \%$$


$$\mu = 71.2 \pm 2.4$$

$$\sigma = 0.3 \pm 1.3$$

dE/dx (ADC counts/cm)


Energy loss | $-76 < \theta < -74$

Count




Energy loss | $-74 < \theta < -72$

Count




Energy loss | $-72 < \theta < -70$

Count




Energy loss | $-70 < \theta < -68$

Count




Energy loss | $-68 < \theta < -66$

Count




Energy loss | $-66 < \theta < -64$

Count




Energy loss | $-64 < \theta < -62$

Count




Energy loss | $-62 < \theta < -60$

Count




Energy loss | $-60 < \theta < -58$

Count




Energy loss | $-58 < \theta < -56$

Count




Energy loss | $-56 < \theta < -54$

Count




Energy loss | $-54 < \theta < -52$

Count




Energy loss | $-52 < \theta < -50$

Count




Energy loss | $-50 < \theta < -48$

Count




Energy loss | $-48 < \theta < -46$

Count




Energy loss | $-46 < \theta < -44$

Count




Energy loss | $-44 < \theta < -42$

Count



Energy loss | $-42 < \theta < -40$

Count



XP

$$\frac{\sigma}{\mu} = 15.87 \pm 0.36 \%$$

$$\mu = 517.4 \pm 1.8$$

$$\sigma = 82.1 \pm 1.6$$

WF

$$\frac{\sigma}{\mu} = 16.26 \pm 0.37 \%$$


$$\mu = 517.0 \pm 1.9$$

$$\sigma = 84.0 \pm 1.6$$

dE/dx (ADC counts/cm)


Energy loss | $-40 < \theta < -38$

Count




Energy loss | $-38 < \theta < -36$

Count




Energy loss | $-36 < \theta < -34$

Count




Energy loss | $-34 < \theta < -32$

Count




Energy loss | $-32 < \theta < -30$

Count




Energy loss | $-30 < \theta < -28$

Count




Energy loss | $-28 < \theta < -26$

Count



Energy loss | $-26 < \theta < -24$

Count



XP

$$\frac{\sigma}{\mu} = 15.12 \pm 0.16 \%$$

$$\mu = 493.4 \pm 0.8$$

$$\sigma = 74.6 \pm 0.7$$

WF

$$\frac{\sigma}{\mu} = 15.45 \pm 0.16 \%$$


$$\mu = 496.3 \pm 0.8$$

$$\sigma = 76.7 \pm 0.7$$

dE/dx (ADC counts/cm)

Energy loss | $-24 < \theta < -22$

Count



Energy loss | $-22 < \theta < -20$

Count

1000


800

600

400

200

0



XP

$$\frac{\sigma}{\mu} = 14.68 \pm 0.13 \%$$

$$\mu = 493.3 \pm 0.7$$

$$\sigma = 72.4 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 15.28 \pm 0.15 \%$$

$$\mu = 495.9 \pm 0.8$$

$$\sigma = 75.8 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-20 < \theta < -18$

Count

1000


800

600

400

200

0



XP

$$\frac{\sigma}{\mu} = 14.80 \pm 0.13 \%$$

$$\mu = 492.1 \pm 0.7$$

$$\sigma = 72.8 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 15.30 \pm 0.14 \%$$

$$\mu = 494.5 \pm 0.7$$

$$\sigma = 75.7 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-18 < \theta < -16$

Count

1200

1000

800

600

400

200

0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$$\frac{\sigma}{\mu} = 14.88 \pm 0.12 \%$$

$$\mu = 490.9 \pm 0.6$$


$$\sigma = 73.0 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 15.25 \pm 0.13 \%$$


$$\mu = 493.4 \pm 0.7$$

$$\sigma = 75.3 \pm 0.6$$




Energy loss | $-16 < \theta < -14$


Count



Energy loss | $-14 < \theta < -12$




Energy loss | $-12 < \theta < -10$




Energy loss | $-10 < \theta < -8$


Count




Energy loss | $-8 < \theta < -6$




Energy loss | $-6 < \theta < -4$




Energy loss | $-4 < \theta < -2$




Energy loss $|-2 < \theta < 0$




Energy loss | $0 < \theta < 2$




Energy loss | $2 < \theta < 4$




Energy loss | $4 < \theta < 6$



Energy loss | $6 < \theta < 8$




Energy loss | $8 < \theta < 10$



Energy loss | $10 < \theta < 12$

Count

1600
1400
1200
1000
800
600
400
200
0



XP

$$\frac{\sigma}{\mu} = 14.77 \pm 0.11 \%$$

$$\mu = 486.5 \pm 0.5$$

$$\sigma = 71.9 \pm 0.4$$

WF


$$\frac{\sigma}{\mu} = 15.28 \pm 0.11 \%$$

$$\mu = 487.8 \pm 0.5$$


$$\sigma = 74.5 \pm 0.4$$

dE/dx (ADC counts/cm)

Energy loss | $12 < \theta < 14$




Energy loss | $14 < \theta < 16$




Energy loss | $16 < \theta < 18$

Count



Energy loss | $18 < \theta < 20$



Energy loss | $20 < \theta < 22$

Count

1000


800

600

400

200

0



dE/dx (ADC counts/cm)

Energy loss | $22 < \theta < 24$

Count

1000


800

600

400

200

0



XP

$$\frac{\sigma}{\mu} = 14.69 \pm 0.13 \%$$

$$\mu = 491.5 \pm 0.7$$

$$\sigma = 72.2 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 15.26 \pm 0.15 \%$$


$$\mu = 493.8 \pm 0.7$$

$$\sigma = 75.4 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $24 < \theta < 26$

Count



XP

$$\frac{\sigma}{\mu} = 14.79 \pm 0.14 \%$$

$$\mu = 493.0 \pm 0.7$$

$$\sigma = 72.9 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 15.52 \pm 0.15 \%$$


$$\mu = 495.0 \pm 0.8$$

$$\sigma = 76.8 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $26 < \theta < 28$


Count



Energy loss | $28 < \theta < 30$

Count

700
600
500
400
300
200
100
0



XP

$$\frac{\sigma}{\mu} = 15.10 \pm 0.18 \%$$

$$\mu = 495.6 \pm 0.9$$

$$\sigma = 74.8 \pm 0.7$$

WF

$$\frac{\sigma}{\mu} = 15.49 \pm 0.17 \%$$


$$\mu = 498.7 \pm 0.9$$

$$\sigma = 77.3 \pm 0.7$$

dE/dx (ADC counts/cm)


Energy loss | $30 < \theta < 32$

Count




Energy loss | $32 < \theta < 34$

Count




Energy loss | $34 < \theta < 36$

Count




Energy loss | $36 < \theta < 38$

Count




Energy loss | $38 < \theta < 40$

Count




Energy loss | $40 < \theta < 42$

Count




Energy loss | $42 < \theta < 44$

Count




Energy loss | $44 < \theta < 46$

Count




Energy loss | $46 < \theta < 48$

Count




Energy loss | $48 < \theta < 50$

Count




Energy loss | $50 < \theta < 52$

Count




Energy loss | $52 < \theta < 54$

Count




Energy loss | $54 < \theta < 56$

Count




Energy loss | $56 < \theta < 58$

Count




Energy loss | $58 < \theta < 60$

Count




Energy loss | $60 < \theta < 62$

Count




Energy loss | $62 < \theta < 64$

Count



Energy loss | $64 < \theta < 66$


Count



dE/dx (ADC counts/cm)


Energy loss | $66 < \theta < 68$

Count




Energy loss | $68 < \theta < 70$

Count




Energy loss | $70 < \theta < 72$

Count




Energy loss | $72 < \theta < 74$

Count




Energy loss | $74 < \theta < 76$

Count



Energy loss | $76 < \theta < 78$

Count



XP

$$\frac{\sigma}{\mu} = 11.56 \pm 512.80 \%$$

$$\mu = 104.0 \pm 16.1$$

$$\sigma = 12.0 \pm 531.7$$

WF

$$\frac{\sigma}{\mu} = 11.56 \pm 512.80 \%$$

$$\mu = 104.0 \pm 16.1$$

$$\sigma = 12.0 \pm 531.7$$

dE/dx (ADC counts/cm)

Energy loss | $78 < \theta < 80$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $80 < \theta < 82$

Count



Energy loss | $82 < \theta < 84$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $84 < \theta < 86$


Count



dE/dx (ADC counts/cm)

Energy loss | $86 < \theta < 88$


Count



dE/dx (ADC counts/cm)

Energy loss | $88 < \theta < 90$


Count



dE/dx (ADC counts/cm)

Energy loss | $90 < \theta < 92$

Count



dE/dx (ADC counts/cm)

