


Query:

```
CREATE TABLE EMPLOYEE(  
    EMPNO CHAR(8) CONSTRAINT EmployeeEmpNoReq NOT NULL CONSTRAINT  
    PKEmployee PRIMARY KEY,  
  
    EMPNAME VARCHAR2(50) CONSTRAINT EmployeeEmpNameReq NOT NULL,  
  
    DEPARTMENT VARCHAR2(50) CONSTRAINT EmployeeDepartmentReq NOT NULL,  
  
    EMAIL VARCHAR2(50) CONSTRAINT EmployeeEmailReq NOT NULL,  
  
    PHONE VARCHAR2(20) CONSTRAINT EmployeePhoneReq NOT NULL  
);
```

Snapshot of table:



The screenshot shows a database query tool interface. At the top, there are tabs for 'Worksheet' and 'Query Builder'. The 'Query Builder' tab is active, displaying the SQL query: `SELECT * FROM EMPLOYEE`. Below the query, there is a 'Script Output' window showing the execution status: 'Task completed in 0.86 seconds'. The main area displays the results of the query in a table format with four columns: EMPNO, EMPNAME, DEPARTMENT, and EMAIL. The table contains four rows of data.

EMPNO	EMPNAME	DEPARTMENT	EMAIL
E100	Chuck Coordinator	Administration	chuck@colorado.edu
E101	Mary Manager	Football	mary@colorado.edu
E102	Sally Supervisor	Planning	sally@colorado.edu
E103	Alan Administrator	Administration	alan@colorado.edu