Batching & Optimizers + Assignments 6, 7 (Neural Networks Implementation and Application Tutorial)

Vilém Zouhar, Noon Pokaratsiri Goldstein

4th, 5th January 2022

Overview

- Assignment 6
- Batching
- Optimization algorithms
- Assignment 7

Assignment 6

• What was the hardest part?

Gradient descent 🧐

What is it?

What's the difference? 👺

• Batch, stochastic, mini-batch gradient descent

Gradient descent 🧐

- What is it?
- What do we base the gradient estimates on?

What's the difference? 👺

• Batch, stochastic, mini-batch gradient descent

Gradient descent 🧐

- What is it?
- What do we base the gradient estimates on?

What's the difference? 👺

• Batch, stochastic, mini-batch gradient descent

Gradient descent ⁹

- What is it?
- What do we base the gradient estimates on?

What's the difference? 🦻

• Batch, stochastic, mini-batch gradient descent

What's the batch size for dataset size d? 🤔

Batch gradient descent

Gradient descent ⁹

- What is it?
- What do we base the gradient estimates on?

What's the difference? 👺

• Batch, stochastic, mini-batch gradient descent

- Batch gradient descent
 - ▶ d

Gradient descent 🧐

- What is it?
- What do we base the gradient estimates on?

What's the difference? 🦻

• Batch, stochastic, mini-batch gradient descent

- Batch gradient descent
 - ► d
- Stochastic gradient descent

Gradient descent 🧐

- What is it?
- What do we base the gradient estimates on?

What's the difference? 🦻

• Batch, stochastic, mini-batch gradient descent

- Batch gradient descent
 - ▶ (
- Stochastic gradient descent
 - .

Gradient descent 🧐

- What is it?
- What do we base the gradient estimates on?

What's the difference? 🤔

• Batch, stochastic, mini-batch gradient descent

- Batch gradient descent
 - **>**
- Stochastic gradient descent
 - **>**
- Mini-batch gradient descent

Gradient descent 🧐

- What is it?
- What do we base the gradient estimates on?

What's the difference? 🤔

• Batch, stochastic, mini-batch gradient descent

- Batch gradient descent
 - **>**
- Stochastic gradient descent
 - **>**
- Mini-batch gradient descent
 - 1 < b < d

	batch size	estimate	train time	computation
(Full) Batch gradient descent	$egin{array}{c} d \ 1 < b < d \ 1 \end{array}$	accurate	high	high
Mini-Batch gradient descent		less accurate	faster	faster
Stochastic gradient descent		least accurate	fastest	fasterst

Notes

- All modes are (special cases of) mini-batch
- When people say "BGD" they usually mean "MBGD"

Note on common memory saving technique

- ullet Accumulate gradient for < b samples and update only after reaching mini-batch
- This way GPU/RAM only has < b samples at the time
- Output same as for minibatch
- No extra memory cost, higher computation time




Figure 1: Convergence of SGD, MBGD, BGD [1]

Optimization Algorithms - Momentum

SGD/MBGD/BGD (known as SGD)

- Approximate gradient based on some set
- $\theta \leftarrow \theta g$

Optimization Algorithms - Momentum

SGD/MBGD/BGD (known as SGD)

- Approximate gradient based on some set
- $\theta \leftarrow \theta g$

SGD with momentum

- Approximate gradient based on some set
- Update direction in which the gradient is moving (+exponential decay)
- $\mathbf{v} \leftarrow \alpha \mathbf{v} \epsilon \mathbf{g}$
- $\theta \leftarrow \theta + v$

Optimization Algorithms - Momentum

SGD/MBGD/BGD (known as SGD)

- Approximate gradient based on some set
- $\theta \leftarrow \theta g$

SGD with momentum

- Approximate gradient based on some set
- Update direction in which the gradient is moving (+exponential decay)
- $\mathbf{v} \leftarrow \alpha \mathbf{v} \epsilon \mathbf{g}$
- \bullet $\theta \leftarrow \theta + v$

Remaining issue

- Some dimensions are very high frequency (need small learning rate)
- Some dimensions are uneventful (need large learning rate)

Optimization Algorithms - Adaptive learning rates

AdaGrad

- Keep sum of squared gradients ("speed"): $r \leftarrow r + g \odot g$
- Scale individual dimensions: $\theta \leftarrow \theta \frac{\epsilon}{\delta + \sqrt{r}} \odot g$

Optimization Algorithms - Adaptive learning rates

AdaGrad

- Keep sum of squared gradients ("speed"): $r \leftarrow r + g \odot g$
- Scale individual dimensions: $\theta \leftarrow \theta \frac{\epsilon}{\delta + \sqrt{r}} \odot g$

RMSProp

- Same as AdaGrad but decay history
- Keep sum of squared gradients ("speed"): $r \leftarrow \rho r + (1-\rho)g \odot g$
- Scale individual dimensions: $\theta \leftarrow \theta \frac{\epsilon}{\delta + \sqrt{r}} \odot g$

Optimization Algorithms - Adaptive learning rates

AdaGrad

- Keep sum of squared gradients ("speed"): $r \leftarrow r + g \odot g$
- Scale individual dimensions: $\theta \leftarrow \theta \frac{\epsilon}{\delta + \sqrt{r}} \odot g$

RMSProp

- Same as AdaGrad but decay history
- Keep sum of squared gradients ("speed"): $r \leftarrow \rho r + (1-\rho)g \odot g$
- Scale individual dimensions: $\theta \leftarrow \theta \frac{\epsilon}{\delta + \sqrt{r}} \odot g$

Adam

- Combine momentum and adaptive learning rates
- $s \leftarrow \rho_1 s + (1 \rho_1)g, r \leftarrow \rho_2 r + (1 \rho_2)g \odot g$
- Bias correction (matters only at the beginning): $\hat{s} = s/(1-\rho_1^t), \hat{r} = r/(1-\rho_2^t)$
- Update: $\theta \leftarrow \theta \frac{\epsilon}{\delta + \sqrt{\hat{r}}} \hat{s}$

Optimization Algorithms

Notes

- Look up Nesterov look-ahead momentum update 2
- Adam is the go-to algorithm nowadays
- Be able to write down pseudocode for the optimizers (in more detail than these slides)




Figure 2: Comparison of optimizers [3]

See nice animated gradient optimizer visualizations.

Assignment 7

Any questions?

Resources

- dragonnotes.org/DeepLearning/Optimization (very good notes!)
- mlfromscratch.com/optimizers-explained/#/
- 10 towardsdatascience.com/adam-latest-trends-in-deep-learning-optimization-6be9a291375c
- gradient visualization