

Lesson 3: Interactivity in Visual Analytics


Dr. Kam Tin Seong
Assoc. Professor of Information Systems (Practice)
School of Computing and Information Systems,
Singapore Management University

27 Jan 2023


What will you learn from this lesson?

- Typology of Interactive Techniques
 - Data & view specification
 - View Manipulation
 - Process and Provenance
- Interactive Design Primitive
- Animation: Principles and Best Practices

Building Block of Visual Analytics



Revisiting Visual Analytics Framework




Taxonomy of Interactive Dynamics

Data and View Specification	Visualize data by choosing visual encodings. Filter out data to focus on relevant items. Sort items to expose patterns. Derive values or models from source data.
View Manipulation	Select items to highlight, filter, or manipulate them. Navigate to examine high-level patterns and low-level detail. Coordinate views for linked, multidimensional exploration. Organize multiple windows and workspaces.
Process and Provenance	Record analysis histories for revisit, review, and sharing. Annotate patterns to document findings. Share views and annotations to enable collaboration. Guide users through analysis tasks or stories.

Source: Heer, J. & Shneiderman, B. (2012) “Interactive Dynamics for Visual Analytics” *ACM Queue*, Vol. 55, No. 4, pp 45-54.


Data & view specification

- Visualise data by choosing visual encodings.
- Polaris of Tableau




Data & view specification

- Filter out data to focus on relevant items.



Data & view specification



- **Slicer** is an axis-parallel selection tool, which selects a range along an axis, where the end-point of the interval can be modified dynamically.



Source: [crossfilter](#)



Data & view specification

- Sort items to expose patterns.





Data & view specification

- Hierarchical sorting





Data & view specification

- Derive values or models from source data.




View Manipulation: Selection functions

- Pointer selects a single object in a plot.




View Manipulation: Selection functions

- Drag-box selects a rectangular region in a box.




View Manipulation: Selection functions

- **Brush** is a generalisation of the drag-box.
Once a rectangular region is define, the brush allows users to move that region across a plot and thus dynamically change the selected subset.




View Manipulation: Selection functions

- Lasso allows users to define an arbitrary contiguous shape to select data.




View Manipulation: Selection modes



Reference: [Mondrian](#)

View Manipulation: Highlighting

- Selected records are highlighted.




View Manipulation

- Navigate to examine high-level patterns and low-level detail.
- Shneiderman's mantra

**“Overview first,
zoom and filter,
then details-on-demand”**

View Manipulation

- The scatter plot provides an overview and the bar and line graphs provide detail sales and profits trends overtime.




View Manipulation


- Coordinate views for linked, multi-dimensional exploration

Scatterplot with marginal boxplot


Maths



English versus Maths




English



View Manipulation


- Organise multiple windows and workspaces.



Source: [VAST Challenge 2017 MC1 by Yifi](#)

View Manipulation: Rotating

- Touring view with JMP's 3D scatterplot




Process and Provenance

- Record analysis histories for revisit, review and sharing.
- Annotate patterns to determine findings.
- Share views and annotations to enable collaboration.
- Guide users through analysis tasks or stories.

Interactive Design Primitive

A framework for effective interactive design in visual analytics application.



Source: Roth, R.E. (2012) "Cartographic Interaction Primitive: Framework and Synthesis". The Cartographic Journal, Vol. 49, No. 4 pp. 376-395.

Interactive Design Primitive

Visual Analytics Objective Primitives

objectives | geographic insight


1. identify → e.g., ID, locate
2. compare → e.g., difference, change
3. rank → e.g., anomaly, outlier
4. associate → e.g., correlation, trend, cause-effect
5. delineate → e.g., cluster, hotspot, spike

Interactive Analytics Operator Primitives

operators

- | | |
|---------------------|---------------------|
| 1. reexpress | 7. pan |
| 2. arrange | 8. zoom |
| 3. sequence | 9. filter |
| 4. resymbolize | 10. search |
| 5. overlay | 11. retrieve |
| 6. reproject | 12. calculate |

Interactive Design Primitive




Animation in Visual Analytics

- The purpose of animation is to facilitate perception of changes when transitioning between related data graphics
- Do not confine to time-series data only

The Original Design

The New York Times recently published an interactive graphic for exploring different types of American households. [Go check it out.](#)



Source: [How Many Households](#)

Why using Animation in Visual Analytics

- Motion is highly effective at attracting attention.
- Animation facilitates object constancy for changing objects.
- Animated behaviours can give rise to perceptions of causality and intentionality, communicating cause-and-effect relationships and establishing narrative.
- Animation can be emotionally engaging, engendering increased interest or enjoyment.

Principles of Animation


- *Congruence* principle states that the structure and content of the external representation should correspond to the desired and content of the internal representation.
- Maintain valid data graphics during transitions
- Use consistent semantic-syntactic mappings
- Respect semantic correspondence
- Avoid ambiguity
- *Apprehension* principle states that the structure and content of the external representation should be readily and accurately perceived and comprehended.
 - Group similar transitions
 - Minimise occlusion
 - Maximise predictability
 - Use simple transitions
 - Use staging for complex transitions
 - Make transitions as long as needed, but no longer

Source: Heer, J and Robertson G. (2007) [Animated Transitions in Statistical data Graphics](#), IEEE Transactions on Visualization and Computer Graphics, Vol. 13, No. 6, 1240-1247 and the [video](#).

Animation in Action


Stacked-to-Grouped Bars

○ Stacked ● Grouped



Source: [Stacked to Grouped Bars](#)

Animated Co-occurrence matrix



Source: [Miserables](#)

References

- Dynamics for Visual Analysis
- Animated Transitions in Statistical Data Graphics, IEEE Transactions on Visualization and Computer Graphics, Vol. 13, No. 6, 1240-1247 and the [video](#)
- Coordinated Highlighting in Context
- Cartographic Interaction Primitive: Framework and Synthesis

