

```
In [1]: import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
import plotly.express as px
```

```
In [3]: df = pd.read_csv('detailed_ev_charging_stations.csv')
```

```
In [5]: df.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 5000 entries, 0 to 4999
Data columns (total 17 columns):
#   Column                                Non-Null Count  Dtype
---  --
0   Station ID                            5000 non-null   object
1   Latitude                              5000 non-null   float64
2   Longitude                             5000 non-null   float64
3   Address                               5000 non-null   object
4   Charger Type                          5000 non-null   object
5   Cost (USD/kWh)                        5000 non-null   float64
6   Availability                          5000 non-null   object
7   Distance to City (km)                 5000 non-null   float64
8   Usage Stats (avg users/day)           5000 non-null   int64
9   Station Operator                     5000 non-null   object
10  Charging Capacity (kW)                5000 non-null   int64
11  Connector Types                       5000 non-null   object
12  Installation Year                     5000 non-null   int64
13  Renewable Energy Source               5000 non-null   object
14  Reviews (Rating)                     5000 non-null   float64
15  Parking Spots                         5000 non-null   int64
16  Maintenance Frequency                 5000 non-null   object
dtypes: float64(5), int64(4), object(8)
memory usage: 664.2+ KB
```

```
In [7]: df.shape
```

```
Out[7]: (5000, 17)
```

```
In [9]: df.head()
```

Out[9]:

	Station ID	Latitude	Longitude	Address	Charger Type	Cost (USD/kWh)	Availability	Distance to City (km)	Usage Stats (avg users/day)	Station Operator	Charging Capacity (kW)	Connector Types	Inst
0	EVS00001	-33.400998	77.974972	4826 Random Rd, City 98, Country	AC Level 2	0.27	9:00-18:00	4.95	35	EVgo	350	CCS, CHAdeMO	
1	EVS00002	37.861857	-122.490299	8970 San Francisco Ave, San Francisco	DC Fast Charger	0.19	24/7	4.96	83	EVgo	350	Tesla, Type 2	
2	EVS00003	13.776092	100.412776	5974 Bangkok Ave, Bangkok	AC Level 2	0.48	6:00-22:00	8.54	24	ChargePoint	50	Type 2, CCS	
3	EVS00004	43.628250	-79.468935	6995 Toronto Ave, Toronto	AC Level 1	0.41	9:00-18:00	13.28	70	Greenlots	350	Type 2	
4	EVS00005	19.119865	72.913368	5704 Mumbai Ave, Mumbai	AC Level 2	0.11	9:00-18:00	9.76	19	EVgo	350	CCS	

```
In [11]: df['Station Operator'].value_counts()
```

```
Out[11]: Station Operator
Tesla      1029
ChargePoint 1004
EVgo       1002
Greenlots   987
Iionity     978
Name: count, dtype: int64
```


```
In [13]: counts = df['Station Operator'].value_counts().reset_index()
counts.columns = ["Station Operator", "Count"]

# bar chart
fig = px.bar(
    counts,
    x="Station Operator",
    y="Count",
    text="Count",
    color="Station Operator",
    color_discrete_sequence=px.colors.qualitative.Set2
)
```

```
# Layout customizations
fig.update_layout(
    title="Station Operator Count",
    xaxis_title="Station Operator",
    yaxis_title="Count",
    xaxis_tickangle=0,
    showlegend=False, # legend not needed since x labels already show operator
    plot_bgcolor="#f7f7f7", # background inside plotting area
    paper_bgcolor="#eaf2f8", # outer background
)

# Customize grid colors
fig.update_xaxes(showgrid=False)
fig.update_yaxes(showgrid=True, gridcolor="lightgray")

fig.show()
```



```
In [14]: # Count occurrences
counts = df.groupby(["Station Operator", "Charger Type"]).size().reset_index(name="Count")


fig = px.bar(
    counts,
    x="Station Operator",
    y="Count",
    color="Charger Type",
    barmode="group", # grouped bars
    text="Count", # show counts on bars
    color_discrete_sequence=px.colors.qualitative.Dark2
)

fig.update_xaxes(showgrid=True, gridcolor="lightblue")
fig.update_yaxes(showgrid=True, gridcolor="lightblue")

fig.update_layout(
    title="Station Operator vs Charger Type",
    xaxis_title="Station Operator",
    yaxis_title="Count",
    xaxis_tickangle=0,
    legend_title="Charger Type",
    bargap=0.15
)

fig.show()
```

Station Operator vs Charger Type



```
In [16]: df['Address']
```

```
Out[16]: 0      4826 Random Rd, City 98, Country
1      8970 San Francisco Ave, San Francisco
2      5974 Bangkok Ave, Bangkok
3      6995 Toronto Ave, Toronto
4      5704 Mumbai Ave, Mumbai
...
4995    614 Berlin Ave, Berlin
4996    5494 São Paulo Ave, São Paulo
4997    7567 Chicago Ave, Chicago
4998    8710 Dubai Ave, Dubai
4999    1221 Los Angeles Ave, Los Angeles
Name: Address, Length: 5000, dtype: object
```

```
In [19]: df['City'] = df['Address'].str.split(',').str[-1]
```

```
In [21]: df.head()
```

Out [21]:

	Station ID	Latitude	Longitude	Address	Charger Type	Cost (USD/kWh)	Availability	Distance to City (km)	Usage Stats (avg users/day)	Station Operator	Charging Capacity (kW)	Connector Types	Ins
0	EVS00001	-33.400998	77.974972	4826 Random Rd, City 98, Country	AC Level 2	0.27	9:00-18:00	4.95	35	EVgo	350	CCS, CHAdeMO	
1	EVS00002	37.861857	-122.490299	8970 San Francisco Ave, San Francisco	DC Fast Charger	0.19	24/7	4.96	83	EVgo	350	Tesla, Type 2	
2	EVS00003	13.776092	100.412776	5974 Bangkok Ave, Bangkok	AC Level 2	0.48	6:00-22:00	8.54	24	ChargePoint	50	Type 2, CCS	
3	EVS00004	43.628250	-79.468935	6995 Toronto Ave, Toronto	AC Level 1	0.41	9:00-18:00	13.28	70	Greenlots	350	Type 2	
4	EVS00005	19.119865	72.913368	5704 Mumbai Ave, Mumbai	AC Level 2	0.11	9:00-18:00	9.76	19	EVgo	350	CCS	

```
In [23]: df.info()
```

```

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 5000 entries, 0 to 4999
Data columns (total 18 columns):
#   Column                                Non-Null Count  Dtype
---  ---                                ---
0   Station ID                            5000 non-null   object
1   Latitude                              5000 non-null   float64
2   Longitude                             5000 non-null   float64
3   Address                               5000 non-null   object
4   Charger Type                          5000 non-null   object
5   Cost (USD/kWh)                        5000 non-null   float64
6   Availability                           5000 non-null   object
7   Distance to City (km)                 5000 non-null   float64
8   Usage Stats (avg users/day)           5000 non-null   int64
9   Station Operator                      5000 non-null   object
10  Charging Capacity (kW)                 5000 non-null   int64
11  Connector Types                        5000 non-null   object
12  Installation Year                      5000 non-null   int64
13  Renewable Energy Source                5000 non-null   object
14  Reviews (Rating)                       5000 non-null   float64
15  Parking Spots                          5000 non-null   int64
16  Maintenance Frequency                 5000 non-null   object
17  City                                   5000 non-null   object
dtypes: float64(5), int64(4), object(9)
memory usage: 703.3+ KB

```

```
In [25]: df['City'].value_counts()
```

```

Out[25]: City
Country      500
San Francisco 324
Mexico City  321
Beijing      319
Mumbai       315
Bangkok      314
Cape Town    314
Chicago      308
Seoul        299
Dubai        296
Sydney       295
Berlin       292
Los Angeles  286
Moscow       281
São Paulo    279
Toronto      257
Name: count, dtype: int64

```

```
In [27]: print(" Country" in df['City'].values)
```

```
True
```

```
In [29]: df_country = df[df["City"] == " Country"]
```

```
In [31]: df_country
```

Out [31]:

	Station ID	Latitude	Longitude	Address	Charger Type	Cost (USD/kWh)	Availability	Distance to City (km)	Usage Stats (avg users/day)	Station Operator	Charging Capacity (kW)	Connector Types	Ins
0	EVS00001	-33.400998	77.974972	4826 Random Rd, City 98, Country	AC Level 2	0.27	9:00-18:00	4.95	35	EVgo	350	CCS, CHAdeMO	
10	EVS00011	19.944111	26.228083	7123 Random Rd, City 463, Country	AC Level 1	0.39	9:00-18:00	17.42	59	EVgo	22	Tesla, CHAdeMO	
20	EVS00021	81.568159	-92.791385	6470 Random Rd, City 207, Country	DC Fast Charger	0.30	6:00-22:00	10.43	43	Ionity	150	CHAdeMO, Tesla	
30	EVS00031	53.038440	17.213144	8491 Random Rd, City 59, Country	AC Level 2	0.17	24/7	9.13	36	Tesla	22	CHAdeMO, CCS	
40	EVS00041	-52.343695	-47.887828	1309 Random Rd, City 47, Country	AC Level 1	0.44	6:00-22:00	2.03	20	EVgo	350	Tesla	
...	...	...	...	...	...	...	...	...	...	...	...	...	
4950	EVS04951	12.781010	66.156340	6256 Random Rd, City 99, Country	AC Level 2	0.46	6:00-22:00	18.78	24	EVgo	22	CHAdeMO	
4960	EVS04961	86.937008	109.054632	8506 Random Rd, City 11, Country	AC Level 2	0.28	9:00-18:00	10.07	99	Greenlots	22	Type 2, Tesla	
4970	EVS04971	16.328035	69.512458	5876 Random Rd, City 401, Country	AC Level 2	0.46	24/7	4.59	66	Ionity	50	CCS	
4980	EVS04981	59.796982	31.709833	7943 Random Rd, City 415, Country	DC Fast Charger	0.50	9:00-18:00	17.30	64	EVgo	22	Type 2	
4990	EVS04991	53.747797	-13.057794	9464 Random Rd, City 485, Country	DC Fast Charger	0.43	24/7	4.36	35	Greenlots	150	Tesla	

500 rows × 18 columns



In [33]: df_country['Connector Types'].value_counts()

Out [33]:

Connector Types	
CCS	85
CHAdeMO	64
Type 2	64
Tesla	52
CCS, Type 2	23
Tesla, CCS	22
Type 2, CHAdeMO	22
CHAdeMO, Type 2	22
CHAdeMO, Tesla	21
CCS, CHAdeMO	20
Tesla, Type 2	20
CHAdeMO, CCS	19
Type 2, Tesla	18
Type 2, CCS	18
CCS, Tesla	16
Tesla, CHAdeMO	14

Name: count, dtype: int64

In [35]:

```
fig = px.histogram(
    df,
    x="Station Operator",
    color="City",
    barmode="group",
    title="Station Operator by City",
    color_discrete_sequence=px.colors.qualitative.Set3
)

# Customize layout + increase graph size
```

```
fig.update_layout(
    width=1100,          # width of the graph
    height=600,          # height of the graph (increase here)
    plot_bgcolor="white",
    paper_bgcolor="lightgray",
    xaxis=dict(showgrid=False),
    yaxis=dict(gridcolor="lightblue"),
    bargap=0.2
)

fig.show()
```



```
In [37]: fig = px.histogram(
    df,
    x="Charger Type",
    color="City",
    barmode="group",
    title="Charger Type by City",
    color_discrete_sequence=px.colors.qualitative.Set3
)

# Customize layout + increase graph size
fig.update_layout(
    width=1100,          # width of the graph
    height=600,          # height of the graph (increase here)
    plot_bgcolor="white",
    paper_bgcolor="lightgray",
    xaxis=dict(showgrid=False),
    yaxis=dict(gridcolor="lightblue"),
    bargap=0.2
)


fig.show()
```



```
In [38]: fig = px.histogram(
df,
x="Availability",
color="Charger Type",
barmode="group",
title="Availability Charger Type",
color_discrete_sequence=px.colors.qualitative.Set3
)

# Customize layout + increase graph size
fig.update_layout(
width=1100,          # width of the graph
height=600,         # height of the graph (increase here)
plot_bgcolor="white",
paper_bgcolor="lightgray",
xaxis=dict(showgrid=False),
yaxis=dict(gridcolor="lightblue"),
bargap=0.2
)


fig.show()
```



```
In [41]: fig = px.histogram(
    df,
    x="Availability",
    color="Charging Capacity (kW)",
    barmode="group",
    title="Availability Charger Capacity",
    color_discrete_sequence=px.colors.qualitative.Set3
)

# Customize layout + increase graph size
fig.update_layout(
    width=1100,          # width of the graph
    height=600,          # height of the graph (increase here)
    plot_bgcolor="white",
    paper_bgcolor="lightgray",
    xaxis=dict(showgrid=False),
    yaxis=dict(gridcolor="lightblue"),
    bargap=0.2
)

fig.show()
```


```
In [43]: counts = df['Installation Year'].value_counts().reset_index()
counts.columns = ["Installation Year", "Count"]

# Plotly bar chart
fig = px.bar(
    counts,
    x="Installation Year",
    y="Count",
    text="Count",
    color="Installation Year", # different color per category
    color_discrete_sequence=px.colors.qualitative.Set2
)

# Layout customizations
fig.update_layout(
    title="Stations Installed by Years",
    xaxis_title="Installation Year",
    yaxis_title="Count",
    xaxis_tickangle=0,
    showlegend=False, # legend not needed since x labels already show operator
    plot_bgcolor="#f7f7f7", # background inside plotting area
    paper_bgcolor="#eaf2f8", # outer background
)

# Customize grid colors
fig.update_xaxes(showgrid=False)
fig.update_yaxes(showgrid=True, gridcolor="lightgray")

fig.show()
```



```
In [45]: df['Installation Year'].value_counts()
```


```
Out[45]: Installation Year
2015      385
2020      379
2017      374
2013      373
2022      368
2021      366
2018      354
2023      351
2012      350
2016      346
2019      345
2010      337
2011      337
2014      335
Name: count, dtype: int64
```

```
In [47]: fig = px.sunburst(
    df,
    path=["Station Operator", "Charger Type", "Connector Types"],
    values="Usage Stats (avg users/day)",
    height=800,
    width=1100
)

fig.update_layout(
    title_text="EV Charger Usage Distribution by Operator, Charger Type, and Connector Type",
    title_x=0.5, # centers the title
    title_font=dict(size=22, family="Arial", color="black")
)

fig.show()
```

EV Charger Usage Distribution by Operator, Charger Type, and Connector Type




```
In [49]: fig = px.histogram(
df,
x="Parking Spots",
color="City",
barmode="group",
title="Parking Spot by City",
color_discrete_sequence=px.colors.qualitative.Set3
)

# Customize layout + increase graph size
fig.update_layout(
width=1100,          # width of the graph
height=600,         # height of the graph (increase here)
plot_bgcolor="white",
paper_bgcolor="lightgray",
xaxis=dict(showgrid=False),
yaxis=dict(gridcolor="lightblue"),
bargap=0.2
)

fig.show()
```

Parking Spot by City




In [51]: `import plotly.express as px`

```
fig = px.sunburst(
    df,
    path=["City", "Charger Type"], # hierarchy
    values="Parking Spots",         # size of sectors
    color="City",                   # coloring
    color_discrete_sequence=px.colors.qualitative.Set3,
    title="Total Parking Spots in City Vs Charger Type"
)

# Customize layout
fig.update_layout(
    width=1100,
    height=800,
    plot_bgcolor="white",
    paper_bgcolor="lightgray"
)

fig.show()
```

Total Parking Spots in City Vs Charger Type



```
In [53]: df['Station_Age'] = 2025 - df['Installation Year']
df['Connector_Count'] = df['Connector Types'].apply(lambda x: len(str(x).split(',')))
df['Fast_DC_Flag'] = df['Charger Type'].apply(lambda x: 1 if 'DC' in str(x) else 0)
```

```
In [55]: drop_cols = ['Station ID', 'Address', 'City', 'Connector Types']
data = df.drop(columns=drop_cols)
```

```
In [57]: from sklearn.model_selection import train_test_split, GridSearchCV
from sklearn.preprocessing import StandardScaler
from sklearn.cluster import KMeans
from sklearn.metrics import silhouette_score
```

```
In [58]: X = data.select_dtypes(include=[np.number]).fillna(0)
scaler = StandardScaler()
X_scaled = scaler.fit_transform(X)
```

```
In [61]: sil_scores = []
for k in range(2, 8):
    km = KMeans(n_clusters=k, random_state=42)
    labels = km.fit_predict(X_scaled)
    sil = silhouette_score(X_scaled, labels)
    sil_scores.append((k, sil))
    print(f"k={k}, silhouette={sil:.3f}")
```

```
k=2, silhouette=0.117
k=3, silhouette=0.103
k=4, silhouette=0.081
k=5, silhouette=0.083
k=6, silhouette=0.072
k=7, silhouette=0.072
```

```
In [62]: best_k = max(sil_scores, key=lambda x: x[1])[0]
print("Best k:", best_k)
```

Best k: 2

```
In [63]: kmeans = KMeans(n_clusters=best_k, random_state=42)
df['MarketSegment'] = kmeans.fit_predict(X_scaled)
```

```
In [64]: kmeans = KMeans(n_clusters=best_k, random_state=42)
df['MarketSegment'] = kmeans.fit_predict(X_scaled)
```

```
In [65]: fig = px.scatter(
    df,
    x="Cost (USD/kWh)",
    y="Usage Stats (avg users/day)",
```

```


color="MarketSegment",
title="Market Segments",
hover_data=df.columns, # show all columns on hover
size_max=10,
template="plotly_white", # clean style
color_discrete_sequence=px.colors.qualitative.Set3 # better palette
)

# Customize layout
fig.update_layout(
width=1000,
height=600,
plot_bgcolor="rgba(0,0,0,0)", # transparent background
xaxis=dict(title="Cost (USD/kWh)", gridcolor="lightgrey"),
yaxis=dict(title="Usage Stats (avg users/day)", gridcolor="lightgrey"),
legend=dict(title="Market Segment", bordercolor="black", borderwidth=1)
)

fig.show()

```

Market Segments



```
In [66]: print(' Mumbai' in df['City'].values)
```

True

```
In [73]: df_india = df[df['City'] == ' Mumbai']
```

```
In [75]: df_india
```

Out [75]:

	Station ID	Latitude	Longitude	Address	Charger Type	Cost (USD/kWh)	Availability	Distance to City (km)	Usage Stats (avg users/day)	Station Operator	...	Installation Year	Renewable Energy Source	
	4	EVS00005	19.119865	72.913368	5704 Mumbai Ave, Mumbai	AC Level 2	0.11	9:00-18:00	9.76	19	EVgo	...	2015	Y
	46	EVS00047	19.055518	72.889370	2970 Mumbai Ave, Mumbai	AC Level 1	0.35	24/7	19.40	68	Ionity	...	2021	Y
	55	EVS00056	19.118476	72.956977	5574 Mumbai Ave, Mumbai	AC Level 2	0.18	6:00-22:00	11.91	50	ChargePoint	...	2013	Y
	78	EVS00079	18.959930	72.979858	3381 Mumbai Ave, Mumbai	DC Fast Charger	0.27	6:00-22:00	10.44	75	ChargePoint	...	2022	Y
	107	EVS00108	18.979560	72.963574	9772 Mumbai Ave, Mumbai	AC Level 2	0.11	6:00-22:00	3.14	43	Tesla	...	2020	Y
	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	4966	EVS04967	19.020302	72.811961	3323 Mumbai Ave, Mumbai	AC Level 2	0.11	6:00-22:00	4.52	71	ChargePoint	...	2019	Y
	4981	EVS04982	19.054520	72.815813	9112 Mumbai Ave, Mumbai	DC Fast Charger	0.20	24/7	6.22	34	EVgo	...	2020	Y
	4985	EVS04986	18.956798	72.929714	2412 Mumbai Ave, Mumbai	AC Level 2	0.12	24/7	14.47	68	Ionity	...	2015	I
	4986	EVS04987	18.998066	72.930494	3480 Mumbai Ave, Mumbai	AC Level 1	0.29	24/7	10.36	13	Greenlots	...	2017	Y
	4989	EVS04990	19.099418	72.888266	2065 Mumbai Ave, Mumbai	AC Level 2	0.33	6:00-22:00	14.36	76	Greenlots	...	2012	Y

315 rows x 22 columns


```
In [77]: counts_india = df_india['Station Operator'].value_counts().reset_index()
counts_india.columns = ["Station Operator", "Count"]

# Plotly bar chart
fig = px.bar(
    counts_india,
    x="Station Operator",
    y="Count",
    text="Count",
    color="Station Operator", # different color per category
    color_discrete_sequence=px.colors.qualitative.Set2
)

# Layout customizations
fig.update_layout(
    title="Station Operator Count (Advanced Plotly Version)",
    xaxis_title="Station Operator",
    yaxis_title="Count",
    xaxis_tickangle=0,
    showlegend=False, # legend not needed since x labels already show operator
    plot_bgcolor="#f7f7f7", # background inside plotting area
    paper_bgcolor="#eaf2f8", # outer background
)

# Customize grid colors
fig.update_xaxes(showgrid=False)
fig.update_yaxes(showgrid=True, gridcolor="lightgray")

fig.show()
```




```
In [79]: # Count occurrences
counts_india = df_india.groupby(["Station Operator", "Charger Type"]).size().reset_index(name="Count")

fig = px.bar(
    counts_india,
    x="Station Operator",
    y="Count",
    color="Charger Type",
    barmode="group", # grouped bars
    text="Count", # show counts on bars
    color_discrete_sequence=px.colors.qualitative.Dark2
)

fig.update_xaxes(showgrid=True, gridcolor="lightblue")
fig.update_yaxes(showgrid=True, gridcolor="lightblue")

fig.update_layout(
    title="Station Operator vs Charger Type",
    xaxis_title="Station Operator",
    yaxis_title="Count",
    xaxis_tickangle=0,
    legend_title="Charger Type",
    bargap=0.15
)

fig.show()
```



By Mohammed Sohail Mirza

Email - mdssohail1018@gmail.com

