

Insert here your thesis' task.



CZECH TECHNICAL UNIVERSITY IN PRAGUE  
FACULTY OF INFORMATION TECHNOLOGY  
DEPARTMENT OF COMPUTER SYSTEMS



Master's thesis

**TODO**

***Bc. Tomáš Sušánka***

Supervisor: Ing. Josef Kokeš

31st January 2016



---

## Acknowledgements

TODO



---

# Declaration

I hereby declare that the presented thesis is my own work and that I have cited all sources of information in accordance with the Guideline for adhering to ethical principles when elaborating an academic final thesis.

I acknowledge that my thesis is subject to the rights and obligations stipulated by the Act No. 121/2000 Coll., the Copyright Act, as amended. In accordance with Article 46(6) of the Act, I hereby grant a nonexclusive authorization (license) to utilize this thesis, including any and all computer programs incorporated therein or attached thereto and all corresponding documentation (hereinafter collectively referred to as the “Work”), to any and all persons that wish to utilize the Work. Such persons are entitled to use the Work in any way (including for-profit purposes) that does not detract from its value. This authorization is not limited in terms of time, location and quantity. However, all persons that makes use of the above license shall be obliged to grant a license at least in the same scope as defined above with respect to each and every work that is created (wholly or in part) based on the Work, by modifying the Work, by combining the Work with another work, by including the Work in a collection of works or by adapting the Work (including translation), and at the same time make available the source code of such work at least in a way and scope that are comparable to the way and scope in which the source code of the Work is made available.

In Prague on 31st January 2016

.....

Czech Technical University in Prague

Faculty of Information Technology

© 2016 Tomáš Sušánka. All rights reserved.

*This thesis is school work as defined by Copyright Act of the Czech Republic. It has been submitted at Czech Technical University in Prague, Faculty of Information Technology. The thesis is protected by the Copyright Act and its usage without author's permission is prohibited (with exceptions defined by the Copyright Act).*

### **Citation of this thesis**

Sušánka, Tomáš. *TODO*. Master's thesis. Czech Technical University in Prague, Faculty of Information Technology, 2016.



---

## Abstrakt

TODO

**Klíčová slova** TODO

---

## Abstract

TODO

**Keywords** TODO



---

# Contents

<b>Introduction</b>	<b>1</b>
<b>1 Current security status of major IMs</b>	<b>3</b>
1.1 WhatsApp . . . . .	3
1.2 Telegram . . . . .	6
1.3 Signal . . . . .	7
1.4 Threema . . . . .	7
1.5 WeChat . . . . .	7
<b>Conclusion</b>	<b>9</b>
<b>Bibliography</b>	<b>11</b>
<b>A Contents of CD</b>	<b>13</b>



---

## List of Figures

1.1	WhatsApp's registration process . . . . .	4
-----	---	---



---

# List of Tables

1.1	Messengers . . . . .	3
-----	----------------------	---





---

# Introduction

TODO



# Current security status of major IMs

This chapter contains thorough description of five selected Instant Messengers and its security-related findings. The selection was based on criteria such as user base, license and overall security it claims to provide.

\*The Facebook Messenger?

Table 1.1: Messengers

Name	Authors	First realease	License	User b
WhatsApp	WhatsApp Inc.	January 2010	Proprietary	990 mil
Telegram	Telegram Messenger LLP	August 2013	GPLv2/GPLv3/Properietary*	60 milli
Signal	Open Whisper Systems	July 2014	GPLv3	10 milli
Threema	Threema GmbH	December 2012	Proprietary	3.5 mill
WeChat	Tencent	January 2011	Proprietary	600 mil

## 1.1 WhatsApp

WhatsApp is a mobile text messaging application. Besides text it enables users to send pictures, videos, voice and locations. WhatsApp Messenger is available for iPhone, BlackBerry, Windows Phone, Android and Nokia[2].

In September 2015 WhatsApp has reached 900 million monthly users and was the most used messenger to that moment[1].

---

<sup>1</sup>As of September 2015.

<sup>2</sup>As of September 2015.

<sup>3</sup>\*Predchudce a As of December 2013. Ma smysl porovnavat, kdyz je to 2 roky stare?

<sup>4</sup>As of June 2015.

<sup>5</sup>As of August 2015.

## 1. CURRENT SECURITY STATUS OF MAJOR IMs

---

The large user base and overall awareness of the application is one of the main reasons WhatsApp is included in this comparison.

WhatsApp Messenger is a proprietary software, currently own by Facebook[3]. Because of that fact, the writer decided to omit Facebook Messenger, since it resembles WhatsApp closely\*\*.

Following sections describe WhatsApp's security-related incidents ordered chronologically.

### 1.1.1 Security-related incidents

#### 1.1.1.1 Flaws in registration process

WhatsApp's user identity is bound to user's phone number. In order to verify the relationship user has to enter his phone number during the first start-up. WhatsApp server then sends SMS with verification code to such number. User submits the code from the received text message and WhatsApp creates his account.




Figure 1.1: WhatsApp's registration process

Older version of WhatsApp offered an alternative verification process. Instead of the user waiting for a text message, he was rather supposed to send a SMS to one of WhatsApp's phone numbers where he included his email. WhatsApp later sent verification code to the email and user verified himself with this code [4].

In 2011 research showed this method has serious drawbacks. To hijack user's account attacker first opted for this method. Then using SMS spoofing service<sup>6</sup> he sent SMS to WhatsApp's phone number pretending it originates from the victim. Attacker set the content of the message to an email he owned, leading to WhatsApp sending the verification code to the attacker. The attacker then simply entered the code from an email and successfully hijacked the victim's account [5].

Following these findings another method to bypass the registration process was published. During the registration phase WhatsApp<sup>7</sup> sent a request for the verification SMS to be sent to the client in HTTP request similar to this: [4]

Listing 1.1: HTTP request to dispatch SMS

```
GET [...] ? to=4915143[...]& auth=659&[...]
HTTP/1.1
User-Agent: WhatsApp/2.6.4 iPhone_OS/4.3.3 Device/iPhone_4
```

The request contained the final verification code in the GET parameter. That leads to a conclusion the client created the verification code, not the server, and expected user's confirmation. An attacker could simply intercept the request<sup>8</sup>, retrieved the verification code and made sure the request didn't arrive to WhatsApp's servers to let the victim unaware of malicious intentions.

Attacker then created a fake HTTP OK response to let the messenger think the request was successful and entered retrieved verification code from the intercepted request. The attacker successfully hijacked the victim's WhatsApp identity and can both send and receive all his messages.

The author of the research notified WhatsApp developers beforehand and WhatsApp fixed this issue before the research was made public [4].

To the date of writing this thesis WhatsApp client doesn't offer discussed verification method anymore.

### 1.1.2 Messages encryption

### 1.1.3 Including Signal's protocol

On November 18, 2014, Open Whisper Systems, the creators behind Signal messenger, announced a partnership with WhatsApp. The partnership should have escalated into incorporating OWS' encryption protocol to WhatsApp bringing end-to-end encryption to all WhatsApp clients [6].

Open Whisper Systems stated: *"we are moving quickly towards a world where all WhatsApp users will get end-to-end encryption by default."* [6]

---

<sup>6</sup>popsat co to je, nebo není třeba?

<sup>7</sup>opět připomínat, že se jedná o starší verzi?

<sup>8</sup>Přidat poznámku o HTTP/HTTPS a zachycení requestu?

WhatsApp confirmed this partnership, however did not comment it any further nor offered any further information[?]. No additional information from Open Whisper Systems' side had been released as well. Therefore this thesis assumes WhatsApp shares no code base with Signal, since it can't be verified.

### 1.2 Telegram

Telegram is instant messaging service, enabling users to send messages, photos, videos, stickers and files. It was first released on August 14, 2013[7]. Telegram describes itself as fast and secure solution for instant messaging [7] and claims to be safer than WhatsApp[7]. Compared to WhatsApp, Telegram is more cloud-based, it stores all messages on its servers and sync them with all user's devices [7].

Similar to WhatsApp user can contact someone by his phone number. Telegram provides classical username approach as well. User needs to know the recipient's phone number or Telegram username in order to communicate with him.

All clients are licensed under GPLv2 or GPLv3 license, however the server-side part of Telegram is closed-sourced and proprietary. TODO overit

In 2015 Brazilian judiciary ordered WhatsApp to shut down for 48 hours [8]. During this event, which was finally lowered to only 12 hours, Telegram welcomed 5 million new users [8]. It may be therefore considered as a direct competitor to WhatsApp.

In September 2015, Telegram officials stated announced it has 60 million active users.[?]

#### 1.2.1 Secret chats

Besides regular chat Telegram provides "secret chats". Secret chat messages are encrypted using end-to-end encryption and are not stored on Telegram's servers[7].

#### 1.2.2 Cracking Contest

On November 4, 2014, Telegram published contest with a winning price \$300,000 for cracking its encryption. The contest became quite known in the community and probably provided a bit of advertisement for Telegram.

The contest remained unsolved until his closure. Number of authors considered it as rigged and stated that the contest does not provide any prove of Telegram's overall security whatsoever.[9][10]

### 1.2.3 MTPROTO protocol

Telegram uses its own encryption protocol called MTPROTO. One of the basic rules of cryptography is not to “roll your own crypto”.

TODO popsat celý protokol?

## 1.3 Signal

Signal is a voice calling and instant messaging application developed by Open Whisper Systems. It was brought to light by merging two applications - the voice calling RedPhone and the text messenger TextSecure both created by the very same company [11].

Signal is completely open-sourced including its server side.

TODO

## 1.4 Threema

Threema is paid proprietary instant messaging application. Users can send photos, videos, voice messages, QR codes, polls and files [12]. TODO: citovani homepage?

It provides end-to-end encryption and claims to prevent collection of any metadata [12].

Threema does not use phone numbers or usernames. It generates a random ID for user identification. Phone number and email are not required, no personal information are therefore needed.

As of June 2015, Threema had 3.5 million active users, mostly in german-speaking countries.[13]

## 1.5 WeChat

WeChat is proprietary application. It was released in January 2011 and allows users to send text messages, voice messages, communicate via phone or video calls, it provides location sharing functions and other various functions [14].

As of August 2015, WeChat has 600 million active users, vast majority of them located in China.[15]





---

# Conclusion

Zaver TODO

- The algorithm assigns code to each source unit irrespective to its position (statistical compression methods).
- The Markov's model of  $n$ -th order look at previous  $n$  source units to assign code. The simplest of these codes, 0th order, are mentioned above.
- The models based on finite automata.



---

## Bibliography

- [1] Today, U. *usatoday.com* [online]. Sept. 2015, [accessed 2016-01-24]. Available from: <http://www.usatoday.com/story/tech/2015/09/04/whatsapp-facebook-900-million-mark-zuckerberg-jan-koum-messenger/71704760/>
- [2] WhatsApp. *whatsapp.com* [online]. Jan. 2016, [accessed 2016-01-26]. Available from: <https://www.whatsapp.com/?l=en>
- [3] CNN. *money.cnn.com* [online]. Feb. 2014, [accessed 2016-01-26]. Available from: <http://money.cnn.com/2014/02/19/technology/social/facebook-whatsapp/>
- [4] Kurtz, A. *andreas-kurtz.de* [online]. Sept. 2011, [accessed 2016-01-26]. Available from: <http://www.andreas-kurtz.de/2011/09/shooting-messenger.html>
- [5] Gevers, R. *rickey-g.blogspot.com* [online]. Sept. 2011, [accessed 2016-01-26]. Available from: <http://rickey-g.blogspot.com/2011/05/hijack-someone-elses-whatsapp-with-your.html>
- [6] Open Whisper Systems. *whispersystems.org* [online]. Nov. 2014, [accessed 2016-01-26]. Available from: <https://whispersystems.org/blog/whatsapp/>
- [7] Telegram. *telegram.org* [online]. [accessed 2016-01-26]. Available from: <https://telegram.org/faq>
- [8] TechCrunch. *techcrunch.com* [online]. Dec. 2015, [accessed 2016-01-26]. Available from: <http://www.techcrunch.com/2015/12/16/brazils-congress-has-shut-down-whatsapp-tonight-and-the-rest-of-the-social-web-could-be-next>

## BIBLIOGRAPHY

---

- [9] Marlinspike, M. *thoughtcrime.org* [online]. Dec. 2013, [accessed 2016-01-26]. Available from: <http://thoughtcrime.org/blog/telegram-crypto-challenge/>
- [10] Crypto Fails. *cryptofails.com* [online]. Dec. 2013, [accessed 2016-01-26]. Available from: <http://www.cryptofails.com/post/70546720222/telegrams-cryptanalysis-contest>
- [11] Open Whisper Systems. *whispersystems.org* [online]. Nov. 2015, [accessed 2016-01-26]. Available from: <https://whispersystems.org/blog/just-signal/>
- [12] Business Insider UK. *uk.businessinsider.com* [online]. June 2015, [accessed 2016-01-26]. Available from: <http://uk.businessinsider.com/threema-encryption-messaging-app-america-launch-isis-2015-6>
- [13] Threema. *threema.ch* [online]. [accessed 2016-01-26]. Available from: <https://threema.ch/en>
- [14] WeChat. *wechat.com* [online]. [accessed 2016-01-26]. Available from: <http://www.wechat.com/en/features.html>
- [15] technode. *technode.com* [online]. Aug. 2015, [accessed 2016-01-26]. Available from: <http://technode.com/2015/08/14/wechat-600m-mau/>

---

## Contents of CD

Visualise the contents of enclosed media. Use of `dirtree` is recommended. Note that directories `src` and `text` with appropriate contents are mandatory.

```
├── readme.txt ..... the file with CD contents description
├── data ..... the data files directory
│   ├── graphs ..... the directory of graphs of experiments
│   │   ├── *.eps ..... the B/W graphs
│   │   ├── *.png ..... the color graphs
│   │   └── *.dat ..... the graphs data files
├── exe ..... the directory with executable WBDCM program
│   ├── wbdcm ..... the WBDCM program executable (UNIX)
│   └── wbdcm.exe ..... the WBDCM program executable (Windows)
├── src ..... the directory of source codes
│   ├── wbdcm ..... the directory of WBDCM program
│   │   └── Makefile ..... the makefile of WBDCM program (UNIX)
│   ├── thesis ..... the directory of LATEX source codes of the thesis
│   │   ├── figures ..... the thesis figures directory
│   │   └── *.tex ..... the LATEX source code files of the thesis
├── text ..... the thesis text directory
│   ├── thesis.pdf ..... the Diploma thesis in PDF format
│   └── thesis.ps ..... the Diploma thesis in PS format
```