

# Electricity and Magnetism

# Personal

Henk Polinder  
At EE TUDelft:

- 86-92 Ir
- 92-98 PhD
- 96-?? U(H)D
- 09-11 theology
- 08 ABB – fault tolerant generator systems
- 02/04/06/14 Visiting professor in Newcastle, Quebec, Edinburgh, Itajuba
- 98-99 Lagerweij – design of a 750 kW direct drive generator



# Objectives

- Objectives
  - Knowing the basic theory of electricity and magnetism
  - Use the theory to solve problems
- Lectures cover theory
- Instructions Mastering Physics: solve problems
- Physics: basic of (electrical) engineering

# Contents

- 26 Magnetism: force and field
- 27 Electromagnetic induction
- 29 Maxwell's equations and electromagnetic waves
- Supplement Local laws for the magnetostatic field, local laws for the electromagnetic field, magnetic field intensity  $H$

# Overview Magnetism

- 26-5: Introduction, magnetism: field and force
- 30-5: Magnetism: Biot-Savart, Ampere
- 2-6: Electromagnetic induction
- 6-6: Electromagnetic induction
- 9-6: Maxwell's equations and electromagnetic waves
- 14-6: Local laws for the magnetostatic field, local laws for the electromagnetic field, magnetic field intensity  $H$
- 16-6: available for answering questions, exercises

# Organisation

- Electricity and magnetism 5 ECTS – 140 hours
  - Contact 54 hours
  - Self-study 86 hours
- Information: blackboard
- Lecturer: dr.ir. Henk Polinder
  - room number LB03.610
  - e-mail: [h.polinder@tudelft.nl](mailto:h.polinder@tudelft.nl)
- Feedback
  - Appreciate feedback
  - Small group of students?

## Taking exams?

register = ticket = entry = exam

- The date of the exam for this course is: 28-06-2016
- The final exam registration date for this course is: ??-??-????
- Don't forget to register in time. Bring your exam ticket and your campus card to the exam!



# Facts about studying

- Studying is an activity of students, not of lecturers. So, you have to do it yourself.
- The objective of a lecture is not that the lecturer can tell his story without interruption.
- Most lecturers like questions (I do).
- Stupid questions are rarely asked.
- Asking a stupid question does not mean that you are stupid.
- Following lectures in an inactive way is not a good way of studying
- Preparing lectures is an effective way of studying.



# Lectures

Therefore, I will try to help your study process by

- discussing important and difficult points (not everything)
- giving background information
- discussing applications
- showing slides
- doing some exercises in the lectures
- giving demonstrations
- answering your questions
- asking questions
- giving you the opportunity to prepare the lectures
- developing curiosity about phenomena
  - [www.youtube.com/watch?v=zOdboRYf1hM](http://www.youtube.com/watch?v=zOdboRYf1hM)
  - demo copper disc and magnets



# Study styles

- Follow lectures
  - Studying theory
  - Solving problems
  - Discussing with others
  - Experiment with applications
- 
- Find out for yourself!

# Scientific method

- Laws of nature:
  - Observation of phenomena
  - Formulation of hypothesis
  - Validation by means of observations
- Derivation of mathematical equations describing the physical aspect of reality
  - Modelling
  - Predicting
  - Designing
- Understand why?
- Reduction of reality, reality has more aspects!!

# Magnetism: force and field

- Learning objectives
- Magnetic fields
- Charged particles in magnetic fields
- Magnetic force on current
- Origin of the magnetic field: Biot-Savart
- Magnetic dipoles
- Magnetic matter
- Ampere's law

# In this lecture you'll learn to

- Describe magnetism in relation to electric charge
- Calculate magnetic forces on charges and currents
  - Describe the trajectories of charged particles in magnetic fields
- Explain the origin of magnetic fields
  - Calculate the magnetic fields of simple current distributions
- Describe the effects of magnetism in matter

# Magnetism: force and field

- Learning objectives
- Magnetic fields
- Charged particles in magnetic fields
- Magnetic force on current
- Origin of the magnetic field: Biot-Savart
- Magnetic dipoles
- Magnetic matter
- Ampere's law

# Magnetic field


- Where can you find magnetism?
- What is a magnetic field?
- Imagine you have three identical blocks:
  - One permanent magnet
  - One of magnetic steel (iron)
  - One of non-magnetic steel (copper or aluminium)
- How could you identify which is which?

# The magnetic field of a magnet





# The magnetic field of a magnet visualised with iron filings







# Question

- Does the needle of a compass point to the geographic north pole of the earth?
- A. Yes
  - B. No
  - C. Nearly, there is a 11.3 degrees shift

# Magnetic north pole of the earth

- SI-unit of magnetic flux density  $T = N \cdot s / (C \cdot m)$
- Other unit Gauss  $1 \text{ G} = 0.1 \text{ mT}$



# Magnetism: force and field


- Learning objectives
- Magnetic fields
- Charged particles in magnetic fields
- Magnetic force on current
- Origin of the magnetic field: Biot-Savart
- Magnetic dipoles
- Magnetic matter
- Ampere's law

# Magnetic field and magnetic force

- $B$  : magnetic field
- $q$  : charge in free space (vacuum)
- $v$  : speed

$$\vec{F} = q\vec{v} \times \vec{B}$$

$$F = qvB \sin \theta$$







# Magnetic field and magnetic force

$$\vec{F} = q\vec{v} \times \vec{B}$$

$$F = qvB \sin \theta$$

- $B$ : magnetic field, magnetic flux density
- $q$ : charge in free space (vacuum)
- $v$ : speed




© 2012 Pearson Education, Inc.



## Clicker question 1a

- The figure shows a proton moving in a magnetic field with a velocity indicated by a vector. For which of the three proton velocities will the force be the greatest?

- A. a
- B. b
- C. c




© 2012 Pearson Education, Inc.



## Clicker question 1b

- The figure shows a proton moving in a magnetic field with a velocity indicated by a vector. What will the direction of the magnetic force on the proton be?
  - A. Parallel to  $\vec{B}$
  - B. Into the page
  - C. Out of the page
  - D. Zero



© 2012 Pearson Education, Inc.





# Charged particles in magnetic fields

- What is the form of the trajectory of a moving electric charge in a uniform magnetic field perpendicular to the speed?


# Circular motion

$$\begin{bmatrix} x \\ y \end{bmatrix} = \begin{bmatrix} r \cos(\omega t) \\ r \sin(\omega t) \end{bmatrix}$$

$$\begin{bmatrix} v_x \\ v_y \end{bmatrix} = \begin{bmatrix} -r\omega \sin(\omega t) \\ r\omega \cos(\omega t) \end{bmatrix}$$

$$\begin{bmatrix} a_x \\ a_y \end{bmatrix} = \begin{bmatrix} -r\omega^2 \cos(\omega t) \\ -r\omega^2 \sin(\omega t) \end{bmatrix}$$

$$\begin{bmatrix} F_x \\ F_y \end{bmatrix} = \begin{bmatrix} -mr\omega^2 \cos(\omega t) \\ -mr\omega^2 \sin(\omega t) \end{bmatrix}$$



© 2012 Pearson Education, Inc.

# Charged particles in magnetic fields

- Magnetic force perpendicular to a charged particle's velocity
- A particle moving in a plane perpendicular to the field undergoes uniform circular motion:


$$F = mr\omega^2 = \frac{mv^2}{r} = qvB \Rightarrow r = \frac{mv}{qB}$$

- The angular frequency is



$$F = mr\omega^2 = qvB = qr\omega B \Rightarrow \omega = \frac{qB}{m}$$

independent of the particle's speed!

$$\vec{F} = q\vec{v} \times \vec{B}$$



# Cyclotron: particle accelerator




© 2012 Pearson Education, Inc.

# Charged particles in magnetic fields

- When the particle has a component of motion along the field, its trajectory is a spiral.

Motion parallel to the field isn't affected by the magnetic force.



© 2012 Pearson Education, Inc.



## Clicker question 6

- A uniform magnetic field points out of this page. An electron that's moving in the plane of the page will circle \_\_\_\_\_ as viewed from above the page.
  - A. clockwise
  - B. counterclockwise

# Magnetism: force and field

- Learning objectives
- Magnetic fields
- Charged particles in magnetic fields
- Magnetic force on current
- Origin of the magnetic field: Biot-Savart
- Magnetic dipoles
- Magnetic matter
- Ampere's law


# Magnetic force on current

$$\vec{F} = nALq\vec{v}_d \times \vec{B}$$

$$\vec{F} = I\vec{L} \times \vec{B}$$

$$F = ILB \sin(\frac{1}{2}\pi - \theta)$$

- $B$  : magnetic field
- $q$  : charge
- $v_d$  : drift velocity (average!)
- $A$  : conductor cross section
- $L$  : conductor length
- $I$  : current
- $n$  : charges per volume




The magnetic force acts on all moving charges and points out of the page.

© 2012 Pearson Education, Inc.






# Magnetic force on a current

- Electrons move in all directions, but on average to left



© 2012 Pearson Education, Inc.


# Hall effect





## Clicker question 2

- The figure shows a flexible conducting wire passing through a magnetic field that points out of the page. The wire is deflected upward, as shown. In which direction is current flowing in the wire?  
A. To the left  
B. To the right



© 2012 Pearson Education, Inc.

# Magnetism: force and field

- Learning objectives
- Magnetic fields
- Charged particles in magnetic fields
- Magnetic force on current
- Origin of the magnetic field: Biot-Savart
- Magnetic dipoles
- Magnetic matter
- Ampere's law

# Origin of the magnetic field

- Magnetic field
  - produces forces on moving electric charges,
  - arises from moving electric charge.


- Biot-Savart:

$$d\vec{B} = \frac{\mu_0}{4\pi} \frac{I d\vec{L} \times \hat{r}}{r^2}$$

- Therefore:


$$\vec{B} = \int d\vec{B} = \int \frac{\mu_0}{4\pi} \frac{I d\vec{L} \times \hat{r}}{r^2}$$

- $\mu_0 = 4\pi \times 10^{-7} \text{ N/A}^2$  is the permeability constant.



# Behavior of magnetic field lines

- Magnetic fields originate in moving charge.
- Unlike static electric fields, (field lines begin and end on charges) magnetic field lines don't begin or end on the moving charges and currents.
- Magnetic field lines encircle moving charges or currents.
- Direction follows from the right-hand rule.
- In special cases, field lines may extend to infinity, but they don't begin or end.



© 2012 Pearson Education, Inc.

# Using Biot-Savart: a line current



- The field contribution from a current element  $I dL = I dx$  is

$$dB = \frac{\mu_0}{4\pi} \frac{I dL \sin \theta}{r^2} = \frac{\mu_0 I}{4\pi} \frac{y dx}{(x^2 + y^2)^{3/2}}$$

- Integrating along an infinite line gives

$$B = \int dB = \frac{\mu_0 I y}{4\pi} \int_{-\infty}^{\infty} \frac{dx}{(x^2 + y^2)^{3/2}} = \frac{\mu_0 I}{2\pi y}$$

- The field falls off as the inverse of the distance  $y$  from the wire.
- The field encircles the current.






# Force between two conductors

$$B = \int dB = \frac{\mu_0 I y}{4\pi} \int_{-\infty}^{\infty} \frac{dx}{(x^2 + y^2)^{3/2}} = \frac{\mu_0 I}{2\pi y}$$

- Two parallel wires experience forces from each other's magnetic field
- What is the direction of the force if the currents have the same direction?
  - Attract
  - Repel






# Force between two conductors

- Two parallel wires experience forces from each other's magnetic field:

$$F = \frac{\mu_0 I_1 I_2 L}{2\pi d}$$

- Parallel currents attract.
- Antiparallel currents repel.



© 2012 Pearson Education, Inc.

# Magnetism: force and field

- Learning objectives
- Magnetic fields
- Charged particles in magnetic fields
- Magnetic force on current
- Origin of the magnetic field: Biot-Savart
- Magnetic dipoles
- Magnetic matter
- Ampere's law