


BestRunJuice_SampleModel

in Million USD | 

	Account	Gross_Margin	Gross Margin	Discount	Discount
Location	Product				
➤ SA1 California	➤ PC4 Alcohol		25.39		30.72
	➤ PC1 Carbonated Drinks		44.26		15.65
	➤ PC2 Juices		102.78		130.30
	➤ PC3 Others		1.05		1.06
➤ SA2 Nevada	➤ PC4 Alcohol		1.53		6.54
	➤ PC1 Carbonated Drinks		4.62		3.77
	➤ PC2 Juices		7.04		32.11
	➤ PC3 Others		0.06		0.21
➤ SA3 Oregon	➤ PC4 Alcohol		7.11		15.05
	➤ PC1 Carbonated Drinks		13.20		7.48
	➤ PC2 Juices		27.68		59.71
	➤ PC3 Others		0.31		0.53

Figure 40 Input Parameter Isn't a Concrete Data Cell Selection

```
// Input parameter is Selection. Product member isn't specified.

Table_1.getDataSource().getResultSet({
  "@MeasureDimension": "[Account_BestRunJ_sold].[parentId].&[Gross_Margin]",
  "Location_4nm2e04531":
    "[Location_4nm2e04531].[State_47acc246_4m5x6u3k6s].&[SA1]"
});

// ResultSet[]. Four data cells are returned.
[ {
  "@MeasureDimension": {
    "id": "[Account_BestRunJ_sold].[parentId].&[Gross_Margin]",
    "description": "Gross Margin",
    "rawValue": "25388481.78",
    "formattedValue": "25.39"
  },
  "Location_4nm2e04531": {
    "id": "[Location_4nm2e04531].[State_47acc246_4m5x6u3k6s].&[SA1]",
    "description": "California"
  },
  "Product_3e315003an": {
    "id": "[Product_3e315003an].[Product_Catego_3o3x5e06y2].&[PC4]",
    "description": "Alcohol"
  }
}, {
  ...
}]
```

Example 10: Input parameter selections overlap one another

If selections overlap, they're treated as an OR operation.