ETSI TS 129 230 V15.3.0 (2018-07)



Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); LTE;

> Diameter applications; 3GPP specific codes and identifiers (3GPP TS 29.230 version 15.3.0 Release 15)



Reference RTS/TSGC-0429230vf30 Keywords GSM,LTE,UMTS

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from: <u>http://www.etsi.org/standards-search</u>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommitteeSupportStaff.aspx

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018. All rights reserved.

DECT[™], PLUGTESTS[™], UMTS[™] and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP[™] and LTE[™] are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under http://webapp.etsi.org/key/queryform.asp.

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intell	ectual Property Rights	2
Forev	word	2
Moda	al verbs terminology	2
Forev	word	4
1	Scope	5
2	References	
3 3.1 3.2	Definitions and abbreviations Definitions Abbreviations	7
4 4.1	Application identifiers	
5 5.1	Command codes	
6 6.1	Vendor identifier	
7 7.1	Attribute-Value-Pair codes	
8 8.1 8.1.1 8.1.2 8.1.3 8.1.4	Experimental result codes 3GPP specific result codes Informational Success. Transient Failures Permanent Failures	38 38 38
Anne	ex A (informative): Assignment of the Diameter codes and identifiers in 3GPP	44
A.1	Application identifiers	44
A.2	Command codes	44
A.3	AVP codes	44
A.4	Result codes	44
Anne	ex B (informative): Change history	46
Histo	nrv	52

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

[17]

The present document lists the 3GPP specific Diameter protocol codes, including the AVP codes and Experimental result codes.

This document lists also the application identifiers assigned to 3GPP specific Diameter applications by IANA and the Diameter command code range which is assigned to 3GPP by IANA.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

[1]	3GPP TS 29.228: "IP Multimedia (IM) Subsystem Cx and Dx interfaces; Signalling flows and message contents".
[2]	3GPP TS 29.229: "Cx and Dx interfaces based on the Diameter protocol; Protocol details".
[3]	3GPP TS 29.328: "IP Multimedia (IM) Subsystem Sh interface; Signalling flows and message contents".
[4]	3GPP TS 29.329: "Sh Interface based on the Diameter protocol; Protocol details".
[5]	3GPP TS 32.299: "Telecommunication management; Charging management; Diameter charging applications".
[6]	3GPP TS 29.234, Release 11: "3GPP system to Wireless Local Area Network (WLAN) interworking; Stage 3".
[7]	3GPP TS 29.109: "Generic Authentication Architecture (GAA); Zh and Zn Interfaces based on the Diameter protocol; Stage 3".
[8]	3GPP TS 29.209, Release 6: "Policy control over Gq interface".
[9]	IETF RFC 3588: "Diameter Base Protocol".
[10]	IETF RFC 3589: "Diameter Command Codes for Third Generation Partnership Project (3GPP) Release 5".
[11]	IANA's Enterprise-Numbers: http://www.iana.org/assignments/enterprise-numbers
[12]	IANA's AAA parameters register: ftp://ftp.iana.org/assignments/aaa-parameters/
[13]	3GPP TS 29.061: "Interworking between the Public Land Mobile Network (PLMN) supporting packet based services and Packet Data Networks (PDN)".
[14]	3GPP TS 32.296: "Telecommunication management; Charging management; Online Charging System (OCS): Applications and interfaces".
[15]	3GPP TS 29.210, Release 6: "Charging rule provisioning over Gx interface".
[16]	3GPP TS 29.140, Release 6: "Multimedia Messaging Service (MMS); MM10 interface based on Diameter protocol; Stage 3".

3GPP TS 29.211, Release 6: "Rx Interface and Rx/Gx signalling flows".

[18]	3GPP TS 29.214: "Policy and Charging Control over Rx reference point".
[19]	3GPP TS 29.212: "Policy and Charging Control (PCC);Reference points".
[20]	3GPP TS 29.273: "Evolved Packet System (EPS); 3GPP EPS AAA interfaces".
[21]	3GPP TS 29.272: "Evolved Packet System (EPS); Mobility Management Entity (MME) and Serving GPRS Support Node (SGSN) related interfaces based on Diameter protocol".
[22]	3GPP TS 29.215: "Policy and Charging Control (PCC) over S9 reference point; Stage 3".
[23]	IETF RFC 5516: "Diameter Command Code Registration for Third Generation Partnership Project (3GPP) Evolved Packet System (EPS)".
[24]	3GPP TS 29.172: "Location Services (LCS); Evolved Packet Core (EPC) LCS Protocol (ELP) between the Gateway Mobile Location Centre (GMLC) and the Mobile Management Entity (MME); SLg interface".
[25]	3GPP TS 29.173: "Location Services (LCS); Diameter-based SLh interface for Control Plane LCS".
[26]	3GPP TS 29.219: "Policy and Charging Control: Spending Limit Reporting over Sy reference point".
[27]	3GPP TS 29.368: "Tsp interface protocol between the MTC Interworking Function (MTC-IWF) and Service Capability Server (SCS)".
[28]	3GPP TS 29.336: "Home Subscriber Server (HSS) diameter interfaces for interworking with packet data networks and applications".
[29]	3GPP TS 29.337: "Diameter-based T4 interface for communications with packet data networks and applications".
[30]	3GPP TS 29.338: "Diameter based protocols to support SMS capable MMEs".
[31]	3GPP TS 29.468: "Group Communication System Enablers for LTE (GCSE_LTE)".
[32]	3GPP TS 29.343: "Proximity-services (ProSe) function to ProSe application server aspects (PC2)".
[33]	3GPP TS 29.344: "Proximity-services (ProSe) Function to Home Subscriber Server (HSS) aspects".
[34]	3GPP TS 29.345: "Inter-Proximity-services (Prose) function signalling aspects; Stage 3".
[35]	3GPP TS 29.217: "Policy and Charging Control over Np reference point".
[36]	3GPP TS 29.128: "Diameter based T6a/T6b interface between the MME/SGSN and the SCEF".
[37]	3GPP TS 29.153: "Service exposure functionality between SCEF and RCAF reference point".
[38]	3GPP TS 29.154: "Service capability exposure functionality over Nt Reference point".
[39]	3GPP TS 29.283: "Diameter Data Management applications".
[40]	3GPP TS 29.388: "V2X Control Function to V2X Control Function to Home Subscriber Server (HSS) aspects (V4)".
[41]	3GPP TS 29.389: "Inter-V2X Control Function Signalling aspects (V6)".
[42]	3GPP TS 29.561: "Interworking between 5G Network and external Data Networks; Stage 3".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply.

3GPP specific: A definition which is used in conjunction with the 3GPP's vendor identifier.

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

AVP Attribute-Value-Pair CR Change Request

IANA Internet Assigned Numbers Authority
IETF Internet Engineering Task Force

LS Liaison Statement

4 Application identifiers

The Diameter applications are identified with the application identifiers as specified in the RFC 3588 [9]. There are two kind of applications: IETF standards track applications and vendor specific applications. All application identifiers are assigned by IANA [12]. This chapter lists the application identifiers assigned by IANA to all 3GPP Diameter applications.

The application identifiers are transferred in Diameter command's header in the Application-ID field.

4.1 3GPP specific application identifiers

The 3GPP specific application identifiers allocated by IANA are listed in the following table.

Table 4.1: 3GPP specific application identifiers

Application identifier	Application	3GPP TS
16777216	3GPP Cx/Px	29.228 [1] and 29.229 [2]
16777217	3GPP Sh/Ph	29.328 [3] and 29.329 [4]
16777218	3GPP Re	32.296 [14]
16777219	3GPP Wx	29.234 [6]
16777220	3GPP Zn	29.109 [7]
16777221	3GPP Zh	29.109 [7]
16777222	3GPP Gq	29.209 [8]
16777223	3GPP Gmb	29.061 [13]
16777224	3GPP Gx	29.210 [15]
16777225	3GPP Gx over Gy	29.210 [15]
16777226	3GPP MM10	29.140 [16]
16777229	3GPP Rx	29.211 [17]
16777230	3GPP Pr	29.234 [6]
16777236	3GPP Rx	29.214 [18]
16777238	3GPP Gx	29.212 [19]
16777250	3GPP STa	29.273 [20]
16777251	3GPP S6a	29.272 [21]
16777252	3GPP S13/S13'	29.272 [21]
16777255	3GPP SLg	29.172 [24]
16777264	3GPP SWm	29.273 [20]
16777265	3GPP SWx	29.273 [20]
16777266	3GPP Gxx	29.212 [19]
16777267	3GPP S9	29.215 [22]
16777268	3GPP Zpn	29.109 [7]
16777272	3GPP S6b	29.273 [20]
16777291	3GPP SLh	29.173 [25]
16777292	3GPP SGmb	29.061 [13]
16777302	3GPP Sy	29.219 [26]
16777303	3GPP Sd	29.212 [19]
16777308	3GPP S7a	29.272 [21]
16777309	3GPP Tsp	29.368 [27]
16777310	3GPP S6m	29.336 [28]
16777311	3GPP T4	29.337 [29]
16777312	3GPP S6c	29.338 [30]
16777313	3GPP SGd	29.338 [30]
16777318	3GPP S15	29.212 [19]
16777319	3GPP S9a	29.215 [22]
16777320	3GPP S9a*	29.215 [22]
16777325	3GPP MB2-C	29.468 [31]
16777336	3GPP PC4a	29.344 [33]
16777337	3GPP PC2	29.343 [32]
16777340	3GPP PC6/PC7	29.345 [34]
16777340	3GPP PC6/PC7	29.345 [34]
16777345	3GPP Np	29.217 [35]
16777346	3GPP T6a/T6b	29.336 [26]
16777347	3GPP Ns	29.126 [36]
16777348	3GPP Nt	
16777348	3GPP Nt 3GPP St	29.154[38] 29.212 [19]
16777350	3GPP St 3GPP PC2	29.212 [19]
16777351	3GPP Diameter Data	29.283 [39]
16777055	Management	20.200 [40]
16777355	3GPP V4	29.388 [40]
16777356	3GPP V6	29.389 [41]
16777358	3GPP Nta	29.154 [38]

5 Command codes

The command codes are used for communicating the command associated with the Diameter message. The command code is carried in the Diameter header's Command-Code field. The command codes can be divided into standard command codes allocated by IANA and experimental command codes for testing purposes only.

5.1 Command codes allocated for 3GPP

Based on the IETF RFC 3589 [10] the IANA has allocated a standard command code range 300 - 313 for 3GPP. The command codes are presented in the following table.

Table 5.1/1: Command code values allocated for 3GPP

Command code value	Command name	Abbreviation	Specified in 3GPP TS
	11 A (1 : (: D (/ A	1100/1100	301113
300	User-Authorization-Request/-Answer	UAR/UAA	
301	Server-Assignment-Request/-Answer	SAR/SAA	
302	Location-Info-Request/-Answer	LIR/LIA	
303	Multimedia-Auth-Request/-Answer	MAR/MAA	29.229 [2]
304	Registration-Termination-Request/-	RTR/RTA	
	Answer		
305	Push-Profile-Request/-Answer	PPR/PPA	
306	User-Data-Request/-Answer	UDR/UDA	
307	Profile-Update-Request/-Answer	PUR/PUA	29.329 [4]
308	Subscribe-Notifications-Request/-Answer	SNR/SNA	29.329 [4]
309	Push-Notification-Request/-Answer	PNR/PNA	
310	Boostrapping-Info-Request/Answer	BIR/BIA	29.109 [7]
311	Message-Process-Request/Answer	MPR/MPA	29.140 [16]
312	GBAPush-Info-Request/Answer	GPR/GPI	29.109 [7]

Editor's Note: The following command codes have been allocated to 3GPP, but they have not been used yet.

Table 5.1/2: Command codes allocated for 3GPP

Command code value	Command name	Abbreviation	Specified in 3GPP TS
313			

As defined in the IETF RFC 5516 [23]. IANA has allocated the following command code values for the S6a/S6d interface application and S13/S13' interface application.

Table 5.1/3: SAE related Standard Command code valuess allocated for 3GPP

Command code value	Command name	Abbreviation	Specified in 3GPP TS
316	Update-Location-Request/Answer	ULR/ULA	
317	Cancel-Location-Request/Answer	CLR/CLA	
318	Authentication- Information -	AIR/AIA	
	Request/Answer		
319	Insert Subscriber Data-Request/Answer	IDR/IDA	29.272 [21]
320	Delete-Subscriber-Data-Request/Answer	DSR/DSA	29.272 [21]
321	Purge-UE-Request/Answer	PUR/PUA	
322	Reset-Request/Answer	RSR/RSA	
323	Notify-Request/Answer	NOR/NOA	
324	ME-Identity-Check-Request/Answer	ECR/ECA	

Besides the standard command code values allocated for 3GPP, IANA has allocated the following vendor-specific command code values for 3GPP vendor-specific Diameter applications:

Table 5.1/4: Vendor-specific command codes allocated for 3GPP

Command code value	Command name	Abbreviation	Specified in 3GPP TS
8388620	Provide-Location-Request/Answer	PLR/PLA	29.172 [24]
8388621	Location-Report-Request/Answer	LRR/LRA	
8388622	LCS-Routing-Info-Request/Answer	RIR/RIA	29.173 [25]
8388635	Spending-Limit-Request/Answer	SLR/SLA	
8388636	Spending-Status-Notification- Request/Answer	SNR/SNA	29.219 [26]
8388637	TDF-Session-Request/Answer	TSR/TSA	29.212 [19]
8388731	TSSF-Notification-Request/Answer	TNR/TNA	20.212[10]
8388638	Update-VCSG-Location-Request/Answer	UVR/UVA	29.272 [21]
8388642	Cancel-VCSG-Location-Request/Answer	CVR/CVA	
8388639	Device-Action-Request/Answer	DAR/DAA	29.368 [27]
8388640 8388641	Device-Notification-Request/Answer Subscriber-Information-Request/Answer	DNR/DNA SIR/SIA	29.336 [28]
8388718	Configuration-Information-	CIR/CIA	29.330 [20]
0300710	Request/Answer	CIR/CIA	
8388719	Reporting-Information- Request/Answer	RIR/RIA	29.336 [28]
8388726	NIDD-Information-Request/Answer	NIR/NIA	1
8388643	Device-Trigger-Request/Answer	DTR/DTA	
8388644	Delivery-Report-Request/Answer	DRR/DRA	29.337 [29]
8388645	MO-Forward-Short-Message	OFR/OFA	
	Request/Answer		
8388646	MT-Forward-Short-Message Request/Answer	TFR/TFA	
8388647	Send-Routing-Info-for-SM- Request/Answer	SRR/SRA	29.338 [30]
8388648	Alert-Service-Centre-Request/Answer	ALR/ALA	1
8388649	Report-SM-Delivery-Status- Request/Answer	RDR/RDA	
8388656	Trigger-Establishment-Request/Answer	TER/TEA	29.215 [30]
8388662	GCS-Action-Request/Answer	GAR/GAA	20.460 [24]
8388663	GCS-Notification-Request/Answer	GNR/GNA	29.468 [31]
8388664	ProSe-Subscriber-Information- Request/Answer	PIR/PIA	
8388665	Update-ProSe-Subscriber-Data- Request/Answer	UPR/UPA	29.344 [33]
8388666	ProSe-Notify-Request/Answer	PNR/PNA	
8388713	ProSe-Initial-Location-Information- Request/Answer	PSR/PSA	
8388668	ProSe-Authorization-Request/Answer	PAR/PAA	
8388669	ProSe-Discovery-Request/Answer	PDR/PDA	
8388670	ProSe-Match-Request/Answer	PMR/PMA	-
8388671	ProSe-Match-Report-Info-Request/Answer	PIR/PIA	29.345 [34]
8388672	ProSe-Proximity-Request/Answer ProSe-Location-Update-Request/Answer	PRR/PRA	
8388673 8388674	ProSe-Alert-Request/Answer	PLR/PLA ALR/ALA	-
8388675	ProSe-Cancellation-Request/Answer	RPR/RPA	-
8388676	ProXimity-Action-Request/Answer	PXR/PXA	
8388727	ProXimity-Action-Request/Answer	XAR/XAA	29.343 [32]
8388720	Non-Aggregated-RUCI-Report- Request/Answer	NRR/NRA	
8388721	Aggregated-RUCI-Report- Request/Answer	ARR/ARA	29.217 [35]
8388722	Modify-Uecontext-Request/Answer	MUR/MUA	1
8388724	Network-Status-Request/Answer	NSR/NSA	
8388725	Network-Status-Continuous-Report- Request/Answer	NCR/NCA	29.153 [37]
8388723	Background-Data-Transfer- Request/Answer	BTR/BTA	29.154 [38]
8388728	Data-Pull-Request/Answer	DPR/DPA	
8388729	Data-Update-Request/Answer	DUR/DUA	29.283 [39]
8388730	Notification-Data-Request/Answer	NDR/NDA	1 ' '
8388732	Connection-Management-Request/Answer	CMR/CMA	
8388733	MO-Data-Request/Answer	ODR/ODA	29.128 [36]
8388734	MT-Data-Request/Answer	TDR/TDA	

6 Vendor identifier

The vendor identifier (also known as Enterprise number) indicates the vendor specific attributes, result codes and application identifiers in Diameter commands. The vendor identifier is used in the Vendor-ID field of the AVP header and in the Vendor-Id AVP. The Vendor-Id AVP is used to identify the vendor in the Vendor-Specific-Application-Id and Experimental-Result-Code grouped AVPs.

6.1 3GPP's vendor identifier

The IANA has allocated a vendor identifier value 10415 for 3GPP [11].

7 Attribute-Value-Pair codes

The AVP codes are used together with the vendor identifier to identify each attribute uniquely. There are multiple AVP namespaces. The IETF IANA namespace, that is, the AVPs with vendor identifier zero or without vendor identifier, is controlled by IANA. Each vendor controls the AVP codes within their AVP namespaces.

7.1 3GPP specific AVP codes

The 3GPP specific AVPs have the Vendor-Specific bit ('V' bit) set in the AVP header and they carry the 3GPP's vendor identifier in the Vendor-ID field of the AVP header. The 3GPP specific AVP codes are presented in the following table.

Table 7.1: 3GPP specific AVP codes

AVP	Attribute Name	Data Type	Specifie
Code		7444 1940	d in the 3GPP TS
	3GPP-WLAN-APN-Id	OctetString	29.234
	3GPP-WLAN-QoS-Filter-Rule	UTF8String	[6]
	3GPP-WLAN-QoS-Filter-Support	OctetString	
Attribu	The AVP codes from 1 to 255 are reserved for backwards courtes (See TS 29.061 [13] and TS 29.234 [6])	mpatibility with 3GPP RADIUS Vendor	Specific
	The AVP codes from 256 to 299 are reserved for future use.		
	Authentication-Method	Enumerated	
	Authentication-Information-SIM Authorization -Information-SIM	OctetString OctetString	
	WLAN-User-Data	Grouped	
	Charging-Data	Grouped	
	WLAN-Access	Enumerated	
	WLAN- 3GPP-IP-Access	Enumerated	
307	APN-Authorized	Grouped	
	APN-ld		
	APN-Barring-Type	Enumerated	29.234
	WLAN-Direct-IP-Access	Enumerated	[6]
	Session-Request-Type	Enumerated	
	Routing-Policy	IPFilterRule	
	Max-Requested-Bandwidth Charging Characteristics	OctetString	
	Charging-Characteristics Charging-Nodes	Integer Grouped	
	Primary-OCS-Charging-Function-Name	DiameterIdentity	
	Secondary-OCS-Charging-Function-Name	DiameterIdentity	
	3GPP-AAA-Server-Name	DiameterIdentity	
	Maximum-Number-Accesses	Unsigned32	
Note '	1: The AVP codes from 320 to 399 are reserved for TS 29.234	1	
	2: The 3GPP-AAA-Server-Name definition is moved to TS 29. GBA-UserSecSettings	OctetString OctetString	
401	Transaction-Identifier	OctetString	
402	NAF-Hostname	OctetString	
403	GAA-Service-Identifier	OctetString	
	Key-ExpiryTime ME-Key-Material	Time OctetString	
406	UICC-Key-Material	OctetString	
407	GBA_U-Awareness-Indicator	Enumerated	
	BootstrapInfoCreationTime	Time	
	GUSS-Timestamp	Time Enumerated	29.109
410	GBA-Type UE-Id	OctetString	[7]
	UE-Id-Type	Enumerated	
413	UICC-App-Label	OctetString	
	UICC-ME	Enumerated	
415	Requested-Key-Lifetime Private-Identity-Request	Time Enumerated	
	GBA-Push-Info	OctetString	
418	NAF-SA-Identifier	OctetString	
419	Security-Feature-Request	OctetString	
	Security-Feature-Response	OctetString	
	The AVP codes from 421 to 499 are reserved for TS 29.109	Figures a restand	
	Abort-Cause Access-Network-Charging-Address	Enumerated Address	
	Access-Network-Charging-Address Access-Network-Charging-Identifier	Grouped	
	Access-Network-Charging-Identifier-Value	OctetString	
	AF-Application-Identifier	OctetString	
	AF-Charging-Identifier	OctetString	29.209
	Authorization-Token	OctetString	[8],
	Flow-Description	IPFilterRule	29.211
	Flow-Grouping	Grouped	[17],
509	Flow-Number	Unsigned32	29.214 [18]
	Flows	Grouped	[10]
	Flow-Status	Enumerated	
	Flow-Usage	Enumerated	
	Specific-Action	Enumerated	
514	Max-Requested-Bandwidth	Unsigned32	

			,
	Max-Requested-Bandwidth-DL	Unsigned32	
	Max-Requested-Bandwidth-UL	Unsigned32	
	Media-Component-Description	Grouped	
	Media-Component-Number	Unsigned32	
	Media-Sub-Component AVP	Grouped	
520	Media-Type	Enumerated	
521	RR-Bandwidth	Unsigned32	
522	RS-Bandwidth	Unsigned32	
523	SIP-Forking-Indication	Enumerated	
524	Codec-Data	OctetString	
525	Service-URN	OctetString	
526	Acceptable-Service-Info	Grouped	
	Service-Info-Status	Enumerated	
528	MPS-Identifier	OctetString	
	AF-Signalling-Protocol	Enumerated	
	Sponsored-Connectivity-Data	Grouped	
	Sponsor-Identity	OctetString	
	Application-Service-Provider-Identity	OctetString	
	Rx-Request-Type	Enumerated	
	Min-Requested-Bandwidth-DL	Unsigned32	
	Min-Requested-Bandwidth-UL	Unsigned32	
	Required-Access-Info	Enumerated	
	IP-Domain-Id	OctetString	
	GCS-Identifier	OctetString	
	Sharing-Key-DL	Unsigned32	
	Sharing-Key-UL	Unsigned32	
	Retry-Interval	Unsigned32	
	Sponsoring-Action	Enumerated	
	Max-Supported-Bandwidth-DL	Unsigned32	
	Max-Supported-Bandwidth-UL	Unsigned32	
	Min-Desired-Bandwidth-DL	Unsigned32	
	Min-Desired-Bandwidth-UL	Unsigned32	
	MCPTT-Identifier	OctetString	
	Service-Authorization-Info	Unsigned32	
	Media-Component-Status	Unsigned32	
	Priority-Sharing-Indicator	Enumerated	
	AF-Requested-Data	Unsigned32	
	Content-Version	Unsigned64	
	Pre-emption-Control-Info	Unsigned32	
	Extended-Max-Requested-BW-DL	Unsigned32	
555	Extended-Max-Requested-BW-UL	Unsigned32	
556	Extended-Max-Supported-BW-DL	Unsigned32	
557	Extended-Max-Supported-BW-UL	Unsigned32	
	Extended-Min-Desired-BW-DL	Unsigned32	
	Extended-Min-Desired-BW-UL	Unsigned32	
560	Extended-Min-Requested-BW-DL	Unsigned32	
	Extended-Min-Requested-BW-UL	Unsigned32	
	The AVP codes from 562 to 599 are reserved for TS 29.209, TS		
	Visited-Network-Identifier	OctetString	
	Public-Identity	UTF8String	
	Server-Name	UTF8String	
	Server-Capabilities	Grouped	
	Mandatory-Capability	Unsigned32	
	Optional-Capability	Unsigned32	
	User-Data	OctetString	
	SIP-Number-Auth-Items	Unsigned32	
	SIP-Authentication-Scheme	UTF8String	29.229
	SIP-Authenticate	OctetString	[2]
	SIP-Authorization	OctetString	
	SIP-Authentication-Context	OctetString	
	SIP-Auth-Data-Item	Grouped	
	SIP-Item-Number	Unsigned32	
	Server-Assignment-Type	Enumerated	
	Deregistration-Reason	Grouped	
616	Reason-Code	Enumerated	

0.47		LITTOOL	
	Reason-Info	UTF8String	
	Charging-Information	Grouped	
	Primary-Event-Charging-Function-Name	DiameterURI	
	Secondary-Event-Charging-Function-Name	DiameterURI	
	Primary-Charging-Collection-Function-Name	DiameterURI	
	Secondary-Charging-Collection-Function-Name	DiameterURI	
	User-Authorization-Type	Enumerated	
	User-Data-Already-Available	Enumerated	
	Confidentiality-Key	OctetString	
	Integrity-Key	OctetString	
	User-Data-Request-Type	Enumerated	
	Supported-Features	Grouped	
629	Feature-List-ID	Unsigned32	
630	Feature-List	Unsigned32	
	Supported-Applications	Grouped	
632	Associated-Identities	Grouped	
	Originating-Request	Enumerated	
634	Wildcarded-Public-Identity	UTF8String	
635	SIP-Digest-Authenticate	Grouped	
636	Wildcarded-IMPU	UTF8String	
637	UAR-Flags	Unsigned32	
	Loose-Route-Indication	Enumerated	
	SCSCF-Restoration-Info	Grouped	
	Path	OctetString	
	Contact	OctetString	
	Subscription-Info	Grouped	
	Call-ID-SIP-Header	OctetString	
	From-SIP-Header	OctetString	
	To-SIP-Header	OctetString	
	Record-Route	OctetString	
	Associated-Registered-Identities	Grouped	
	Multiple-Registration-Indication	Enumerated	
	Restoration-Info	Grouped	
	Session-Priority	Enumerated	
	Identity-with-Emergency-Registration	Grouped	
	Priviledged-Sender-Indication	Enumerated	
	LIA-Flags	Unsigned32	
654	Initial-CSeq-Sequence-Number	Unsigned32	
	SAR-Flags	Unsigned32	
	Allowed-WAF-WWSF-Identities		
		Grouped UTF8String	
	WebRTC-Authentication-Function-Name	Ü	
	WebRTC-Web-Server-Function-Name	UTF8String	
	The AVP codes from 659 to 699 are reserved for TS 29.229.	0	
	User-Identity	Grouped	
	MSISDN	OctetString	
	User-Data	OctetString	
	Data-Reference	Enumerated	
	Service-Indication	OctetString	
	Subs-Req-Type	Enumerated	
	Requested-Domain	Enumerated	
	Current-Location	Enumerated	
	Identity-Set	Enumerated	
	Expiry-Time	Time	
	Send-Data-Indication	Enumerated	29.329
711	DSAI-Tag	OctetString	[4]
	One-Time-Notification	Enumerated	
	Requested-Nodes	Unsigned32	
	Serving-Node-Indication	Enumerated	
	Repository-Data-ID	Grouped	
	Sequence-Number	Unsigned32	
	Pre-paging-Supported	Enumerated	
	Local-Time-Zone-Indication	Enumerated	
	UDR-Flags	Unsigned32	
	Call-Reference-Info	Grouped	
	Call-Reference-Number	OctetString	
<u> </u>			

722	AS-Number	OctotString	
	The AVP codes from 723 to 799 are reserved for TS 29.329.	OctetString	
	The AVP codes from 800 to 822 are reserved for TS 32.299.		
	Event-Type	Grouped	
	SIP-Method	UTF8String	
	Event	UTF8String	
	Content-Type	UTF8String	
	Content-Type Content-Length	Unsigned32	
	Content-Disposition	UTF8String	
	Role-of-Node	Enumerated	
	User-Session-Id	UTF8String	
	Calling-Party-Address	UTF8String	
	Called-Party-Address	UTF8String	
	Time-Stamps	Grouped	
	SIP-Request-Timestamp	Time	
	SIP-Response-Timestamp	Time	
836	Application-Server	UTF8String	
837	Application-provided-called-party-address	UTF8String	
	Inter-Operator-Identifier	Grouped	
	Originating-IOI	UTF8String	
	Terminating-IOI	UTF8String	
	IMS-Charging-Identifier	UTF8String	
	SDP-Session-Description	UTF8String	
	SDP-Media-Component	Grouped	
	SDP-Media-Name	UTF8String	
845	SDP-Media-Description	UTF8String	
846	CG-Address	Address	
847	GGSN-Address	Address	
848	Served-Party-IP-Address	Address	
	Authorized-QoS	UTF8String	
850	Application-Server-Information	Grouped	
	Trunk-Group-Id	Grouped	
	Incoming-Trunk-Group-Id	UTF8String	
	Outgoing-Trunk-Group-Id	UTF8String	32,299
	Bearer-Service	OctetString	[5]
	Service-Id	UTF8String	[0]
	Associated-URI	UTF8String	
	Charged-Party	UTF8String	
	PoC-Controlling-Address	UTF8String	
	PoC-Group-Name	UTF8String	
	Cause	Grouped	
	Cause-Code	Integer32	
	Node-Functionality	Enumerated	
	Service-Specific-Data	UTF8String Enumerated	
	Originator DS Furnish Charging Information	Enumerated	
	PS-Furnish-Charging-Information	Grouped	
	PS-Free-Format-Data	OctetString	
	PS-Append-Free-Format-Data	Enumerated	
	Time-Quota-Threshold	Unsigned32	
	Volume-Quota-Threshold	Unsigned32	
	Trigger-Type	Enumerated	
	Quota-Holding-Time	Unsigned32	
	Reporting-Reason	Enumerated	
	Service-Information	Grouped	
	PS-Information	Grouped	
	Reserved	-	
	IMS-Information	Grouped	
	MMS-Information	Grouped	
	LCS-Information	Grouped	
	PoC-Information	Grouped	
	MBMS-Information	Grouped	
	Quota-Consumption-Time	Unsigned32	
	Media-Initiator-Flag	Enumerated	
	PoC-Server-Role	Enumerated	
	PoC-Session-Type	Enumerated	
557	. 55 5500001 1380	Enamoratou	

005	N 1 0(D d)		100	
	Number-Of-Participants	Unsigne		
	Originator-Address	Group		
	Participants-Involved	UTF8S		
	Expires	Unsigne		
	Message-Body	Group	ed	
	Reserved	-		
	Address-Data	UTF8S		
	Address-Domain	Group		
899	Address-Type	Enumer	ated	
900	TMGI	OctectS	tring	
	Required-MBMS-Bearer-Capabilities	UTF8S	tring	
902	MBMS-StartStop-Indication	Enumer	ated	
	MBMS-Service-Area	OctectS		
	MBMS-Session-Duration	Unsigne		1
	Alternative-APN	UTF8S		1
	MBMS-Service-Type	Enumer		
	MBMS-2G-3G-Indicator	Enumer		1
	MBMS-Session-Identity	OctetSt		1
909	, , , , , , , , , , , , , , , , , , ,	UTF8S		
	Additional-MBMS-Trace-Info	OctetSt		
	MBMS-Time-To-Data-Transfer	Unsigne		
	MBMS-Session-Identity-Repetition-Number	Unsigne		
	MBMS-Required-QoS	UTF8S:		
91/	MBMS-Counting-Information	Enumer		
	MBMS-User-Data-Mode-Indication	Enumer		
	MBMS-GGSN-Address	UTF8S		
	MBMS-GGSN-IPv6-Address	UTF8S		29.061
	MBMS-BMSC-SSM-IP-Address	UTF8S		[13]
		UTF8S		
919	MBMS-BMSC-SSM-IPv6-Address	UIF85	trina	
920	MBMS-Flow-Identifier	OctetSt	tring	
920 921	MBMS-Flow-Identifier CN-IP-Multicast-Distribution	OctetSt Enumer	tring ated	
920 921 922	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator	OctetSi Enumer Enumer	tring rated rated	
920 921 922 923	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator	OctetSi Enumer Enumer Enumer	tring rated rated rated	
920 921 922 923 924	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address	OctetSi Enumer Enumer Enumer OctetSi	tring rated rated rated tring	
920 921 922 923 924 925	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address	OctetSi Enumer Enumer Enumer OctetSi OctetSi	tring rated rated rated rated tring tring	
920 921 922 923 924 925 926	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port	OctetSi Enumer Enumer Enumer OctetSi OctetSi	tring rated rated rated tring tring tring	
920 921 922 923 924 925 926 927	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port	OctetSi Enumer Enumer Enumer OctetSi OctetSi OctetSi OctetSi	tring ated rated rated tring tring tring tring	
920 921 922 923 924 925 926 927 928	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator	OctetSi Enumer Enumer Enumer OctetSi OctetSi OctetSi Enumer	tring ated ated ated tring tring tring tring tring tring ated	
920 921 922 923 924 925 926 927 928 929	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start	OctetSi Enumer Enumer Enumer OctetSi OctetSi OctetSi OctetSi Unsigne	tring ated ated ated tring tring tring tring tring tring tring tring ated ed64	
920 921 922 923 924 925 926 927 928 929	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop	OctetSi Enumer Enumer Enumer OctetSi OctetSi OctetSi OctetSi Unsigne	tring ated ated ated tring tring tring tring tring tring tring ated ed64	
920 921 922 923 924 925 926 927 928 929 930	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags	OctetSi Enumer Enumer OctetSi OctetSi OctetSi OctetSi Unsigne Unsigne Unsigne	tring ated ated ated tring tring tring tring tring tring ated aced aced aced aced aced aced aced ac	
920 921 922 923 924 925 926 927 928 929 930 931	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags Restart-Counter	OctetSi Enumer Enumer OctetSi OctetSi OctetSi OctetSi Unsigne Unsigne Unsigne Unsigne Unsigne	tring ated ated ated tring tring tring tring tring tring ated ed64 ed64 ed64 ed32 ed32	
920 921 922 923 924 925 926 927 928 929 930 931 932 933	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags Restart-Counter Diagnostic-Info	OctetSi Enumer Enumer OctetSi OctetSi OctetSi OctetSi Unsigne Unsigne Unsigne Unsigne Unsigne Unsigne Unsigne Unsigne Unsigne	tring tated tated tated tring	
920 921 922 923 924 925 926 927 928 929 930 931 932 933 934	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags Restart-Counter Diagnostic-Info MBMS-Cell-List	OctetSi Enumer Enumer OctetSi OctetSi OctetSi OctetSi Unsigne Unsigne Unsigne Unsigne Unsigne	tring tated tated tated tring	
920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 Note:	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-GW-UDP-Fort-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags Restart-Counter Diagnostic-Info MBMS-Cell-List The AVP codes from 935 to 999 are reserved for TS 29.061	OctetSi Enumer Enumer OctetSi OctetSi OctetSi OctetSi Unsigne Unsigne Unsigne Unsigne Unsigne Unsigne Unsigne Unsigne Unsigne	tring tated tated tated tring	
920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 Note: 1000	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags Restart-Counter Diagnostic-Info MBMS-Cell-List The AVP codes from 935 to 999 are reserved for TS 29.061 Bearer-Usage	OctetSi Enumer Enumer OctetSi OctetSi OctetSi OctetSi Unsigne Unsigne Unsigne Unsigne Unsigne Unsigne Unsigne Unsigne Unsigne	tring tated tated tated tring	
920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 Note: 1000	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-GW-UDP-Fort-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags Restart-Counter Diagnostic-Info MBMS-Cell-List The AVP codes from 935 to 999 are reserved for TS 29.061	OctetSi Enumer Enumer OctetSi OctetSi OctetSi OctetSi Unsigne Unsigne Unsigne Unsigne Unsigne OctetSi	tring ated ated ated ated atring tring tring tring tring ated ated ated ated ated ated ated ated	
920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 Note: 1000 1001	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags Restart-Counter Diagnostic-Info MBMS-Cell-List The AVP codes from 935 to 999 are reserved for TS 29.061 Bearer-Usage	OctetSi Enumer Enumer CotetSi OctetSi OctetSi OctetSi Unsigne	tring ated ated ated ated atring tring tring tring tring ated ated ated ated ated ated ated ated	
920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 Note: 1000 1001 1002	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags Restart-Counter Diagnostic-Info MBMS-Cell-List The AVP codes from 935 to 999 are reserved for TS 29.061 Bearer-Usage Charging-Rule-Install	OctetSi Enumer Enumer CotetSi OctetSi OctetSi OctetSi OctetSi Unsigne	tring ated ated ated ated atring tring tring tring ated atring tring ated add4 add4 add4 add32 add32 add32 add32 atring	
920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 Note: 1000 1001 1002 1003	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags Restart-Counter Diagnostic-Info MBMS-Cell-List The AVP codes from 935 to 999 are reserved for TS 29.061 Bearer-Usage Charging-Rule-Install Charging-Rule-Remove Charging-Rule-Definition	OctetSi Enumer Enumer CotetSi OctetSi OctetSi OctetSi Enumer Unsigne Unsigne Unsigne Unsigne CotetSi Enumerated Grouped Grouped	tring ated ated ated ated atring tring tring tring ated atring tring ated add4 add4 add4 add32 add32 add32 add32 atring	
920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 Note: 1000 1001 1002 1003 1004	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags Restart-Counter Diagnostic-Info MBMS-Cell-List The AVP codes from 935 to 999 are reserved for TS 29.061 Bearer-Usage Charging-Rule-Install Charging-Rule-Remove Charging-Rule-Base-Name	OctetSi Enumer Enumer CotetSi OctetSi OctetSi OctetSi Enumer Unsigne Unsigne Unsigne Unsigne Grouped Grouped Grouped UTF8String	tring ated ated ated ated atring tring tring tring ated atring tring ated add4 add4 add4 add32 add32 add32 add32 atring	
920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 Note: 1000 1001 1002 1003 1004 1005	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags Restart-Counter Diagnostic-Info MBMS-Cell-List The AVP codes from 935 to 999 are reserved for TS 29.061 Bearer-Usage Charging-Rule-Install Charging-Rule-Remove Charging-Rule-Base-Name Charging-Rule-Base-Name	OctetSi Enumer Enumer OctetSi OctetSi OctetSi OctetSi Enumer Unsigne Unsigne Unsigne Unsigne Grouped Grouped Grouped UTF8String OctetString	tring ated ated ated ated atring tring tring tring ated atring tring ated add4 add4 add4 add32 add32 add32 add32 atring	
920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 Note: 1000 1001 1002 1003 1004 1005 1006	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPv6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags Restart-Counter Diagnostic-Info MBMS-Cell-List The AVP codes from 935 to 999 are reserved for TS 29.061 Bearer-Usage Charging-Rule-Install Charging-Rule-Remove Charging-Rule-Base-Name Charging-Rule-Name Event-Trigger	OctetSi Enumer Enumer CotetSi OctetSi OctetSi OctetSi OctetSi Unsigne	tring ated ated ated ated atring tring tring tring ated atring tring ated add4 add4 add4 add32 add32 add32 add32 atring	
920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 Note: 1000 1001 1002 1003 1004 1005 1006 1007	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPV6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags Restart-Counter Diagnostic-Info MBMS-Cell-List The AVP codes from 935 to 999 are reserved for TS 29.061 Bearer-Usage Charging-Rule-Install Charging-Rule-Remove Charging-Rule-Definition Charging-Rule-Base-Name Charging-Rule-Name Event-Trigger Metering-Method	OctetSi Enumer Enumer OctetSi OctetSi OctetSi OctetSi OctetSi Unsigne	tring ated ated ated ated atring tring tring tring ated atring tring ated add4 add4 add4 add32 add32 add32 add32 atring	
920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 Note: 1000 1001 1002 1003 1004 1005 1006 1007 1008	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPV6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags Restart-Counter Diagnostic-Info MBMS-Cell-List The AVP codes from 935 to 999 are reserved for TS 29.061 Bearer-Usage Charging-Rule-Install Charging-Rule-Remove Charging-Rule-Base-Name Charging-Rule-Name Event-Trigger Metering-Method Offline	OctetSi Enumer Enumer OctetSi OctetSi OctetSi OctetSi OctetSi Unsigne	tring ated ated ated ated atring tring tring tring ated atring tring ated add4 add4 add4 add32 add32 add32 add32 atring	
920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 Note: 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPV6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags Restart-Counter Diagnostic-Info MBMS-Cell-List The AVP codes from 935 to 999 are reserved for TS 29.061 Bearer-Usage Charging-Rule-Install Charging-Rule-Remove Charging-Rule-Base-Name Charging-Rule-Name Event-Trigger Metering-Method Offline Online	OctetSi Enumer Enumer CotetSi OctetSi OctetSi OctetSi OctetSi Unsigne	tring ated ated ated ated atring tring tring tring ated atring tring ated add4 add4 add4 add32 add32 add32 add32 atring	
920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 Note: 1000 1001 1002 1003 1006 1007 1008 1009 1010	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPV6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags Restart-Counter Diagnostic-Info MBMS-Cell-List The AVP codes from 935 to 999 are reserved for TS 29.061 Bearer-Usage Charging-Rule-Install Charging-Rule-Remove Charging-Rule-Base-Name Charging-Rule-Name Event-Trigger Metering-Method Offline Online Precedence	OctetSi Enumer Enumer OctetSi OctetSi OctetSi OctetSi OctetSi OctetSi Unsigne Unsigned Unsigned	tring ated ated ated ated atring tring tring tring ated atring tring ated add4 add4 add4 add32 add32 add32 add32 atring	
920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 Note: 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011	MBMS-Flow-Identifier CN-IP-Multicast-Distribution MBMS-HC-Indicator MBMS-Access-Indicator MBMS-GW-SSM-IP-Address MBMS-GW-SSM-IPV6-Address MBMS-BMSC-SSM-UDP-Port MBMS-GW-UDP-Port MBMS-GW-UDP-Port-Indicator MBMS-Data-Transfer-Start MBMS-Data-Transfer-Stop MBMS-Flags Restart-Counter Diagnostic-Info MBMS-Cell-List The AVP codes from 935 to 999 are reserved for TS 29.061 Bearer-Usage Charging-Rule-Install Charging-Rule-Remove Charging-Rule-Base-Name Charging-Rule-Name Event-Trigger Metering-Method Offline Online	OctetSi Enumer Enumer CotetSi OctetSi OctetSi OctetSi OctetSi Unsigne	tring ated ated ated ated atring tring tring tring ated atring tring ated add4 add4 add4 add32 add32 add32 add32 atring	

1013 TFT-Packet-Filter-Information	Grouped
1014 ToS-Traffic-Class	OctetString
1016 QoS-Information	Grouped
1018 Charging-Rule-Report	Grouped
1019 PCC-Rule-Status	Enumerated
1020 Bearer-Identifier	OctetString
1021 Bearer-Operation	Enumerated
1022 Access-Network-Charging-Identifier-Gx	Grouped
1023 Bearer-Control-Mode	Enumerated
1024 Network-Request-Support	Enumerated
1025 Guaranteed-Bitrate-DL	Unsigned32
1026 Guaranteed-Bitrate-UL	Unsigned32
1027 IP-CAN-Type	Enumerated
1028 QoS-Class-Identifier	Enumerated
1029 QoS-Negotiation	Enumerated
1030 QoS-Upgrade	Enumerated
1031 Rule-Failure-Code	Enumerated
1032 RAT-Type	Enumerated
1033 Event-Report-Indication	Grouped
1034 Allocation-Retention-Priority	Grouped
1035 CoA-IP-Address	Address
1036 Tunnel-Header-Filter	IPFilterRule
1037 Tunnel-Header-Length	Unsigned32
1038 Tunnel-Information	Grouped
1039 CoA-Information	Grouped
1040 APN-Aggregate-Max-Bitrate-DL	Unsigned32
1041 APN-Aggregate-Max-Bitrate-UL	Unsigned32
1042 Revalidation-Time	Time
1043 Rule-Activation-Time	Time
1044 Rule-DeActivation-Time	Time
1044 Rule-Deactivation-Time 1045 Session-Release-Cause	Enumerated
1046 Priority-Level	Unsigned32
1047 Pre-emption-Capability	Enumerated
1048 Pre-emption-Vulnerability	Enumerated
1049 Default-EPS-Bearer-QoS	Grouped
1050 AN-GW-Address	Address
1051 QoS-Rule-Install	Grouped
1052 QoS-Rule-Remove	Grouped
1053 QoS-Rule-Definition	Grouped
1054 QoS-Rule-Name	OctetString
1055 QoS-Rule-Report	Grouped
1056 Security-Parameter-Index	OctetString
1057 Flow-Label	OctetString
1058 Flow-Information	Grouped
1059 Packet-Filter-Content	IPFilterRule
1060 Packet-Filter-Identifier	OctetString
1061 Packet-Filter-Information	Grouped
1062 Packet-Filter-Operation	Enumerated
1063 Resource-Allocation-Notification	Enumerated
1064 Session-Linking-Indicator	Enumerated
1065 PDN-Connection-ID	OctetString
1066 Monitoring-Key	OctetString
1067 Usage-Monitoring-Information	Grouped
1068 Usage-Monitoring-Level	Enumerated
1069 Usage-Monitoring-Report	Enumerated
1070 Usage-Monitoring-Support	Enumerated
1071 CSG-Information-Reporting	Enumerated
1072 Packet-Filter-Usage	Enumerated
1073 Charging-Correlation-Indicator	Enumerated
1074 QoS-Rule-Base-Name	UTF8String
1075 Routing-Rule-Remove	Grouped
TOTO INVOLUTION INCLUDED	Groupeu
	Grouped
1076 Routing-Rule-Definition	Grouped
1076 Routing-Rule-Definition 1077 Routing-Rule-Identifier	OctetString
1076 Routing-Rule-Definition	

1080 Flow-Direction	Enumerated	
1080 Flow-Direction 1081 Routing-Rule-Install	Grouped	
1082 Credit-Management-Status	Unsigned32	
1085 Redirect-Information	Grouped	
1086 Redirect-Support	Enumerated	
1087 TDF-Information	Grouped	
108 TDF-Information 1088 TDF-Application-Identifier	OctetString	
1089 TDF-Application-Identifier	DiameterIdentity	
1090 TDF-Destination-Realm	DiameterIdentity	
1091 TDF-Destination-Realin	Address	
1092 ADC-Rule-Install 1093 ADC-Rule-Remove	Grouped	
	Grouped	
1094 ADC-Rule-Definition	Grouped	
1095 ADC-Rule-Base-Name	UTF8String	
1096 ADC-Rule-Name	OctetString	
1097 ADC-Rule-Report	Grouped	
1098 Application-Detection-Information	Grouped	
1099 PS-to-CS-Session-Continuity	Enumerated	1
Note: The AVP codes from 1083 to 1084 are reserved for TS 29.212	0	00.440.[40]
1100 Served-User-Identity	Groupe	29.140 [16]
1101 VASP-ID	UTF8Str	
1102 VAS-ID	UTF8String	
1103 Trigger-Event	Enumerated	
1104 Sender-Address	UTF8String	
1105 Initial-Recipient-Address	Grouped	
1106 Result-Recipient-Address	Grouped	
1107 Sequence-Number	Unsigned32	
1108 Recipient-Address	UTF8String	
1109 Routeing-Address	UTF8String	
1110 Originating-Interface	Enumerated	
1111 Delivery-Report	Enumerated	
1112 Read-Reply	Enumerated	
1113 Sender-Visibility	Enumerated	
1114 Service-Key	UTF8String	
1115 Billing-Information	UTF8String	
1116 Status	Grouped	
1117 Status-Code	UTF8String	
1118 Status-Text	UTF8String	
Note: The AVP codes from 1119 to 1199 are reserved for TS 29.140		
1200 Domain-Name	UTF8String	32.299 [5]
1201 Recipient-Address	Grouped	
1202 Submission-Time	Time	
1203 MM-Content-Type	Grouped	
1204 Type-Number	Enumerated	
1205 Additional-Type-Information	UTF8String	
1206 Content-Size	Unsigned32	
1207 Additional-Content-Information	Grouped	
1208 Addressee-Type	Enumerated	
1209 Priority	Enumerated	
1210 Message-ID	UTF8String	
1211 Message-Type	Enumerated	
1212 Message-Size	Unsigned32	
1213 Message-Class	Grouped	
1214 Class-Identifier	Enumerated	
1215 Token-Text	UTF8String	
1216 Delivery-Report-Requested	Enumerated	
1217 Adaptations	Enumerated	
1218 Applic-ID	UTF8String	
1219 Aux-Applic-Info	UTF8String	
1220 Content-Class	Enumerated	
1220 CUITETIT-Class		
1221 DPM Content		
1221 DRM-Content	Enumerated	
1222 Read-Reply-Report-Requested	Enumerated Enumerated	
1222 Read-Reply-Report-Requested 1223 Reply-Applic-ID	Enumerated Enumerated UTF8String	
1222 Read-Reply-Report-Requested	Enumerated Enumerated	

I constitution of the second o	1	
1226 Unit-Quota-Threshold	Unsigned32	
1227 PDP-Address	Address	
1228 SGSN-Address	Address	
1229 PoC-Session-Id	UTF8String	
1230 Deferred-Location-Even-Type	UTF8String	
1231 LCS-APN	UTF8String	
1232 LCS-Client-Id	Grouped	
1233 LCS-Client-Dialed-By-MS	UTF8String	
1234 LCS-Client-External-ID	UTF8String	
1235 LCS-Client-Name	Grouped	
1236 LCS-Data-Coding-Scheme	UTF8String	
1237 LCS-Format-Indicator	Enumerated	
1238 LCS-Name-String	UTF8String	
1239 LCS-Requestor-Id	Grouped	
1240 LCS-Requestor-Id-String	UTF8String	
1241 LCS-Client-Type	Enumerated	
1242 Location-Estimate	OctetString	
1243 Location-Estimate-Type	Enumerated	
1244 Location-Type	Grouped	
1245 Positioning-Data	UTF8String	
1246 Reserved	-	
1247 PDP-Context-Type	Enumerated	
1248 MMBox-Storage-Requested	Enumerated	
1249 Service-Specific-Info	Grouped	
1250 Called-Asserted-Identity	UTF8String	
1251 Requested-Party-Address	UTF8String	
1252 PoC-User-Role	Grouped	
1253 PoC-User-Role-IDs	UTF8String	
1254 PoC-User-Role-info-Units	Enumerated	
1255 Talk-Burst-Exchange	Grouped	
1256 Service-Generic-Information	Grouped	
1257 Service-Specific-Type	Unsigned32	
1258 Event-Charging-TimeStamp	Time	
1259 Participant-Access-Priority	Enumerated	
1260 Participant-Group	Grouped	
1261 PoC-Change-Conditions	Enumerated	
1262 PoC-Change-Time	Time	
1263 Access-Network-Information	OctetString	
1264 Trigger	Grouped	
1265 Base-Time-Interval	Unsigned32	
1266 Envelope	Grouped	
1267 Envelope-End-Time	Time	
1268 Envelope-Reporting 1269 Envelope-Start-Time	Enumerated Time	
1270 Time-Quota-Mechanism	Grouped	
1271 Time-Quota-Type	Enumerated	
1272 Early-Media-Description	Grouped	
1273 SDP-TimeStamps	Grouped	
1274 SDP-Offer-Timestamp	Time	
1275 SDP-Answer-Timestamp	Time	
1276 AF-Correlation-Information	Grouped	
1277 PoC-Session-Initiation-type	Enumerated	
1278 Offline-Charging	Grouped	
1279 User-Participating-Type	Enumerated	
1280 Alternate-Charged-Party-Address	UTF8String	
1281 IMS-Communication-Service-Identifier	UTF8String	
1282 Number-Of-Received-Talk-Bursts	Unsigned32	
1283 Number-Of-Talk-Bursts	Unsigned32	
1284 Received-Talk-Burst-Time	Unsigned32	
1285 Received-Talk-Burst-Volume	Unsigned32	
1286 Talk-Burst-Time	Unsigned32	
1287 Talk-Burst-Volume	Unsigned32	
1288 Media-Initiator-Party	UTF8String	
Note: The AVP codes from 1289 to 1299 are reserved for TS 32.29		
1300 PC5-Radio-Technology	Enumerated	32.299 [5]
•		

1301 RAN-End-Time	Time	
1302 RAN-Secondary-RAT-Usage-Report	Grouped	
1303 RAN-Start-Time	Time	
1304 Secondary-RAT-Type	OctetString	
1305 Civic-Address-Information	UTF8String	
1306 WLAN-Operator-Id	Grouped	
1307 WLAN-Operator-Name	UTF8String	
1308 WLAN-PLMN-Id	UTF8String	
1309 API-Content	UTF8String	
1310 API-Direction	Enumerated	
1311 API-Identifier	OctetString	
1312 API-Invocation-Timestamp	Time	
1313 API-Result-Code	Unsigned32	
1314 API-Size	Unsigned64	
1315 API-Network-Service-Node	Enumerated	
1316 Exposure-Function-API-Information	Grouped	
1317 SCEF-Address	Address	
1318 TLTRI	Unsigned32	
1319 TTRI	Unsigned32	
Note: The AVP codes from 1320 to 1399 are reserved for TS 32.229.	Shoightodoz	
1400 Subscription-Data	Grouped	29.272 [21]
1400 Subscription - Data 1401 Terminal-Information	Grouped	-V [-1]
1402 IMEI	UTF8String	
1403 Software-Version	UTF8String	
1404 QoS-Subscribed	UTF8String	
1405 ULR-Flags	Unsigned32	
1406 ULA-Flags	Unsigned32	
1407 Visited PLMN Id	OctetString	
1407 Visited PENIN Id 1408 Requested-EUTRAN-Authentication-Info	Grouped	
1409 Requested-UTRAN- GERAN-Authentication-Info	Grouped	
1410 Number-Of-Requested-Vectors	Unsigned32	
1411 Re-Synchronization-Info	OctetString	
1412 Immediate-Response-Preferred	Unsigned32	
1413 Authentication-Info	Grouped	
1414 E-UTRAN-Vector	Grouped	
1415 UTRAN-Vector	Grouped	
1416 GERAN-Vector	Grouped	
1417 Network-Access-Mode	Enumerated	
1418 HPLMN-ODB	Enumerated	
1419 Item-Number	Unsigned32	
1420 Cancellation-Type	Enumerated	
1421 DSR-Flags	Unsigned32	
1422 DSA-Flags	Unsigned32	
1423 Context-Identifier	Unsigned32	
1424 Subscriber-Status	Enumerated	
1425 Operator-Determined-Barring	Unsigned32	
1426 Access-Restriction-Data	UTF8String	
1427 APN-OI-Replacement	UTF8String	
1428 All-APN-Configurations-Included-Indicator	Enumerated	
1429 APN-Configuration-Profile	Grouped	
1430 APN-Configuration	Grouped	
1431 EPS-Subscribed-QoS-Profile	Grouped	
1432 VPLMN-Dynamic-Address-Allowed	Enumerated	
1433 STN-SR	OctetString	
1434 Alert-Reason	Enumerated	
1435 AMBR	Grouped	
1436 CSG-Subscription-Data	Grouped	
1437 CSG-ld	Unsigned32	
1438 PDN-GW-Allocation-Type	Enumerated	
1439 Expiration-Date	Time	
1440 RAT-Frequency-Selection-Priority-ID	Unsigned32	
1441 IDA-Flags	Unsigned32	
1442 PUA-Flags	Unsigned32	
1443 NOR-Flags	Unsigned32	
1444 User-Id	UTF8String	
1		i

1445 Equipment-Status	Enumerated	
1446 Regional-Subscription-Zone-Code	OctetString	
1447 RAND	OctetString	
1448 XRES	OctetString	
1449 AUTN	OctetString	
1450 KASME	OctetString	
1451 Reserved	Octetating	
1457 Reserved 1452 Trace-Collection-Entity	Address	
1453 Kc		
	OctetString	
1454 SRES	OctetString	
1455 Reserved		
1456 PDN-Type	Enumerated	
1457 Roaming-Restricted-Due-To-Unsupported-Feature	Enumerated	
1458 Trace-Data	Grouped	
1459 Trace-Reference	OctetString	
1460 Reserved	-	
1461 Reserved	-	
1462 Trace-Depth	Enumerated	
1463 Trace-NE-Type-List	OctetString	
1464 Trace-Interface-List	OctetString	
1465 Trace-Event-List	OctetString	
1466 OMC-Id	OctetString	
1467 GPRS-Subscription-Data	Grouped	
1468 Complete-Data-List-Included-Indicator	Enumerated	
1469 PDP-Context	Grouped	
1470 PDP-Type	OctetString	
1471 3GPP2-MEID	OctetString	
1472 Specific-APN-Info	Grouped	
1473 LCS-Info	Grouped	
1474 GMLC-Number	OctetString	
1475 LCS-PrivacyException	Grouped	
1476 SS-Code	OctetString	
1477 SS-Status	OctetString	
1477 So-Status	Enumerated	
1478 Inditional To-OE-Osei		
	Grouped	
1480 Client-Identity	OctetString	
1481 GMLC-Restriction	Enumerated	
1482 PLMN-Client	Enumerated	
1483 Service-Type	Grouped	
1484 ServiceTypeIdentity	Unsigned32	
1485 MO-LR	Grouped	
1486 Teleservice-List	Grouped	
1487 TS-Code	Enumerated	
1488 Call-Barring-Info	Grouped	
1489 SGSN-Number	OctetString	
1490 IDR-Flags	Unsigned32	
1491 ICS-Indicator	Enumerated	
1492 IMS-Voice-Over-PS-Sessions-Supported	Enumerated	
1493 Homogeneous-Support-of-IMS-Voice-Over-PS-Sessions	Enumerated	
1494 Last-UE-Activity-Time	Time	
1495 EPS-User-State	Grouped	
1496 EPS-Location-Information	Grouped	
1497 MME-User-State	Grouped	
1498 SGSN-User-State	Grouped	
1499 User-State	Enumerated	
1500 Non-3GPP-User-Data	Grouped	
1501 Non-3GPP-IP-Access	Enumerated	
1502 Non-3GPP-IP-Access-APN	Enumerated	
1503 AN-Trusted	Enumerated	
1504 ANID	UTF8String	29.273 [20]
1505 Trace-Info	Grouped	20.210 [20]
1506 MIP-FA-RK	OctetString	
1500 MIP-FA-RK		
	Unsigned32	
1508 PPR-Flags	Unsigned32	

1509 WLAN-Identifier	Grouped		
1510 TWAN-Access-Info	Grouped		
1511 Access-Authorization-Flags	Unsigned32		
1512 TWAN-Default-APN-Context-Id	Unsigned32		
1513 Reserved	-		
1514 Reserved	-		
1515 Reserved	-		
1516 Full-Network-Name	OctetString		
1517 Short-Network-Name	OctetString		
1518 AAA-Failure-Indication	Unsigned32		
1519 Transport-Access-Type	Enumerated		
1520 DER-Flags	Unsigned32		
1521 DEA-Flags	Unsigned32		
1522 RAR-Flags	Unsigned32		
1523 DER-S6b-Flags	Unsigned32		
1524 SSID	UTF8String		
1525 HESSID	UTF8String		
1526 Access-Network-Info	Grouped		
1527 TWAN-Connection-Mode	Unsigned32		
1528 TWAN-Connectivity-Parameters	Grouped		
1529 Connectivity-Flags	Unsigned32		
1530 TWAN-PCO	OctetStr		
1531 TWAG-CP-Address	Addres		
1532 TWAG-UP-Address	UTF8Sti		
1533 TWAN-S2a-Failure-Cause	Unsigne		
1534 SM-Back-Off-Timer	Unsigne		
1535 WLCP-Key	OctetStr		
318 3GPP-AAA-Server-Name	Diameterlo		
1536 Origination-Time-Stamp	Unsigne		
1537 Maximum-Wait-Time	Unsigne		
1538 Emergency-Services	Unsigne		
1153014 AR-Flage	Unsigne	432 I	
1539 AAR-Flags			
1540 IMEI-Check-In-VPLMN-Result	Unsigne	d32	
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization	Unsigne Unsigne	d32	
 1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 	Unsigne Unsigne 3	d32 d32	D TO
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3	Unsigne Unsigne 3	d32 d32	P TS
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12.	Unsigne Unsigne GPP TS 29.234 and is	d32 d32 now defined in 3GPF	P TS
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information	Unsigne Unsigne GPP TS 29.234 and is	d32 d32 now defined in 3GPF	P TS
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information	Unsigne Unsigne GPP TS 29.234 and is Groupe Groupe	d32 d32 now defined in 3GPF ed	P TS
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity	Unsigne Unsigne Unsigne GPP TS 29.234 and is Groupe Groupe OctetStr	d32 d32 now defined in 3GPF ed ed ing	P TS
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity	Unsigne Unsigne Unsigne GPP TS 29.234 and is Groupe Groupe OctetStr OctetStr	d32 d32 now defined in 3GPF ed ed ing ing	P TS
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity	Unsigne Unsigne Unsigne GPP TS 29.234 and is Groupe Groupe OctetStr OctetStr OctetStr	d32 d32 now defined in 3GPF ed ed ing ing ing	P TS
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity	Unsigne Unsigne Unsigne GPP TS 29.234 and is Groupe Groupe OctetStr OctetStr OctetStr OctetStr	d32 d32 now defined in 3GPF ed ed ring ring ring ring ring	P TS
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity	Unsigne Unsign	d32 d32 now defined in 3GPF ed ed ring ing ing ing ing	P TS
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity	Unsigne Unsign	d32 d32 now defined in 3GPF ed ed eid ring ring ring ring ring ring ring ring	P TS
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information	Unsigne Unsign	d32 d32 now defined in 3GPF ed ed eid ing ing ing ing ing ing ing	P TS
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1609 Geodetic-Information	Unsigne Unsign	d32 d32 now defined in 3GPF ed ed eid ing ing ing ing ing ing ing ing	P TS
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1609 Geodetic-Information 1610 Current-Location-Retrieved	Unsigne Unsign	d32 d32 now defined in 3GPF ed ed eid ing ing ing ing ing ing ing ing ing	P TS
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1609 Geodetic-Information 1610 Current-Location-Retrieved 1611 Age-Of-Location-Information	Unsigne	d32 d32 now defined in 3GPF ed ed ed ing	P TS
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1609 Geodetic-Information 1610 Current-Location-Retrieved 1611 Age-Of-Location-Information 1612 Active-APN	Unsigne Unsigne Unsigne Unsigne Unsigne Unsigne Groupe Groupe OctetStr OctetStr OctetStr OctetStr OctetStr OctetStr Unsigne Unsigne Groupe	d32 d32 now defined in 3GPF ed ed ed ing	
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1609 Geodetic-Information 1610 Current-Location-Retrieved 1611 Age-Of-Location-Information 1612 Active-APN 1613 SIPTO-Permission	Unsigne Unsigne Unsigne Unsigne Unsigne Unsigne Groupe Groupe OctetStr OctetStr OctetStr OctetStr OctetStr Unsigne Unsigne Groupe Croupe CotetStr OctetStr OctetStr OctetStr OctetStr OctetStr OctetStr OctetStr OctetStr OctetStr Enumera	d32 d32 now defined in 3GPF ed ed ed ing	29.272
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1609 Geodetic-Information 1610 Current-Location-Retrieved 1611 Age-Of-Location-Information 1612 Active-APN 1613 SIPTO-Permission 1614 Error-Diagnostic	Unsigne Unsigne Unsigne Unsigne Unsigne Unsigne Groupe Groupe OctetStr Enumera Unsigne Groupe Enumera	d32 d32 now defined in 3GPF ed ed ed eid ring ring ring ring ring ring ring ring	
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1609 Geodetic-Information 1610 Current-Location-Retrieved 1611 Age-Of-Location-Information 1612 Active-APN 1613 SIPTO-Permission 1614 Error-Diagnostic 1615 UE-SRVCC-Capability	Unsigne Unsigne Unsigne Unsigne Unsigne Unsigne Groupe Groupe OctetStr Enumera Unsigne Groupe Enumera	d32 d32 now defined in 3GPF ed ed ed eid ring ring ring ring ring ring ring ring	29.272
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1609 Geodetic-Information 1610 Current-Location-Retrieved 1611 Age-Of-Location-Information 1612 Active-APN 1613 SIPTO-Permission 1614 Error-Diagnostic 1615 UE-SRVCC-Capability 1616 MPS-Priority	Unsigne Unsigne Unsigne Unsigne Unsigne Groupe Groupe Groupe OctetStr	d32 d32 now defined in 3GPF ed ed ed ing	29.272
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1609 Geodetic-Information 1610 Current-Location-Retrieved 1611 Age-Of-Location-Information 1612 Active-APN 1613 SIPTO-Permission 1614 Error-Diagnostic 1615 UE-SRVCC-Capability 1616 MPS-Priority 1617 VPLMN-LIPA-Allowed	Unsigne Unsigne Unsigne Unsigne Unsigne Groupe Groupe OctetStr	now defined in 3GPF ed ed ed ing	29.272
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1609 Geodetic-Information 1610 Current-Location-Retrieved 1611 Age-Of-Location-Information 1612 Active-APN 1613 SIPTO-Permission 1614 Error-Diagnostic 1615 UE-SRVCC-Capability 1616 MPS-Priority 1617 VPLMN-LIPA-Allowed 1618 LIPA-Permission	Unsigne Unsigne Unsigne Unsigne Unsigne Groupe Groupe OctetStr Unsigne Enumera Enumera Unsigne Enumera	d32 d32 now defined in 3GPF ed ed ed eid ing	29.272
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1609 Geodetic-Information 1610 Current-Location-Retrieved 1611 Age-Of-Location-Information 1612 Active-APN 1613 SIPTO-Permission 1614 Error-Diagnostic 1615 UE-SRVCC-Capability 1616 MPS-Priority 1617 VPLMN-LIPA-Allowed 1618 LIPA-Permission 1619 Subscribed-Periodic-RAU-TAU-Timer	Unsigne Unsigne Unsigne Unsigne Unsigne Groupe Groupe OctetStr Unsigne Enumera Unsigne Enumera Unsigne Enumera Unsigne Enumera Unsigne Enumera Unsigne Enumera	now defined in 3GPF ed ed ed ing	29.272
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1609 Geodetic-Information 1610 Current-Location-Retrieved 1611 Age-Of-Location-Information 1612 Active-APN 1613 SIPTO-Permission 1614 Error-Diagnostic 1615 UE-SRVCC-Capability 1616 MPS-Priority 1617 VPLMN-LIPA-Allowed 1618 LIPA-Permission 1619 Subscribed-Periodic-RAU-TAU-Timer	Unsigne Unsigne Unsigne Unsigne Unsigne Groupe Groupe OctetStr Unsigne Enumera Enumera Unsigne Enumera Unsigne Enumera Unsigne Enumera Unsigne Enumera Unsigne CotetStr	now defined in 3GPF ed ed ed ing	29.272
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 MME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1609 Geodetic-Information 1610 Current-Location-Retrieved 1611 Age-Of-Location-Information 1612 Active-APN 1613 SIPTO-Permission 1614 Error-Diagnostic 1615 UE-SRVCC-Capability 1616 MPS-Priority 1617 VPLMN-LIPA-Allowed 1618 LIPA-Permission 1619 Subscribed-Periodic-RAU-TAU-Timer 1620 Ext-PDP-Type 1621 Ext-PDP-Address	Unsigne Unsigne Unsigne Unsigne GPP TS 29.234 and is Groupe Groupe OctetStr Unsigne Enumera Enumera Unsigne Enumera Unsigne Enumera Unsigne Enumera Unsigne Enumera Addres	now defined in 3GPF ed ed ed ing	29.272
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 IMME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1610 Current-Location-Retrieved 1611 Age-Of-Location-Information 1612 Active-APN 1613 SIPTO-Permission 1614 Error-Diagnostic 1615 UE-SRVCC-Capability 1616 MPS-Priority 1617 VPLMN-LIPA-Allowed 1618 LIPA-Permission 1619 Subscribed-Periodic-RAU-TAU-Timer 1620 Ext-PDP-Type 1621 Ext-PDP-Address 1622 MDT-Configuration	Unsigne Unsigne Unsigne GPP TS 29.234 and is Groupe Groupe OctetStr Enumera Unsigne Enumera Enumera Unsigne Enumera Unsigne Enumera Unsigne CotetStr Addres Groupe	now defined in 3GPF ed ed ed ed ing ing ing ing ing ing ing ing ded d32 ed ated d32 ed ated d32 ated dated d32 ated	29.272
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 IMME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1609 Geodetic-Information 1610 Current-Location-Retrieved 1611 Age-Of-Location-Information 1612 Active-APN 1613 SIPTO-Permission 1614 Error-Diagnostic 1615 UE-SRVCC-Capability 1616 MPS-Priority 1617 VPLMN-LIPA-Allowed 1618 LIPA-Permission 1619 Subscribed-Periodic-RAU-TAU-Timer 1620 Ext-PDP-Type 1621 Ext-PDP-Address 1622 MDT-Configuration 1623 Job-Type	Unsigne Unsigne Unsigne GPP TS 29.234 and is Groupe Groupe OctetStr	now defined in 3GPF ed ed ed ed ing	29.272
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 IMME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1609 Geodetic-Information 1610 Current-Location-Retrieved 1611 Age-Of-Location-Information 1612 Active-APN 1613 SIPTO-Permission 1614 Error-Diagnostic 1615 UE-SRVCC-Capability 1616 MPS-Priority 1617 VPLMN-LIPA-Allowed 1618 LIPA-Permission 1619 Subscribed-Periodic-RAU-TAU-Timer 1620 Ext-PDP-Type 1621 Ext-PDP-Type 1621 Ext-PDP-Address 1622 MDT-Configuration 1623 Job-Type 1624 Area-Scope	Unsigne Unsigne Unsigne Unsigne Unsigne Groupe Groupe Groupe OctetStr OctetStr OctetStr OctetStr OctetStr OctetStr Unsigne Enumera Enumera Unsigne Enumera Unsigne Enumera Unsigne Enumera Unsigne Enumera Groupe Enumera Groupe	d32 d32 now defined in 3GPF ed ed ed eid ing	29.272
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 IMME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1609 Geodetic-Information 1610 Current-Location-Retrieved 1611 Age-Of-Location-Information 1612 Active-APN 1613 SIPTO-Permission 1614 Error-Diagnostic 1615 UE-SRVCC-Capability 1616 MPS-Priority 1617 VPLMN-LIPA-Allowed 1618 LIPA-Permission 1619 Subscribed-Periodic-RAU-TAU-Timer 1620 Ext-PDP-Type 1621 Ext-PDP-Address 1622 MDT-Configuration 1623 Job-Type 1624 Area-Scope 1625 List-Of-Measurements	Unsigne Unsigne Unsigne Unsigne Unsigne Groupe Groupe Groupe OctetStr OctetStr OctetStr OctetStr OctetStr OctetStr Unsigne Enumera Enumera Unsigne Unsigne OctetStr Addres Groupe Enumera	now defined in 3GPF ed ed ed eid ing	29.272
1540 IMEI-Check-In-VPLMN-Result 1541 ERP-Authorization Note 1: The AVP codes from 1542 to 1599 are reserved for TS 29.273 Note 2: The AVP 3GPP-AAA-Server-Name was originally defined in 3 29.273 from Rel-12. 1600 IMME-Location-Information 1601 SGSN-Location-Information 1602 E-UTRAN-Cell-Global-Identity 1603 Tracking-Area-Identity 1604 Cell-Global-Identity 1605 Routing-Area-Identity 1606 Location-Area-Identity 1607 Service-Area-Identity 1608 Geographical-Information 1609 Geodetic-Information 1610 Current-Location-Retrieved 1611 Age-Of-Location-Information 1612 Active-APN 1613 SIPTO-Permission 1614 Error-Diagnostic 1615 UE-SRVCC-Capability 1616 MPS-Priority 1617 VPLMN-LIPA-Allowed 1618 LIPA-Permission 1619 Subscribed-Periodic-RAU-TAU-Timer 1620 Ext-PDP-Type 1621 Ext-PDP-Type 1621 Ext-PDP-Address 1622 MDT-Configuration 1623 Job-Type 1624 Area-Scope	Unsigne Unsigne Unsigne Unsigne Unsigne Groupe Groupe Groupe OctetStr OctetStr OctetStr OctetStr OctetStr OctetStr Unsigne Enumera Enumera Unsigne Enumera Unsigne Enumera Unsigne Enumera Unsigne Enumera Groupe Enumera Groupe	now defined in 3GPF ed ed ed eid ing	29.272

1628 Report-Amount	Enumerated
1629 Event-ThresholdRSRP	Unsigned32
1630 Event-ThresholdRSRQ	Unsigned32
1631 Logging-Interval	Enumerated
1632 Logging-Duration	Enumerated
1633 Relay-Node-Indicator	Enumerated
1634 MDT-User-Consent	Enumerated
1635 PUR-Flags	Unsigned32
1636 Subscribed-VSRVCC	Enumerated
1637 Equivalent-PLMN-List	Grouped
1638 CLR-Flags	Unsigned32
1639 UVR-Flags	Unsigned32
1640 UVA-Flags	Unsigned32
1641 VPLMN-CSG-Subscription-Data	Grouped
1642 Time-Zone	UTF8String
1643 A-MSISDN	OctetString
1644 Reserved	-
1645 MME-Number-for-MT-SMS	OctetString
1646 Reserved	-
1647 Reserved	-
1648 SMS-Register-Request	Enumerated
1649 Local-Time-Zone	Grouped
1650 Daylight-Saving-Time	Enumerated
1651 GMLC-Info	Grouped
1652 GMLC-Name	DiameterIdentity
1653 GMLC-Realm	DiameterIdentity
1654 Subscription-Data-Flags	Unsigned32
1655 Measurement-Period-LTE	Enumerated
1656 Measurement-Period-UMTS	Enumerated
1657 Collection-Period-RRM-LTE	Enumerated
1658 Collection-Period-RRM-UMTS	Enumerated
1659 Positioning-Method	OctetString
1660 Measurement-Quantity	OctetString
1661 Event-Threshold-Event-1F	Integer32
1662 Event-Threshold-Event-1I	Integer32
1663 Restoration-Priority	Unsigned32
	UTF8String
1664 SGs-MME-Identity	y
1665 SIPTO-Local-Network-Permission	Unsigned32 DiameterIdentity
1666 Coupled-Node-Diameter-ID	
1667 WLAN-offloadability	Grouped
1668 WLAN-offloadability-EUTRAN	Unsigned32
1669 WLAN-offloadability-UTRAN	Unsigned32
1670 Reset-ID	OctetString
1671 MDT-Allowed-PLMN-Id	OctetString
1672 Adjacent-PLMNs	Grouped
1673 Adjacent-Access-Restriction-Data	Grouped
1674 DL-Buffering-Suggested-Packet-Count	Integer32
1675 IMSI-Group-Id	Grouped
1676 Group-Service-Id	Unsigned32
1677 Group-PLMN-Id	OctetString
1678 Local-Group-Id	OctetString
1679 AIR-Flags	Unsigned32
1680 UE-Usage-Type	Unsigned32
1681 Non-IP-PDN-Type-Indicator	Enumerated
1682 Non-IP-Data-Delivery-Mechanism	Unsigned32
1683 Additional-Context-Identifier	Unsigned32
1684 SCEF-Realm	DiameterIdentity
1685 Subscription-Data-Deletion	Grouped
1686 Preferred-Data-Mode	Unsigned32
1687 Emergency-Info	Grouped
1688 V2X-Subscription-Data	Grouped
1689 V2X-Permission	Unsigned32
1690 PDN-Connection-Continuity	Unsigned32
1691 eDRX-Cycle-Length	Grouped
1692 eDRX-Cycle-Length-Value	OctetString

			1
	UE-PC5-AMBR	Unsigned32	4
	MBSFN-Area	Grouped	
	MBSFN-Area-ID	Unsigned32	
1696	Carrier-Frequency RDS-Indicator	Unsigned32	
	Service-Gap-Time	Enumerated	
	Service-Gap-Time Aerial-UE-Subscription-Information	Unsigned32 Unsigned32	
	Broadcast-Location-Assistance-Data-Types	Unsigned64	
	The AVP codes from 1701 to 1799 are reserved for TS 29.272.	Unsignedo+	
	SMS-Information	Grouped	
	Data-Coding-Scheme	Integer32	
	Destination-Interface	Grouped	
	Interface-Id	UTF8String	
	Interface-Port	UTF8String	
2005	Interface-Text	UTF8String	
2006	Interface-Type	Enumerated	
2007	SM-Message-Type	Enumerated	
	Originating-SCCP-Address	Address	
	Originator-Interface	Grouped	
	Recipient-SCCP-Address	Address	
	Reply-Path-Requested	Enumerated	
	SM-Discharge-Time	Time	1
	SM-Protocol-ID	OctetString	
	SM-Status SM-Status	OctetString	
	SM-User-Data-Header	OctetString	
	SMS-Node	Enumerated	
	SMSC-Address	Address	
	Client-Address	Address	
	Number-of-Messages-Sent Low-Balance-Indication	Unsigned32 Enumerated	
	Low-Balance-Indication Remaining-Balance	Grouped	
	Refund-Information	OctetString	
	Carrier-Select-Routing-Information	UTF8String	
	Number-Portability-Routing-Information	UTF8String	
	PoC-Event-Type	Enumerated	
	Recipient-Info	Grouped	
	Originator-Received-Address	Grouped	32.299
	Recipient-Received-Address	Grouped	[5]
	SM-Service-Type	Enumerated	
	MMTel-Information	Grouped	
	MMTel-Sservice-Type	Unsigned32	
	Service-Mode	Unsigned32	
2033	Subscriber-Role	Enumerated	
	Number-Of-Diversions	Unsigned32	
2035	Associated-Party-Address	UTF8String	
	SDP-Type	Enumerated	
	Change-Condition	Integer32	
	Change-Time	Time	
	Diagnostics	Integer32	
	Service-Data-Container	Grouped	
	Start-Time	Time	
	Stop-Time	Time	1
	Time-First-Usage	Time	
	Time-Last-Usage	Time	
	Time-Usage	Unsigned32	1
	Traffic-Data-Volumes	Grouped	-
	Serving-Node-Type	Enumerated	
	Supplementary-Service	Grouped	
	Participant-Action-Type	Enumerated	-
	PDN-Connection-Charging-ID Dynamic-Address-Flag	Unsigned32 Enumerated	1
	Dynamic-Address-Flag Accumulated-Cost	Grouped	1
	Accumulated-Cost AoC-Cost-Information	Grouped	-
	AoC-Cost-Information AoC-Information	Grouped	
	AoC-Information AoC-Request-Type	Enumerated	1
2000	noo noquest type	Liiuiliciaidu	1

2056 Current		Grouped	
2057 Next-Ta	riff	Grouped	
2058 Rate-El	ement	Grouped	
2059 Scale-F	actor	Grouped	
2060 Tariff-Ir	formation	Grouped	
2061 Unit-Co	st	Grouped	
2062 Increme		Grouped	
	equence-Number	Unsigned32	
2064 Node-Id		UTF8String	
2065 SGW-C		Enumerated	
	g-Characteristic-Selection-Mode	Enumerated	
2067 SGW-A		Address	
	c-Address-Flag-Extension	Enumerated	
	codes from 2069 to 2099 are reserved for TS 32.299.		
2100 reserve		-	
2101 Applica	ion-Server-ID	UTF8String	
2102 Applica	ion-Service-Type	Enumerated	
	ion-Session-ID	Unsigned32	
2104 Deliver		UTF8String	
2105 reserve		-	
2106 reserve		_	
2100 reserve		-	\dashv
		-	
2108 reserve		-	32.299
2109 reserve		-	[5]
2110 IM-Info		Grouped	
	-Of-Messages-Successfully-Exploded	Unsigned32	
2112 Numbe	-Of-Messages-Successfully-Sent	Unsigned32	
2113 Total-N	umber-Of-Messages-Exploded	Unsigned32	
2114 Total-N	umber-Of-Messages-Sent	Unsigned32	
2115 DCD-In		Grouped	
2116 Conten		UTF8String	
2117 Conten		UTF8String	
	Reason-Code	Enumerated	
		Enumerated	
	codes from 2119 to 2199 are reserved for TS 32.299.		
	sion-Decision-Info	Grouped	
	sion-Enforcement-Info	Grouped	
2202 Subses		Unsigned32	
	sion-Operation	Enumerated	29.215
	-BBERF-Action	Enumerated	[22]
2205 UE-Loc	al-IPv6-Prefix	OctetString	رککا
2206 DRA-D	ployment	Enumerated	
2207 PCRF-/	ddress		
2208 DRA-Bi		DiameterIdentity	
	ndina	DiameterIdentity Enumerated	
INDIE: THE AV		DiameterIdentity Enumerated	
	codes from 2209 to 2299 are reserved for TS 29.215.		
2300 reserve	P codes from 2209 to 2299 are reserved for TS 29.215.	Enumerated -	
2300 reserve 2301 SIP-Re	P codes from 2209 to 2299 are reserved for TS 29.215. d quest-Timestamp-Fraction	Enumerated - Unsigned32	
2300 reserve 2301 SIP-Re 2302 SIP-Re	P codes from 2209 to 2299 are reserved for TS 29.215. d quest-Timestamp-Fraction sponse-Timestamp-Fraction	Enumerated - Unsigned32 Unsigned32	
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online-	P codes from 2209 to 2299 are reserved for TS 29.215. d quest-Timestamp-Fraction sponse-Timestamp-Fraction Charging-Flag	Enumerated - Unsigned32 Unsigned32 Enumerated	
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online- 2304 CUG-In	P codes from 2209 to 2299 are reserved for TS 29.215. d quest-Timestamp-Fraction charging-Flag formation	Enumerated Unsigned32 Unsigned32 Enumerated OctetString	
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online- 2304 CUG-In 2305 Real-Ti	P codes from 2209 to 2299 are reserved for TS 29.215. d quest-Timestamp-Fraction sponse-Timestamp-Fraction Charging-Flag formation ne-Tariff-Information	Enumerated - Unsigned32 Unsigned32 Enumerated OctetString Grouped	
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online- 2304 CUG-In	P codes from 2209 to 2299 are reserved for TS 29.215. d quest-Timestamp-Fraction sponse-Timestamp-Fraction Charging-Flag formation ne-Tariff-Information	Enumerated Unsigned32 Unsigned32 Enumerated OctetString	
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online- 2304 CUG-In 2305 Real-Ti	P codes from 2209 to 2299 are reserved for TS 29.215. d quest-Timestamp-Fraction	Enumerated - Unsigned32 Unsigned32 Enumerated OctetString Grouped	
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online- 2304 CUG-In 2305 Real-Ti 2306 Tariff-X 2307 MBMS	P codes from 2209 to 2299 are reserved for TS 29.215. d quest-Timestamp-Fraction	Enumerated - Unsigned32 Unsigned32 Enumerated OctetString Grouped UTF8String	
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online- 2304 CUG-In 2305 Real-Ti 2306 Tariff-X 2307 MBMS 2308 IMSI-U	P codes from 2209 to 2299 are reserved for TS 29.215. d quest-Timestamp-Fraction sponse-Timestamp-Fraction Charging-Flag formation me-Tariff-Information ML GW-Address authenticated-Flag	Enumerated Unsigned32 Unsigned32 Enumerated OctetString Grouped UTF8String Address Enumerated	
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online- 2304 CUG-In 2305 Real-Ti 2306 Tariff-X 2307 MBMS 2308 IMSI-Ui 2309 Accoun	P codes from 2209 to 2299 are reserved for TS 29.215. d	Enumerated Unsigned32 Unsigned32 Enumerated OctetString Grouped UTF8String Address Enumerated Time	32,299
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online- 2304 CUG-In 2305 Real-Ti 2306 Tariff-X 2307 MBMS 2308 IMSI-Ui 2309 Accoun 2310 AoC-Fo	P codes from 2209 to 2299 are reserved for TS 29.215. d	Enumerated Unsigned32 Unsigned32 Enumerated OctetString Grouped UTF8String Address Enumerated Time Enumerated	32.299 [5]
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online- 2304 CUG-In 2305 Real-Ti 2306 Tariff-X 2307 MBMS 2308 IMSI-UI 2309 Accoun 2310 AoC-Fo 2311 AoC-Se	P codes from 2209 to 2299 are reserved for TS 29.215. d	Enumerated Unsigned32 Unsigned32 Enumerated OctetString Grouped UTF8String Address Enumerated Time Enumerated Enumerated	
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online- 2304 CUG-In 2305 Real-Ti 2306 Tariff-X 2307 MBMS 2308 IMSI-UI 2309 Accoun 2310 AoC-Fo 2311 AoC-Se 2312 AoC-Se	P codes from 2209 to 2299 are reserved for TS 29.215. d	Enumerated Unsigned32 Unsigned32 Enumerated OctetString Grouped UTF8String Address Enumerated Time Enumerated Enumerated Grouped	
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online- 2304 CUG-In 2305 Real-Ti 2306 Tariff-X 2307 MBMS 2308 IMSI-UI 2309 Accoun 2310 AoC-Fo 2311 AoC-Se 2312 AoC-Se 2313 AoC-Se	P codes from 2209 to 2299 are reserved for TS 29.215. d	- Unsigned32 Unsigned32 Enumerated OctetString Grouped UTF8String Address Enumerated Time Enumerated Enumerated Grouped Enumerated Enumerated Enumerated Enumerated Enumerated Enumerated Enumerated	
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online- 2304 CUG-In 2305 Real-Ti 2306 Tariff-X 2307 MBMS 2308 IMSI-Ui 2309 Accoun 2310 AoC-Fo 2311 AoC-Se 2312 AoC-Se 2313 AoC-Se 2314 AoC-St	P codes from 2209 to 2299 are reserved for TS 29.215. d	- Unsigned32 Unsigned32 Enumerated OctetString Grouped UTF8String Address Enumerated Time Enumerated Enumerated Grouped Enumerated Grouped Enumerated Grouped Enumerated Grouped	
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online- 2304 CUG-In 2305 Real-Ti 2306 Tariff-X 2307 MBMS 2308 IMSI-Ui 2309 Accoun 2310 AoC-Fo 2311 AoC-Se 2312 AoC-Se 2313 AoC-Se 2314 AoC-Si 2315 Preferre	P codes from 2209 to 2299 are reserved for TS 29.215. d	- Unsigned32 Unsigned32 Enumerated OctetString Grouped UTF8String Address Enumerated Time Enumerated Enumerated Grouped Enumerated Enumerated Enumerated Enumerated Enumerated Enumerated Enumerated	
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online- 2304 CUG-In 2305 Real-Ti 2306 Tariff-X 2307 MBMS 2308 IMSI-Ui 2309 Accoun 2310 AoC-Fo 2311 AoC-Se 2312 AoC-Se 2313 AoC-Se 2314 AoC-Si 2315 Preferre 2316 Reserve	P codes from 2209 to 2299 are reserved for TS 29.215. d	Enumerated Unsigned32 Unsigned32 Enumerated OctetString Grouped UTF8String Address Enumerated Time Enumerated Enumerated Grouped Enumerated Grouped Enumerated Grouped Unsigned32	
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online- 2304 CUG-In 2305 Real-Ti 2306 Tariff-X 2307 MBMS 2308 IMSI-Ui 2309 Accoun 2310 AoC-Fo 2311 AoC-Se 2312 AoC-Se 2313 AoC-Se 2314 AoC-Si 2315 Preferre 2316 Reserve 2317 CSG-A	P codes from 2209 to 2299 are reserved for TS 29.215. d	- Unsigned32 Unsigned32 Enumerated OctetString Grouped UTF8String Address Enumerated Time Enumerated Enumerated Grouped UTF8String Address Enumerated Time Enumerated Enumerated Enumerated Enumerated Grouped Enumerated Grouped Enumerated Grouped Unsigned32 - Enumerated	
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online- 2304 CUG-In 2305 Real-Ti 2306 Tariff-X 2307 MBMS 2308 IMSI-Ui 2309 Accoun 2310 AoC-Fo 2311 AoC-Se 2312 AoC-Se 2313 AoC-Se 2314 AoC-Si 2315 Preferre 2316 Reserve 2317 CSG-Ai 2318 CSG-M	P codes from 2209 to 2299 are reserved for TS 29.215. d	Enumerated	
2300 reserve 2301 SIP-Re 2302 SIP-Re 2303 Online- 2304 CUG-In 2305 Real-Ti 2306 Tariff-X 2307 MBMS 2308 IMSI-Ui 2309 Accoun 2310 AoC-Fo 2311 AoC-Se 2312 AoC-Se 2313 AoC-Se 2314 AoC-Si 2315 Preferre 2316 Reserve 2317 CSG-Ai 2318 CSG-M	P codes from 2209 to 2299 are reserved for TS 29.215. d	- Unsigned32 Unsigned32 Enumerated OctetString Grouped UTF8String Address Enumerated Time Enumerated Enumerated Grouped UTF8String Address Enumerated Time Enumerated Enumerated Enumerated Enumerated Grouped Enumerated Grouped Enumerated Grouped Unsigned32 - Enumerated	

2321 Initial-IMS-Charging-Identifier	UTF8String	
2322 IMS-Emergency-Indicator	Enumerated	
2323 MBMS-Charged-Party	Enumerated	
Note: The AVP codes from 2324 to 2399 are reserved for TS 32.299.	Enumerated	
2400 LMSI	OctetString	
2400 EMST 2401 Serving-Node	Grouped	
2401 Getving-Node	DiameterIdentity	
2403 MSC-Number	OctetString	
2404 LCS-Capabilities-Sets	Unsigned32	
2405 GMLC-Address	Address	29.173
2406 Additional-Serving-Node	Grouped	[25]
2407 PPR-Address	Address	[23]
2408 MME-Realm	DiameterIdentity	
2409 SGSN-Name	DiameterIdentity	
2410 SGSN-Realm	DiameterIdentity	
2410 SGSN-Realiff	Unsigned32	
Note: The AVP codes from 2412 to 2499 are reserved for TS 29.173.	Unsigned32	
2500 SLg-Location-Type	Coumaratad	
2500 Stg-Location-Type	Enumerated	
2501 LCS-EPS-Client-Name	Grouped	_
2502 LCS-Requestor-Name	Grouped	
2503 LCS-Priority	Unsigned32	_
2504 LCS-QoS	Grouped	
2505 Horizontal-Accuracy	Unsigned32	
2506 Vertical-Accuracy	Unsigned32	
2507 Vertical-Requested	Enumerated	
2508 Velocity-Requested	Enumerated	
2509 Response-Time	Enumerated	
2510 Supported-GAD-Shapes	Unsigned32	
2511 LCS-Codeword	UTF8String	
2512 LCS-Privacy-Check	Enumerated	
2513 Accuracy-Fulfilment-Indicator	Enumerated	
2514 Age-Of-Location-Estimate	Unsigned32	
2515 Velocity-Estimate	OctetString	
2516 EUTRAN-Positioning-Data	OctetString	
2517 ECGI	OctetString	
2518 Location-Event	Enumerated	
2519 Pseudonym-Indicator	Enumerated	
2520 LCS-Service-Type-ID	Unsigned32	
2521 LCS-Privacy-Check-Non-Session	Grouped	
2522 LCS-Privacy-Check-Session	Grouped	
2523 LCS-QoS-Class	Enumerated	29.172
2524 GERAN-Positioning-Info	Grouped	[24]
2525 GERAN-Positioning-Data	OctetString	
2526 GERAN-GANSS-Positioning-Data	OctetString	
2527 UTRAN-Positioning-Info	Grouped	
2528 UTRAN-Positioning-Data	OctetString	
2529 UTRAN-GANSS-Positioning-Data	OctetString	
2530 LRR-Flags	Unsigned32	
2531 LCS-Reference-Number	OctetString	
2532 Deferred-Location-Type	Unsigned32	
2533 Area-Event-Info	Grouped	
2534 Area-Definition	Grouped	
2535 Area	Grouped	
2536 Area-Type	Unsigned32	
2537 Area-Identification	Grouped	
2538 Occurrence-Info	Enumerated	
2539 Interval-Time	Unsigned32	
2540 Periodic-LDR-Information	Grouped	
2541 Reporting-Amount	Unsigned32	
2541 Reporting-Amount 2542 Reporting-Interval	Unsigned32	
2542 Reporting-Interval 2543 Reporting-PLMN-List	Grouped	
2544 PLMN-ID-List	Grouped	_
2545 PLR-Flags	Unsigned32	
2546 PLA-Flags	Unsigned32	
2547 Deferred-MT-LR-Data	Grouped	

T		
2548 Termination-Cause	Unsigned32	
2549 LRA-Flags	Unsigned32	
2550 Periodic-Location-Support-Indicator	Enumerated	
2551 Prioritized-List-Indicator 2552 ESMLC-Cell-Info	Enumerated	
2553 Cell-Portion-ID	Grouped Unsigned32	
2554 1xRTT-RCID	OctetString	
2555 Delayed-Location-Reporting-Data	Grouped	
2556 Civic-Address	UTF8String	
2557 Barometric-Pressure	Unsigned32	
2558 UTRAN-Additional-Positioning-Data	OctetString	
2559 Motion-Event-Info	Grouped	
2560 Linear-Distance	Unsigned32	
2561 Maximum-Interval	Unsigned32	
2562 Sampling-Interval	Unsigned32	
2563 Reporting-Duration	Unsigned32	
2564 Reporting-Location-Requirements	Unsigned32	
2565 Additional-Area	Grouped	
Note: The AVP codes from 2566 to 2599 are reserved for TS 29.17	2.	
2600 reserved	-	
2601 IMS-Application-Reference-Identifier	UTF8String	
2602 Low-Priority-Indicator	Enumerated	32,299
2603 IP-Realm-Default-Indicator	Enumerated	
2604 Local-GW-Inserted-Indicator	Enumerated	[5]
2605 Transcoder-Inserted-Indicator	Enumerated	
2606 PDP-Address-Prefix-Length	Unsigned32	
Note: The AVP codes from 2607 to 2699 are reserved for TS 32.29	9	
2700 Reserved	-	
2701 Transit-IOI-List	UTF8String	
2702 Status-AS-Code	Enumerated	
2703 NNI-Information	Grouped	
2704 NNI-Type	Enumerated	
2705 Neighbour-Node-Address	Address	
2706 Relationship-Mode 2707 Session-Direction	Enumerated	
2707 Session-Direction 2708 From-Address	Enumerated UTF8String	32.299
2709 Access-Transfer-Information	Grouped	[5]
2710 Access-Transfer-Type	Enumerated	
2711 Related-IMS-Charging-Identifier	UTF8String	
2712 Related-IMS-Charging-Identifier-Node	Address	
2713 IMS-Visited-Network-Identifier	UTF8String	
2714 TWAN-User-Location-Info	Grouped	
2715 Reserved	-	
2716 BSSID	UTF8String	
2717 TAD-Identifier	Enumerated	
Note: The AVP codes from 2718 to 2799 are reserved for TS 32.29		
2800 Reserved	-	
2801 ADC-Revalidation-Time	Time	
2802 TDF-Application-Instance-Identifier	OctetString	
2803 HeNB-BBF-FQDN	UTF8String	
2804 HeNB-Local-IP-Address	Address	
2805 UE-Local-IP-Address	Address	
2806 UDP-Source-Port	Unsigned32	
2807 CS-Service-Qos-Request-Identifier	OctetString	
2808 CS-Service-QoS-Request-Operation	Enumerated	29.212
2809 Mute-Notification	Enumerated	[19]
2810 Monitoring-Time	Time	─ ` ´
2811 AN-GW-Status	Enumerated	
2812 User-Location-Info-Time	Grouped	
2813 CS-Service-Resource-Report	Time	
2814 CS-Service-Resource-Failure-Cause 2815 CS-Service-Resource-Result-Operation	Enumerated Enumerated	
2816 Default-QoS-Information	Grouped	
2817 Default-QoS-Information	UTF8String	
2818 Conditional-APN-Aggregate-Max-Bitrate	Grouped	
2010 DONALIONAL-AL 14-AYYLEYALE-WAX-DILLALE	Groupeu	

2319 RAN-NAS-Release-Gause		T	
2821 Presence-Reporting-Area-Information Grouped	2819 RAN-NAS-Release-Cause	OctetString	
2822 Presence-Reporting-Area-Information	2820 Presence-Reporting-Area-Elements-List	OctetString	
2823 Presence-Reporting-Area-Status	2821 Presence-Reporting-Area-Identifier	OctetString	
2823 Presence-Reporting-Area-Status	2822 Presence-Reporting-Area-Information	Grouped	
2824 NRLO-Access-Support			
2826 PCSCP-Restoration-Indication			
2826 CNSCF-Restoration-Indication			
P.C.ANSession-Charging-Scope			
2829 Default-Access Enumerated 2830 NISIFOM-Mode Enumerated 2831 NISIFOM-Mode Enumerated 2831 NISIFOM-Support Enumerated 2832 RAN-Rule-Support Unsigned32 2832 RAN-Rule-Support Unsigned32 2833 Routing-Rule-Failure-Code Unsigned32 2834 Routing-Rule-Failure-Code Unsigned32 2835 Routing-Rule-Failure-Code Unsigned32 2836 Routing-Rule-Failure-Code Unsigned32 2836 Routing-Rule-Failure-Code Unsigned32 2837 Traffic-Steering-Policy-Identifier-DL OctetString 2838 Request-Type Unsigned32 2838 Request-Type Unsigned32 2839 Execution-Time Time 2840 Conditional-Policy-Information Grouped 2841 Resource-Release-Notification Enumerated 2842 Removal-Oi-Access Enumerated 2843 TOP-Source-Port Unsigned32 2844 Default-Bearer-Indication Enumerated 2845 PRA-Ranove Grouped 2846 PRA-Ranove Grouped 2846 PRA-Ranove Grouped 2847 SQPP-PS-Data-Off-Status Enumerated 2848 Extended-APN-AMBR-DL Unsigned32 2849 Extended-APN-AMBR-DL Unsigned32 2849 Extended-APN-AMBR-DL Unsigned32 2850 Extended-GBR-DL Unsigned32 2850 Extended-GBR-DL Unsigned32 2851 Extended-GBR-DL Unsigned32 2852 Max-PLR-DL Float32 2853 Max-PLR-DL Float32 2854 Max-PLR-DL Float32 2855 Max-PLR-DL Float32 2801 Policy-Counter-Istatus UTF8String 2902 Policy-Counter-Istatus-Report Grouped 2903 Policy-Counter-Istatus-Report Grouped 2904 Policy-Counter-Istatus-Report Grouped 2905 Pending-Policy-Counter-Information Grouped 2906 Pending-Policy-Counter-Information Grouped 2907 SN-Request-Type Enumerated 2908 Pending-Policy-Counter-Information Grouped 3000 Policy-Counter-Information Grouped 3001 Device-Notification Grouped 3001 Device-Notification Grouped 3002 Delicy-Outer-Information Enumerated 3003 Router-Counter-Information Enumerated 3004 Policy-Counter-Information Enumerated 3005 Roticon-Type Enumerate		I .	
	2828 Monitoring-Flags	Unsigned32	
BRIFOM-Support	2829 Default-Access	Enumerated	
BRIFOM-Support	2830 NBIFOM-Mode	Enumerated	
2833 Access-Availability-Change-Reason	2831 NBIFOM-Support	Enumerated	
2833 Access-Availability-Change-Reason		Unsigned32	
2834 Routing-Rule-Report Grouped			
2835 Routing-Rule-Report			
2836 Traffic-Steering-Policy-Identifier-UL			
2837 Traffic-Steering-Policy-Identifier-UL			
Ba38 Request-Type			
2839 Execution-Time		<u> </u>	
Ba40 Conditional-Policy-Information Grouped			
Ba40 Conditional-Policy-Information Grouped	2839 Execution-Time	Time	
Resource-Release-Notification			
Removal-Of-Access			
2844 Default-Bearer-Indication			
Default-Bearer-Indication			
Ba45 PRA-Install Grouped			
Ba46 PRA-Remove Grouped			
Bat7 GPPP-PS-Data-Off-Status			
Extended-APN-AMBR-DL		Grouped	
2849 Extended-ARN-AMBR-UL	2847 3GPP-PS-Data-Off-Status	Enumerated	
2849 Extended-ARN-AMBR-UL	2848 Extended-APN-AMBR-DL	Unsigned32	
2850 Extended-GBR-DL			
2851 Extended-GBR-UL			
2852 Max-PLR-DL			
Reference			
Note: The AVP codes from 2854 to 2899 are reserved for TS 29.212.			
2900 reserved 2901 Policy-Counter-Identifier Grouped 2902 Policy-Counter-Status UTF8String 2903 Policy-Counter-Status-Report Grouped 29.219 2904 SL-Request-Type Enumerated [26] 2905 Pending-Policy-Counter-Information Grouped 29.219 2907 SN-Request-Type Unsigned32		Fi0al32	
Policy-Counter-Identifier Grouped	INDIA: THE AVE COMESTIMIN 1854 IN 1800 BIG RECOVER INC. IN 1917		
2902 Policy-Counter-Status UTF8String 2903 Policy-Counter-Status-Report Grouped 2904 SL-Request-Type Enumerated [26] 2905 Pending-Policy-Counter-Information Grouped 2906 Pending-Policy-Counter-Change-Time Time 2907 SN-Request-Type Unsigned32 Unsigned332 U			
2903 Policy-Counter-Status-Report Grouped SL-Request-Type Enumerated [26]	2900 reserved	-	
2904 SL-Request-Type	2900 reserved 2901 Policy-Counter-Identifier		
2905 Pending-Policy-Counter-Information Grouped	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status	UTF8String	
2905 Pending-Policy-Counter-Information Grouped	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status	UTF8String	29.219
2906 Pending-Policy-Counter-Change-Time Time 2907 SN-Request-Type Unsigned32 Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. - 3000 reserved - 3001 Device-Action Grouped 3002 Device-Notification Grouped 3003 Trigger-Data Grouped 3004 Payload OctetString 3005 Action-Type Enumerated 3006 Priority-Indication Enumerated 3007 Reference-Number Unsigned32 3008 Request-Status Enumerated 3009 Delivery-Outcome Enumerated 3010 Application-Port-Identifier Unsigned32 3011 Old-Reference-Number Unsigned32 3012 Feature-Supported-In-Final-Target Unsigned32 Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. 3100 IP-SM-GW-Number OctetString 3101 IP-SM-GW-Name DiameterIdentity 3102 User-Identifier Grouped 3103 Service-ID Enumerated 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report	UTF8String Grouped	
2907 SN-Request-Type	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type	UTF8String Grouped Enumerated	
Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved - 3001 Device-Action Grouped 3002 Device-Notification Grouped 3003 Trigger-Data Grouped 3004 Payload OctetString 3005 Action-Type Enumerated 3006 Priority-Indication Enumerated 3007 Reference-Number Unsigned32 3008 Request-Status Enumerated 3009 Delivery-Outcome Enumerated 3011 Old-Reference-Number Unsigned32 3012 Feature-Supported-In-Final-Target Unsigned32 Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. String In-SM-GW-Number 3100 IP-SM-GW-Number OctetString 3101 IP-SM-GW-Name DiameterIdentity 3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information	UTF8String Grouped Enumerated Grouped	
3000 reserved -	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time	UTF8String Grouped Enumerated Grouped Time	
3001 Device-Action Grouped 3002 Device-Notification Grouped 3003 Trigger-Data Grouped 3004 Payload OctetString 3005 Action-Type Enumerated 3006 Priority-Indication Enumerated 3007 Reference-Number Unsigned32 3008 Request-Status Enumerated 3009 Delivery-Outcome Enumerated 3010 Application-Port-Identifier Unsigned32 3011 Old-Reference-Number Unsigned32 3012 Feature-Supported-In-Final-Target Unsigned32 Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. 3100 IP-SM-GW-Number 3101 IP-SM-GW-Number OctetString 3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type	UTF8String Grouped Enumerated Grouped Time	
3002 Device-Notification Grouped 3003 Trigger-Data Grouped 3004 Payload OctetString 3005 Action-Type Enumerated 3006 Priority-Indication Enumerated 3007 Reference-Number Unsigned32 3008 Request-Status Enumerated 3009 Delivery-Outcome Enumerated 3010 Application-Port-Identifier Unsigned32 3011 Old-Reference-Number Unsigned32 3012 Feature-Supported-In-Final-Target Unsigned32 Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. 3100 IP-SM-GW-Number OctetString 3101 IP-SM-GW-Name DiameterIdentity 3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219.	UTF8String Grouped Enumerated Grouped Time	
3003 Trigger-Data Grouped 3004 Payload OctetString 3005 Action-Type Enumerated 3006 Priority-Indication Enumerated 3007 Reference-Number Unsigned32 3008 Request-Status Enumerated 3009 Delivery-Outcome Enumerated 3010 Application-Port-Identifier Unsigned32 3011 Old-Reference-Number Unsigned32 3012 Feature-Supported-In-Final-Target Unsigned32 Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. 3100 IP-SM-GW-Number OctetString 3101 IP-SM-GW-Name DiameterIdentity 3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved	UTF8String Grouped Enumerated Grouped Time Unsigned32	
3004 Payload OctetString 3005 Action-Type Enumerated 3006 Priority-Indication Enumerated 3007 Reference-Number Unsigned32 3008 Request-Status Enumerated 3009 Delivery-Outcome Enumerated 3010 Application-Port-Identifier Unsigned32 3011 Old-Reference-Number Unsigned32 3012 Feature-Supported-In-Final-Target Unsigned32 Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. OctetString 3100 IP-SM-GW-Number OctetString 3101 IP-SM-GW-Name DiameterIdentity 3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action	UTF8String Grouped Enumerated Grouped Time Unsigned32	
3005 Action-Type Enumerated 3006 Priority-Indication Enumerated 3007 Reference-Number Unsigned32 3008 Request-Status Enumerated 3009 Delivery-Outcome Enumerated 3010 Application-Port-Identifier Unsigned32 3011 Old-Reference-Number Unsigned32 3012 Feature-Supported-In-Final-Target Unsigned32 Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. OctetString 3100 IP-SM-GW-Number OctetString 3101 IP-SM-GW-Name DiameterIdentity 3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification	UTF8String Grouped Enumerated Grouped Time Unsigned32 - Grouped Grouped	
3005 Action-Type Enumerated 3006 Priority-Indication Enumerated 3007 Reference-Number Unsigned32 3008 Request-Status Enumerated 3009 Delivery-Outcome Enumerated 3010 Application-Port-Identifier Unsigned32 3011 Old-Reference-Number Unsigned32 3012 Feature-Supported-In-Final-Target Unsigned32 Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. OctetString 3100 IP-SM-GW-Number OctetString 3101 IP-SM-GW-Name DiameterIdentity 3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data	UTF8String Grouped Enumerated Grouped Time Unsigned32 - Grouped Grouped Grouped Grouped	
3006 Priority-Indication Enumerated 29.368 3007 Reference-Number Unsigned32 [27] 3008 Request-Status Enumerated [27] 3009 Delivery-Outcome Enumerated [27] 3010 Application-Port-Identifier Unsigned32 [28] 3011 Old-Reference-Number Unsigned32 [28] 3012 Feature-Supported-In-Final-Target Unsigned32 [28] Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. [28] [28] 3101 IP-SM-GW-Number OctetString [28] 3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data 3004 Payload	UTF8String Grouped Enumerated Grouped Time Unsigned32 - Grouped Grouped Grouped Grouped	
3007 Reference-Number Unsigned32 3008 Request-Status Enumerated 3009 Delivery-Outcome Enumerated 3010 Application-Port-Identifier Unsigned32 3011 Old-Reference-Number Unsigned32 3012 Feature-Supported-In-Final-Target Unsigned32 Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. OctetString 3100 IP-SM-GW-Number OctetString 3101 IP-SM-GW-Name DiameterIdentity 3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data 3004 Payload	UTF8String Grouped Enumerated Grouped Time Unsigned32 - Grouped Grouped Grouped Grouped Grouped OctetString	[26]
3008 Request-Status Enumerated 3009 Delivery-Outcome Enumerated 3010 Application-Port-Identifier Unsigned32 3011 Old-Reference-Number Unsigned32 3012 Feature-Supported-In-Final-Target Unsigned32 Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. OctetString 3100 IP-SM-GW-Number OctetString 3101 IP-SM-GW-Name DiameterIdentity 3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data 3004 Payload 3005 Action-Type	UTF8String Grouped Enumerated Grouped Time Unsigned32 - Grouped Grouped Grouped Grouped OctetString Enumerated	[26]
3009 Delivery-Outcome Enumerated 3010 Application-Port-Identifier Unsigned32 3011 Old-Reference-Number Unsigned32 3012 Feature-Supported-In-Final-Target Unsigned32 Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. 3100 IP-SM-GW-Number OctetString 3101 IP-SM-GW-Name DiameterIdentity 3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data 3004 Payload 3005 Action-Type 3006 Priority-Indication	UTF8String Grouped Enumerated Grouped Time Unsigned32	[26]
3010 Application-Port-Identifier Unsigned32 3011 Old-Reference-Number Unsigned32 3012 Feature-Supported-In-Final-Target Unsigned32 Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. OctetString 3100 IP-SM-GW-Number OctetString 3101 IP-SM-GW-Name DiameterIdentity 3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data 3004 Payload 3005 Action-Type 3006 Priority-Indication 3007 Reference-Number	UTF8String Grouped Enumerated Grouped Time Unsigned32 Grouped Grouped Grouped Grouped OctetString Enumerated Enumerated Unsigned32	[26]
3011 Old-Reference-Number Unsigned32 3012 Feature-Supported-In-Final-Target Unsigned32 Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. 3100 3100 IP-SM-GW-Number OctetString 3101 IP-SM-GW-Name DiameterIdentity 3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data 3004 Payload 3005 Action-Type 3006 Priority-Indication 3007 Reference-Number 3008 Request-Status	UTF8String Grouped Enumerated Grouped Time Unsigned32 Grouped Grouped Grouped Grouped Grouped Understring Enumerated Enumerated Unsigned32 Enumerated	[26]
3012 Feature-Supported-In-Final-Target Unsigned32 Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. 3100 3100 IP-SM-GW-Number OctetString 3101 IP-SM-GW-Name DiameterIdentity 3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data 3004 Payload 3005 Action-Type 3006 Priority-Indication 3007 Reference-Number 3008 Request-Status 3009 Delivery-Outcome	UTF8String Grouped Enumerated Grouped Time Unsigned32 Grouped Grouped Grouped Grouped OctetString Enumerated Enumerated Unsigned32 Enumerated Enumerated Enumerated Enumerated Enumerated	[26]
Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. 3100 IP-SM-GW-Number OctetString 3101 IP-SM-GW-Name DiameterIdentity 3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data 3004 Payload 3005 Action-Type 3006 Priority-Indication 3007 Reference-Number 3008 Request-Status 3009 Delivery-Outcome 3010 Application-Port-Identifier	UTF8String Grouped Enumerated Grouped Time Unsigned32 Grouped Grouped Grouped Grouped Unsigned32 Enumerated Enumerated Unsigned32 Enumerated Enumerated Enumerated Unsigned32 Enumerated Unsigned32	[26]
3100 IP-SM-GW-Number OctetString 3101 IP-SM-GW-Name DiameterIdentity 3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data 3004 Payload 3005 Action-Type 3006 Priority-Indication 3007 Reference-Number 3008 Request-Status 3009 Delivery-Outcome 3010 Application-Port-Identifier 3011 Old-Reference-Number	UTF8String Grouped Enumerated Grouped Time Unsigned32 Grouped Grouped Grouped Grouped Unsigned32 Enumerated Enumerated Unsigned32 Enumerated Enumerated Enumerated Unsigned32 Enumerated Unsigned32 Unsigned32 Unsigned32	[26]
3101 IP-SM-GW-Name DiameterIdentity 3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data 3004 Payload 3005 Action-Type 3006 Priority-Indication 3007 Reference-Number 3008 Request-Status 3009 Delivery-Outcome 3010 Application-Port-Identifier 3011 Old-Reference-Number 3012 Feature-Supported-In-Final-Target	UTF8String Grouped Enumerated Grouped Time Unsigned32 Grouped Grouped Grouped Grouped Unsigned32 Enumerated Enumerated Unsigned32 Enumerated Enumerated Enumerated Unsigned32 Enumerated Unsigned32 Unsigned32 Unsigned32	[26]
3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data 3004 Payload 3005 Action-Type 3006 Priority-Indication 3007 Reference-Number 3008 Request-Status 3009 Delivery-Outcome 3010 Application-Port-Identifier 3011 Old-Reference-Number 3012 Feature-Supported-In-Final-Target Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368.	UTF8String Grouped Enumerated Grouped Time Unsigned32 Grouped Grouped Grouped Grouped OctetString Enumerated Enumerated Unsigned32 Enumerated Enumerated Unsigned32 Enumerated Unsigned32 Unsigned32 Unsigned32 Unsigned32	[26]
3102 User-Identifier Grouped 29.336 3103 Service-ID Enumerated [28] 3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data 3004 Payload 3005 Action-Type 3006 Priority-Indication 3007 Reference-Number 3008 Request-Status 3009 Delivery-Outcome 3010 Application-Port-Identifier 3011 Old-Reference-Number 3012 Feature-Supported-In-Final-Target Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. 3100 IP-SM-GW-Number	UTF8String Grouped Enumerated Grouped Time Unsigned32 - Grouped Grouped Grouped Grouped OctetString Enumerated Enumerated Unsigned32 Enumerated Enumerated Unsigned32 Enumerated Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32	[26]
3103 Service-IDEnumerated[28]3104 SCS-IdentityOctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data 3004 Payload 3005 Action-Type 3006 Priority-Indication 3007 Reference-Number 3008 Request-Status 3009 Delivery-Outcome 3010 Application-Port-Identifier 3011 Old-Reference-Number 3012 Feature-Supported-In-Final-Target Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. 3100 IP-SM-GW-Number	UTF8String Grouped Enumerated Grouped Time Unsigned32 - Grouped Grouped Grouped Grouped OctetString Enumerated Enumerated Unsigned32 Enumerated Enumerated Unsigned32 Enumerated Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32	[26]
3104 SCS-Identity OctetString	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data 3004 Payload 3005 Action-Type 3006 Priority-Indication 3007 Reference-Number 3008 Request-Status 3009 Delivery-Outcome 3010 Application-Port-Identifier 3011 Old-Reference-Number 3012 Feature-Supported-In-Final-Target Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. 3100 IP-SM-GW-Number 3101 IP-SM-GW-Number	UTF8String Grouped Enumerated Grouped Time Unsigned32 - Grouped Grouped Grouped Grouped OctetString Enumerated Unsigned32 Enumerated Enumerated Unsigned32 Enumerated Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32	29.368 [27]
	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data 3004 Payload 3005 Action-Type 3006 Priority-Indication 3007 Reference-Number 3008 Request-Status 3009 Delivery-Outcome 3010 Application-Port-Identifier 3011 Old-Reference-Number 3012 Feature-Supported-In-Final-Target Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. 3100 IP-SM-GW-Number 3101 User-Identifier	UTF8String Grouped Enumerated Grouped Time Unsigned32 - Grouped Grouped Grouped Grouped OctetString Enumerated Unsigned32 Enumerated Enumerated Unsigned32 Enumerated Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32 Grouped OctetString DiameterIdentity Grouped	29.368 [27] 29.336
Groupeu Groupeu	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data 3004 Payload 3005 Action-Type 3006 Priority-Indication 3007 Reference-Number 3008 Request-Status 3009 Delivery-Outcome 3010 Application-Port-Identifier 3011 Old-Reference-Number 3012 Feature-Supported-In-Final-Target Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. 3100 IP-SM-GW-Number 3101 IP-SM-GW-Number 3102 User-Identifier 3103 Service-ID	UTF8String Grouped Enumerated Grouped Time Unsigned32 - Grouped Grouped Grouped Grouped OctetString Enumerated Unsigned32 Enumerated Unsigned32 Enumerated Unsigned32	29.368 [27] 29.336
	2900 reserved 2901 Policy-Counter-Identifier 2902 Policy-Counter-Status 2903 Policy-Counter-Status-Report 2904 SL-Request-Type 2905 Pending-Policy-Counter-Information 2906 Pending-Policy-Counter-Change-Time 2907 SN-Request-Type Note: The AVP codes from 2908 to 2999 are reserved for TS 29.219. 3000 reserved 3001 Device-Action 3002 Device-Notification 3003 Trigger-Data 3004 Payload 3005 Action-Type 3006 Priority-Indication 3007 Reference-Number 3008 Request-Status 3009 Delivery-Outcome 3010 Application-Port-Identifier 3011 Old-Reference-Number 3012 Feature-Supported-In-Final-Target Note: The AVP codes from 3013 to 3099 are reserved for TS 29.368. 3100 IP-SM-GW-Number 3101 IP-SM-GW-Name 3102 User-Identifier 3103 Service-ID 3104 SCS-Identity	UTF8String Grouped Enumerated Grouped Time Unsigned32 - Grouped Grouped Grouped Grouped Grouped Grouped Unsigned32 Enumerated Enumerated Enumerated Unsigned32 Enumerated Unsigned32	29.368 [27]

3106 T4-Parameters	Grouped
3107 Service-Data	Grouped
3108 T4-Data	Grouped
3109 HSS-Cause	Unsigned32
3110 SIR-Flags	Unsigned32
3111 External-Identifier	UTF8String
3112 IP-SM-GW-Realm	DiameterIdentity
3113 AESE-Communication-Pattern	Grouped
3114 Communication-Pattern-Set	Grouped
3115 Periodic-Communication-Indicator	Unsigned32
3116 Communication-Duration-Time 3117 Periodic-Time	Unsigned32
3118 Scheduled-Communication-Time	Unsigned32
3119 Stationary-Indication	Grouped Unsigned32
3120 AESE-Communication-Pattern-Config-Status	Grouped
3121 AESE-Error-Report	Grouped
3122 Monitoring-Event-Configuration	Grouped
3123 Monitoring-Event-Corniguration	Grouped
3124 SCEF-Reference-ID	Unsigned32
3125 SCEF-ID	DiameterIdentity
3126 SCEF-Reference-ID-for-Deletion	Unsigned32
3127 Monitoring-Type	Unsigned32
3128 Maximum-Number-of-Reports	Unsigned32
3129 UE-Reachability-Configuration	Grouped
3130 Monitoring-Duration	Time
3131 Maximum-Detection-Time	Unsigned32
3132 Reachability-Type	Unsigned32
3133 Maximum-Latency	Unsigned32
3134 Maximum-Response-Time	Unsigned32
3135 Location-Information-Configuration	Grouped
3136 MONTE-Location-Type	Unsigned32
3137 Accuracy	Unsigned32
3138 Association-Type	Unsigned32
3139 Roaming-Information	Unsigned32
3140 Reachability-Information	Unsigned32
3141 IMEI-Change	Unsigned32
3142 Monitoring-Event-Config-Status	Grouped
3143 Supported-Service	Grouped
3144 Supported-Monitoring-Event	Unsigned64
3145 CIR-Flags	Unsigned32
3146 Service-Result	Grouped
3147 Service-Result-Code	Unsigned32
3148 Reference-ID-Validity-Time	Time
3149 Event-handling	Unsigned32
3150 NIDD-Authorization-Request	Grouped
3151 NIDD-Authorization-Response	Grouped
3152 Service-Report	Grouped
3153 Node-Type	Unsigned32
3154 S6t-HSS-Cause	Unsigned32
3155 Enhanced-Coverage-Restriction	Grouped
3156 Enhanced-Coverage-Restriction-Data	Grouped
3157 Restricted-PLMN-List	Grouped
3158 Allowed-PLMN-List	Grouped
3159 Requested-Validity-Time	Time
3160 Granted-Validity-Time	Time
3161 NIDD-Authorization-Update	Grouped
3162 Loss-Of-Connectivity-Reason	Unsigned32
3163 Group-Reporting-Guard-Timer	Unsigned32
3164 CIA-Flags	Unsigned32
3165 Group-Monitoring-Event-Report	Grouped
3166 Group-Monitoring-Event-Report-Item	Grouped
3167 RIR-Flags	Unsigned32
3168 Type-Of-External-Identifier 3169 APN-Validity-Time	Unsigned32
	Grouped
3170 Suggested-Network-Configuration	Grouped

3171 Monitoring-Event-Report-Status	Craupad	
3172 PLMN-ID-Requested	Grouped Enumerated	
3173 AdditionalIdentifiers	Grouped	
3174 NIR-Flags	Unsigned32	
Note: The AVP codes from 3175 to 3199 are reserved for TS 29.336.	Onsignedaz	
3200 SM-Delivery-Outcome-T4	Enumerated	
3201 Absent-Subscriber-Diagnostic-T4	Enumerated	29.337
3202 Trigger-Action	Unsigned32	[29]
3203 MTC-Error-Diagnostic	Unsigned32	[20]
Note: The AVP codes from 3204 to 3299 are reserved for TS 29.337.	Onsignedoz	
3300 SC-Address	OctetString	
3301 SM-RP-UI	OctetString	
3302 TFR-Flags	Unsigned32	
3303 SM-Delivery- Failure-Cause	Grouped	
3304 SM-Enumerated-Delivery-Failure-Cause	Enumerated	
3305 SM-Diagnostic-Info	OctetString	
3306 SM-Delivery-Timer	Unsigned32	
3307 SM-Delivery-Start-Time	Time	
3308 SM-RP-MTI	Enumerated	
3309 SM-RP-SMEA	OctetString	
3310 SRR-Flags	Unsigned32	
3311 SM-Delivery-Not-Intended	Enumerated	
3312 MWD-Status	Unsigned32	
3313 MME-Absent-User-Subscriber-Diagnostic-SM	Unsigned32	
3314 MSC-Absent-User-Subscriber-Diagnostic-SM	Unsigned32	
3315 SGSN-Absent-User-Subscriber-Diagnostic SM	Unsigned32	
3316 SM-Delivery-Outcome	Grouped	29.338
3317 MME-SM-Delivery-Outcome	Grouped	[30]
3318 MSC-SM-Delivery-Outcome	Grouped	
3319 SGSN-SM-Delivery-Outcome	Grouped	
3320 IP-SM-GW-SM-Delivery-Outcome	Grouped	
3321 SM-Delivery-Cause	Enumerated	
3322 Absent-User-Diagnostic-SM	Unsigned32	
3323 RDR-Flags	Unsigned32	
3324 SMSMI-Correlation-ID	Unsigned32	
3325 HSS-ID	UTF8String	
3326 Originating-SIP-URI	UTF8String	
3327 Destination-SIP-URI	UTF8String	
3328 OFR-Flags	Unsigned32	
3329 Maximum-UE-Availability-Time	Time	
3330 Maximum-Retransmission-Time	Time	
3331 Requested-Retransmission-Time	Time	
3332 SMS-GMSC-Address	OctetString	
3333 SMS-GMSC-Alert-Event	Unsigned32	
Note: The AVP codes from 3334 to 3399 are reserved for TS 29.338.		
3400 reserved	- LITE00:	
3401 Reason-Header	UTF8String	
3402 Instance-Id	UTF8String	
3403 Route-Header-Received	UTF8String	
3404 Route-Header-Transmitted	UTF8String	
3405 SM-Device-Trigger-Information	Grouped	
3406 MTC-IWF-Address	Address	
3407 SM-Device-Trigger-Indicator	Enumerated	
3408 SM-Sequence-Number	Unsigned32	
3409 SMS-Result	Unsigned32	32.299
3410 VCS-Information	Grouped	[5]
3411 Basic-Service-Code	Grouped OctetString	
3412 Bearer-Capability 3413 Teleservice	OctetString	
3414 ISUP-Location-Number	OctetString	
3414 ISOP-Location-Number 3415 Forwarding-Pending	Enumerated	
3416 ISUP-Release-Cause	Unsigned32	
3417 MSC-Address	Orisigned32 OctetString	
3418 Network-Call-Reference-Number	OctetString	
3419 Start-of-Charging	Time	
ot to plait-of-offarging	TIME	L

3421 (N.P. Operator Selection-Entity Enumerated 3421 (N.P. Operator Selection-Entity Enumerated 3422 (SUP-Cause-Dagnostics Octotistring 1422 (SUP-Cause-Oatlon Unsigned32 1424 (SUP-Cause-Value Unsigned32 1424 (SUP-Cause-Value Unsigned32 1425 (FPDC-Address Address 1425 (FPDC-Address Address 1426 (FPDC-Address 1427 (Announcing-UE-PH_MN-Identifier UTF8String 1427 (Announcing-UE-PH_MN-Identifier UTF8String 1428 (Overage-Status Enumerated 1428 (Expectation) (UTF8String 1428 (Expectation) (UTF8String 1428 (Expectation) (UTF8String 1428 (Expectation) (UTF8String 1432 (Expectation) (UTF8String 1432 (Expectation) (UTF8String 1433 (Expectation) (UTF8String 1433 (Expectation) (UTF8String 1434 (UTF8S	T T		
2422 SUP-Cause-Loganostics	3420 VLR-Number	OctetString	
3424 SIUP-Cause-Value		Enumerated	
3424 SIUP-Cause-Value	3422 ISUP-Cause-Diagnostics	OctetString	
2424 ISUP-Cause-Value		Unsigned32	
3426 Amouncing-UE-HPLMN-Identifier			
3426 Announcing-UE-IPLMN-Identifier UTF8String 3427 Announcing-UE-IPLMN-Identifier UTF8String 3428 Coverage-Status Enumerated 3429 Layer-2-Group-ID OctetString 3430 Monitored-PLMN-Identifier UTF8String 3431 Monitoring-UE-IPLMN-Identifier UTF8String 3431 Monitoring-UE-IPLMN-Identifier UTF8String 3432 Monitoring-UE-IPLMN-Identifier UTF8String 3433 Monitoring-UE-IPLMN-Identifier UTF8String 3433 Monitoring-UE-IPLMN-Identifier UTF8String 3434 ProSe-PC3-Control-Protocol-Cause Integer32 3435 ProSe-PC3-EPC-Control-Protocol-Cause Integer32 3436 ProSe-PC3-EPC-Control-Protocol-Cause Integer32 3436 ProSe-PC3-EPC-Control-Protocol-Cause Integer32 3437 Requested-PLMN-Identifier UTF8String 3438 Role-OT-POSE-Purciol Requested UTF8String 3438 Role-OT-POSE-Purciol Requested UTF8String 3438 Role-OT-POSE-Purciol Requested UTF8String 3439 Role-OT-POSE-Purciol Requested UTF8String 3440 ProSe-Pose-Park-Application-ID UTF8String 3441 ProSe-Direct-Discovery-Model Enumerated 3440 ProSe-Port-Protocol-Discovery-Model Enumerated 3441 ProSe-Port-Otto-Protocol-Discovery-Model Enumerated 3442 ProSe-Purcion-IP-Address Address Ad			
3427 Announcing-UE-VPLMN-Identifier			
19428 Coverage-Status Enumerated			
3439 Manitore-PLMN-Identifier UTF8String 3431 Manitoring-UE-IPLMN-Identifier UTF8String 3432 Manitoring-UE-IPLMN-Identifier UTF8String 3432 Manitoring-UE-IPLMN-Identifier UTF8String 3432 Manitoring-UE-IPLMN-Identifier UTF8String 3434 ProSe-PG3-Cantrol-Protocol-Cause Integer32 3436 ProSe-PG3-Cantrol-Protocol-Cause Integer32 3436 Requested-PLMN-Identifier UTF8String 3437 Requestor-PLMN-Identifier UTF8String 3438 Role-OI-ProSe-Punction UTF8String 3439 Requestor-PLMN-Identifier UTF8String 3439 Requestor-PLMN-Identifier UTF8String 3439 Requestor-PLMN-Identifier UTF8String 3439 Usage Information-Report-Sequence-Number Integer32 3440 ProSe-Punction UTF8String 3441 ProSe-Direct-Communication-Transmission-Data-Container Grouped		Ÿ.	
Monitored-PLMN-Identifier			
		OctetString	
3433 Monitoring-UE-Identifier	3430 Monitored-PLMN-Identifier	UTF8String	
3433 Monitoring-UE-Identifier	3431 Monitoring-UE-HPLMN-Identifier	UTF8String	
3434 ProSe-PC3-Control-Protocol-Cause Integer32 3435 ProSe-PC3-Control-Protocol-Cause Integer32 3436 ProSe-PC3-Control-Protocol-Cause Integer32 3436 Requested-PLMN-Identifier UTF8String 3437 Requestor-PLMN-Identifier UTF8String 3438 Role-OI-ProSe-Function Enumerated 3439 Usage-Information-Report-Sequence-Number Integer32 3440 ProSe-Direct-Discovery-Model Enumerated 3441 ProSe-Direct-Discovery-Model Enumerated 3441 ProSe-Direct-Discovery-Model Enumerated 3442 ProSe-Direct-Discovery-Model Enumerated 3443 ProSe-Function-IP-Address Address			
1943 ProSe-PC3-EPC-Control-Protocol-Cause Integer32			
3436 Requestor-PLMN-Identifier			
3438 Requested-PLMN-Identifier UTF8String 3438 Role-Of-ProSe-Function UTF8String 3438 Role-Of-ProSe-Function Enumerated Integer32 3440 ProSe-SurCentrol Integer32 3440 ProSe-SurCentrol UTF8String 3440 ProSe-SurCentrol UTF8String 3441 ProSe-Direct-Communication-Transmission-Data-Container Grouped 3441 ProSe-Direct-Communication-Transmission-Data-Container Grouped 3442 ProSe-Unect-Discovery-Model Enumerated Enumerated 3443 ProSe-Event-Type Enumerated 3444 ProSe-Functionality Enumerated Enumerated 3444 ProSe-Functionality Enumerated 3444 ProSe-Functionality Enumerated 3444 ProSe-Functionality Enumerated 3446 ProSe-Functionality Enumerated 3447 ProSe-Information Grouped 3448 ProSe-Range-Class Enumerated 3449 ProSe-Reason-For-Cancellation Enumerated 3450 ProSe-Request-Timestamp Time 3451 ProSe-Request-Timestamp Time 3452 ProSe-Source-IP-Address Address Add			
1437 Requestor-PLMN-Identifier			
3438 Role-OI-ProSe-Function Enumerated			
1439 Usage-Information-Report-Sequence-Number	3437 Requestor-PLMN-Identifier		
1940 ProSe-3rd-Party-Application-ID	3438 Role-Of-ProSe-Function	Enumerated	
1940 ProSe-3rd-Party-Application-ID			
ProSe-Direct-Communication-Transmission-Data-Container Grouped ProSe-Direct-Discovery-Model Enumerated			
19442 ProSe-Direct-Discovery-Model	3441 ProSe-Direct-Communication-Transmission-Data-Container		
ProSe-Event-Type		•	
ProSe-Function-IP-Address			
ProSe-Functionality			
Prose-Information			
3448		Enumerated	
3448 ProSe-Range-Class	3446 ProSe-Group-IP-Multicast-Addresses	Address	
3448 ProSe-Range-Class	3447 ProSe-Information	Grouped	
3440 ProSe-Reason-For-Cancellation Enumerated			
3450 ProSe-Request-Timestamp			
3451 ProSe-Role-Of-UE			
3452 ProSe-Source-IP-Address Address 3453 ProSe-UE-ID OctetString 3454 ProSe-UE-ID OctetString 3454 Proximity-Alert-Indication Enumerated 3455 Proximity-Alert-Imestamp Time 3456 Proximity-Cancellation-Timestamp Time 3457 ProSe-Function-PLMN-Identifier UTF8String 3458 Application-Specific-Data OctetString 3458 Application-Specific-Data OctetString 3459 Coverage-Info Grouped Grouped 3460 Location-Info Grouped Grouped 3461 ProSe-Direct-Communication-Reception-Data-Container Grouped Grouped 3462 Radio-Farameter-Set-Info Grouped			
3453 ProSe-UE-ID			
Proximity-Alert-Indication			
3455 Proximity-Alert-Timestamp			
3456 Proximity-Cancellation-Timestamp Time 3457 ProSe-Function-PLMN-Identifier UTF8String 3458 Application-Specific-Data OctetString 3458 Application-Specific-Data OctetString 3459 Coverage-Info Grouped Grouped 3460 Location-Info Grouped Grouped 3461 ProSe-Direct-Communication-Reception-Data-Container Grouped Grouped 3462 Radio-Frequency OctetString 3463 Radio-Parameter-Set-Info Grouped Grouped 3464 Radio-Parameter-Set-Values OctetString 3465 Radio-Resources-Indicator Integer32 3466 Time-First-Reception Time 3467 Time-First-Transmission Time 3468 Transmitter-Info Grouped Mote: The AVP codes from 3469 to 3499 are reserved for TS 32.299. 3500 BMSC-Address Address Address 3501 BMSC-Port Unsigned32 3502 MBMS-Bearer-Event-Notification Grouped 3504 MBMS-Bearer-Event-Notification Grouped 3505 MBMS-Bearer-Request Grouped 3506 MBMS-Bearer-Request Grouped 3508 Radio-Frequency Unsigned32 3508 Radio-Frequency Unsigned32 3508 Radio-Frequency Unsigned32 3508 Radio-Frequency Unsigned32 3508 TMGI-Allocation-Response Grouped 3511 TMGI-Allocation-Response Grouped 3512 TMGI-Deallocation-Response Grouped 3513 TMGI-Deallocation-Respons	3454 Proximity-Alert-Indication	Enumerated	
3456 Proximity-Cancellation-Timestamp Time 3457 ProSe-Function-PLMN-Identifier UTF8String 3458 Application-Specific-Data OctetString 3458 Application-Specific-Data OctetString 3459 Coverage-Info Grouped Grouped 3460 Location-Info Grouped Grouped 3461 ProSe-Direct-Communication-Reception-Data-Container Grouped Grouped 3462 Radio-Frequency OctetString 3463 Radio-Parameter-Set-Info Grouped Grouped 3464 Radio-Parameter-Set-Values OctetString 3465 Radio-Resources-Indicator Integer32 3466 Time-First-Reception Time 3467 Time-First-Transmission Time 3468 Transmitter-Info Grouped Mote: The AVP codes from 3469 to 3499 are reserved for TS 32.299. 3500 BMSC-Address Address Address 3501 BMSC-Port Unsigned32 3502 MBMS-Bearer-Event-Notification Grouped 3504 MBMS-Bearer-Event-Notification Grouped 3505 MBMS-Bearer-Request Grouped 3506 MBMS-Bearer-Request Grouped 3508 Radio-Frequency Unsigned32 3508 Radio-Frequency Unsigned32 3508 Radio-Frequency Unsigned32 3508 Radio-Frequency Unsigned32 3508 TMGI-Allocation-Response Grouped 3511 TMGI-Allocation-Response Grouped 3512 TMGI-Deallocation-Response Grouped 3513 TMGI-Deallocation-Respons	3455 Proximity-Alert-Timestamp	Time	
3457 ProSe-Function-PLMN-Identifier UTF8String 3458 Application-Specific-Data OctetString 3459 Coverage-Info Grouped 3460 Location-Info Grouped 3460 Location-Info Grouped 3461 ProSe-Direct-Communication-Reception-Data-Container Grouped 3462 Radio-Parameter-Set-Info Grouped Grouped 3463 Radio-Parameter-Set-Values OctetString 3464 Radio-Parameter-Set-Values OctetString 3465 Radio-Resources-Indicator Integer32 3466 Time-First-Transmission Time 3467 Time-First-Transmission Time 3468 Transmitter-Info Grouped OctetString 3468 Transmitter-Info Grouped OctetString 3468 Transmitter-Info Grouped OctetString 3469 OctetString Octe		Time	
3458 Application-Specific-Data OctetString 3459 Coverage-Info Grouped 3460 Location-Info Grouped 3461 ProSe-Direct-Communication-Reception-Data-Container Grouped 3462 Radio-Frequency OctetString 3463 Radio-Parameter-Set-Info Grouped 3464 Radio-Parameter-Set-Values OctetString 3465 Radio-Resources-Indicator Integer32 3466 Time-First-Reception Time 3467 Time-First-Brasmission Time 3468 Transmitter-Info Grouped Note: The AVP codes from 3469 to 3499 are reserved for TS 32.299. Address 3500 BMSC-Address Address 3501 BMSC-Port Unsigned32 3502 MBMS-Bearer-Event Unsigned32 3503 MBMS-Bearer-Request Grouped 3504 MBMS-Bearer-Response Grouped 3505 MBMS-Bearer-Response Grouped 3507 MBMS-Start-Time Time 3508			
3459 Coverage-Info Grouped			
3460 Location-Info Grouped 3461 ProSe-Direct-Communication-Reception-Data-Container Grouped 3462 Radio-Frequency OctetString 3463 Radio-Parameter-Set-Info Grouped 3464 Radio-Parameter-Set-Values OctetString 3465 Radio-Resources-Indicator Integer32 3466 Time-First-Reception Time 3467 Time-First-Transmission Time 3468 Transmitter-Info Grouped Note: The AVP codes from 3469 to 3499 are reserved for TS 32.299. Address 3500 BMSC-Address Address 3501 BMSC-Port Unsigned32 3502 MBMS-Bearer-Event Unsigned32 3503 MBMS-Bearer-Request Grouped 3504 MBMS-Bearer-Response Grouped 3505 MBMS-Bearer-Result Unsigned32 3507 MBMS-Bearer-Result Unsigned32 3508 Radio-Frequency Unsigned32 3509 TMGI-Allocation-Response Grouped			
3461 ProSe-Direct-Communication-Reception-Data-Container Grouped 3462 Radio-Frequency OctetString 3463 Radio-Parameter-Set-Info Grouped 3464 Radio-Parameter-Set-Values OctetString 3465 Radio-Resources-Indicator Integer32 3466 Time-First-Reception Time 3467 Time-First-Transmission Time 3468 Transmitter-Info Grouped Note: The AVP codes from 3469 to 3499 are reserved for TS 32.299. Address 3501 BMSC-Address Address 3501 BMSC-Port Unsigned32 3502 MBMS-Bearer-Event Unsigned32 3503 MBMS-Bearer-Request Grouped 3504 MBMS-Bearer-Request Grouped 3505 MBMS-Bearer-Response Grouped 3506 MBMS-Bearer-Response Grouped 3507 MBMS-Bearer-Request Unsigned32 3508 Radio-Frequency Unsigned32 3509 TMGI-Allocation-Request Grouped			
3462 Radio-Frequency OctetString 3463 Radio-Parameter-Set-Info Grouped 3464 Radio-Parameter-Set-Values OctetString 3465 Radio-Resources-Indicator Integer32 3466 Time-First-Reception Time 3467 Time-First-Transmission Time 3468 Transmitter-Info Grouped Note: The AVP codes from 3469 to 3499 are reserved for TS 32.299. Address 3501 BMSC-Address Address 3501 BMSC-Port Unsigned32 3502 MBMS-Bearer-Event Unsigned32 3503 MBMS-Bearer-Event-Notification Grouped 3504 MBMS-Bearer-Request Grouped 3505 MBMS-Bearer-Response Grouped 3506 MBMS-Bearer-Result Unsigned32 3507 MBMS-Bearer-Result Unsigned32 3508 Radio-Frequency Unsigned32 3509 TMGI-Allocation-Reponse Grouped 3511 TMGI-Allocation-Resoult Unsigned32 3512			
3463 Radio-Parameter-Set-Info Grouped 3464 Radio-Parameter-Set-Values OctetString 3465 Radio-Resources-Indicator Integer32 3466 Time-First-Reception Time 3467 Time-First-Transmission Time 3468 Transmitter-Info Grouped Note: The AVP codes from 3469 to 3499 are reserved for TS 32.299. 3500 BMSC-Address Address 3501 BMSC-Port Unsigned32 3502 MBMS-Bearer-Event Unsigned32 3503 MBMS-Bearer-Request Grouped 3504 MBMS-Bearer-Request Grouped 3505 MBMS-Bearer-Response Grouped 3506 MBMS-Bearer-Result Unsigned32 3507 MBMS-Bearer-Result Unsigned32 3508 Radio-Frequency Unsigned32 3501 TMGI-Allocation-Reponse Grouped 3511 TMGI-Allocation-Result Unsigned32 3512 TMGI-Deallocation-Result Unsigned32 3513 TMGI-Deallocation-Response Grouped			
3464 Radio-Parameter-Set-Values OctetString 3465 Radio-Resources-Indicator Integer32 3466 Time-First-Reception Time 3467 Time-First-Transmission Time 3468 Transmitter-Info Grouped Note: The AVP codes from 3469 to 3499 are reserved for TS 32.299. Address 3500 BMSC-Address Address 3501 BMSC-Port Unsigned32 3502 MBMS-Bearer-Event Unsigned32 3503 MBMS-Bearer-Event-Notification Grouped 3504 MBMS-Bearer-Response Grouped 3505 MBMS-Bearer-Response Grouped 3506 MBMS-Bearer-Result Unsigned32 3507 MBMS-Start-Time Time 3508 Radio-Frequency Unsigned32 3509 TMGI-Allocation-Request Grouped 3511 TMGI-Allocation-Response Grouped 3512 TMGI-Deallocation-Response Grouped			
3464 Radio-Parameter-Set-Values OctetString 3465 Radio-Resources-Indicator Integer32 3466 Time-First-Reception Time 3467 Time-First-Transmission Time 3468 Transmitter-Info Grouped Note: The AVP codes from 3469 to 3499 are reserved for TS 32.299. Address 3500 BMSC-Address Address 3501 BMSC-Port Unsigned32 3502 MBMS-Bearer-Event Unsigned32 3503 MBMS-Bearer-Event-Notification Grouped 3504 MBMS-Bearer-Response Grouped 3505 MBMS-Bearer-Response Grouped 3506 MBMS-Bearer-Result Unsigned32 3507 MBMS-Start-Time Time 3508 Radio-Frequency Unsigned32 3509 TMGI-Allocation-Request Grouped 3511 TMGI-Allocation-Response Grouped 3512 TMGI-Deallocation-Response Grouped	3463 Radio-Parameter-Set-Info	Grouped	
3465 Radio-Resources-Indicator Integer32 3466 Time-First-Reception Time 3467 Time-First-Transmission Time 3468 Transmitter-Info Grouped Note: The AVP codes from 3469 to 3499 are reserved for TS 32.299. Address 3500 BMSC-Address Address 3501 BMSC-Port Unsigned32 3502 MBMS-Bearer-Event Unsigned32 3503 MBMS-Bearer-Event-Notification Grouped 3504 MBMS-Bearer-Request Grouped 3505 MBMS-Bearer-Response Grouped 3506 MBMS-Bearer-Result Unsigned32 3507 MBMS-Bearer-Request Time 3508 Radio-Frequency Unsigned32 3509 TMGI-Allocation-Request Grouped 3510 TMGI-Allocation-Response Grouped 3511 TMGI-Allocation-Response Grouped 3511 TMGI-Deallocation-Response Grouped			
3466 Time-First-Reception Time 3467 Time-First-Transmission Time 3468 Transmitter-Info Grouped Note: The AVP codes from 3469 to 3499 are reserved for TS 32.299. Address 3500 BMSC-Address Address 3501 BMSC-Port Unsigned32 3502 MBMS-Bearer-Event Unsigned32 3503 MBMS-Bearer-Event-Notification Grouped 3504 MBMS-Bearer-Request Grouped 3505 MBMS-Bearer-Response Grouped 3506 MBMS-Bearer-Result Unsigned32 3507 MBMS-Start-Time Time 3508 Radio-Frequency Unsigned32 3509 TMGI-Allocation-Request Grouped 3510 TMGI-Allocation-Response Grouped 3511 TMGI-Deallocation-Response Grouped 3513 TMGI-Deallocation-Response Grouped			
3467 Time-First-Transmission Time 3468 Transmitter-Info Grouped Note: The AVP codes from 3469 to 3499 are reserved for TS 32.299. 3500 3500 BMSC-Address Address 3501 BMSC-Port Unsigned32 3502 MBMS-Bearer-Event Unsigned32 3503 MBMS-Bearer-Event-Notification Grouped 3504 MBMS-Bearer-Request Grouped 3505 MBMS-Bearer-Response Grouped 3506 MBMS-Bearer-Result Unsigned32 3507 MBMS-Start-Time Time 3508 Radio-Frequency Unsigned32 3509 TMGI-Allocation-Request Grouped 3511 TMGI-Allocation-Response Grouped 3512 TMGI-Deallocation-Request Grouped 3513 TMGI-Deallocation-Response Grouped			
3468 Transmitter-Info Grouped Note: The AVP codes from 3469 to 3499 are reserved for TS 32.299. 3500 BMSC-Address Address 3501 BMSC-Port Unsigned32 3502 MBMS-Bearer-Event Unsigned32 3503 MBMS-Bearer-Event-Notification Grouped 3504 MBMS-Bearer-Request Grouped 3505 MBMS-Bearer-Response Grouped 3506 MBMS-Bearer-Result Unsigned32 3507 MBMS-Start-Time Time 3508 Radio-Frequency Unsigned32 3509 TMGI-Allocation-Request Grouped 3511 TMGI-Allocation-Result Unsigned32 3512 TMGI-Deallocation-Result Unsigned32 3513 TMGI-Deallocation-Response Grouped			
Note: The AVP codes from 3469 to 3499 are reserved for TS 32.299. 3500 BMSC-Address Address 3501 BMSC-Port Unsigned32 3502 MBMS-Bearer-Event Unsigned32 3503 MBMS-Bearer-Event-Notification Grouped 3504 MBMS-Bearer-Request Grouped 3505 MBMS-Bearer-Response Grouped 3506 MBMS-Bearer-Result Unsigned32 3507 MBMS-Start-Time Time 3508 Radio-Frequency Unsigned32 3509 TMGI-Allocation-Request Grouped 3511 TMGI-Allocation-Response Grouped 3512 TMGI-Deallocation-Request Grouped 3513 TMGI-Deallocation-Response Grouped			
3500 BMSC-Address 3501 BMSC-Port 3502 MBMS-Bearer-Event 3503 MBMS-Bearer-Event-Notification 3504 MBMS-Bearer-Request 3505 MBMS-Bearer-Response 3506 MBMS-Bearer-Result 3507 MBMS-Start-Time 3508 Radio-Frequency 3509 TMGI-Allocation-Request 3510 TMGI-Allocation-Response 3511 TMGI-Allocation-Result 3512 TMGI-Deallocation-Request 3513 TMGI-Deallocation-Response		Groupea	
3501 BMSC-Port Unsigned32 3502 MBMS-Bearer-Event Unsigned32 3503 MBMS-Bearer-Event-Notification Grouped 3504 MBMS-Bearer-Request Grouped 3505 MBMS-Bearer-Response Grouped 3506 MBMS-Bearer-Result Unsigned32 3507 MBMS-Start-Time Time 3508 Radio-Frequency Unsigned32 3509 TMGI-Allocation-Request Grouped 3510 TMGI-Allocation-Response Grouped 3511 TMGI-Deallocation-Request Grouped 3512 TMGI-Deallocation-Response Grouped 3513 TMGI-Deallocation-Response Grouped			1
3502 MBMS-Bearer-Event Unsigned32 3503 MBMS-Bearer-Event-Notification Grouped 3504 MBMS-Bearer-Request Grouped 3505 MBMS-Bearer-Response Grouped 3506 MBMS-Bearer-Result Unsigned32 3507 MBMS-Start-Time Time 3508 Radio-Frequency Unsigned32 3509 TMGI-Allocation-Request Grouped 3510 TMGI-Allocation-Response Grouped 3511 TMGI-Deallocation-Request Grouped 3512 TMGI-Deallocation-Response Grouped 3513 TMGI-Deallocation-Response Grouped			
3503MBMS-Bearer-Event-NotificationGrouped3504MBMS-Bearer-RequestGrouped3505MBMS-Bearer-ResponseGrouped3506MBMS-Bearer-ResultUnsigned323507MBMS-Start-TimeTime3508Radio-FrequencyUnsigned323509TMGI-Allocation-RequestGrouped3510TMGI-Allocation-ResponseGrouped3511TMGI-Allocation-ResultUnsigned323512TMGI-Deallocation-RequestGrouped3513TMGI-Deallocation-ResponseGrouped			
3503MBMS-Bearer-Event-NotificationGrouped3504MBMS-Bearer-RequestGrouped3505MBMS-Bearer-ResponseGrouped3506MBMS-Bearer-ResultUnsigned323507MBMS-Start-TimeTime3508Radio-FrequencyUnsigned323509TMGI-Allocation-RequestGrouped3510TMGI-Allocation-ResponseGrouped3511TMGI-Allocation-ResultUnsigned323512TMGI-Deallocation-RequestGrouped3513TMGI-Deallocation-ResponseGrouped	3502 MBMS-Bearer-Event	Unsigned32	
3504MBMS-Bearer-RequestGrouped3505MBMS-Bearer-ResponseGrouped3506MBMS-Bearer-ResultUnsigned323507MBMS-Start-TimeTime3508Radio-FrequencyUnsigned323509TMGI-Allocation-RequestGrouped3510TMGI-Allocation-ResponseGrouped3511TMGI-Allocation-ResultUnsigned323512TMGI-Deallocation-RequestGrouped3513TMGI-Deallocation-ResponseGrouped		U	
3505 MBMS-Bearer-Response Grouped 3506 MBMS-Bearer-Result Unsigned32 3507 MBMS-Start-Time Time 3508 Radio-Frequency Unsigned32 3509 TMGI-Allocation-Request Grouped 3510 TMGI-Allocation-Response Grouped 3511 TMGI-Allocation-Result Unsigned32 3512 TMGI-Deallocation-Request Grouped 3513 TMGI-Deallocation-Response Grouped			
3506MBMS-Bearer-ResultUnsigned323507MBMS-Start-TimeTime3508Radio-FrequencyUnsigned323509TMGI-Allocation-RequestGrouped3510TMGI-Allocation-ResponseGrouped3511TMGI-Allocation-ResultUnsigned323512TMGI-Deallocation-RequestGrouped3513TMGI-Deallocation-ResponseGrouped			
3507MBMS-Start-TimeTime3508Radio-FrequencyUnsigned323509TMGI-Allocation-RequestGrouped3510TMGI-Allocation-ResponseGrouped3511TMGI-Allocation-ResultUnsigned323512TMGI-Deallocation-RequestGrouped3513TMGI-Deallocation-ResponseGrouped			
3508 Radio-Frequency 3509 TMGI-Allocation-Request 3510 TMGI-Allocation-Response 3511 TMGI-Allocation-Result 3512 TMGI-Deallocation-Request 3513 TMGI-Deallocation-Response 3514 TMGI-Deallocation-Request 3515 Grouped 3516 Grouped			29.468
3508 Radio-Frequency 3509 TMGI-Allocation-Request 3510 TMGI-Allocation-Response 3511 TMGI-Allocation-Result 3512 TMGI-Deallocation-Request 3513 TMGI-Deallocation-Response 3513 TMGI-Deallocation-Response 3510 Grouped 3510 Grouped			
3510TMGI-Allocation-ResponseGrouped3511TMGI-Allocation-ResultUnsigned323512TMGI-Deallocation-RequestGrouped3513TMGI-Deallocation-ResponseGrouped			J
3511TMGI-Allocation-ResultUnsigned323512TMGI-Deallocation-RequestGrouped3513TMGI-Deallocation-ResponseGrouped			
3511TMGI-Allocation-ResultUnsigned323512TMGI-Deallocation-RequestGrouped3513TMGI-Deallocation-ResponseGrouped	3510 TMGI-Allocation-Response	Grouped	
3512 TMGI-Deallocation-Request Grouped 3513 TMGI-Deallocation-Response Grouped			
3513 TMGI-Deallocation-Response Grouped			
DOTA TWO-Deallocation-Result Unsigned32			
	וואסריטבמווטניםווטרויתבאמונ דו וואסריטבמווטניויתבאמונ	Unsigneusz	

2545 TMCL Evoins	Crouned	
3515 TMGI-Expiry 3516 TMGI-Number	Grouped	
3516 MG2U-Security	Unsigned32	
	Unsigned32	
3518 Local-M1-Information	Grouped	
3519 Local-MB2-U-Information	Grouped	
3520 MBMS-eNB-IP-Multicast-Address	Address	
3521 MBMS-eNB-IPv6-Multicast-Address	Address	
3522 MBMS-GW-SSM-IP-Address	Address	
3523 MBMS-GW-SSM-IPv6-Address	Address	
3524 Common-Tunnel-Endpoint-Identifier	OctetString	
Note: The AVP codes from 3525 to 3599 are reserved for TS 29.468.	LITEOO:	
3600 Origin-App-Layer-User-Id	UTF8String	
3601 Target-App-Layer-User-Id	UTF8String	
3602 ProSe-Function-ID	OctetString	
3603 ProSe-Request-Type	Unsigned32	
3604 PDUID	OctetString	
3605 Application-Data	UTF8String	29.343
3606 Allowed-Suffixes-Number	Unsigned32	[32]
3607 Monitor-Target	Grouped	[02]
3608 ProSe-Code-Suffix-Mask	Grouped	
3609 Suffix-Code	OctetString	
3610 Suffix-Mask	OctetString	
3611 Banned-User-Target	Grouped	
3612 Metadata-Indicator	Unsigned32	
Note: The AVP codes from 3613 to 3699 are reserved for TS 29.343.		
3701 ProSe-Subscription-Data	Grouped	
3702 ProSe-Permission	Unsigned32	
3703 ProSe-Allowed-PLMN	Grouped	
3704 ProSe-Direct-Allowed	Unsigned32	29.344
3705 UPR-Flags	Unsigned32	[33]
3706 PNR-Flags	Unsigned32	
3707 ProSe-Initial-Location-Information	Grouped	
3708 Authorized-Discovery-Range	Unsigned32	
Note: The AVP codes from 3709 to 3799 are reserved for TS 29.344.	<u> </u>	•
3800 Reserved		
3801 App-Layer-User-Id	UTF8String	
3802 Assistance-info	Grouped	
3803 Assistance-Info-Validity-Timer	Unsigned32	
3804 Discovery-Type	Unsigned32	
3805 Filter-Id	OctetString	
3806 MAC-Address	UTF8String	
3807 Match-Report	Grouped	
3808 Operating-Channel	Unsigned32	
3809 P2P-Features	Unsigned32	
3810 ProSe-App-Code	UTF8String	
3811 ProSe-App-Id	UTF8String	
3812 ProSe-App-Mask	UTF8String	
3813 ProSe-Discovery-Filter	Grouped	
3814 PRR-Flags	Unsigned32	
3815 ProSe-Validity-Timer		29.345
	Incided(3.)	1 10 41
	Unsigned32	[34]
3816 Requesting-EPUID	UTF8String	[34]
3816 Requesting-EPUID 3817 Targeted-EPUID	UTF8String UTF8String	[34]
3816 Requesting-EPUID 3817 Targeted-EPUID 3818 Time-Window	UTF8String UTF8String Unsigned32	[34]
3816 Requesting-EPUID 3817 Targeted-EPUID 3818 Time-Window 3819 WiFi-P2P-Assistance-Info	UTF8String UTF8String Unsigned32 Grouped	[34]
3816 Requesting-EPUID 3817 Targeted-EPUID 3818 Time-Window 3819 WiFi-P2P-Assistance-Info 3820 WLAN-Assistance-Info	UTF8String UTF8String Unsigned32 Grouped Grouped	[34]
3816 Requesting-EPUID 3817 Targeted-EPUID 3818 Time-Window 3819 WiFi-P2P-Assistance-Info 3820 WLAN-Assistance-Info 3821 WLAN-Link-Layer-Id	UTF8String UTF8String Unsigned32 Grouped Grouped OctetString	[34]
3816 Requesting-EPUID 3817 Targeted-EPUID 3818 Time-Window 3819 WiFi-P2P-Assistance-Info 3820 WLAN-Assistance-Info 3821 WLAN-Link-Layer-Id 3822 WLAN-Link-Layer-Id-List	UTF8String UTF8String Unsigned32 Grouped Grouped OctetString Grouped	[34]
3816 Requesting-EPUID 3817 Targeted-EPUID 3818 Time-Window 3819 WiFi-P2P-Assistance-Info 3820 WLAN-Assistance-Info 3821 WLAN-Link-Layer-Id 3822 WLAN-Link-Layer-Id-List 3823 Location-Update-Trigger	UTF8String UTF8String Unsigned32 Grouped Grouped OctetString Grouped Grouped	[34]
3816 Requesting-EPUID 3817 Targeted-EPUID 3818 Time-Window 3819 WiFi-P2P-Assistance-Info 3820 WLAN-Assistance-Info 3821 WLAN-Link-Layer-Id 3822 WLAN-Link-Layer-Id-List 3823 Location-Update-Trigger 3824 Location-Update-Event-Type	UTF8String UTF8String Unsigned32 Grouped Grouped OctetString Grouped Grouped Unsigned32	[34]
3816 Requesting-EPUID 3817 Targeted-EPUID 3818 Time-Window 3819 WiFi-P2P-Assistance-Info 3820 WLAN-Assistance-Info 3821 WLAN-Link-Layer-Id 3822 WLAN-Link-Layer-Id-List 3823 Location-Update-Trigger 3824 Location-Update-Event-Type 3825 Change-Of-Area-Type	UTF8String UTF8String Unsigned32 Grouped Grouped OctetString Grouped Grouped Grouped Grouped Grouped Grouped Unsigned32 Grouped	[34]
3816 Requesting-EPUID 3817 Targeted-EPUID 3818 Time-Window 3819 WiFi-P2P-Assistance-Info 3820 WLAN-Assistance-Info 3821 WLAN-Link-Layer-Id 3822 WLAN-Link-Layer-Id-List 3823 Location-Update-Trigger 3824 Location-Update-Event-Type 3825 Change-Of-Area-Type 3826 Location-Update-Event-Trigger	UTF8String UTF8String Unsigned32 Grouped Grouped OctetString Grouped Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned32	[34]
3816 Requesting-EPUID 3817 Targeted-EPUID 3818 Time-Window 3819 WiFi-P2P-Assistance-Info 3820 WLAN-Assistance-Info 3821 WLAN-Link-Layer-Id 3822 WLAN-Link-Layer-Id-List 3823 Location-Update-Trigger 3824 Location-Update-Event-Type 3825 Change-Of-Area-Type 3826 Location-Update-Event-Trigger 3827 Report-Cardinality	UTF8String UTF8String Unsigned32 Grouped Grouped OctetString Grouped Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned32 Enumerated	[34]
3816 Requesting-EPUID 3817 Targeted-EPUID 3818 Time-Window 3819 WiFi-P2P-Assistance-Info 3820 WLAN-Assistance-Info 3821 WLAN-Link-Layer-Id 3822 WLAN-Link-Layer-Id-List 3823 Location-Update-Trigger 3824 Location-Update-Event-Type 3825 Change-Of-Area-Type 3826 Location-Update-Event-Trigger 3827 Report-Cardinality 3828 Minimum-Interval-Time	UTF8String UTF8String Unsigned32 Grouped Grouped OctetString Grouped Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned32 Enumerated Unsigned32	[34]
3816 Requesting-EPUID 3817 Targeted-EPUID 3818 Time-Window 3819 WiFi-P2P-Assistance-Info 3820 WLAN-Assistance-Info 3821 WLAN-Link-Layer-Id 3822 WLAN-Link-Layer-Id-List 3823 Location-Update-Trigger 3824 Location-Update-Event-Type 3825 Change-Of-Area-Type 3826 Location-Update-Event-Trigger 3827 Report-Cardinality	UTF8String UTF8String Unsigned32 Grouped Grouped OctetString Grouped Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned32 Enumerated	[34]

_			
	Total-Number-Of-Reports	Unsigned32	
	Validity-Time-Announce	Unsigned32	
	Validity-Time-Monitor	Unsigned32	
	Validity-Time-Communication	Unsigned32	
	ProSe-App-Code-Info	Grouped	
3836		OctetString	
	UTC-based-Counter	Unsigned32	
	ProSe-Match-Refresh-Timer	Unsigned32	
	ProSe-Metadata-Index-Mask	OctetString	
	App-Identifier	Grouped	
	OS-ID	OctetString	
3842	OS-App-ID	UTF8String	
3843	Requesting-RPAUID	UTF8String	
3844	Target-RPAUID	UTF8String	
	Target-PDUID	OctetString	
3846	ProSe-Restricted-Code	OctetString	
3847	ProSe-Restricted-Code-Suffix-Range	OctetString	
3848	Beginning-Suffix	OctetString	
	Ending-Suffix	OctetString	
	Discovery-Entry-ID	Unsigned32	
	Match-Timestamp	Time	
	PMR-Flags	Unsigned32	
	ProSe-Application-Metadata	UTF8String	
	Discovery-Auth-Request	Grouped	
	Discovery-Auth-Response	Grouped	
	Match-Request	Grouped	
	Match-Report-Info	Grouped	
	Banned-RPAUID	UTF8String	
	Banned-PDUID	OctetString	
	Code-Receiving-Security-Material	Grouped	
	Code-Sending-Security-Material	Grouped	
	DUSK	OctetString	
	DUIK	OctetString	
	DUCK	OctetString	
	MIC-Check-indicator	Unsigned32	
3866	Encrypted-Bitmask	OctetString	
	ProSe-App-Code-Suffix-Range	OctetString	
	PC5-tech	OctetString	
	The AVP codes from 3869 to 3899 are reserved for TS 29.345.		
	Reserved	0 1	
	Enhanced-Diagnostics	Grouped	
	Inter-UE-Transfer	Enumerated	
	TWAG-Address	Address	
	Announcement-Information	Grouped	
	Announcement-Identifier	Unsigned32	
	Announcement-Order	Unsigned32	
	Variable-Part	Grouped	
	Variable-Part-Order	Unsigned32	
	Variable-Part-Type	Unsigned32	
	Variable-Part-Value	UTF8String	
	Time-Indicator	Unsigned32	
3912	Quota-Indicator Quota-Indicator	Enumerated	32.299
	Play-Alternative	Enumerated	[5]
	Language	UTF8String	
	Privacy-Indicator	Enumerated	
	Called-Identity	UTF8String	
	Called-Identity-Change	Grouped	
	UWAN-User-Location-Info	Grouped	
	Monitoring-Event-Configuration-Activity	Integer32	
	Monitoring-Event-Report-Data	Grouped	
	Monitoring-Event-Information	Grouped	
	Monitoring-Event-Functionality	Integer32	
	Monitoring-Event-Report-Number	Unsigned32	
	Cellular-Network-Information	OctetString	
	Related-Change-Condition-Information	Grouped	
J9Z3	related-Change-Condition-Illionnation	Gioupeu	

3926 Related-Trigger		<u> </u>
3927 CPDT-Information	Grouped	
3928 NIDD-Submission	Grouped Grouped	
3929 Serving-Node-Identity	DiameterIdentity	
3930 CP-CloT-EPS-Optimisation-Indicator	Enumerated	
3931 SGi-PtP-Tunnelling-Method	Enumerated	
3932 UNI-PDU-CP-Only-Flag	Enumerated	
3933 APN-Rate-Control	Grouped	
3934 APN-Rate-Control-Downlink	Grouped	
3935 APN-Rate-Control-Uplink	Grouped	
3936 Additional-Exception-Reports	Enumerated	
3937 Rate-Control-Max-Message-Size	Unsigned32	
3938 Rate-Control-Max-Rate	Unsigned32	
3939 Rate-Control-Time-Unit	Unsigned32	
3940 SCS-AS-Address	Grouped	
3941 SCS-Address	Address	
3942 SCS-Realm	DiameterIdentity	
Note: The AVP codes from 3943 to 3999 are reserved for TS 32.299.	Biameteriaerinty	I
4000 Aggregated-Congestion-Info	Grouped	
4001 Aggregated-RUCI-Report	Grouped	
4002 Congestion-Level-Definition	Grouped	
4003 Congestion-Level-Range	Unsigned32	
4004 Congestion-Level-Set-Id	Unsigned32	
4005 Congestion-Level-Value	Unsigned32	
4006 Congestion-Location-Id	Grouped	29.217
4007 Conditional-Restriction	Unsigned32	[35]
4008 eNodeB-Id	OctetString	
4009 IMSI-List	OctetString	
4010 RCAF-Id	DiameterIdentity	
4011 Reporting-Restriction	Unsigned32	
4012 RUCI-Action	Unsigned32	
4013 Extended-eNodeB-ID	OctetString	
Note: The AVP codes from 4014 to 4099 are reserved for TS 29.217.		
4101 Network-Congestion-Area-Report	Grouped	29.153
4102 Ns-Request-Type	Unsigned32	[37]
Note: The AVP codes from 4103 to 4199 are reserved for TS 29.153.		
4201 Network-Area-Info-List	OctetString	
4202 Reference-Id	OctetString	
4203 Transfer-Request-Type	Unsigned32	
4204 Time-Window	Grouped	
4205 Transfer-End-Time	Time	
14206 Transfer Stort Time	Time	
4206 Transfer-Start-Time		
4207 Transfer-Policy	Grouped	
4207 Transfer-Policy 4208 Transfer-Policy-Id	Unsigned32	29.154
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs	Unsigned32 Unsigned32	29.154 [38]
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports	Unsigned32 Unsigned32 Grouped	
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration	Unsigned32 Unsigned32 Grouped Grouped	
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration 4212 Event-Configuration-State	Unsigned32 Unsigned32 Grouped Grouped Unsigned32	
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration 4212 Event-Configuration-State 4213 Event-Configuration-Status	Unsigned32 Unsigned32 Grouped Grouped Unsigned32 Grouped	
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration 4212 Event-Configuration-State 4213 Event-Configuration-Status 4214 Event-Reporting-Results	Unsigned32 Unsigned32 Grouped Grouped Unsigned32 Grouped Unsigned32 Unsigned32	
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration 4212 Event-Configuration-State 4213 Event-Configuration-Status 4214 Event-Reporting-Results 4215 Event-Reports	Unsigned32 Unsigned32 Grouped Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned32 Grouped	
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration 4212 Event-Configuration-State 4213 Event-Configuration-Status 4214 Event-Reporting-Results 4215 Event-Reports 4216 Extended-SCEF-Reference-ID	Unsigned32 Unsigned32 Grouped Grouped Unsigned32 Grouped Unsigned32 Unsigned32	
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration 4212 Event-Configuration-State 4213 Event-Configuration-Status 4214 Event-Reporting-Results 4215 Event-Reports 4216 Extended-SCEF-Reference-ID Note: The AVP codes from 4217 to 4299 are reserved for TS 29.154.	Unsigned32 Unsigned32 Grouped Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned64	
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration 4212 Event-Configuration-State 4213 Event-Configuration-Status 4214 Event-Reporting-Results 4215 Event-Reports 4216 Extended-SCEF-Reference-ID Note: The AVP codes from 4217 to 4299 are reserved for TS 29.154. 4300 Communication-Failure-Information	Unsigned32 Unsigned32 Grouped Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned64 Grouped	
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration 4212 Event-Configuration-State 4213 Event-Configuration-Status 4214 Event-Reporting-Results 4215 Event-Reports 4216 Extended-SCEF-Reference-ID Note: The AVP codes from 4217 to 4299 are reserved for TS 29.154. 4300 Communication-Failure-Information 4301 Cause-Type	Unsigned32 Unsigned32 Grouped Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned64 Grouped Unsigned64 Grouped Unsigned64	
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration 4212 Event-Configuration-State 4213 Event-Configuration-Status 4214 Event-Reporting-Results 4215 Event-Reports 4216 Extended-SCEF-Reference-ID Note: The AVP codes from 4217 to 4299 are reserved for TS 29.154. 4300 Communication-Failure-Information 4301 Cause-Type 4302 S1AP-Cause	Unsigned32 Unsigned32 Grouped Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned64 Grouped Unsigned64 Unsigned32 Unsigned32 Unsigned32 Unsigned32	
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration 4212 Event-Configuration-State 4213 Event-Configuration-Status 4214 Event-Reporting-Results 4215 Event-Reports 4216 Extended-SCEF-Reference-ID Note: The AVP codes from 4217 to 4299 are reserved for TS 29.154. 4300 Communication-Failure-Information 4301 Cause-Type 4302 S1AP-Cause 4303 RANAP-Cause	Unsigned32 Unsigned32 Grouped Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned64 Grouped Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32	
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration 4212 Event-Configuration-State 4213 Event-Configuration-Status 4214 Event-Reporting-Results 4215 Event-Reports 4216 Extended-SCEF-Reference-ID Note: The AVP codes from 4217 to 4299 are reserved for TS 29.154. 4300 Communication-Failure-Information 4301 Cause-Type 4302 S1AP-Cause 4303 RANAP-Cause 4304 GMM-Cause	Unsigned32 Unsigned32 Grouped Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned64 Grouped Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32	[38]
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration 4212 Event-Configuration-State 4213 Event-Configuration-Status 4214 Event-Reporting-Results 4215 Event-Reports 4216 Extended-SCEF-Reference-ID Note: The AVP codes from 4217 to 4299 are reserved for TS 29.154. 4300 Communication-Failure-Information 4301 Cause-Type 4302 S1AP-Cause 4303 RANAP-Cause 4304 GMM-Cause 4305 SM-Cause	Unsigned32 Unsigned32 Grouped Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned64 Grouped Unsigned32	29.128
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration 4212 Event-Configuration-State 4213 Event-Configuration-Status 4214 Event-Reporting-Results 4215 Event-Reports 4216 Extended-SCEF-Reference-ID Note: The AVP codes from 4217 to 4299 are reserved for TS 29.154. 4300 Communication-Failure-Information 4301 Cause-Type 4302 S1AP-Cause 4303 RANAP-Cause 4304 GMM-Cause 4305 SM-Cause 4306 Number-of-UE-Per-Location-Configuration	Unsigned32 Unsigned32 Grouped Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned64 Grouped Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32 Grouped Unsigned32 Grouped	[38]
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration 4212 Event-Configuration-State 4213 Event-Configuration-Status 4214 Event-Reporting-Results 4215 Event-Reports 4216 Extended-SCEF-Reference-ID Note: The AVP codes from 4217 to 4299 are reserved for TS 29.154. 4300 Communication-Failure-Information 4301 Cause-Type 4302 S1AP-Cause 4303 RANAP-Cause 4304 GMM-Cause 4305 SM-Cause 4306 Number-of-UE-Per-Location-Configuration 4307 Number-of-UE-Per-Location-Report	Unsigned32 Unsigned32 Grouped Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned64 Grouped Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32 Unsigned32 Grouped Grouped Grouped	29.128
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration 4212 Event-Configuration-State 4213 Event-Configuration-Status 4214 Event-Reporting-Results 4215 Event-Reports 4216 Extended-SCEF-Reference-ID Note: The AVP codes from 4217 to 4299 are reserved for TS 29.154. 4300 Communication-Failure-Information 4301 Cause-Type 4302 S1AP-Cause 4303 RANAP-Cause 4304 GMM-Cause 4305 SM-Cause 4306 Number-of-UE-Per-Location-Configuration 4307 Number-of-UE-Per-Location-Report 4308 UE-Count	Unsigned32 Unsigned32 Grouped Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned64 Grouped Unsigned32	29.128
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration 4212 Event-Configuration-State 4213 Event-Configuration-Status 4214 Event-Reporting-Results 4215 Event-Reports 4216 Extended-SCEF-Reference-ID Note: The AVP codes from 4217 to 4299 are reserved for TS 29.154. 4300 Communication-Failure-Information 4301 Cause-Type 4302 S1AP-Cause 4303 RANAP-Cause 4304 GMM-Cause 4305 SM-Cause 4306 Number-of-UE-Per-Location-Configuration 4307 Number-of-UE-Per-Location-Report 4308 UE-Count 4309 BSSGP-Cause	Unsigned32 Unsigned32 Grouped Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned64 Grouped Unsigned32	29.128
4207 Transfer-Policy 4208 Transfer-Policy-Id 4209 Number-Of-UEs 4210 Access-Network-Reports 4211 Event-Configuration 4212 Event-Configuration-State 4213 Event-Configuration-Status 4214 Event-Reporting-Results 4215 Event-Reports 4216 Extended-SCEF-Reference-ID Note: The AVP codes from 4217 to 4299 are reserved for TS 29.154. 4300 Communication-Failure-Information 4301 Cause-Type 4302 S1AP-Cause 4303 RANAP-Cause 4304 GMM-Cause 4305 SM-Cause 4306 Number-of-UE-Per-Location-Configuration 4307 Number-of-UE-Per-Location-Report 4308 UE-Count	Unsigned32 Unsigned32 Grouped Grouped Unsigned32 Grouped Unsigned32 Grouped Unsigned64 Grouped Unsigned32	29.128

4312 Downlink-Rate-Limit	Unsigned32	
4313 Extended-PCO	OctetString	
4314 Connection-Action	Unsigned32	
4315 Non-IP-Data	OctetString	
4316 SCEF-Wait-Time	Time	
4317 CMR-Flags	Unsigned32	
4318 RRC-Cause-Counter	Grouped	
4319 Counter-Value	Unsigned32	
4320 RRC-Counter-Timestamp	Time	
4321 TDA-Flags	Unsigned32	
4322 Idle-Status-Indication	Grouped	
4323 Idle-Status-Timestamp	Time	
4324 Active-Time	Unsigned32	
Note: The AVP codes from 4325 to 4399 are reserved for TS 29.128.		
4400 Charging-Per-IP-CAN-Session-Indicator	Enumerated	
4401 Access-Network-Info-Change	Enumerated	
4402 Discoveree-UE-HPLMN-Identifier	UTF8String	
4403 Discoveree-UE-VPLMN-Identifier	UTF8String	
4404 Discoverer-UE-HPLMN-Identifier	UTF8String	
4405 Discoverer-UE-VPLMN-Identifier	UTF8String	
4406 3GPP-PS-Data-Off-Status	Enumerated	32.299
4407 Unused-Quota-Timer	Unsigned32	[5]
4408 Announcing-PLMN-ID	UTF8String	
4409 ProSe-UE-to-Network-Relay-UE-ID	OctetString	
4410 ProSe-Target-Layer-2-ID	OctetString	
4411 Relay-IP-address	Address	
4412 Target-IP-Address	Address	
4413 FE-Identifier-List	UTF8String	
Note: The AVP codes from 4414 to 4499 are reserved for TS 32.299		
4500 MCPTT-ID	UTF8String	
4501 Data-Identification	Grouped	
4502 Data-Identification-Prefix	Unsigned32	
4503 Data-Identification-Flags	Unsigned64	
4504 DPR-Flags	Unsigned32	
4505 DPA-Flags	Unsigned32	
4506 DUR-Flags	Unsigned32	29.283
4507 DUA-Flags	Unsigned32	[39]
4508 NDR-Flags	Unsigned32	
4509 NDA-Flags	Unsigned32	
4510 User-Data-Id	Unsigned32	
4511 MC-Service-User-Profile-Data	Grouped	
4512 Sequence-Number	Unsigned32	
4513 MCVideo-ID	UTF8String	
4514 MC-Data-ID	UTF8String	
Note: The AVP codes from 4515 to 4599 are reserved for TS 29.283.		1
4600 V2X-PC5-Allowed-PLMN	Grouped	29.388
4601 V2X-Update-Flags	Unsigned32	[40]
4602 V2X-Notify-Flags	Unsigned32	3
Note: The AVP codes from 4603 to 4799 are reserved for TS 29.388.		
4700 V2X-Authorization-Data	Grouped	29.389
4701 V2X-Permission-in-VPLMN	Unsigned32	[41]
		1
4702 V2X-Application-Server	Grouped	
		20.504
4702 V2X-Application-Server		29.561 [42]

8 Experimental result codes

The Diameter answer messages must carry either Result-Code AVP or Experimental-Result AVP. The values of Result-Code AVP are controlled by IANA. The Experimental-Result AVP is a grouped AVP containing the Vendor-Id AVP and Experimental-Result-Code AVP, thus the experimental result codes are controlled in a vendor-specific manner.

8.1 3GPP specific result codes

The 3GPP specific result codes are always transferred in the Experimental-Result AVP, which has the Vendor-Id with value of 3GPP's vendor identifier. The 3GPP specific result codes shall follow the same classification as defined for the values of Result-Code AVP in IETF RFC 3588 [9]. That means, the result codes are grouped to following ranges:

- 1xxx (Informational)
- 2xxx (Success)
- 4xxx (Transient Failures)
- 5xxx (Permanent Failures)

8.1.1 Informational

The Informational result codes shall use the values from 1001 to 1999 in the Experimental-Result-Code AVP.

Editor's note: No informational result codes have been yet defined in 3GPP.

8.1.2 Success

The Success result codes shall use the values from 2001 to 2999 in the Experimental-Result-Code AVP. The reserved 3GPP specific Success result codes are presented in the following table.

Table 8.1.2: 3GPP specific Success result codes

Experimental Result Code	Result text	Specified in the TS
2001	DIAMETER_FIRST_REGISTRATION	
2002	DIAMETER_SUBSEQUENT_REGISTRATION	
2003	DIAMETER_UNREGISTERED_SERVICE	29.229 [2]
2004	DIAMETER_SUCCESS_SERVER_NAME_NOT_STORED]
2005	Deprecated value	
Note: The Experime	ental Result Codes from 2006 to 2020 are reserved for the TS 29.229.	
2021	DIAMETER_PDP_CONTEXT_DELETION_INDICATION	29.061 [13]
Note: The Experime	ental Result Codes from 2022 to 2040 are reserved for the TS 29.061	
		29.109 [7]
Note: The Experime	ental Result Codes from 2401 to 2420 are reserved for the TS 29.109.	
		29.561 [42]
Note: The Experime	ental Result Codes from 2421 to 2440 are reserved for the TS 29.561.	

8.1.3 Transient Failures

The Transient Failure result codes shall use the values from 4001 to 4999 in the Experimental-Result-Code AVP. The reserved 3GPP specific Transient Failure result codes are presented in the following table.

Table 8.1.3: 3GPP specific Transient Failure result codes

Experimental Result Code	Result text	Specified in the TS
4100	DIAMETER_USER_DATA_NOT_AVAILABLE	29.329 [4]
4101	DIAMETER_PRIOR_UPDATE_IN_PROGRESS	
Note: The Experime	ntal Result Codes from 4102 to 4120 are reserved for the TS 29.329.	
	DIAMETER_ERROR_OUT_OF_RESOURCES	29.061 [13]
Note: The Experime	ntal Result Codes from 4122 to 4140 are reserved for the TS 29.061.	
4141	DIAMETER_PCC_BEARER_EVENT	
4142	DIAMETER_BEARER_EVENT	29.212 [19]
4143	DIAMETER_AN_GW_FAILED	29.212[19]
4144	DIAMETER_PENDING_TRANSACTION	
Note: The Experime	ntal Result Codes from 4145 to 4160 are reserved for the TS 29.212	
		32.299 [5]
Note: The Experime	ntal Result Codes from 4161 to 4180 are reserved for the TS 32.299.	
4181	DIAMETER_AUTHENTICATION_DATA_UNAVAILABLE	20 272 [24]
4182	DIAMETER_ERROR_CAMEL_SUBSCRIPTION_PRESENT	29.272 [21]
Note: The Experime	ntal Result Codes from 4182 to 4200 are reserved for the TS 29.272.	
4201	DIAMETER_ERROR_ABSENT_USER	29.173 [25]
Note: The Experime	ntal Result Codes from 4202 to 4220 are reserved for the TS 29.173.	
4221	DIAMETER_ERROR_UNREACHABLE_USER	
4222	DIAMETER_ERROR_SUSPENDED_USER	
4223	DIAMETER_ERROR_DETACHED_USER	29.172 [24]
4224	DIAMETER_ERROR_POSITIONING_DENIED	29.172 [24]
4225	DIAMETER_ERROR_POSITIONING_FAILED	
4226	DIAMETER_ERROR_UNKNOWN_UNREACHABLE LCS_CLIENT	
Note: The Experime	ntal Result Codes from 4227 to 4240 are reserved for the TS 29.172.	
4241	DIAMETER_ERROR_NO_AVAILABLE_POLICY_COUNTERS	29.219 [26]
	ntal Result Codes from 4242 to 4260 are reserved for the TS 29.219.	
4261	REQUESTED_SERVICE_TEMPORARILY_NOT_AUTHORIZED	29.214 [18]
	ntal Result Codes from 4262 to 4280 are reserved for the TS 29.214.	

8.1.4 Permanent Failures

The Permanent Failure result codes shall use the values from 5001 to 5999 in the Experimental-Result-Code AVP. The reserved 3GPP specific Permanent Failure result codes are presented in the following table.

Table 8.1.4: 3GPP specific Permanent Failure result codes

Experimental Result Code	Result text	Specified in the TS
5001	DIAMETER_ERROR_USER_UNKNOWN	-
5002	DIAMETER_ERROR_IDENTITIES_DONT_MATCH	
5003	DIAMETER_ERROR_IDENTITY_NOT_REGISTERED	
5004	DIAMETER_ERROR_ROAMING_NOT_ALLOWED	
5005	DIAMETER_ERROR_IDENTITY_ALREADY_REGISTERED	
5006	DIAMETER_ERROR_AUTH_SCHEME_NOT_SUPPORTED	
5007	DIAMETER_ERROR_IN_ASSIGNMENT_TYPE	29.229 [2]
5008	DIAMETER ERROR TOO MUCH DATA	
5009	DIAMETER ERROR NOT SUPPORTED USER DATA	
5010	unassigned	
5011	DIAMETER_ERROR_FEATURE_UNSUPPORTED	
5012	DIAMETER_ERROR_SERVING_NODE_FEATURE_UNSUPP ORTED	
Note: The Expe	rimental Result Codes from 5013 to 5020 are reserved for the TS	S 29.229. 32.299 [5]
Note: The Expe	rimental Result Codes from 5021 to 5040 are reserved for the T	
5041	DIAMETER ERROR USER NO WLAN SUBSCRIPTION	5 02.200.
5042	DIAMETER ERROR W-APN UNUSED BY USER	
5043	DIAMETER ERROR NO ACCESS INDEPENDENT SUBSC	
	RIPTION	29.234 [6]
5044	DIAMETER_ERROR_USER_NO_W-APN_SUBSCRIPTION	
5045	DIAMETER_ERROR_UNSUITABLE_NETWORK	2 22 22 4
	rimental Result Codes from 5046 to 5060 are reserved for the TS	5 29.234.
5061	INVALID_SERVICE_INFORMATION	
5062	FILTER_RESTRICTIONS	
5063	REQUESTED_SERVICE_NOT_AUTHORIZED	29.209 [8],
5064	DUPLICATED_AF_SESSION	29.211 [17] ,
5065	IP-CAN_SESSION_NOT_AVAILABLE	29.214 [18]
5066	UNAUTHORIZED_NON_EMERGENCY_SESSION	_0[.0]
5067	UNAUTHORIZED_SPONSORED_DATA_CONNECTIVITY	
5068	TEMPORARY_NETWORK_FAILURE	000 TO 00 014
	rimental Result Codes from 5069 to 5080 are reserved for TS 29 TS 29.214.	9.209, 15 29.211
5100	DIAMETER_ERROR_USER_DATA_NOT_RECOGNIZED	
5101	DIAMETER_ERROR_OPERATION_NOT_ALLOWED	
5102	DIAMETER_ERROR_USER_DATA_CANNOT_BE_READ	
5103	DIAMETER_ERROR_USER_DATA_CANNOT_BE_MODIFIED	
5104	DIAMETER_ERROR_USER_DATA_CANNOT_BE_NOTIFIED	11 000 00
5105	DIAMETER_ERROR_TRANSPARENT_DATA	29.329 [4]
	OUT_OF_SYNC	
5106	DIAMETER_ERROR_SUBS_DATA_ABSENT	
5107	DIAMETER_ERROR_NO_SUBSCRIPTION_TO_DATA	
5108	DIAMETER_ERROR_DSAI_NOT_AVAILABLE	
Note: The Expe	rimental Result Codes from 5109 to 5119 are reserved for the T	S 29.329.
5120	DIAMETER_ERROR_START_INDICATION	
5121	DIAMETER_ERROR_STOP_INDICATION	
5122	DIAMETER_ERROR_UNKNOWN_MBMS_BEARER_SERVIC E	29.061 [13]
5123	DIAMETER_ERROR_SERVICE_AREA	
Note: The Expe	rimental Result Codes from 5124 to 5139 are reserved for the T	S 29.061.
5140	DIAMETER_ERROR_INITIAL_PARAMETERS	
5141	DIAMETER_ERROR_TRIGGER_EVENT	
5142	DIAMETER_PCC_RULE_EVENT	
5143	DIAMETER_ERROR_BEARER_NOT_AUTHORIZED	
5144	DIAMETER_ERROR_TRAFFIC_MAPPING_INFO_REJECTE D	29.212 [19]
5145	DIAMETER_QOS_RULE_EVENT	20.2.2 [10]
5146	reserved	
5147	DIAMETER_ERROR_CONFLICTING_REQUEST	
5148	DIAMETER_ADC_RULE_EVENT	
5149	DIAMETER_ERROR_NBIFOM_NOT_AUTHORIZED	
	rimental Result Codes from 5150 to 5159 are reserved for the T	S 20 212
5401	DIAMETER_ERROR_IMPI_UNKNOWN	J
		29.109 [7
5402	DIAMETER_ERROR_NOT_AUTHORIZED	

5403	DIAMETER_ERROR_TRANSACTION_IDENTIFIER_INVALID	
	erimental Result Codes from 5404 to 5419 are reserved for the TS	S 29.109.
5420	DIAMETER_ERROR_UNKNOWN_EPS_SUBSCRIPTION	
5421	DIAMETER_ERROR_RAT_NOT_ALLOWED	29.272 [21]
5422	DIAMETER_ERROR_EQUIPMENT_UNKNOWN	
5423	DIAMETER_ERROR_UNKNOWN_SERVING_NODE	
	erimental Result Codes from 5424 to 5449 are reserved for the TS	S 29.272.
5450	DIAMETER_ERROR_USER_NO_NON_3GPP_SUBSCRIPTI	
5.15.1	ON STATE SPREAD LIGHT NO. ARM SUPERING	
5451	DIAMETER_ERROR_USER_NO_APN_SUBSCRIPTION	29.273 [20]
5452	DIAMETER_ERROR_RAT_TYPE_NOT_ALLOWED	
5453	DIAMETER_ERROR_LATE_OVERLAPPING_REQUEST	
5454	DIAMETER_ERROR_TIMED_OUT_REQUEST	2 22 272
	erimental Result Codes from 5455 to 5469 are reserved for the TS	5 29.273.
5470	DIAMETER_ERROR_SUBSESSION	00 045 [00]
5471	DIAMETER_ERROR_ONGOING_SESSION_ESTABLISHME	29.215 [22]
Note: The Eve	NT	2 20 245
	erimental Result Codes from 5472 to 5489 are reserved for the TS	5 29.215.
5490	DIAMETER_ERROR_UNAUTHORIZED_REQUESTING_NET	29.173 [25]
Note: The Fyr	WORK erimental Result Codes from 5491 to 5509 are reserved for the Ts	
	DIAMETER ERROR UNAUTHORIZED REQUESTING ENTI	J 29.113.
5510	DIAMETER_ERROR_UNAUTHORIZED_REQUESTING_ENTI TY	
5E11	DIAMETER ERROR UNAUTHORIZED SERVICE	
5511 5512	DIAMETER_ERROR_UNAUTHORIZED_SERVICE DIAMETER_ERROR_REQUESTED_RANGE_IS_NOT	
5512	ALLOWED	
5513	DIAMETER ERROR CONFIGURATION EVENT STORAGE	29.336 [28]
5515	_NOT_SUCCESSFUL	
5514	DIAMETER ERROR CONFIGURATION EVENT NON EXIS	
3314	TANT	
5515	DIAMETER ERROR SCEF REFERENCE ID UNKNOWN	
	erimental Result Codes from 5516 to 5529 are reserved for the TS	S 20 336
5530	DIAMETER_ERROR_INVALID_SME_ADDRESS	3 29.330.
5531	DIAMETER_ERROR_SC_CONGESTION	
5532	DIAMETER_ERROR_SM_PROTOCOL	
5533	DIAMETER_ERROR_TRIGGER_REPLACE_FAILURE	29.337 [29]
5534	DIAMETER ERROR TRIGGER RECALL FAILURE	
5535	DIAMETER_ERROR_ORIGINAL_MESSAGE_NOT_PENDING	
	erimental Result Codes from 5536 to 5549 are reserved for the TS	
5550	DIAMETER_ERROR_ABSENT_USER	20.007.
5551	DIAMETER ERROR USER BUSY FOR MT SMS	
5552	DIAMETER_ERROR_FACILITY_NOT_SUPPORTED	
5553	DIAMETER_ERROR_ILLEGAL_USER	
5554	DIAMETER ERROR ILLEGAL EQUIPMENT	29.338 [30]
5555	DIAMETER_ERROR_SM_DELIVERY_FAILURE	_0.000 [00]
5556	DIAMETER_ERROR_SERVICE_NOT_SUBSCRIBED	
5557	DIAMETER_ERROR_SERVICE_BARRED	
5558	DIAMETER_ERROR_MWD_LIST_FULL	
	erimental Result Codes from 5559 to 5569 are reserved for the T	S 29.338.
5570	DIAMETER_ERROR_UNKNOWN_POLICY_COUNTERS	29.219 [26]
	Experimental Result Codes from 5571 to 5589 are reserved for t	
5590	DIAMETER_ERROR_ORIGIN_ALUID_UNKNOWN	
5591	DIAMETER_ERROR_TARGET_ALUID_UNKNOWN	
5592	DIAMETER_ERROR_PFID_UNKNOWN	
5593	DIAMETER_ERROR_APP_REGISTER_REJECT	
5594	DIAMETER_ERROR_PROSE_MAP_REQUEST_DISALLOWE	
	D	
5595	DIAMETER_ERROR_MAP_REQUEST_REJECT	
5596	DIAMETER_ERROR_REQUESTING_RPAUID_UNKNOWN	29.343 [32]
5597	DIAMETER_ERROR_UNKNOWN_OR_INVALID_TARGET_S	' '
	ET	
5598	DIAMETER_ERROR_MISSING_APPLICATION_DATA	
5599	DIAMETER_ERROR_AUTHORIZATION_REJECT	
5600	DIAMETER_ERROR_DISCOVERY_NOT_PERMITTED	
5601	DIAMETER_ERROR_TARGET_RPAUID_UNKNOWN	
5602	DIAMETER_ERROR_INVALID_APPLICATION_DATA	

Note: The Experimental Result Codes from 5603 to 5609 are reserved for the TS 29.343. 5610 DIAMETER_ERROR_UNKNOWN_PROSE_SUBSCRIPTION 5611 DIAMETER_ERROR_PROSE_NOT_ALLOWED 5612 DIAMETER_ERROR_PROSE_NOT_ALLOWED 5612 DIAMETER_ERROR_UE_LOCATION_UNKNOWN Note: The Experimental Result Codes from 5613 to 5629 are reserved for the TS 29.344. 5630 DIAMETER_ERROR_NO_ASSOCIATED_DISCOVERY_FILT ER 5631 DIAMETER_ERROR_ANNOUNCING_UNAUTHORIZED_IN_PLMN 5632 DIAMETER_ERROR_INVALID_APPLICATION_CODE 5633 DIAMETER_ERROR_PROXIMITY_UNAUTHORIZED 5634 DIAMETER_ERROR_PROXIMITY_UNAUTHORIZED 5635 DIAMETER_ERROR_NO_PROXIMITY_REJECTED 5636 DIAMETER_ERROR_NO_PROXIMITY_REQUEST 5636 DIAMETER_ERROR_UNAUTHORIZED_SERVICE_IN_THIS_PLMN 5637 DIAMETER_ERROR_PROXIMITY_CANCELLED 5638 DIAMETER_ERROR_INVALID_TARGET_PDUID 5639 DIAMETER_ERROR_INVALID_TARGET_RPAUID 5640 DIAMETER_ERROR_INVALID_TARGET_RPAUID 5640 DIAMETER_ERROR_INVALID_DISCOVERY_TYPE Note: The Experimental Result Codes from 5642 to 5649 are reserved for the TS 29.345. 5650 DIAMETER_ERROR_REQUESTED_LOCATION_NOT_SERV ED 5651 DIAMETER_ERROR_REQUESTED_LOCATION_NOT_SERV ED 5652 DIAMETER_ERROR_INVALID_EPS_BEARER 5653 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL ABLE 5653 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL ABLE 5650 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL ABLE 5651 DIAMETER_ERROR_REQUESTED_LOCATION_NOT_AVAIL ABLE 5652 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL ABLE 5653 DIAMETER_ERROR_REQUESTED_LOCATION_NOT_AVAIL ABLE 5654 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL ABLE 5655 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL ABLE 5667 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL ABLE 5670 DIAMETER_ERROR_LINKNKOWN_DATA 5671 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5652 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_V2X_NOT_ALLOWED Note: The Experimental Result Codes from 5692 to 5709 are reserved for the TS 29.388.			
DIAMETER_ERROR_PROSE_NOT_ALLOWED 29.344 [33] 5612 DIAMETER_ERROR_UE_LOCATION_UNKNOWN	Note: The Exp		§ 29.343.
Note: The Experimental Result Codes from 5613 to 5629 are reserved for the TS 29.344. 5630 DIAMETER_ERROR_NO_ASSOCIATED_DISCOVERY_FILT ER 5631 DIAMETER_ERROR_ANNOUNCING_UNAUTHORIZED_IN_PLMN 5632 DIAMETER_ERROR_INVALID_APPLICATION_CODE 5633 DIAMETER_ERROR_PROXIMITY_UNAUTHORIZED 5634 DIAMETER_ERROR_PROXIMITY_ERQUEST 5635 DIAMETER_ERROR_NO_PROXIMITY_REQUEST 5636 DIAMETER_ERROR_NO_PROXIMITY_CANCELLED 5637 DIAMETER_ERROR_PROXIMITY_CANCELLED 5638 DIAMETER_ERROR_INVALID_TARGET_PDUID 5639 DIAMETER_ERROR_INVALID_TARGET_RPAUID 5640 DIAMETER_ERROR_INVALID_TARGET_RPAUID 5641 DIAMETER_ERROR_INVALID_DISCOVERY_TYPE Note: The Experimental Result Codes from 5642 to 5649 are reserved for the TS 29.345. 5650 DIAMETER_ERROR_INVALID_DISCOVERY_TYPE Note: The Experimental Result Codes from 5642 to 5649 are reserved for the TS 29.128 [36] ABLE 5651 DIAMETER_ERROR_INVALID_DISCOVERY_TYPE Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128 [36] ABLE Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128 [36] DIAMETER_ERROR_UNKNKOWN_DATA 5670 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_VZX_SUBSCRIPTION 5691 DIAMETER_ERROR_VZX_NOT_ALLOWED		DIAMETER_ERROR_UNKNOWN_PROSE_SUBSCRIPTION	
Note: The Experimental Result Codes from 5613 to 5629 are reserved for the TS 29.344.		DIAMETER_ERROR_PROSE_NOT_ALLOWED	29.344 [33]
DIAMETER_ERROR_NO_ASSOCIATED_DISCOVERY_FILT	5612	DIAMETER_ERROR_UE_LOCATION_UNKNOWN	
ER 5631 DIAMETER_ERROR_ANNOUNCING_UNAUTHORIZED_IN_PLMN 5632 DIAMETER_ERROR_INVALID_APPLICATION_CODE 5633 DIAMETER_ERROR_PROXIMITY_UNAUTHORIZED 5634 DIAMETER_ERROR_PROXIMITY_REJECTED 5635 DIAMETER_ERROR_NO_PROXIMITY_REQUEST 5636 DIAMETER_ERROR_UNAUTHORIZED_SERVICE_IN_THIS_PLMN 5637 DIAMETER_ERROR_INVALID_TARGET_PDUID 5638 DIAMETER_ERROR_INVALID_TARGET_PDUID 5639 DIAMETER_ERROR_INVALID_TARGET_RPAUID 5640 DIAMETER_ERROR_INVALID_TARGET_RESTRICTED_CODE Note: The Experimental Result Codes from 5642 to 5649 are reserved for the TS 29.345. 5650 DIAMETER_ERROR_INVALID_EPS_BEARER 5651 DIAMETER_ERROR_INVALID_EPS_BEARER 5652 DIAMETER_ERROR_NO_DESTED_LOCATION_NOT_SERV_ED 5651 DIAMETER_ERROR_NOT_SERV_ED 5652 DIAMETER_ERROR_NOT_SERV_ED 5653 DIAMETER_ERROR_NOT_SERV_ED 5654 DIAMETER_ERROR_NOT_SERV_ED 5655 DIAMETER_ERROR_NOT_SERV_ED 5650 DIAMETER_ERROR_NOT_SERV_ED 5651 DIAMETER_ERROR_NOT_SERV_ED 5652 DIAMETER_ERROR_NOT_SERV_ED 5653 DIAMETER_ERROR_NOT_SERV_ED 5654 DIAMETER_ERROR_NOT_POVIDED NOTE: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED NOTE: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_V2X_NOT_ALLOWED 29.388 [40]	Note: The Exp	erimental Result Codes from 5613 to 5629 are reserved for the TS	S 29.344.
DIAMETER_ERROR_ANNOUNCING_UNAUTHORIZED_IN_PLMN 5632 DIAMETER_ERROR_INVALID_APPLICATION_CODE 5633 DIAMETER_ERROR_PROXIMITY_UNAUTHORIZED 5634 DIAMETER_ERROR_PROXIMITY_REJECTED 5635 DIAMETER_ERROR_NO_PROXIMITY_REQUEST 5636 DIAMETER_ERROR_UNAUTHORIZED_SERVICE_IN_THIS_PLMN 5637 DIAMETER_ERROR_PROXIMITY_CANCELLED 5638 DIAMETER_ERROR_INVALID_TARGET_PDUID 5639 DIAMETER_ERROR_INVALID_TARGET_RPAUID 5640 DIAMETER_ERROR_INVALID_DISCOVERY_TYPE Note: The Experimental Result Codes from 5642 to 5649 are reserved for the TS 29.345. 5651 DIAMETER_ERROR_INVALID_EPS_BEARER 5652 DIAMETER_ERROR_INVALID_EPS_BEARER 5653 DIAMETER_ERROR_INVALID_EPS_BEARER 5654 DIAMETER_ERROR_INVALID_EPS_BEARER 5655 DIAMETER_ERROR_INVALID_EPS_BEARER 5650 DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670 DIAMETER_ERROR_UNKNKOWN_DATA 5671 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 29.388 [40]	5630	DIAMETER_ERROR_NO_ASSOCIATED_DISCOVERY_FILT	
PLMN		=	
DIAMETER_ERROR_INVALID_APPLICATION_CODE	5631	DIAMETER_ERROR_ANNOUNCING_UNAUTHORIZED_IN_	
5633 DIAMETER_ERROR_PROXIMITY_UNAUTHORIZED 5634 DIAMETER_ERROR_PROXIMITY_REJECTED 5635 DIAMETER_ERROR_NO_PROXIMITY_REQUEST 5636 DIAMETER_ERROR_UNAUTHORIZED_SERVICE_IN_THIS_PLMN 5637 DIAMETER_ERROR_PROXIMITY_CANCELLED 5638 DIAMETER_ERROR_INVALID_TARGET_PDUID 5639 DIAMETER_ERROR_INVALID_TARGET_RPAUID 5640 DIAMETER_ERROR_INVALID_DISCOVERY_TYPE Note: The Experimental Result Codes from 5642 to 5649 are reserved for the TS 29.345. 5650 DIAMETER_ERROR_REQUESTED_LOCATION_NOT_SERV_ED 5651 DIAMETER_ERROR_INVALID_EPS_BEARER 5652 DIAMETER_ERROR_INVALID_EPS_BEARER 5653 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL_ABLE 5653 DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL_E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670 DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL_E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.283 [39] Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_V2X_NOT_ALLOWED 29.388 [40]		. =	
5634 DIAMETER_ERROR_PROXIMITY_REJECTED 5635 DIAMETER_ERROR_NO_PROXIMITY_REQUEST 5636 DIAMETER_ERROR_NO_PROXIMITY_REQUEST 5636 DIAMETER_ERROR_UNAUTHORIZED_SERVICE_IN_THIS_PLMN 5637 DIAMETER_ERROR_INVALID_TARGET_PDUID 5638 DIAMETER_ERROR_INVALID_TARGET_PDUID 5640 DIAMETER_ERROR_INVALID_TARGET_RESTRICTED_CODE 5641 DIAMETER_ERROR_INVALID_DISCOVERY_TYPE Note: The Experimental Result Codes from 5642 to 5649 are reserved for the TS 29.345. 5650 DIAMETER_ERROR_INVALID_EPS_BEARER 5651 DIAMETER_ERROR_INVALID_EPS_BEARER 5652 DIAMETER_ERROR_INVALID_EPS_BEARER 5653 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL_ABLE Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670 DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL_E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.283 [39] Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 29.388 [40]	5632	DIAMETER_ERROR_INVALID_APPLICATION_CODE	
5635 DIAMETER_ERROR_NO_PROXIMITY_REQUEST 5636 DIAMETER_ERROR_UNAUTHORIZED_SERVICE_IN_THIS_PLMN 5637 DIAMETER_ERROR_PROXIMITY_CANCELLED 5638 DIAMETER_ERROR_INVALID_TARGET_PDUID 5639 DIAMETER_ERROR_INVALID_TARGET_RPAUID 5640 DIAMETER_ERROR_NO_ASSOCIATED_RESTRICTED_CODE 5641 DIAMETER_ERROR_INVALID_DISCOVERY_TYPE Note: The Experimental Result Codes from 5642 to 5649 are reserved for the TS 29.345. 5650 DIAMETER_ERROR_INVALID_EPS_BEARER 5651 DIAMETER_ERROR_INVALID_EPS_BEARER 5652 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL ABLE 5653 DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670 DIAMETER_ERROR_UNKNKOWN_DATA 5671 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 29.388 [40]	5633	DIAMETER_ERROR_PROXIMITY_UNAUTHORIZED	
5636 DIAMETER_ERROR_UNAUTHORIZED_SERVICE_IN_THIS_PLMN 5637 DIAMETER_ERROR_PROXIMITY_CANCELLED 5638 DIAMETER_ERROR_INVALID_TARGET_PDUID 5639 DIAMETER_ERROR_INVALID_TARGET_RPAUID 5640 DIAMETER_ERROR_INVALID_DISCOVERY_TYPE Note: The Experimental Result Codes from 5642 to 5649 are reserved for the TS 29.345. 5650 DIAMETER_ERROR_INVALID_EPS_BEARER 5651 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL_ABLE 5653 DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL_E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670 DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL_E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5671 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_V2X_NOT_ALLOWED 29.388 [40]	5634	DIAMETER_ERROR_PROXIMITY_REJECTED	
DIAMETER_ERROR_UNAUTHORIZED_SERVICE_IN_THIS_PLMN 5637 DIAMETER_ERROR_PROXIMITY_CANCELLED 5638 DIAMETER_ERROR_INVALID_TARGET_PDUID 5639 DIAMETER_ERROR_INVALID_TARGET_RPAUID 5640 DIAMETER_ERROR_NO_ASSOCIATED_RESTRICTED_CO DE 5641 DIAMETER_ERROR_INVALID_DISCOVERY_TYPE Note: The Experimental Result Codes from 5642 to 5649 are reserved for the TS 29.345. 5650 DIAMETER_ERROR_INVALID_EPS_BEARER 5651 DIAMETER_ERROR_INVALID_EPS_BEARER 5652 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL_ABLE 5653 DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL_E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670 DIAMETER_ERROR_UNKNKOWN_DATA 5671 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_V2X_NOT_ALLOWED	5635	DIAMETER_ERROR_NO_PROXIMITY_REQUEST	20 245 [24]
DIAMETER_ERROR_PROXIMITY_CANCELLED	5636	DIAMETER_ERROR_UNAUTHORIZED_SERVICE_IN_THIS_	29.343 [34]
5638 DIAMETER_ERROR_INVALID_TARGET_PDUID 5639 DIAMETER_ERROR_INVALID_TARGET_RPAUID 5640 DIAMETER_ERROR_NO_ASSOCIATED_RESTRICTED_CO DE		PLMN	
DIAMETER_ERROR_INVALID_TARGET_RPAUID	5637	DIAMETER_ERROR_PROXIMITY_CANCELLED	
5640 DIAMETER_ERROR_NO_ASSOCIATED_RESTRICTED_CO DE 5641 DIAMETER_ERROR_INVALID_DISCOVERY_TYPE Note: The Experimental Result Codes from 5642 to 5649 are reserved for the TS 29.345. 5650 DIAMETER_ERROR_REQUESTED_LOCATION_NOT_SERV ED 5651 DIAMETER_ERROR_INVALID_EPS_BEARER 5652 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL ABLE 5653 DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670 DIAMETER_ERROR_UNKNKOWN_DATA 5671 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_V2X_NOT_ALLOWED 29.388 [40]	5638	DIAMETER_ERROR_INVALID_TARGET_PDUID	
DE 5641 DIAMETER_ERROR_INVALID_DISCOVERY_TYPE Note: The Experimental Result Codes from 5642 to 5649 are reserved for the TS 29.345. 5650 DIAMETER_ERROR_REQUESTED_LOCATION_NOT_SERV ED 5651 DIAMETER_ERROR_INVALID_EPS_BEARER 5652 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL ABLE 5653 DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670 DIAMETER_ERROR_UNKNKOWN_DATA 5671 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_V2X_NOT_ALLOWED	5639	DIAMETER_ERROR_INVALID_TARGET_RPAUID	
DIAMETER_ERROR_INVALID_DISCOVERY_TYPE	5640	DIAMETER_ERROR_NO_ASSOCIATED_RESTRICTED_CO	
Note: The Experimental Result Codes from 5642 to 5649 are reserved for the TS 29.345. 5650 DIAMETER_ERROR_REQUESTED_LOCATION_NOT_SERV ED 5651 DIAMETER_ERROR_INVALID_EPS_BEARER 5652 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL ABLE 5653 DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670 DIAMETER_ERROR_UNKNKOWN_DATA 5671 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_V2X_NOT_ALLOWED 29.388 [40]			
5650 DIAMETER_ERROR_REQUESTED_LOCATION_NOT_SERV ED 5651 DIAMETER_ERROR_INVALID_EPS_BEARER 5652 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL ABLE 5653 DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670 DIAMETER_ERROR_UNKNKOWN_DATA 5671 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_V2X_NOT_ALLOWED 29.388 [40]	5641	DIAMETER_ERROR_INVALID_DISCOVERY_TYPE	
ED 5651 DIAMETER_ERROR_INVALID_EPS_BEARER 5652 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL ABLE 5653 DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670 DIAMETER_ERROR_UNKNKOWN_DATA 5671 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_V2X_NOT_ALLOWED 29.388 [40]	Note: The Exp	erimental Result Codes from 5642 to 5649 are reserved for the TS	\$ 29.345.
5651 DIAMETER_ERROR_INVALID_EPS_BEARER 5652 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL ABLE 5653 DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670 DIAMETER_ERROR_UNKNKOWN_DATA 5671 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_V2X_NOT_ALLOWED 29.388 [40]	5650	DIAMETER_ERROR_REQUESTED_LOCATION_NOT_SERV	
5652 DIAMETER_ERROR_NIDD_CONFIGURATION_NOT_AVAIL ABLE 5653 DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670 DIAMETER_ERROR_UNKNKOWN_DATA 5671 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_V2X_NOT_ALLOWED 29.388 [40]		ED	
ABLE 5653 DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670 DIAMETER_ERROR_UNKNKOWN_DATA 5671 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_V2X_NOT_ALLOWED 29.388 [40]	5651		
DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670 DIAMETER_ERROR_UNKNKOWN_DATA 5671 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_V2X_NOT_ALLOWED 29.388 [40]	5652		29.128 [36]
E Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670			
Note: The Experimental Result Codes from 5654 to 5669 are reserved for the TS 29.128. 5670 DIAMETER_ERROR_UNKNKOWN_DATA 5671 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_V2X_NOT_ALLOWED 29.388 [40]	5653	DIAMETER_ERROR_USER_TEMPORARILY_UNREACHABL	
5670 DIAMETER_ERROR_UNKNKOWN_DATA 5671 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_V2X_NOT_ALLOWED 29.388 [40]		E	
5671 DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_V2X_NOT_ALLOWED 29.283 [39] 29.283 [40]	Note: The Exp	erimental Result Codes from 5654 to 5669 are reserved for the TS	\$ 29.128.
Note: The Experimental Result Codes from 5672 to 5689 are reserved for the TS 29.128. 5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 29.388 [40]	5670	DIAMETER_ERROR_UNKNKOWN_DATA	20 202 [20]
5690 DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION 5691 DIAMETER_ERROR_V2X_NOT_ALLOWED 29.388 [40]	5671	DIAMETER_ERROR_REQUIRED_KEY_NOT_PROVIDED	29.203 [39]
5691 DIAMETER_ERROR_V2X_NOT_ALLOWED 29.388 [40]	Note: The Exp	erimental Result Codes from 5672 to 5689 are reserved for the TS	S 29.128.
5691 DIAMETER_ERROR_V2X_NOT_ALLOWED 1 3	5690	DIAMETER_ERROR_UNKNOWN_V2X_SUBSCRIPTION	20 200 [40]
Note: The Experimental Result Codes from 5692 to 5709 are reserved for the TS 29.388.	5691	DIAMETER_ERROR_V2X_NOT_ALLOWED	29.300 [40]
	Note: The Exp	erimental Result Codes from 5692 to 5709 are reserved for the TS	\$ 29.388.

Annex A (informative): Assignment of the Diameter codes and identifiers in 3GPP

This annex defines the recommended assignment procedure of Diameter codes and identifiers within the 3GPP.

A.1 Application identifiers

If a working group detects it will require a new application identifier, it should contact the 3GPP TSG-CN WG 4 via a Liaison Statement. The LS shall contain the name of the Diameter application and a reference to the corresponding 3GPP TS. The 3GPP TSG-CN WG 4 will then request the application identifier from IANA. When the application identifier is received, the corresponding working group will be informed by 3GPP TSG-CN WG 4 and the table 4.1 in this specification will be updated.

According to RFC 3588 the creation of a new application should be avoided if at all possible and therefore it is recommended to use the existing application identifiers whenever possible.

A.2 Command codes

If a working group detects there is a need for a new command code(s) from the 3GPP's range, it should contact the 3GPP TSG-CN WG 4 via an LS. The LS shall contain the reference to the 3GPP TS, which specifies the command(s). The 3GPP TSG-CN WG 4 will inform the assigned command code(s) to the corresponding working group and the table 5.1 in this specification will be updated.

It should be noted that the standard command codes allocated for 3GPP are scarce resource and getting new ones would require IETF specification work to be done. Therefore it is recommended to use the existing command codes whenever possible.

A.3 AVP codes

If a working group detects a Diameter application needs new 3GPP specific AVP codes, it should contact the 3GPP TSG-CN WG 4 via an LS. The LS shall contain the name of the Diameter application and a reference to the corresponding 3GPP TS. The 3GPP TSG-CN WG 4 will allocate a range of 100 AVP codes for the application. The range will be informed to the corresponding working group and the table 7.1 will be updated in this specification to show the reserved range. The working group can use the allocated range as a working assumption when defining the actual AVPs.

When the corresponding working group has specified the AVPs, and the specification has been approved and is under CR control, it should inform the AVPs to the 3GPP TSG-CN WG 4 via an LS. The LS should list the used AVP codes in the form of the table 7.1.

If there will be defined new AVPs for a Diameter application through the CR procedure, the assigned AVP range can be used, but the 3GPP TSG-CN WG 4 should be also informed about the new AVP codes via an LS.

Re-using of the existing AVPs is recommended, but special attention should be paid on the use of enumerated AVPs. Defining new values for an enumerated AVP should be agreed case by case with the working group responsible of the particular enumerated AVP. 3GPP TSG-CN WG 4 shall be informed via an LS about the new values assigned to the enumerated AVP.

A.4 Result codes

If a working group detects a Diameter application needs new 3GPP specific result codes, it should contact the 3GPP TSG-CN WG 4 via an LS. The LS shall contain the name of the Diameter application and a reference to the corresponding 3GPP TS. The 3GPP TSG-CN WG 4 will allocate a range of 20 result codes from each required result code group for the application. The ranges will be informed to the corresponding working group and the tables in the chapter 8 of this specification will be updated to show the reserved ranges. The working group can use the allocated ranges as a working assumption when defining the actual result codes.

When the corresponding working group has specified the result codes, and the specification has been approved and is under CR control, it should convey the codes to the 3GPP TSG-CN WG 4 via an LS. The LS should list the used result codes in the form of the tables in chapter 8.

If there will be defined new result codes for a Diameter application through the CR procedure, the assigned result code ranges can be used, but the 3GPP TSG-CN WG 4 should be also informed about the new result codes via an LS.

Re-using of the existing result codes is recommended.

Annex B (informative): Change history

İ	Change history										
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New				
2004-06	CN#24	NP-040292			Version 2.0.0 presented for information and approval	2.0.0	6.0.0				
2004-09	CN#25	NP-040401	001		Correction of Charging application reference	6.0.0	6.1.0				
2004-09	CN#25	NP-040401	002		Correction of the Application-Id code	6.0.0	6.1.0				
2004-09	CN#25	NP-040401	003		Removal of User Data Request Type AVP	6.0.0	6.1.0				
2004-09	CN#25	NP-040412	004	1	Re-numbering of 3GPP specific AVP codes.	6.0.0	6.1.0				
2004-12	CN#26		006		Inclusion of missing Cx AVPs	6.1.0	6.2.0				
2004-12	CN#26	NP-040580	007	1	Reservation of command code 310	6.1.0	6.2.0				
2004-12	CN#26	NP-040579	009	1	Addition of Gmb interface	6.1.0	6.2.0				
2004-12	CN#26	NP-040600	010	2	Documenting the Reuse of the 3GPP specific application identifier	6.1.0	6.2.0				
	011//00	N.D. 0.10.			of Ro for Re on the Charging Interfaces						
2004-12	CN#26		011		Gq interface allocations	6.1.0	6.2.0				
2004-12	CN#26		012	ļ.,	Addition of Gx interface	6.1.0	6.2.0				
2005-03	CN#27	NP-050047	040	1	WLAN Diameter AVP and result codes	6.2.0	6.3.0				
			043		Allocations for Gx interface						
		NP-050039			Allocations for Gmb interface						
			046		Allocations for MMS, MM10 Interface						
2005-06	CT#28		0050		Gx interface allocation correction	6.3.0	6.4.0				
		CP-050196		1	Addition of Maximum-Number-Accesses AVP						
2005-09	CT#29	CP-050440		1	Private identities on the Cx	6.4.0	6.5.0				
		CP-050310			Addition of Pr reference point to TS 29.230						
		CP-050310			Error code cleanup						
		CP-050310	0056		Addition of Rx ref. point and renaming of Experimental Result Codes						
2005-09	CT#29	CP-050317	0055		Addition of GUSS timestamp AVP	6.5.0	7.0.0				
2005-12	CT#30	CP-050624	0058		Addition of GBA-Type AVP	7.0.0	7.1.0				
		CP-050612	0063		Additional Gmb AVP Allocation						
		CP-050612	0065		Reservation of AVP codes for 32.299						
	İ	CP-050625	0066		Management of Sh subscriptions						
2006-03	CT#31	CP-060073	0069		Adding data type of some of WLAN-related AVPs	7.1.0	7.2.0				
	İ	CP-060084	0071		User-Data in the response to Sh-Subs-Notif						
	İ	CP-060084	0072	1	New error indications for the Sh-Subs-Notif procedure						
2006-06	CT#32	CP-060302	0075		S-CSCF reselection removal	7.2.0	7.3.0				
2006-09	CT#33	CP-060417	0077	3	New AVP Code	7.3.0	7.4.0				
		CP-060417	0800		Errors to be sent in response to Sh-Notif						
		CP-060417	0081		Definition of specific Diameter codes for DSAI						
2006-12	CT#34	CP-060566	0085	1	Optimization of handling of Wildcarded PSIs	7.4.0	7.5.0				
		CP-060562	0086		Addition of Diameter Error Code for Emergency Purposes						
		CP-060555			Allocation of new AVP codes for Gmb						
		CP-060555			AVP code allocations for Rf and Ro interfaces						
		CP-060566			Allocation of Success Result Code Range for Gi Interface						
2007-03	CT#35	CP-070020			C3 requested addition of new AVP code values to 3GPP TS 29.230	7.5.0	7.6.0				
		CP-070020			Allocation of new AVP code for DSAI-Tag AVP						
		CP-070020			Allocation of Experimental-Result-Code AVP for Gi Interface						
2007-06	CT#36	CP-070318			Diameter application ID for the Rel-7 Rx interface	7.6.0	7.7.0				
		CP-070312			Experimental-Result-Codes for Gmb interface						
		CP-070312			Correction of Diameter AVP code allocation						
2007-09	CT#37		0102		Application ID for Gx protocol	7.7.0	7.8.0				
2007-12	CT#38	CP-070743	0104		AVP code reservation for 32.299 in Rel-7	7.8.0	7.9.0				
			0105		Allocation of 3GPP specific AVP codes and Experimental Result Codes for Gx protocol						
2007-12	CT#38	CP-070755	0101	4	AVP assignments to support SIP Digest Authentication	7.9.0	8.0.0				
		2. 2.0.00	0103	†	AVP code reservation for 32.299 in Rel-8	1	0.5.5				
2008-03	CT#39	CP-080015	0103		Correction of reference to TS 29.140	8.0.0	8.1.0				
		CP-080019		1	AVP code reservation for TS 32.299 in Rel-8	15.5.5					
		CP-080019		1	Wildcarded Public User Identities	1					
		CP-080191	0112	1	Correction on AVP code allocation reservation for TS 32.299 in Rel-	1					
	1	CD 00000 1	0440	4	Correction on AVD and allegation recomments for TO 00 000	4					
ĺ	CT#40	CP-080204		1	Correction on AVP code allocation reservation for TS 32.299	0.4.0	0.0.0				
2000 00	CT#40		0117	1	A new Diameter Permanent Failure Code for Gx Emergency Public User Identity Removal	8.1.0 8.2.0	8.2.0				
2008-06	OT# 44				I - MARGADOV PUDIIC LICAR IGANTITY PAMOVAI	12 7 (1	8.3.0				
2008-09	CT#41	CP-080456		4		0.2.0	0.0.0				
2008-09 2008-09	CT#41	CP-080460	0121	1	Support of "Loose-Route" indication from HSS	0.2.0	0.0.0				
2008-09	t .			1		0.2.0	0.0.0				

2008-09	CT#41	CP-080463	0124		New AVP Code Assignment for Forking Service Restoration	8.2.0	8.3.0
2008-12	CT#42		0127	2	Diameter Protocol Codes Assignments for S6a/S6d/S13	8.3.0	8.4.0
2008-12	CT#42	CP-080691	0128	1	Diameter code assignments for 3GPP TS 29.273	8.3.0	8.4.0
2009-03	CT#43	CP-090044	0130	1	Update for ReadyForSM	8.4.0	8.5.0
2009-03	CT#43	CP-090044	0131	1	Handling LCS Subscription Data	8.4.0	8.5.0
2009-03	CT#43	CP-090026	0132		Update for Restoration	8.4.0	8.5.0
2009-03	CT#43	CP-090024			Applds for Gxx and S9	8.4.0	8.5.0
2009-03	CT#43	CP-090033	0134	2	Appld and command code for Zpn	8.4.0	8.5.0
2009-03	CT#43	CP-090024		1	AVP codes for S9 protocol	8.4.0	8.5.0
2009-03	CT#43	CP-090024	0138	1	Diameter AVP Code allocation	8.4.0	8.5.0
2009-03	CT#43	CP-090024	0140	1	Location of Permanent Failure result code range for the S9	8.4.0	8.5.0
					application		
2009-03	CT#43	CP-090024			AVPs for TS 29.273	8.4.0	8.5.0
2009-03	CT#43	CP-090024		1	Error code allocation for authentication failure	8.4.0	8.5.0
2009-06	CT#44		0129	4	Update of the AVP Codes	8.5.0	8.6.0
			0143		AVP code reservation for TS 32.299		
		CP-090299	0145		Diameter Command Codes for S6a/S6d/S13/S13'		
			0146		Removal of Requesting Node Type from AIR		
			0147		S6b Application ID		
2009-09	CT#45		0149		Allocation of Experimental-Result-Codes for S9 protocol	8.6.0	8.7.0
			0152		AVP code allocation for TS 29.212		
			0150		Update of the AVP type for the User-Id		
			0153		Trace Depth per session		
2009-09	CT#45	CP-090557	0148		AVP code range for charging	8.7.0	9.0.0
2009-12	CT#46	CP-090800		1	ICS-Flag	9.0.0	9.1.0
		CP-091032	0156		From GMLC-Address to GMLC-Number		
			0160		Session-Priority AVP		
			0163	2	Introduction of SLh application related AVPs and Experimental		
			0400		Result codes	_	
		CD 000707	0166 0167	4	Missing AVP error codes Introduction of SLg application related AVPs and Application		
		CP-090797	0167	I	Identifier		
2010-03	CT#47	CP-100031	0158	1	Wildcarded Public Identity	9.1.0	9.2.0
2010-03	01#41	CP-100031	0168	1	Correction on AVP code allocation reservation for TS 32.299 in Rel-		3.2.0
		01 100004	0100		9		
		CP-100046	0169	1	AVP code allocation for 29.172		
		CP-100036			GPL_U support in TS 29.109		
		CP-100046			Error codes in 29.172 for SLg		
				1	AVPs in 29.272 for TADS support		
		CP-100040			Error codes in 29.272 for Unknown MME		
		CP-100236	0176	4	EPS Subcsriber State and Location Information Request		
		CP-100033	0180		One time notification AVP allocation		
		CP-100046			Addition of the LCS-QoS-Class attribute value		
		CP-100175			Introduction of the LCS-Capabilities-Sets AVP in SLh interface		
2010-06	CT#48	CP-100263	0188	1	AVP Codes for PCC	9.2.0	9.3.0
			0183		EPS state and location retrieval		
		CP-100287			SGmb Application ID		
	0=::10		0190	1	New APVs in S6a protocol		
2010-09	CT#49	CP-100463	0197	1	Addition of Diameter codes and identifiers for the SLg and SLh	9.3.0	9.4.0
		CD 100464	0106		interfaces AVD Codes Allegation for DCC	_	
2010-09	CT#49	CP-100464 CP-100465	0196	1	AVP Codes Allocation for PCC SIPTO Permission Indicator	9.4.0	10.0.0
2010-09	C1#49	CP-100465			Location data including only serving node address	9.4.0	10.0.0
		CP-100466			AVP for Update-Eff feature	-	
2010-12	CT#50	CP-100400		1	Enhanced SRVCC Subscriber Data	10.0.0	10.1.0
2010-12	01#30		0201	1	Allocate codes for AVPs on eMPS	10.0.0	10.1.0
		CP-100683		1	Allocate codes for AVPs on LIPA	1	
		CP-100688		1	Periodic TAU/RAU timer in HSS subscription		
		CP-100846		1	S6a Error Diagnostic		
2011-03	CT#51	CP-110051	0212		PDP-Address correction	10.1.0	10.2.0
		CP-110054			Essential correction on the value type of the ELP Application AVPs		
		CP-110087	0207	2	Minimization of Drive Tests (MDT)		
		CP-110088		1	Relay Node Indicator AVPs		
2011-06	CT#52	CP-110349	0219	2	Handling of RTR for Emergency Registration	10.2.0	10.3.0
		CP-110347	0231	1	Add AVPs from QSPEC cleanup	_	
		CP-110359	0226		MIPv4 security parameters on the STa and S6b interfaces]	
		CP-110380			MDT user consent]	
	1	CP-110370			AVP Code Allocation for Pre-paging	1	
				4	PUR-Flags AVP	1	
		CP-110375		1	FUR-Flags AVF		
2011-09	CT#53	CP-110559	0236	1	AVP code alignment with 29.212	10.3.0	10.4.0
2011-09	CT#53	CP-110559 CP-110555	0236 0239	1	AVP code alignment with 29.212 AVP code alignment with 32.299	10.3.0	10.4.0
2011-09	CT#53	CP-110559 CP-110555 CP-110554	0236 0239 0244	1 1 1	AVP code alignment with 29.212 AVP code alignment with 32.299 AVP code alignment with 29.214	10.3.0	10.4.0
2011-09	CT#53	CP-110559 CP-110555	0236 0239 0244 0249	1 1 1	AVP code alignment with 29.212 AVP code alignment with 32.299	10.3.0	10.4.0

		CP-110722		2	Priviledged sender		
2011-09	CT#53	CP-110584	0234	1	Add vSRVCC updates to the Diameter AVP code table	10.4.0	11.0.0
		CP-110579			AVP code alignment with 32.299		
		CP-110555			AVP code reservation for 29.212		
2011-12	CT#54	CP-110812		1	SWx Restoration AVPs	11.0.0	11.1.0
		CP-110812			Sy and Sd Application IDs		
		CP-110775			New AVP codes for MBMS IP unicast encapsulation		
		CP-110775			New AVP codes for MBMS IP multicast encapsulation		
			0271	1	MME-Realm AVP code allocation		
		CP-110811	0277		Equivalent PLMN CSG Subscription Request		
		CP-110781	0281	1	Restoration of Wildcarded-IMPU AVP		
2012-03	CT#55		0286	1	Codes Allocation for AVPs on Initial Attach	11.1.0	11.2.0
		CP-120038	0288		New AVP codes for Absolute Time of MBMS Data Transfer over		
					SGmb		
		CP-120038		1	Allocating Diameter AVP codes for TS 29.219 and TS 29.212		
2012-06	CT#56				Codes Allocation for AVPs on NPLI	11.2.0	11.3.0
		CP-120238	0294	1	Adding new Diameter AVPs to Diameter table to support Trusted		
		OD 400005	0000		WLAN Access feature		
		CP-120225		1	Trust Relationship Indication		
		CP-120251		1	Corrections to reference titles		
		CP-120251		1	Diameter Code Allocation for TS 29.219		
		CP-120247		-	Network Name AVP codes		
2010.00	OT#57	CP-120219		-	Duplicated AVP names	1100	44.40
2012-09	CT#57		0289		PS additional number allocation	11.3.0	11.4.0
		CP-120473		4	SMS in MME/SGSN	4	
		CP-120461	0299	2	AAA Failure Recovery AVP codes	4	
		CP-120474		-	Transport Access Type AVP for BBAI		
		CP-120480		1	Local Time Zone		
		CP-120472	0308	-	Allocating Application Identifier and command code for Tsp		
		OD 400470	0000		interface		
		CP-120472	0309	-	Application Identifier, Command Codes and AVP range for S6m		
		CD 400007	0040	4	interface	-	
		CP-120667	0312		GMLC-Name		
2012 12	CT#58	CD 420724	0313		Reference list correction to align with the corrected TS 29.212 title	11 1 0	11.5.0
2012-12	C1#56		0315	4	T4 device triggering via IMS Codes and Identifier Allocation for T4 Specification	11.4.0	11.5.0
			0318	1	AVP Code Allocation for 29.336		
		CP-120731 CP-120731	0324 0329	-	Diameter AVP code value allocation in TS 29.368		
			0329	2	Application Identifier, Command Codes and AVP codes for SGd,		
		CF-120/32	0319	2	S6c		
		CP-120716	0324	1	AVP name modification in TS 32.299		
		CP-120742		-	UE Time Zone AVP		
			0328	1	Use of Flag instead of Enumerated AVPs		
		CP-120741	332	Ŀ	Use of Flag instead of Enumerated AVPs		
		CP-120743	330	_	PSI direct routing with restoration procedures		
		CP-120743		_	EPS LocationInformation Support		
2013-03	CT#59	CP-130026		1	Diameter error code for TS 29.219	11 5 0	11.6.0
2010 00	01//00	CP-130026		-	MDT parameters	11.0.0	11.0.0
2013-03	CT#59	CP-130156		1	New AVPs for Lgd interface	11.6.0	12.0.0
2010 00	01//00	CP-130030		_	Validity Time of Short Message	11.0.0	12.0.0
2013-06	CT#60	CP-130288		1	Add new DER-S6b-flag AVP	12.0.0	12.1.0
2010 00	01//00	CP-130298		-	Failure Result Codes Allocation for TS 29.219	12.0.0	12.1.0
		CP-130292		_	Diameter AVP codes for new TS 32.299 AVPs		
		CP-130279		1	Definition of SS Status for Call Barring		
		CP-130380	0363	ļ.	New SGs-MME-Identity AVP	1	
		CP-130291	0348	2	New AVPs for deferred MT-LR and periodic MO-LR TTTP	1	
			3.0		procedures over Lgd interface		
		CP-130297	0347	1	Application Port Identifier	1	
		CP-130374		1	MTRR on Sh	1	
		CP-130295		-	Restoration Priority during SGW and PGW restoration procedures	1	
		CP-130378		1	SIPTO permission for Local Network enhancements	1	
2013-09	CT#61		0364	2	New MBMS flag for eMBMS restoration	12.1.0	12.2.0
2013-09		CP-130461	0366	ļ-	AVP code reservation for TS 32.299 Rel-12	1	
				-	Allocation of Diameter codes and identifiers for 29.212 and 29.215	1	
		CP-130460	0368				
2013-09		CP-130460	0368	-		12.2.0	12.2.1
2013-09		CP-130460	0368	-	Vendor-specific command code for Trigger-Establishment-	12.2.0	12.2.1
2013-09	CT#62			-	Vendor-specific command code for Trigger-Establishment- Request/Answer corrected		
	CT#62	CP-130624	0369	- - 1	Vendor-specific command code for Trigger-Establishment- Request/Answer corrected New AVP for optimized LCS procedure for combined MME/SGSN		
	CT#62	CP-130624 CP-130631	0369 0370	- - 1	Vendor-specific command code for Trigger-Establishment- Request/Answer corrected New AVP for optimized LCS procedure for combined MME/SGSN Adding E-SMLC provided Cell info and Cell Portion		
	CT#62	CP-130624 CP-130631 CP-130800	0369 0370 0371	-	Vendor-specific command code for Trigger-Establishment- Request/Answer corrected New AVP for optimized LCS procedure for combined MME/SGSN Adding E-SMLC provided Cell info and Cell Portion New AVPs for SMS for IMS UE without MSISDN in TS 29.338		
	CT#62	CP-130624 CP-130631 CP-130800 CP-130600	0369 0370 0371 0376	- 1 - 1	Vendor-specific command code for Trigger-Establishment-Request/Answer corrected New AVP for optimized LCS procedure for combined MME/SGSN Adding E-SMLC provided Cell info and Cell Portion New AVPs for SMS for IMS UE without MSISDN in TS 29.338 Allocation of Diameter codes for 32.299		
	CT#62	CP-130624 CP-130631 CP-130800 CP-130600 CP-130605	0369 0370 0371 0376 0378	-	Vendor-specific command code for Trigger-Establishment-Request/Answer corrected New AVP for optimized LCS procedure for combined MME/SGSN Adding E-SMLC provided Cell info and Cell Portion New AVPs for SMS for IMS UE without MSISDN in TS 29.338 Allocation of Diameter codes for 32.299 Allocation of Diameter codes for 29.212		
2013-12		CP-130624 CP-130631 CP-130800 CP-130600 CP-130605 CP-130639	0369 0370 0371 0376 0378 0380	- 1 - -	Vendor-specific command code for Trigger-Establishment-Request/Answer corrected New AVP for optimized LCS procedure for combined MME/SGSN Adding E-SMLC provided Cell info and Cell Portion New AVPs for SMS for IMS UE without MSISDN in TS 29.338 Allocation of Diameter codes for 32.299 Allocation of Diameter codes for 29.212 SGSN CAMEL Subscription Indication	12.2.1	12.3.0
	CT#62	CP-130624 CP-130631 CP-130800 CP-130600 CP-130605 CP-130639 CP-140180	0369 0370 0371 0376 0378 0380 0381	-	Vendor-specific command code for Trigger-Establishment-Request/Answer corrected New AVP for optimized LCS procedure for combined MME/SGSN Adding E-SMLC provided Cell info and Cell Portion New AVPs for SMS for IMS UE without MSISDN in TS 29.338 Allocation of Diameter codes for 32.299 Allocation of Diameter codes for 29.212 SGSN CAMEL Subscription Indication Protocol enhancements for the support of device replace procedure	12.2.1	12.3.0
2013-12		CP-130624 CP-130631 CP-130800 CP-130600 CP-130605 CP-130639 CP-140180 CP-140035	0369 0370 0371 0376 0378 0380	- 1 - -	Vendor-specific command code for Trigger-Establishment-Request/Answer corrected New AVP for optimized LCS procedure for combined MME/SGSN Adding E-SMLC provided Cell info and Cell Portion New AVPs for SMS for IMS UE without MSISDN in TS 29.338 Allocation of Diameter codes for 32.299 Allocation of Diameter codes for 29.212 SGSN CAMEL Subscription Indication	12.2.1	12.3.0

2014-06	CT#64	CP-140211	0385	1	Protocol enhancements to indicate support of device recall and	12.4.0	12.5.0
		CP-140251	0400	4	replace by SMS-SC AVP allocation for Error handling, MTC error diagnostic	-	
		CP-140251 CP-140257		1	SS-Status AVP Definition	-	
		CP-140252		<u>'</u>	Definition of AVPs for Network Location in TWLAN	1	
		CP-140236		-	TWAN-BSSID AVP re-naming		
		CP-140247		-	New AVPs for Trusted WLAN access		
		CP-140231	0390	1	Adding Codes for 29.214		
2014-09	CT#65	CP-140515			T-GRUU restoration	12.5.0	12.6.0
		CP-140517			MB2-C codes		
		CP-140505			New AVPs for Trusted WLAN access		
		CP-140506			P-CSCF Restoration indication		
		CP-140516		2	Closing TS 29.234 and reused AVP in TS 29.273	4	
		CP-140513	0408	-	Identification of the HSS Editorial: WLAN-offloadability AVP codes added as in CR C4-	-	
					141648.		
2014-12	CT#66	CP-140785	0409	1	New AVP for MBMS restoration	12.6.0	12.7.0
			0430	-	New Diagnostic-Info AVP for MBMS restoration	1	
			0410	1	WLCP key for WLCP signalling protection		
	İ		0411	-	Reset-ID		Î
			0416	1	Code definitions for 32.299		
			0428	-	Removal of I-WLAN AVPs		
			0429	1	Reference correction		
			0433		Code allocation for 29.212		
			0418	-	MDT PLMN List		
			0422		Codes Allocation for PC2 Protocol	1	
			0423		Codes Allocation for PC4a Protoco		
			0431	3	Allocation of values for Application ID, Command codes, AVP		
					codes and Experimental-Result codes used in the TS 29.345		ļ
			0434	1	Command Code and Error Code for ProSe Initial Location		
			0405		Information Retrieval	-	ŀ
			0425 0426		Corrections of the type of some AVPs OFR-Flags AVP code	-	ļ
		ł	0420		P-CSCF Restoration mechanism new error	1	ļ
015-03	CT#67	CP-150015	0447	-	Renaming of Location-Type AVP	12.7.0	12.8
010 00	01#01	01 -130013	0437	1	Location reporting in emergency 1xSRVCC	12.7.0	12.0.
		ľ	0435		AVP codes for GCSE MB2-C	-	
			0442		New AVPs and range of transient failure result codes in TS 29.214	1	Ì
			0438		Allocation of code for Authorized-Discovery-Range AVP (TS	1	
					29.344)		
			0440	2	Location Update Trigger		
			0441	1	AVP codes allocation for Validity related AVPs for TS 29.345		
			0443	-	Allocation of codes for the Integrity Checks. Aspect AVPs		
2015-03	CT#67	CP-150039			Diameter Application Identifier for Np protocol	12.8.0	
2015-06	CT#68	CP-150257			AVP code allocation for Match Refresh Timer AVP in TS 29.345	13.0.0	13.1.0
		CP-150247			Wrong CR implementation of CR 0416r1	4	ļ
		CP-150249			AVP code allocation for 32.299	4	ļ
		CP-150263		1	AVP codes for Access Restriction Data per PLMN	-	
2015-09	CT#69	CP-150372 CP-150454		-	IP-SM-GW-Realm Subscription data for extended buffering at the SGW	13.1.0	12 2 4
.013-09	01#09	CP-150454 CP-150442		E	Overlapping transaction over S6b	13.1.0	13.2.0
		CP-150442 CP-150453		2	Addition of IMSI Group Id AVP definition	1	
		CP-150453 CP-150449			Addition of CP parameter AVP definition	1	
		CP-150449			AVP codes for TS 29.212	1	
		CP-150451			AVP definition for S6t	1	
2015-12	CT#70	CP-150761		-	Addition of MBMS-Cell-List AVP	13.2.0	13.3 (
		CP-150778		-	S6t Application ID and Command Codes	1.5.2.5	. 5.5.
		CP-150778		1	Bitmask to inform the SCEF of the Monitoring capabilities	1	
		CP-150778			AVP codes for MONTE T6a/b interface	1	
		F	0491		Correction to SCEF-Reference-ID and SCEF-Reference-ID-For-	1	
					Deletion data types		
		CP-150778	0494	2	Definition of AVP for deletion of all Monitoring events assigned to a	1	
				<u></u>	subscriber (UE)		
		CP-150778		1	Definition of AVP SCEF-ID		
		CP-150778			Service result per Event configuration	1	
		CP-150770			Emergency PDN connection over untrusted WLAN access	_	
		CP-150776	0476	-	EPC-MT-LR and PS-MT-LR procedure for UEs transiently not		
				ļ	reachable due to power saving	4	
		CP-150776			Mobile Terminating SMS handling for extended Idle mode DRX	4	
		CP-150776	0498	1	Mobile Terminating SMS handling for extended Idle mode DRX –		
		OD 456===	0.4==		Additional Option	4	}
	1	CP-150777	04/7		Commands and codes for Np protocol	4	
	i	OD 450770	0.470	4	Definition of DroCo Moto-lete Index: Meel:		
	;	CP-150772 CP-150772			Definition of ProSe-Metadata-Index-Mask Addition of AVPs and result-codes	_	

r	1	lop			[ALIII] (AVD 11 11 11 11 11 11 11 11 11 11 11 11 11	Ī	1
		CP-150772		-	Addition of AVP used in match report procedure for eProSe-Ext-CT		
ł		CP-150754 CP-150773	0481	1	Allowed WAF and/or WWSF Identities		
ł		t.	0482	-	Add the default access type to 3GPP specific AVP AVP code allocation for "UE Usage Type"		
}		CP-150761		_	Metadata in Match-Report		
			0488	_	New Group AVP for ProSe direct discovery procedures		
ŀ		Į.	0492	1	Definition of AVP for AESE-CT		
Ì			0496		Command codes and AVP range for TS 29.154 and TS 29.153		
		ł.	0495	1	AVP codes for Indoor Positioning support in SLg/Lgd		
2016-03	CT#71		0503	-	Application ID for St	13.3.0	13.4.0
		CP-160041	0506	1	Correction on TS numbers		
ĺ		CP-160041	0510	-	AVPs for the Rx Diameter application		
ĺ			0514	2	AVP code reservation for 32.299		
		CP-160041	0518	1	Codes for 29.212		
		CP-160029	0505	3	New AVP assignment for MONTE		
		CP-160029	0509	-	Change of type of Monitoring-Duration AVP to represent an		
ļ					absolute time		
ļ		CP-160035		-	Remove the default access AVP		
ļ			0508	-	Specific AVP codes for NBIFOM		
		CP-160030	0511	-	Alert procedure from MME/SGSN to SMS-GMSC for MT SMS to UE using eDRX		
ł		CP-160037	0512		ePDG retrieval of WLAN Location Information		
ŀ		CP-160033		2	Definition of AVP Authorization of NIDD		
		CP-160033			New PDN-Type for Cellular IoT		
		CP-160036			Monitoring update and Reporting of update result		
İ			0519		Allocation of new Diameter Application ID and commands code for		
			00.0		PC2 protocol		
2016-03	CT#71	CP-160018	0515	1	AVP code reservation for 32.299	13.4.0	14.0.0
2016-06	CT#72	CP-160236			Command Codes for 29.212	14.0.0	
2016-06	CT#72	CP-160236		-	AVP code range 3900-3999	14.0.0	14.1.0
2016-06	CT#72	CP-160236	0557	1	New AVPs in TS 29.214	14.0.0	14.1.0
2016-06	CT#72	CP-160236	0565	-	AVP codes for 29.212	14.0.0	
2016-06	CT#72	CP-160232			AVP Codes for 29.343	14.0.0	
2016-06	CT#72	CP-160232	0533	3	Addition of new AVPs for ProSe direct discovery security and open ProSe direct discovery with application-controlled extension	14.0.0	14.1.0
	CT#72		0540	-	Reserved Experimental Result Codes for TS 29.343		14.1.0
2016-06	CT#72	CP-160232	0549	-	Assignment of application ID and command code for PC2 reference	14.0.0	14.1.0
					point		
	CT#72	CP-160228		-	IANA Command Code Registration	14.0.0	
	CT#72	CP-160228		1	CloT new commands and Diameter error	14.0.0	
	CT#72	CP-160228		-	NIDD authorisation update	14.0.0	
	CT#72 CT#72	CP-160228 CP-160228		J	Serving PLMN Rate Control New AVP for APN Rate Control	14.0.0	
	CT#72	CP-160228		1	Renaming of Validity-Time AVP	14.0.0	
2016-06	CT#72	CP-160233		1	New AVPs allocated for 29.153 and 29.154	14.0.0	
	CT#72	CP-160235		3	SCEF Realm		14.1.0
	CT#72	CP-160225		-		14.0.0	
2016-06	CT#72		0546	_	IANA assigned application Id and command code values	14.0.0	
2016-06	CT#72	CP-160227	0547	2	Allocation of AVP codes and Experimental Result codes for		14.1.0
	02			_	Diameter Data Management application		
2016-06	CT#72	CP-160231	0553	1	3GPP specific AVP for NBIFOM	14.0.0	14.1.0
2016-06	CT#72	CP-160222		1	Shared Subscription data update	14.0.0	
2016-09	CT#73	CP-160424			Missing AVP codes and Experimental-Result codes for T6a	14.1.0	
2016-09	CT#73	CP-160424			Allocate of AVP Handling of Exception Reports in the Core Network	14.1.0	
2016-09	CT#73	CP-160419			AVP codes for 32.299	14.1.0	
2016-09	CT#73	CP-160419		1	AVP code for 29.214	14.1.0	
2016-09	CT#73	CP-160419		1	AVP code for 29.212	14.1.0	
2016-09	CT#73		0568	1	STa and SWm extensions for IMEI check	14.1.0	
2016-12	CT#74		0582	<u> -</u>	AVP code alignment with 29.272	14.2.0	
2016-12	CT#74	CP-160679			AVPs for Handover of Emergency PDN Connections	14.2.0	
	CT#74	CP-160678		1	New Diameter Application Code, AVP and Result Code for V2X	14.2.0	
2016-12	CT#74	CP-160653	0585	1	Renaming of Emergency-Indication AVP	14.2.0	
2016-12	CT#74		0586	2	New AVPs for TS 29.214	14.2.0	
2016-12	CT#74		0590	-	S6t-HSS-Cause	14.2.0	
2016-12	CT#74	CP-160669		-	AVP codes for 29.468	14.2.0	
2017-03	CT#75	CP-170039		1	Enhanced Coverage	14.3.0	
2017-03	CT#75	CP-170039		1	Inter-RAT PDN-Continuity	14.3.0	
2017-03	CT#75	CP-170039		1	NIDD Authorization revocation	14.3.0	
2017-03	CT#75	CP-170036		1	Loss Of Connectivity Reason	14.3.0	
2017-03 2017-03	CT#75	CP-170036 CP-170036	0602	1	Support of long and short Macro eNodeR IDs	14.3.0 14.3.0	
	CT#75 CT#75	CP-170036 CP-170025		<u> </u>	Support of long and short Macro eNodeB IDs AVP codes for 32.299	14.3.0	
2017-03	CT#75	CP-170023		1	New AVP for UE-PC5-AMBR	14.3.0	
2011-00	ンコサレン	01 170043	0000		PROVENUE OF THE PROPERTY OF TH	17.0.0	17.7.∪

2017-03	CT#75	CP-170043	0603	1	Correct Diameter Result Code Allocated for V2X	14.3.0	14.4.0
2017-03	CT#75	CP-170049	0601	1	AVPs for ERP in 29.273		14.4.0
2017-03	CT#75	CP-170052	0605	-	Update of the name of MCPTT-User-Profile-Data AVP		14.4.0
2017-03	CT#75	CP-170045	0606	_	Support of MCVideo and MCData Services	14.3.0	14.4.0
2017-06	CT#76	CP-171029		4	New AVP for Group Based MONTE Event Configuration via HSS	14.4.0	14.5.0
2017-06	CT#76	CP-171017	0609	-	New AVPs in 29.272 for MBSFN MDT	14.4.0	14.5.0
2017-06	CT#76	CP-171026	0610	-	AVP codes for 29.212	14.4.0	14.5.0
2017-06	CT#76	CP-171026	0611	-	AVP codes for 29.214	14.4.0	14.5.0
2017-06	CT#76	CP-171030	0612	1	AVP code allocation for 29.172 for Location Services for CioT	14.4.0	14.5.0
2017-06	CT#76	CP-171030	0613	-	Addition of APN-Validity-Time AVP	14.4.0	14.5.0
2017-06	CT#76	CP-171026	0615	-	AVP codes for 32.299	14.4.0	14.5.0
2017-09	CT#77	CP-172018	0616	1	Reliable Data Service Success cause	14.5.0	14.6.0
2017-09	CT#77	CP-172018	0617	1	Reliable Data Service	14.5.0	14.6.0
2017-09	CT#77	CP-172026	0618	1	Enhancements for NAPS	14.6.0	15.0.0
2017-12	CT#78	CP-173011	0625	-	AVP codes for TS 29.219, TS 29.212 and TS 29.214	15.0.0	15.1.0
2017-12	CT#78	CP-173033	0619	1	Suggested Network Configuration Request	15.0.0	15.1.0
2017-12	CT#78	CP-173028	0620	-	Monitoring Event Report Status	15.0.0	15.1.0
2017-12	CT#78	CP-173028	0626	-	AVP code for PLMN-ID-Requested in S6t	15.0.0	15.1.0
2017-12	CT#78	CP-173032	0627	-	New AVP for PC5-tech for WLAN based ProSe Direct Discovery	15.0.0	15.1.0
2018-03	CT#79	CP-180021	0628	1	Service Gap Time AVP	15.1.0	15.2.0
2018-03	CT#79	CP-180020	0629	1	AVP codes for 32.299	15.1.0	15.2.0
2018-03	CT#79	CP-180025	0630	-	IMSI-Group-Id retrieval	15.1.0	15.2.0
2018-06	CT#80	CP-181120	0631	1	Supported-Services and Supported-Monitoring-Events	15.2.0	15.3.0
2018-06	CT#80	CP-181120	0632	1	New AVPs in TS 29.212 for eVoLP	15.2.0	15.3.0
2018-06	CT#80	CP-181120	0633	1	Reserve Diameter codes for TS 29.561	15.2.0	15.3.0
2018-06	CT#80	CP-181120	0635	-	Application ID for Diameter Nta	15.2.0	15.3.0
2018-06	CT#80	CP-181120	0636	1	AVP codes for TS 29.154	15.2.0	15.3.0
2018-06	CT#80	CP-181120	0637	1	New AVP for subscription for Aerial UE in 3GPP system	15.2.0	15.3.0
2018-06	CT#80	CP-181120	0639	1	AVP codes for 32.299	15.2.0	15.3.0
2018-06	CT#80	CP-181124	0640	1	Subscription data for ciphering keys	15.2.0	15.3.0
2018-06	CT#80	CP-181127	0634	-	AVP code for NIR-Flags	15.2.0	15.3.0

History

Document history							
V15.3.0	July 2018	Publication					