ETSITS 141 101 V8.0.0 (2009-04)

Technical Specification

Digital cellular telecommunications system (Phase 2+); Technical Specifications and Technical Reports for a GERAN-based 3GPP system (3GPP TS 41.101 version 8.0.0 Release 8)



Reference
RTS/TSGS-0041101v800

Keywords
GSM

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from: <u>http://www.etsi.org</u>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

http://portal.etsi.org/tb/status/status.asp

If you find errors in the present document, please send your comment to one of the following services: http://portal.etsi.org/chaircor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2009. All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM, **TIPHON**TM, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP[™] is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **LTE**[™] is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners. **GSM**® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://webapp.etsi.org/IPR/home.asp).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under http://webapp.etsi.org/key/queryform.asp.

Contents

| Inte | tellectual Property Rights | 2 |
|------|--------------------------------------|----|
| | oreword | |
| | oreword | |
| | | |
| | Scope | |
| 2 | References | 5 |
| 3 | Abbreviations | 5 |
| 4 | General | 5 |
| 5 | Specifications and Reports | 5 |
| Anı | nnex A (informative): Change history | 35 |
| His | story | 36 |

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document identifies the 3GPP system specifications for Release 7. The specifications and reports of 3GPP Release 7 have a major version number 7 (i.e. 7.x.y). The listed Specifications are required to build a system based on GERAN radio technology.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.
- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TR 21.900: "Technical Specification Group working methods".

3 Abbreviations

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 apply.

4 General

The numbering scheme for specifications is described in 3GPP TR 21.900 [2].

5 Specifications and Reports

NOTE 1: The "for publication?" column of the table below indicates whether or not the documents are intended for adoption by the partner Standards Development Organizations as their own publications. Those marked "no" are internal working documents of the 3GPP TSGs.

NOTE 2: For definition of "freezing" of specifications (last two columns), see 3GPP TS 21.900 [2].

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|---|-------------|------------------|----------------|--------|
| 21.202 | Technical Specifications and Technical Reports relating to the Common IP Multimedia Subsystem (IMS) | SP | Yes | | |
| 21.801 | Specification drafting rules | SP | No | 2008- 12-11 | yes |
| 21.900 | Technical Specification Group working methods | SP | Yes | 2008- 12-11 | yes |
| 21.905 | Vocabulary for 3GPP Specifications | S1 | Yes | 2008- 12-11 | yes |
| 22.001 | Principles of circuit telecommunication services supported by a Public | S1 | Yes | 2008- | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|---|-------------|------------------|----------------|--------|
| | Land Mobile Network (PLMN) | | | 12-11 | |
| 22.002 | Circuit Bearer Services (BS) supported by a Public Land Mobile Network (PLMN) | S1 | Yes | 2008- 12-11 | |
| 22.003 | Circuit Teleservices supported by a Public Land Mobile Network (PLMN) | S1 | Yes | 2008- 12-11 | |
| 22.004 | General on supplementary services | S1 | Yes | 2008- 12-11 | |
| 22.011 | Service accessibility | S1 | Yes | 2008- 12-11 | |
| 22.016 | International Mobile Equipment Identities (IMEI) | S1 | Yes | 2008- 12-11 | |
| 22.022 | Personalisation of Mobile Equipment (ME); Mobile functionality specification | S3 | Yes | 2008- 12-11 | |
| 22.024 | Description of Charge Advice Information (CAI) | S1 | Yes | 2008- 12-11 | yes |
| 22.030 | Man-Machine Interface (MMI) of the User Equipment (UE) | S1 | Yes | 2008- 12-11 | |
| 22.031 | Fraud Information Gathering System (FIGS); Service description; Stage 1 | S3 | Yes | 2008- 12-11 | |
| 22.032 | Immediate Service Termination (IST); Service description; Stage 1 | S3 | Yes | 2008- 12-11 | |
| 22.034 | High Speed Circuit Switched Data (HSCSD); Stage 1 | S1 | Yes | 2008- 12-11 | |
| 22.038 | (U)SIM Application Toolkit (USAT/SAT); Service description; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.041 | Operator Determined Call Barring (ODB) | S1 | Yes | 2008- 12-11 | |
| 22.042 | Network Identity and Time Zone (NITZ); Service description; Stage 1 | S1 | Yes | 2008- 12-11 | |
| 22.053 | Tandem Free Operation (TFO); Service description; Stage 1 | S4 | Yes | 2008- 12-11 | |
| 22.057 | Mobile Execution Environment (MExE) service description; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.060 | General Packet Radio Service (GPRS); Service description; Stage 1 | S1 | Yes | 2008- 12-11 | |
| 22.066 | Support of Mobile Number Portability (MNP); Stage 1 | S1 | Yes | 2008- 12-11 | |
| 22.067 | enhanced Multi-Level Precedence and Pre-emption service (eMLPP); Stage 1 | S1 | Yes | 2008- 12-11 | |
| 22.071 | Location Services (LCS); Service description; Stage 1 | S1 | Yes | 2008- 12-11 | |
| 22.072 | Call Deflection (CD); Stage 1 | S1 | Yes | 2008- 12-11 | |
| 22.076 | Noise suppression for the AMR codec; Service description; Stage 1 | S4 | Yes | 2008- 12-11 | |
| 22.078 | Customized Applications for Mobile network Enhanced Logic (CAMEL); Service description; Stage 1 | S1 | Yes | 2008- 12-11 | |
| 22.079 | Support of optimal routeing; Stage 1 | S1 | Yes | 2008- 12-11 | |
| 22.081 | Line Identification supplementary services; Stage 1 | S1 | Yes | 2008- 12-11 | |
| 22.082 | Call Forwarding (CF) Supplementary Services; Stage 1 | S1 | Yes | 2008- 12-11 | |
| 22.083 | Call Waiting (CW) and Call Hold (HOLD) supplementary services; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.084 | MultiParty (MPTY) supplementary service; Stage 1 | S1 | Yes | 2008- 12-11 | |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|---|-------------|------------------|----------------|--------|
| 22.085 | Closed User Group (CUG) supplementary services; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.086 | Advice of Charge (AoC) supplementary services; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.087 | User-to-user signalling (UUS); Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.088 | Call Barring (CB) supplementary services; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.090 | Unstructured Supplementary Service Data (USSD); Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.091 | Explicit Call Transfer (ECT) supplementary service; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.093 | Completion of Calls to Busy Subscriber (CCBS); Service description, Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.094 | Follow Me service description - Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.096 | Name identification supplementary services; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.097 | Multiple Subscriber Profile (MSP) Phase 2; Service description; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.105 | Services and service capabilities | S1 | Yes | 2008- 12-11 | yes |
| 22.115 | Service aspects; Charging and billing | S1 | Yes | 2008- 12-11 | yes |
| 22.127 | Service requirement for the Open Services Access (OSA); Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.129 | Handover requirements between UTRAN and GERAN or other radio systems | S1 | Yes | 2008- 12-11 | yes |
| 22.140 | Multimedia Messaging Service (MMS); Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.141 | Presence service; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.146 | Multimedia Broadcast/Multicast Service (MBMS); Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.153 | Multimedia priority service | S1 | Yes | 2007- 12-06 | l* |
| 22.168 | Earthquake and Tsunami Warning System (ETWS) requirements; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.173 | IP Multimedia Core Network Subsystem (IMS) Multimedia Telephony Service and supplementary services; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.174 | Push service; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.182 | Customized Alerting Tone (CAT) requirements; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.226 | Global text telephony (GTT); Stage 1: Service description | S1 | Yes | 2008- 12-11 | yes |
| 22.228 | Service requirements for the Internet Protocol (IP) multimedia core network subsystem (IMS); Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.233 | Transparent end-to-end packet-switched streaming service; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.234 | Requirements on 3GPP system to Wireless Local Area Network (WLAN) interworking | S1 | Yes | 2008- 12-11 | yes |
| 22.240 | Service requirements for 3GPP Generic User Profile (GUP); Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.243 | Speech recognition framework for automated voice services; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.246 | Multimedia Broadcast/Multicast Service (MBMS) user services; Stage 1 | S1 | Yes | 2008- 12-11 | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|--|-------------|------------------|----------------|--------|
| 22.250 | IP Multimedia Subsystem (IMS) Group Management; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.259 | Service requirements for Personal Network Management (PNM); Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.340 | IP Multimedia Subsystem (IMS) messaging; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.401 | TISPAN; Videotelephony over NGN Service Description | S1 | Yes | 2008- 09-18 | |
| 22.892 | Study on IMS Centralized Services (ICS) requirements | S1 | No | 2008- 12-11 | yes |
| 22.903 | Study on Videotelephony teleservice | S1 | Yes | 2008- 12-11 | yes |
| 22.912 | Study into network selection requirements for non-3GPP access | S1 | Yes | 2008- 12-11 | yes |
| 22.934 | Feasibility study on 3GPP system to Wireles Local Area Network (WLAN) interworking | S1 | Yes | 2008- 12-11 | yes |
| 22.935 | Feasibility study on Location Services (LCS) for Wireless Local Area Network (WLAN) interworking | S1 | Yes | 2008- 12-11 | yes |
| 22.936 | Multi-system terminals | S1 | Yes | 2008- 12-11 | yes |
| 22.940 | IP Multimedia Subsystem (IMS) messaging; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 22.942 | Study on Value Added Services (VAS) for Short Message Service (SMS) | S1 | Yes | 2008- 12-11 | yes |
| 22.944 | Report on service requirements for UE functionality split | S1 | Yes | 2008- 12-11 | yes |
| 22.948 | Study of requirements of IP-Multimedia Subsystem (IMS) convergent multimedia conferencing | S1 | Yes | 2008- 12-11 | yes |
| 22.949 | Study on a generalized privacy capability | S1 | Yes | 2008- 12-11 | yes |
| 22.950 | Priority service feasibility study | S1 | Yes | 2008- 12-11 | yes |
| 22.951 | Service aspects and requirements for network sharing | S1 | Yes | 2008- 12-11 | yes |
| 22.952 | Priority service guide | S1 | Yes | 2008- 12-11 | 1* |
| 22.953 | Multimedia priority service feasibility study | S1 | Yes | 2008- 12-11 | yes |
| 22.967 | Transferring of emergency call data | S1 | Yes | 2008- 12-11 | yes |
| 22.968 | Study for requirements for a Public Warning System (PWS) service | S1 | Yes | 2008- 12-11 | yes |
| 22.973 | IMS Multimedia Telephony service; and supplementary services | S1 | Yes | 2008- 12-11 | yes |
| 22.977 | Feasibility study for speech-enabled services | S1 | Yes | 2008- 12-11 | yes |
| 22.979 | Feasibility study on combined Circuit Switched (CS) calls and IP Multimedia Subsystem (IMS) sessions | S1 | Yes | 2008- 12-11 | yes |
| 22.980 | Network composition feasibility study | S1 | Yes | 2008- 12-11 | yes |
| 22.982 | Study of Customized Alerting Tone (CAT) requirements | S1 | Yes | 2008- 12-11 | yes |
| 22.983 | Services alignment and migration | S1 | Yes | 2008- 12-11 | yes |
| 23.002 | Network architecture | S2 | Yes | 2008- 12-11 | yes |
| 23.003 | Numbering, addressing and identification | C4 | Yes | 2008- 12-11 | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|--|-------------|------------------|----------------|--------|
| 23.007 | Restoration procedures | C4 | Yes | 2008- 12-11 | yes |
| 23.008 | Organization of subscriber data | C4 | Yes | 2008- 12-11 | yes |
| 23.009 | Handover procedures | C1 | Yes | 2008- 12-11 | yes |
| 23.011 | Technical realization of Supplementary Services | C4 | Yes | 2008- 12-11 | yes |
| 23.012 | Location management procedures | C4 | Yes | 2008- 12-11 | yes |
| 23.014 | Support of Dual Tone Multi-Frequency (DTMF) signalling | C1 | Yes | 2008- 12-11 | yes |
| 23.015 | Technical realization of Operator Determined Barring (ODB) | C4 | Yes | 2008- 12-11 | yes |
| 23.016 | Subscriber data management; Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.018 | Basic call handling; Technical realization | C4 | Yes | 2008- 12-11 | yes |
| 23.031 | Fraud Information Gathering System (FIGS); Service description; Stage 2 | S3 | Yes | 2008- 12-11 | yes |
| 23.032 | Universal Geographical Area Description (GAD) | S2 | Yes | 2008- 12-11 | yes |
| 23.034 | High Speed Circuit Switched Data (HSCSD); Stage 2 | C1 | Yes | 2008- 12-11 | yes |
| 23.035 | Immediate Service Termination (IST); Stage 2 | S3 | Yes | 2008- 12-11 | yes |
| 23.038 | Alphabets and language-specific information | C1 | Yes | 2008- 12-11 | yes |
| 23.040 | Technical realization of Short Message Service (SMS) | C1 | Yes | 2008- 12-11 | yes |
| 23.041 | Technical realization of Cell Broadcast Service (CBS) | C1 | Yes | 2008- 12-11 | yes |
| 23.042 | Compression algorithm for text messaging services | C1 | Yes | 2008- 12-11 | yes |
| 23.053 | Tandem Free Operation (TFO); Service description; Stage 2 | S4 | Yes | 2008- 12-11 | yes |
| 23.057 | Mobile Execution Environment (MExE); Functional description; Stage 2 | S2 | Yes | 2008- 12-11 | yes |
| 23.060 | General Packet Radio Service (GPRS); Service description; Stage 2 | S2 | Yes | 2008- 12-11 | yes |
| 23.066 | Support of Mobile Number Portability (MNP); Technical realization; Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.067 | enhanced Multi-Level Precedence and Pre-emption Service (eMLPP); Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.072 | Call Deflection supplementary service; Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.078 | Customized Applications for Mobile network Enhanced Logic (CAMEL) Phase X; Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.079 | Support of Optimal Routeing (SOR); Technical realization | C4 | Yes | 2008- 12-11 | yes |
| 23.081 | Line Identification supplementary services; Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.082 | Call Forwarding (CF) supplementary services; Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.083 | Call Waiting (CW) and Call Hold (HOLD) supplementary services; Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.084 | MultiParty (MPTY) supplementary service; Stage 2 | C4 | Yes | 2008- 12-11 | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|---|-------------|------------------|----------------|--------|
| 23.085 | Closed User Group (CUG) supplementary service; Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.086 | Advice of Charge (AoC) Supplementary Service; Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.087 | User-to-User Signalling (UUS) supplementary service; Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.088 | Call Barring (CB) Supplementary Service; Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.090 | Unstructured Supplementary Service Data (USSD); Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.091 | Explicit Call Transfer (ECT) supplementary service; Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.093 | Technical realization of Completion of Calls to Busy Subscriber (CCBS); Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.094 | Follow-Me (F-M); Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.096 | Name identification supplementary services; Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.097 | Multiple Subscriber Profile (MSP) Phase X; Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.107 | Quality of Service (QoS) concept and architecture | S2 | Yes | 2008- 12-11 | yes |
| 23.108 | Mobile radio interface layer 3 specification, core network protocols; Stage 2 | C1 | Yes | 2008- 12-11 | yes |
| 23.110 | Universal Mobile Telecommunications System (UMTS) access stratum; Services and functions | S2 | Yes | 2008- 12-11 | yes |
| 23.116 | Super-Charger technical realization; Stage 2 | C4 | Yes | 2008- 12-11 | yes |
| 23.122 | Non-Access-Stratum (NAS) functions related to Mobile Station (MS) in idle mode | C1 | Yes | 2008- 12-11 | yes |
| 23.198 | Open Service Access (OSA); Stage 2 | СР | Yes | 2008- 12-11 | yes |
| 23.202 | Circuit switched data bearer services | C3 | Yes | 2008- 12-11 | yes |
| 23.203 | Policy and charging control architecture | S2 | Yes | 2008- 12-11 | 1* |
| 23.207 | End-to-end Quality of Service (QoS) concept and architecture | S2 | Yes | 2008- 12-11 | yes |
| 23.216 | Single Radio Voice Call Continuity (SRVCC); Stage 2 | S2 | Yes | 2008- 12-11 | yes |
| 23.218 | IP Multimedia (IM) session handling; IM call model; Stage 2 | C1 | Yes | 2008- 12-11 | yes |
| 23.221 | Architectural requirements | S2 | Yes | 2008- 12-11 | yes |
| 23.226 | Global text telephony (GTT); Stage 2 | S2 | Yes | 2008- 12-11 | yes |
| 23.228 | IP Multimedia Subsystem (IMS); Stage 2 | S2 | Yes | 2008- 06-05 | |
| 23.231 | SIP-I based circuit-switched core network; Stage 2 | C4 | Yes | 2008- 12-11 | |
| 23.236 | Intra-domain connection of Radio Access Network (RAN) nodes to multiple Core Network (CN) nodes | S2 | Yes | 2008- 12-11 | yes |
| 23.237 | IP Multimedia Subsystem (IMS) Service Continuity; Stage 2 | S2 | Yes | 2008- 06-05 | |
| 23.259 | Personal Network Management (PNM); Procedures and information flows | C1 | Yes | 2008- 12-11 | |
| 23.271 | Functional stage 2 description of Location Services (LCS) | S2 | Yes | 2008- 12-11 | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|--|-------------|------------------|----------------|--------|
| 23.272 | Circuit Switched (CS) fallback in Evolved Packet System (EPS); Stage 2 | S2 | Yes | 2008- 06-05 | 12 |
| 23.278 | Customised Applications for Mobile network Enhanced Logic (CAMEL) Phase 4; Stage 2; IM CN Interworking | C4 | Yes | 2008- 12-11 | yes |
| 23.279 | Combining Circuit Switched (CS) and IP Multimedia Subsystem (IMS) services; Stage 2 | S2 | Yes | 2008- 12-11 | yes |
| 23.292 | IP Multimedia System (IMS) centralized services; Stage 2 | S2 | Yes | 2008- 06-05 | 12 |
| 23.327 | Mobility between 3GPP-Wireless Local Area Network (WLAN) interworking and 3GPP systems | S2 | Yes | 2008- 06-05 | |
| 23.506 | TISPAN; IP Multimedia Subsystem (IMS); Stage 2 description [3GPP TS 23.228 Release 7, modified] | S2 | Yes | 2007- 12-06 | |
| 23.507 | TISPAN; Voice Call Continuity (VCC); Stage 2 [3GPP TS 23.206 Release 7, modified] | S2 | Yes | 2007- 12-06 | |
| 23.508 | TISPAN; Presence Service; Architecture and functional description [Endorsement of 3GPP TS 23.141 and OMA-AD-Presence_SIMPLE-V1_0] | S2 | Yes | 2008- 09-18 | |
| 23.509 | TISPAN; NGN Architecture to support emergency communication from citizen to authority [Endorsed document 3GPP TS 23.167, Release 7] | S2 | Yes | 2008- 09-18 | |
| 23.511 | TISPAN; XML Document Management; Architecture and functional description [OMA-AD-XDM-V1_0-20051006-C modified] | S2 | Yes | 2008- 09-18 | 17 |
| 23.517 | TISPAN; IP Multimedia Subsystem (IMS); Functional architecture | S2 | Yes | 2007- 12-06 | 1- |
| 23.521 | Telecommunications and Internet converged Services and Protocols for Advanced Networks (TISPAN); Support of Short Message Service (SMS) over NGN IMS subsystem; Stage 2; [Endorsement of 3GPP TS 23.204 Release 7] | S2 | Yes | 2007- 12-06 | 1- |
| 23.611 | TISPAN; XML Document Management; Architecture and functional description [OMA-AD-XDM-V1_0-20051006-C modified] | S2 | Yes | 2008- 12-11 | yes |
| 23.811 | Service level interworking for messaging services; Stage 2 | S2 | No | 2008- 12-11 | yes |
| 23.820 | Study of IMS restoration procedures | C4 | No | 2008- 12-11 | yes |
| 23.828 | Earthquake and Tsunami Warning System (ETWS); Requirements and solutions; Solution placeholder | S2 | No | 2008- 06-05 | yes |
| 23.847 | Enhancements to IMS service functionalities facilitating multicast bearer services | S2 | No | | |
| 23.868 | Feasibility study on extension of support for IP Multimedia Subsystem (IMS) emergency calls | S2 | No | | |
| 23.869 | Support for Internet Protocol (IP) based IP Multimedia Subsystem (IMS) Emergency calls over General Packet Radio Service (GPRS) and Evolved Packet Service (EPS) | S2 | No | | |
| 23.872 | Study on architecture of IP Multimedia Subsystem (IMS) based Customized Alerting Tone (CAT) | S2 | No | 2008- 12-11 | yes |
| 23.880 | Stage 2 for Registration in Densely-populated area (RED); Solution Placeholder | S2 | No | | |
| 23.892 | IP Multimedia Subystem (IMS) centralized services | S2 | No | 2008- 12-11 | yes |
| 23.894 | System enhancements for the use of IMS services in local breakout and optimal routeing of media | S2 | No | | |
| 23.919 | Direct tunnel deployment guideline | S2 | Yes | 2008- 12-11 | yes |
| 24.002 | GSM - UMTS Public Land Mobile Network (PLMN) Access Reference Configuration | C1 | Yes | 2008- 12-11 | yes |
| 24.007 | Mobile radio interface signalling layer 3; General Aspects | C1 | Yes | 2008- 12-11 | yes |
| 24.008 | Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 | C1 | Yes | 2008- 12-11 | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|--|-------------|------------------|----------------|--------|
| 24.010 | Mobile radio interface layer 3; Supplementary services specification; General aspects | C4 | Yes | 2008- 12-11 | |
| 24.011 | Point-to-Point (PP) Short Message Service (SMS) support on mobile radio interface | C1 | Yes | 2008- 12-11 | |
| 24.022 | Radio Link Protocol (RLP) for circuit switched bearer and teleservices | C3 | Yes | 2008- 12-11 | |
| 24.030 | Location Services (LCS); Supplementary service operations; Stage 3 | C4 | Yes | 2008- 12-11 | |
| 24.067 | Enhanced Multi-Level Precedence and Pre-emption service (eMLPP); Stage 3 | C4 | Yes | 2008- 12-11 | |
| 24.072 | Call Deflection (CD) supplementary service; Stage 3 | C4 | Yes | 2008- 12-11 | |
| 24.080 | Mobile radio Layer 3 supplementary service specification; Formats and coding | C4 | Yes | 2008- 12-11 | |
| 24.081 | Line Identification supplementary services; Stage 3 | C4 | Yes | 2008- 12-11 | |
| 24.082 | Call Forwarding (CF) supplementary services; Stage 3 | C4 | Yes | 2008- 12-11 | |
| 24.083 | Call Waiting (CW) and Call Hold (HOLD) supplementary services; Stage 3 | C4 | Yes | 2008- 12-11 | |
| 24.084 | MultiParty (MPTY) supplementary service; Stage 3 | C4 | Yes | 2008- 12-11 | |
| 24.085 | Closed User Group (CUG) supplementary service; Stage 3 | C4 | Yes | 2008- 12-11 | |
| 24.086 | Advice of Charge (AoC) supplementary services; Stage 3 | C4 | Yes | 2008- 12-11 | |
| 24.087 | User-to-User Signalling (UUS); Stage 3 | C4 | Yes | 2008- 12-11 | |
| 24.088 | Call Barring (CB) supplementary service; Stage 3 | C4 | Yes | 2008- 12-11 | |
| 24.090 | Unstructured Supplementary Service Data (USSD); Stage 3 | C4 | Yes | 2008- 12-11 | 1. |
| 24.091 | Explicit Call Transfer (ECT) supplementary service; Stage 3 | C4 | Yes | 2008- 12-11 | |
| 24.093 | Call Completion to Busy Subscriber (CCBS); Stage 3 | C4 | Yes | 2008- 12-11 | 1. |
| 24.096 | Name Identification supplementary services; Stage 3 | C4 | Yes | 2008- 12-11 | J |
| 24.141 | Presence service using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3 | C1 | Yes | 2008- 12-11 | |
| 24.147 | Conferencing using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3 | C1 | Yes | 2008- 12-11 | |
| 24.182 | IP Multimedia Subsystem (IMS) Customized Alerting Tones (CAT); Protocol specification | C1 | Yes | 2008- 12-11 | |
| 24.229 | Internet Protocol (IP) multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); Stage 3 | C1 | Yes | 2008- 12-11 | yes |
| 24.239 | Flexible Alerting (FA) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes | 2008- 12-11 | |
| 24.247 | Messaging service using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3 | C1 | Yes | 2008- 12-11 | yes |
| 24.259 | Personal Network Management (PNM); Stage 3 | C1 | Yes | 2008- 12-11 | yes |
| 24.303 | Mobility management based on Dual-Stack Mobile IPv6; Stage 3 | C1 | Yes | 2008- 12-11 | yes |
| 24.304 | Mobility management based on Mobile IPv4; User Equipment (UE) - foreign agent interface; Stage 3 | C1 | Yes | 2008- 12-11 | yes |
| 24.305 | Selective Disabling of UE Capabilities (SDoUE) Management Object | C1 | Yes | 2008- | - |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|---|-------------|------------------|----------------|--------|
| | (MO) | | | 12-11 | |
| 24.327 | Mobility between 3GPP Wireless Local Area Network (WLAN) interworking (I-WLAN) and 3GPP systems; General Packet Radio System (GPRS) and 3GPP I-WLAN aspects; Stage 3 | C1 | Yes | 2008- 12-11 | yes |
| 24.341 | Support of SMS over IP networks; Stage 3 | C1 | Yes | 2008- 12-11 | yes |
| 24.406 | TISPAN; PSTN/ISDN simulation services; Message Waiting Indication (MWI): Protocol specification | C1 | Yes | 2007- 11-30 | |
| 24.407 | TISPAN; PSTN/ISDN simulation services; Originating Identification Presentation (OIP) and Originating Identification Restriction (OIR); Protocol specification | C1 | Yes | 2007- 11-30 | |
| 24.410 | TISPAN; NGN Signalling Control Protocol; Communication HOLD (HOLD) PSTN/ISDN simulation services; Protocol specification | C1 | Yes | 2007- 11-30 | |
| 24.411 | TISPAN; PSTN/ISDN simulation services: Anonymous Communication Rejection (ACR) and Communication Barring (CB); Protocol specification | C1 | Yes | 2007- 11-30 | |
| 24.423 | TISPAN; PSTN/ISDN simulation services; Extensible Markup Language (XML) Configuration Access Protocol (XCAP) over the Ut interface for Manipulating NGN PSTN/ISDN Simulation Services | C1 | Yes | 2007- 11-30 | |
| 24.430 | TISPAN; Presence Service Capability; Protocol Specification [3GPP TS 24.141 V7.0.0, modified and OMA-TS-Presence_SIMPLE-V1_0, modified] | C1 | Yes | 2007- 11-30 | |
| 24.441 | TISPAN; Messaging service using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3: Protocol specifications [Endorsement of 3GPP TS 24.247 Release 6] | C1 | Yes | 2008- 03-07 | yes |
| 24.447 | TISPAN; NGN IMS Supplementary Services; Advice Of Charge (AOC) | C1 | Yes | 2007- 11-30 | 1- |
| 24.451 | TISPAN; Support of SMS and MMS over NGN IMS subsystem; Stage 3 [Endorsement of 3GPP TS 24.341 Release 7] | C1 | Yes | 2007- 11-30 | |
| 24.454 | TISPAN; PSTN/ISDN simulation services; Protocol specification Closed User Group (CUG) | C1 | Yes | 2007- 11-30 | |
| 24.503 | TISPAN; IP Multimedia Call Control Protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP) Stage 3 [3GPP TS 24.229 (Release 7), modified] | C1 | Yes | 2008- 12-11 | yes |
| 24.504 | TISPAN; PSTN/ISDN simulation services: Communication Diversion (CDIV); Protocol specification | C1 | Yes | 2007- 11-30 | |
| 24.505 | TISPAN; PSTN/ISDN simulation services: Conference (CONF); Protocol specification | C1 | Yes | 2007- 11-30 | |
| 24.508 | PSTN/ISDN simulation services Terminating Identification Presentation (TIP) and Terminating Identification Restriction (TIR); Protocol specification | C1 | Yes | 2007- 11-30 | |
| 24.516 | TISPAN; PSTN/ISDN simulation services; Malicious Communication Identification (MCID); Protocol specification | C1 | Yes | 2007- 11-30 | |
| 24.528 | TISPAN; Common Basic Communication procedures; Protocol specification | C1 | Yes | 2007- 11-30 | |
| 24.529 | TISPAN; PSTN/ISDN simulation services: Explicit Communication Transfer (ECT); Protocol specification | C1 | Yes | 2007- 11-30 | |
| 24.604 | Communication Diversion (CDIV) using IP Multimedia (IM)Core Network (CN) subsystem; Protocol specification | C1 | Yes | 2008- 12-11 | yes |
| 24.605 | Conference (CONF) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes | 2008- 12-11 | yes |
| 24.606 | Message Waiting Indication (MWI)using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes | 2008- 12-11 | yes |
| 24.607 | Originating Identification Presentation (OIP) and Originating Identification Restriction (OIR) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes | 2008- 12-11 | yes |
| 24.608 | Terminating Identification Presentation (TIP) and Terminating Identification Restriction (TIR)using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes | 2008- 12-11 | yes |

14

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|--|-------------|------------------|----------------|--------|
| 24.610 | Communication HOLD (HOLD) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes | 2008- 12-11 | yes |
| 24.611 | Anonymous Communication Rejection (ACR) and Communication Barring (CB)using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes | 2008- 12-11 | |
| 24.615 | Communication Waiting (CW) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol Specfication | C1 | Yes | 2008- 12-11 | yes |
| 24.616 | Malicious Communication Identification (MCID)using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes | 2008- 12-11 | yes |
| 24.623 | Extensible Markup Language (XML) Configuration Access Protocol (XCAP) over the Ut interface for Manipulating Simulation Services | C1 | Yes | 2008- 12-11 | |
| 24.628 | Common Basic Communication procedures using IP Multimedia (IM)Core Network (CN) subsystem; Protocol specification | C1 | Yes | 2008- 12-11 | |
| 24.629 | Explicit Communication Transfer (ECT) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes | 2008- 12-11 | |
| 24.642 | Completion of Communications to Busy Subscriber (CCBS) and Completion of Communications by No Reply (CCNR) using IP Multimedia (IM)Core Network (CN) subsystem; Protocol Specification | C1 | Yes | 2008- 12-11 | |
| 24.647 | Advice Of Charge (AOC) using IP Multimedia (IM)Core Network (CN) subsystem; Protocol Specification | C1 | Yes | 2008- 12-11 | |
| 24.654 | Closed User Group (CUG) using IP Multimedia (IM) Core Network (CN) subsystem, Protocol Specification | C1 | Yes | 2008- 12-11 | |
| 24.801 | 3GPP System Architecture Evolution (SAE); CT WG1 aspects | C1 | No | 2008- 12-11 | yes |
| 24.930 | Signalling flows for the session setup in the IP Multimedia core network Subsystem (IMS) based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); Stage 3 | C1 | Yes | 2008- 12-11 | |
| 25.992 | Multimedia Broadcast/Multicast Service (MBMS); UTRAN/GERAN requirements | RP | Yes | 2008- 12-11 | yes |
| 26.071 | Mandatory speech CODEC speech processing functions; AMR speech Codec; General description | S4 | Yes | 2008- 12-11 | yes |
| 26.073 | ANSI C code for the Adaptive Multi Rate (AMR) speech codec | S4 | Yes | 2008- 12-11 | yes |
| 26.074 | Mandatory speech codec speech processing functions; Adaptive Multi-Rate (AMR) speech codec test sequences | S4 | Yes | 2008- 12-11 | |
| 26.077 | Minimum performance requirements for noise suppresser application to the Adaptive Multi-Rate (AMR) speech encoder | S4 | Yes | 2008- 12-11 | |
| 26.090 | Mandatory Speech Codec speech processing functions; Adaptive Multi-Rate (AMR) speech codec; Transcoding functions | S4 | Yes | 2008- 12-11 | 1- |
| 26.091 | Mandatory Speech Codec speech processing functions; Adaptive Multi-Rate (AMR) speech codec; Error concealment of lost frames | S4 | Yes | 2008- 12-11 | |
| 26.092 | Mandatory speech codec speech processing functions; Adaptive Multi-Rate (AMR) speech codec; Comfort noise aspects | S4 | Yes | 2008- 12-11 | |
| 26.093 | Mandatory speech codec speech processing functions Adaptive Multi- Rate (AMR) speech codec; Source controlled rate operation | S4 | Yes | 2008- 12-11 | |
| 26.094 | Mandatory speech codec speech processing functions; Adaptive Multi-Rate (AMR) speech codec; Voice Activity Detector (VAD) | S4 | Yes | 2008- 12-11 | |
| 26.101 | Mandatory speech codec speech processing functions; Adaptive Multi-Rate (AMR) speech codec frame structure | S4 | Yes | 2008- 12-11 | yes |
| 26.102 | Mandatory speech codec; Adaptive Multi-Rate (AMR) speech codec; Interface to Iu, Uu and Nb | S4 | Yes | 2008- 12-11 | yes |
| 26.103 | Speech codec list for GSM and UMTS | S4 | Yes | 2008- 12-11 | yes |
| 26.104 | ANSI-C code for the floating-point Adaptive Multi-Rate (AMR) speech codec | S4 | Yes | 2008- 12-11 | yes |
| 26.110 | Codec for circuit switched multimedia telephony service; General description | S4 | Yes | 2008- 12-11 | |
| 26.111 | Codec for circuit switched multimedia telephony service; Modifications | S4 | Yes | 2008- | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|---|-------------|------------------|----------------|--------|
| | to H.324 | | | 12-11 | |
| 26.140 | Multimedia Messaging Service (MMS); Media formats and codes | S4 | Yes | 2008- 12-11 | yes |
| 26.141 | IP Multimedia System (IMS) Messaging and Presence; Media formats and codecs | S4 | Yes | 2008- 12-11 | yes |
| 26.171 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; General description | S4 | Yes | 2008- 12-11 | yes |
| 26.173 | ANSI-C code for the Adaptive Multi-Rate - Wideband (AMR-WB) speech codec | S4 | Yes | 2008- 12-11 | yes |
| 26.174 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec test sequences | S4 | Yes | 2008- 12-11 | yes |
| 26.190 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Transcoding functions | S4 | Yes | 2008- 12-11 | yes |
| 26.191 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Error concealment of erroneous or lost frames | S4 | Yes | 2008- 12-11 | yes |
| 26.192 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Comfort noise aspects | S4 | Yes | 2008- 12-11 | yes |
| 26.193 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Source controlled rate operation | S4 | Yes | 2008- 12-11 | yes |
| 26.194 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Voice Activity Detector (VAD) | S4 | Yes | 2008- 12-11 | yes |
| 26.201 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Frame structure | S4 | Yes | 2008- 12-11 | yes |
| 26.202 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Interface to Iu, Uu and Nb | S4 | Yes | 2008- 12-11 | yes |
| 26.204 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; ANSI-C code | S4 | Yes | 2008- 12-11 | yes |
| 26.226 | Cellular text telephone modem; General description | S4 | Yes | 2008- 12-11 | yes |
| 26.230 | Cellular text telephone modem; Transmitter bit exact C-code | S4 | Yes | 2008- 12-11 | yes |
| 26.231 | Cellular text telephone modem; Minimum performance requirements | S4 | Yes | 2008- 12-11 | yes |
| 26.235 | Packet switched conversational multimedia applications; Default codecs | S4 | Yes | 2008- 12-11 | |
| 26.243 | ANSI C code for the fixed-point distributed speech recognition extended advanced front-end | S4 | Yes | 2008- 12-11 | yes |
| 26.244 | Transparent end-to-end packet switched streaming service (PSS); 3GPP file format (3GP) | S4 | Yes | 2008- 12-11 | yes |
| 26.267 | eCall data transfer; In-band modem solution; General description | S4 | Yes | | |
| 26.268 | eCall data transfer; In-band modem solution; ANSI-C reference code | S4 | Yes | | |
| 26.269 | eCall data transfer; In-band modem solution; Conformance testing | S4 | Yes | | |
| 26.273 | ANSI-C code for the fixed-point Extended Adaptive Multi-Rate - Wideband (AMR-WB+) speech codec | S4 | Yes | 2008- 12-11 | yes |
| 26.274 | Speech codec speech processing functions; Extended Adaptive Multi-Rate - Wideband (AMR-WB+) speech codec; Conformance testing | S4 | Yes | 2008- 12-11 | yes |
| 26.290 | Audio codec processing functions; Extended Adaptive Multi-Rate - Wideband (AMR-WB+) codec; Transcoding functions | S4 | Yes | 2008- 12-11 | yes |
| 26.304 | Extended Adaptive Multi-Rate - Wideband (AMR-WB+) codec; Floating-point ANSI-C code | S4 | Yes | 2008- 12-11 | yes |
| 26.401 | General audio codec audio processing functions; Enhanced aacPlus general audio codec; General description | S4 | Yes | 2008- 12-11 | yes |
| 26.402 | General audio codec audio processing functions; Enhanced aacPlus general audio codec; Additional decoder tools | S4 | Yes | 2008- 12-11 | yes |
| 26.403 | General audio codec audio processing functions; Enhanced aacPlus | S4 | Yes | 2008- | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|--|-------------|------------------|----------------|--------|
| | general audio codec; Encoder specification; Advanced Audio Coding (AAC) part | | | 12-11 | |
| 26.404 | General audio codec audio processing functions; Enhanced aacPlus general audio codec; Encoder specification; Spectral Band Replication (SBR) part | S4 | Yes | 2008- 12-11 | yes |
| 26.405 | General audio codec audio processing functions; Enhanced aacPlus general audio codec; Encoder specification; Parametric stereo part | S4 | Yes | 2008- 12-11 | yes |
| 26.406 | General audio codec audio processing functions; Enhanced aacPlus general audio codec; Conformance testing | S4 | Yes | 2008- 12-11 | yes |
| 26.410 | General audio codec audio processing functions; Enhanced aacPlus general audio codec; Floating-point ANSI-C code | S4 | Yes | 2008- 12-11 | yes |
| 26.411 | General audio codec audio processing functions; Enhanced aacPlus general audio codec; Fixed-point ANSI-C code | S4 | Yes | 2008- 12-11 | yes |
| 26.412 | General audio codec audio processing functions; Source code for 3GP file format | S4 | Yes | 2008- 12-11 | yes |
| 26.902 | Video codec performance | S4 | Yes | 2008- 12-11 | yes |
| 26.911 | Codec(s) for Circuit-Switched (CS) multimedia telephony service; Terminal implementor"s guide | S4 | Yes | 2008- 12-11 | yes |
| 26.914 | Multimedia telephony over IP Multimedia Subsystem (IMS); Optimization opportunities | S4 | Yes | 2008- 12-11 | yes |
| 26.935 | Packet Switched (PS) conversational multimedia applications; Performance characterization of default codecs | S4 | Yes | 2008- 12-11 | yes |
| 26.936 | Performance characterization of 3GPP audio codecs | S4 | Yes | 2008- 12-11 | yes |
| 26.943 | Recognition performance evaluations of codecs for Speech Enabled Services (SES) | S4 | Yes | 2008- 12-11 | yes |
| 26.946 | Multimedia Broadcast/Multicast Service (MBMS) user service guidelines | S4 | Yes | 2008- 12-11 | yes |
| 26.967 | eCall data transfer; In-band modem solution | S4 | No | 2008- 12-11 | yes |
| 26.969 | eCall data transfer; In-band modem solution; Characterization report | S4 | No | | |
| 26.975 | Performance characterization of the Adaptive Multi-Rate (AMR) speech codec | S4 | Yes | 2008- 12-11 | yes |
| 26.976 | Performance characterization of the Adaptive Multi-Rate Wideband (AMR-WB) speech codec | S4 | Yes | 2008- 12-11 | |
| 26.978 | Results of the Adaptive Multi-Rate (AMR) noise suppression selection phase | S4 | Yes | 2008- 12-11 | yes |
| 27.001 | General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS) | C3 | Yes | 2008- 12-11 | yes |
| 27.002 | Terminal Adaptation Functions (TAF) for services using asynchronous bearer capabilities | C3 | Yes | 2008- 12-11 | yes |
| 27.003 | Terminal Adaptation Functions (TAF) for services using synchronous bearer capabilities | C3 | Yes | 2008- 12-11 | yes |
| 27.005 | Use of Data Terminal Equipment - Data Circuit terminating Equipment (DTE-DCE) interface for Short Message Service (SMS) and Cell Broadcast Service (CBS) | C1 | Yes | 2008- 12-11 | yes |
| 27.007 | AT command set for User Equipment (UE) | C1 | Yes | 2008- 12-11 | yes |
| 27.010 | Terminal Equipment to User Equipment (TE-UE) multiplexer protocol | C3 | Yes | 2008- 12-11 | yes |
| 27.060 | Packet domain; Mobile Station (MS) supporting Packet Switched services | C3 | Yes | 2008- 12-11 | yes |
| 28.062 | Inband Tandem Free Operation (TFO) of speech codecs; Service description; Stage 3 | S4 | Yes | 2008- 12-11 | yes |
| 29.002 | Mobile Application Part (MAP) specification | C4 | Yes | 2008- 12-11 | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|-----------------|---|-------------|------------------|----------------|--------|
| 29.007 | General requirements on interworking between the Public Land Mobile Network (PLMN) and the Integrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN) | C3 | Yes | 2008- 12-11 | |
| 29.010 | Information element mapping between Mobile Station - Base Station System (MS - BSS) and Base Station System - Mobile-services Switching Centre (BSS - MSC); Signalling Procedures and the Mobile Application Part (MAP) | C4 | Yes | 2008- 12-11 | yes |
| 29.011 | Signalling Interworking for supplementary services | C4 | Yes | 2008- 12-11 | yes |
| 29.013 | Signalling interworking between ISDN supplementary services Application Service Element (ASE) and Mobile Application Part (MAP) protocols | C4 | Yes | 2008- 12-11 | yes |
| 29.016 | General Packet Radio Service (GPRS); Serving GPRS Support Node SGSN - Visitors Location Register (VLR); Gs interface network service specification | C1 | Yes | 2008- 12-11 | yes |
| 29.018 | General Packet Radio Service (GPRS); Serving GPRS Support Node (SGSN) - Visitors Location Register (VLR); Gs interface layer 3 specification | C1 | Yes | 2008- 12-11 | yes |
| 29.060 | General Packet Radio Service (GPRS); GPRS Tunnelling Protocol (GTP) across the Gn and Gp interface | C4 | Yes | 2008- 12-11 | yes |
| 29.061 | Interworking between the Public Land Mobile Network (PLMN) supporting packet based services and Packet Data Networks (PDN) | C3 | Yes | 2008- 12-11 | yes |
| 29.078 | Customized Applications for Mobile network Enhanced Logic (CAMEL) Phase X; CAMEL Application Part (CAP) specification | C4 | Yes | 2008- 12-11 | yes |
| 29.109 | Generic Authentication Architecture (GAA); Zh and Zn Interfaces based on the Diameter protocol; Stage 3 | C4 | Yes | 2008- 12-11 | yes |
| 29.162 | Interworking between the IM CN subsystem and IP networks | C3 | Yes | 2008- 12-11 | yes |
| 29.163 | Interworking between the IP Multimedia (IM) Core Network (CN) subsystem and Circuit Switched (CS) networks | C3 | Yes | 2008- 12-11 | yes |
| 29.164 | Interworking between the 3GPP Cs domain with BICC or ISUP as signalling protocol and external SIP-I networks | C3 | Yes | 2008- 12-11 | yes |
| 29.165 | Inter-IMS Network to Network Interface (NNI) | C3 | Yes | 2008- 12-11 | yes |
| 29.198- 01 | Open Service Access (OSA) Application Programming Interface (API); Part 1: Overview | СР | Yes | 2008- 12-11 | yes |
| 29.198- 02 | Open Service Access (OSA) Application Programming Interface (API); Part 2: Common data definitions | СР | Yes | 2008- 12-11 | yes |
| 29.198- 03 | Open Service Access (OSA) Application Programming Interface (API); Part 3: Framework | СР | Yes | 2008- 12-11 | yes |
| 29.198- 04-1 | Open Service Access (OSA) Application Programming Interface (API); Part 4: Call control; Subpart 1: Call control common definitions | СР | Yes | 2008- 12-11 | yes |
| 29.198- 04-2 | Open Service Access (OSA) Application Programming Interface (API); Part 4: Call control; Subpart 2: Generic call control Service Capability Feature (SCF) | СР | Yes | 2008- 12-11 | yes |
| 29.198- 04-3 | Open Service Access (OSA) Application Programming Interface (API); Part 4: Call control; Subpart 3: Multi-party call control Service Capability Feature (SCF) | СР | Yes | 2008- 12-11 | yes |
| 29.198- 04-4 | Open Service Access (OSA) Application Programming Interface (API); Part 4: Call control; Subpart 4: Multimedia call control Service Capability Feature (SCF) | СР | Yes | 2008- 12-11 | yes |
| 29.198- 04-5 | Open Service Access (OSA) Application Programming Interface (API); Part 4: Call control; Subpart 5: Conference call control Service Capability Feature (SCF) | СР | Yes | 2008- 12-11 | yes |
| 29.198- 05 | Open Service Access (OSA) Application Programming Interface (API); Part 5: User interaction Service Capability Feature (SCF) | СР | Yes | 2008- 12-11 | yes |
| 29.198- 06 | Open Service Access (OSA) Application Programming Interface (API); Part 6: Mobility Service Capability Feature (SCF) | СР | Yes | 2008- 12-11 | yes |
| 29.198- | Open Service Access (OSA) Application Programming Interface (API); | СР | Yes | 2008- | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|---------------|---|-------------|------------------|----------------|--------|
| 07 | Part 7: Terminal capabilities Service Capability Feature (SCF) | | | 12-11 | |
| 29.198- 08 | Open Service Access (OSA) Application Programming Interface (API); Part 8: Data session control Service Capability Feature (SCF) | СР | Yes | 2008- 12-11 | yes |
| 29.198- 10 | Open Service Access (OSA) Application Programming Interface (API); Part 10: Connectivity manager Service Capability Feature (SCF) | СР | Yes | 2008- 12-11 | yes |
| 29.198- 11 | Open Service Access (OSA) Application Programming Interface (API); Part 11: Account management Service Capability Feature (SCF) | СР | Yes | 2008- 12-11 | yes |
| 29.198- 12 | Open Service Access (OSA) Application Programming Interface (API); Part 12: Charging Service Capability Feature (SCF) | СР | Yes | 2008- 12-11 | yes |
| 29.198- 13 | Open Service Access (OSA) Application Programming Interface (API); Part 13: Policy management Service Capability Feature (SCF) | СР | Yes | 2008- 12-11 | |
| 29.198- 14 | Open Service Access (OSA) Application Programming Interface (API); Part 14: Presence and Availability Management (PAM) Service Capability Feature (SCF) | СР | Yes | 2008- 12-11 | 1. |
| 29.198- 15 | Open Service Access (OSA) Application Programming Interface (API); Part 15: Multi-media Messaging (MM) Service Capability Feature (SCF) | CP | Yes | 2008- 12-11 | yes |
| 29.198- 16 | Open Service Access (OSA) Application Programming Interface (API); Part 16: Service broker Service Capability Feature (SCF) | СР | Yes | 2008- 12-11 | yes |
| 29.199- 01 | Open Service Access (OSA); Parlay X web services; Part 1: Common | СР | Yes | 2008- 12-11 | yes |
| 29.199- 02 | Open Service Access (OSA); Parlay X web services; Part 2: Third party call | СР | Yes | 2008- 12-11 | yes |
| 29.199- 03 | Open Service Access (OSA); Parlay X web services; Part 3: Call notification | СР | Yes | 2008- 12-11 | yes |
| 29.199- 04 | Open Service Access (OSA); Parlay X web services; Part 4: Short messaging | СР | Yes | 2008- 12-11 | yes |
| 29.199- 05 | Open Service Access (OSA); Parlay X web services; Part 5: Multimedia messaging | СР | Yes | 2008- 12-11 | |
| 29.199- 06 | Open Service Access (OSA); Parlay X web services; Part 6: Payment | СР | Yes | 2008- 12-11 | |
| 29.199- 07 | Open Service Access (OSA); Parlay X web services; Part 7: Account management | СР | Yes | 2008- 12-11 | 1- |
| 29.199- 08 | Open Service Access (OSA); Parlay X web services; Part 8: Terminal status | СР | Yes | 2008- 12-11 | |
| 29.199- 09 | Open Service Access (OSA); Parlay X web services; Part 9: Terminal location | СР | Yes | 2008- 12-11 | |
| 29.199- 10 | Open Service Access (OSA); Parlay X web services; Part 10: Call handling | СР | Yes | 2008- 12-11 | |
| 29.199- 11 | Open Service Access (OSA); Parlay X web services; Part 11: Audio call | СР | Yes | 2008- 12-11 | |
| 29.199- 12 | Open Service Access (OSA); Parlay X web services; Part 12: Multimedia conference | СР | Yes | 2008- 12-11 | yes |
| 29.199- 13 | Open Service Access (OSA); Parlay X web services; Part 13: Address list management | СР | Yes | 2008- 12-11 | yes |
| 29.199- 14 | Open Service Access (OSA); Parlay X web services; Part 14: Presence | СР | Yes | 2008- 12-11 | yes |
| 29.199- 15 | Open Service Access (OSA); Parlay X web services; Part 15: Message broadcast | СР | Yes | 2008- 12-11 | yes |
| 29.199- 16 | Open Service Access (OSA); Parlay X web services; Part 16: Geocoding | СР | Yes | 2008- 12-11 | yes |
| 29.199- 17 | Open Service Access (OSA); Parlay X web services; Part 17: Application-driven Quality of Service (QoS) | СР | Yes | 2008- 12-11 | yes |
| 29.199- 18 | Open Service Access (OSA); Parlay X web services; Part 18: Device capabilities and configuration | СР | Yes | 2008- 12-11 | yes |
| 29.199- 19 | Open Service Access (OSA); Parlay X web services; Part 19: Multimedia streaming control | СР | Yes | 2008- 12-11 | yes |
| 29.199- | Open Service Access (OSA); Parlay X web services; Part 20: | СР | Yes | 2008- | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|---------------|--|-------------|------------------|----------------|--------|
| 20 | Multimedia multicast session management | F.19 | , | 12-11 | |
| 29.199- 21 | Open Service Access (OSA); Parlay X web services; Part 21: Content management | СР | Yes | 2008- 12-11 | yes |
| 29.199- 22 | Open Service Access (OSA); Parlay X web services; Part 22: Policy | СР | Yes | 2008- 12-11 | yes |
| 29.204 | Signalling System No. 7 (SS7) security gateway; Architecture, functional description and protocol details | C4 | Yes | 2008- 12-11 | yes |
| 29.213 | Policy and charging control signalling flows and Quality of Service (QoS) parameter mapping | C3 | Yes | 2008- 12-11 | yes |
| 29.215 | Policy and Charging Control (PCC) over S9 reference point | C3 | Yes | 2008- 12-11 | yes |
| 29.228 | IP Multimedia (IM) Subsystem Cx and Dx Interfaces; Signalling flows and message contents | C4 | Yes | 2008- 12-11 | yes |
| 29.229 | Cx and Dx interfaces based on the Diameter protocol; Protocol details | C4 | Yes | 2008- 12-11 | yes |
| 29.230 | Diameter applications; 3GPP specific codes and identifiers | C4 | Yes | 2008- 12-11 | yes |
| 29.231 | Application of SIP-I Protocols to Circuit Switched (CS) core network architecture; Stage 3 | C4 | Yes | 2008- 12-11 | yes |
| 29.235 | Interworking between SIP-I based circuit-switched core network and other networks | C3 | Yes | 2008- 12-11 | yes |
| 29.278 | Customized Applications for Mobile network Enhanced Logic (CAMEL); CAMEL Application Part (CAP) specification for IP Multimedia Subsystems (IMS) | C4 | Yes | 2008- 12-11 | yes |
| 29.304 | Mobile IPv4 (MIPv4) based Mobility protocols; Stage 3 | S4 | Yes | | |
| 29.328 | IP Multimedia Subsystem (IMS) Sh interface; Signalling flows and message contents | C4 | Yes | 2008- 12-11 | yes |
| 29.329 | Sh interface based on the Diameter protocol; Protocol details | C4 | Yes | 2008- 12-11 | yes |
| 29.364 | IP Multimedia Subsystem (IMS) Application Server (AS) service data descriptions for AS interoperability | C4 | Yes | 2008- 12-11 | yes |
| 29.412 | TISPAN; Interworking; Trunking Gateway Control Procedures for interworking between NGN and external CS networks | C3 | Yes | 2008- 05-30 | |
| 29.421 | TISPAN; NGN Release 1; Endorsement of 3GPP TS 29.162 Interworking between IM CN Sub-system and IP networks | C3 | Yes | 2007- 11-30 | |
| 29.424 | TISPAN; H.248 Profile for controlling Trunking Media Gateways; Protocol specification | C4 | Yes | 2008- 09-12 | |
| 29.433 | TISPAN; IP Multimedia; Diameter based protocol for the interfaces between the Call Session Control Function and the User Profile Server Function/Subscription Locator Function; Signalling flows and protocol details [3GPP TS 29.228 and 29.229 modified] | C4 | Yes | 2007- 11-30 | 12 |
| 29.458 | TISPAN; SIP Transfer of IP Multimedia Service Tariff Information; Protocol specification | C3 | Yes | 2007- 11-30 | |
| 29.527 | TISPAN; Endorsement of the SIP-ISUP Interworking between the IP Multimedia (IM) Core Network (CN) subsystem and Circuit Switched (CS) networks [3GPP TS 29.163 (Release 7), modified] | C3 | Yes | 2007- 11-30 | |
| 29.612 | TISPAN; Interworking; Trunking Gateway Control Procedures for interworking between NGN and external CS networks | C3 | Yes | | |
| 29.624 | TISPAN; H.248 Profile for controlling Trunking Media Gateways; Protocol specification | C4 | Yes | | |
| 29.658 | TISPAN; SIP Transfer of IP Multimedia Service Tariff Information; Protocol specification | C3 | Yes | 2008- 12-11 | yes |
| 29.803 | 3GPP System Architecture Evolution (SAE): CT WG4 aspects | C4 | No | | |
| 29.804 | 3GPP System Architecture Evolution (SAE): CT WG3 aspects | C3 | No | 2008- 12-11 | yes |
| 29.863 | Feasibility Study for the multimedia inter-working between the IP Multimedia Core Network (CN) Subsystem (IMS) and Circuit Switched | СЗ | No | 2008- 12-11 | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|-----------------|--|-------------|------------------|----------------|--------|
| | (CS) networks | | | | |
| 29.864 | Study on IMS Application Server (AS) service data descriptions for AS interoperability | C4 | No | 2008- 12-11 | yes |
| 29.865 | Inter-IMS network to network interface | C3 | No | 2008- 12-11 | yes |
| 29.909 | Diameter-based protocols usage and recommendations in 3GPP | C3 | Yes | 2008- 12-11 | yes |
| 29.994 | Recommended infrastructure measures to overcome specific Mobile Station (MS) and User Equipment (UE) faults | C1 | Yes | 2008- 12-11 | yes |
| 29.998- 01 | Open Service Access (OSA); Application Programming Interface (API) mapping for OSA; Part 1: General issues on API mapping | СР | Yes | 2008- 12-11 | yes |
| 29.998- 04-1 | Open Service Access (OSA); Application Programming Interface (API) Mapping for Open Service Access; Part 4: Call Control Service Mapping; Subpart 1: API to CAP Mapping | СР | Yes | 2008- 12-11 | yes |
| 29.998- 04-4 | Open Service Access (OSA); Application Programming Interface (API) Mapping for Open Service Access; Part 4: Call Control Service Mapping; Subpart 4: Multiparty Call Control ISC | СР | Yes | 2008- 12-11 | yes |
| 29.998- 05-1 | Open Service Access (OSA); Application Programming Interface (API) Mapping for Open Service Access; Part 5: User Interaction Service Mapping; Subpart 1: API to CAP Mapping | СР | Yes | 2008- 12-11 | yes |
| 29.998- 05-4 | Open Service Access (OSA); Application Programming Interface (API) Mapping for Open Service Access; Part 5: User Interaction Service Mapping; Subpart 4: API to SMS Mapping | СР | Yes | 2008- 12-11 | yes |
| 29.998- 06-1 | Open Service Access (OSA); Application Programming Interface (API) Mapping for Open Service Access; Part 6: User location - user status service mapping; Subpart 1: Mapping to Mobile Application Part (MAP) | СР | Yes | 2008- 12-11 | yes |
| 29.998- 06-2 | Open Service Access (OSA); Application Programming Interface (API) Mapping for Open Service Access; Part 6: User location - user status service mapping; Subpart 2: Mapping to Session Initiation Protocol (SIP) | СР | Yes | 2008- 12-11 | yes |
| 29.998- 08 | Open Service Access (OSA); Application Programming Interface (API) Mapping for Open Service Access; Part 8: Data Session Control Service Mapping to CAP | СР | Yes | 2008- 12-11 | yes |
| 30.818 | Telecommunication management; Project scheduling and open issues for SA5, Release 8 | S5 | No | | |
| 31.103 | Characteristics of the IP Multimedia Services Identity Module (ISIM) application | C6 | Yes | 2008- 12-11 | |
| 31.111 | Universal Subscriber Identity Module (USIM) Application Toolkit (USAT) | C6 | Yes | 2008- 12-11 | yes |
| 31.115 | Secured packet structure for (Universal) Subscriber Identity Module (U)SIM Toolkit applications | C6 | Yes | 2008- 12-11 | yes |
| 31.116 | Remote APDU Structure for (Universal) Subscriber Identity Module (U)SIM Toolkit applications | C6 | Yes | 2008- 12-11 | yes |
| 31.130 | (U)SIM Application Programming Interface (API); (U)SIM API for Java Card | C6 | Yes | 2008- 12-11 | yes |
| 31.133 | IP Multimedia Services Identity Module (ISIM) Application Programming Interface (API); ISIM API for Java Card™ | C6 | Yes | 2008- 12-11 | yes |
| 31.919 | 2G/3G Java Card™ Application Programming Interface (API) based applet interworking | C6 | Yes | 2008- 12-11 | yes |
| 32.101 | Telecommunication management; Principles and high level requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.102 | Telecommunication management; Architecture | S5 | Yes | 2008- 12-11 | yes |
| 32.111-1 | Telecommunication management; Fault Management; Part 1: 3G fault management requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.111-2 | Telecommunication management; Fault Management; Part 2: Alarm Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2008- 12-11 | yes |
| 32.111-3 | Telecommunication management; Fault Management; Part 3: Alarm Integration Reference Point (IRP): Common Object Request Broker | S5 | Yes | 2008- 12-11 | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|----------|---|-------------|------------------|----------------|--------|
| | Architecture (CORBA) Solution Set (SS) | | | | |
| 32.111-5 | Telecommunication management; Fault Management; Part 5: Alarm Integration Reference Point (IRP): eXtensible Markup Language (XML) definitions | S5 | Yes | 2008- 12-11 | |
| 32.111-7 | Telecommunication management; Fault Management; Part 7: Alarm IRP SOAP Solution Set (SS) | S5 | Yes | | |
| 32.121 | Telecommunication management; Advanced Alarm Management (AAM) Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | |
| 32.122 | Telecommunication management; Advanced Alarm Management (AAM) Integration Reference Point (IRP); Information Service (IS) | S5 | Yes | 2008- 12-11 | |
| 32.123 | Telecommunication management; Advanced Alarm Management (AAM) Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | |
| 32.140 | Telecommunication management; Subscription Management (SuM) requirements | S5 | Yes | 2008- 12-11 | |
| 32.141 | Telecommunication management; Subscription Management (SuM) architecture | S5 | Yes | 2008- 12-11 | |
| 32.150 | Telecommunication management; Integration Reference Point (IRP) Concept and definitions | S5 | Yes | 2008- 12-11 | |
| 32.151 | Telecommunication management; Integration Reference Point (IRP) Information Service (IS) template | S5 | Yes | 2008- 12-11 | 1- |
| 32.152 | Telecommunication management; Integration Reference Point (IRP) Information Service (IS) Unified Modelling Language (UML) repertoire | S5 | Yes | 2008- 12-11 | |
| 32.153 | Telecommunication management; Integration Reference Point (IRP) technology specific templates, rules and guidelines | S5 | Yes | | |
| 32.154 | Telecommunication management; Backward and Forward Compatibility (BFC); Concept and definitions | S5 | Yes | 2008- 12-11 | |
| 32.155 | Telecommunication management; Requirements template | S5 | Yes | 2008- 12-11 | yes |
| 32.171 | Telecommunication management; Subscription Management (SuM) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.172 | Telecommunication management; Subscription Management (SuM) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2008- 12-11 | |
| 32.175 | Telecommunication management; Subscription Management (SuM) Network Resource Model (NRM) Integration Reference Point (IRP): eXtensible Markup Language (XML) definition | S5 | Yes | 2008- 12-11 | |
| 32.240 | Telecommunication management; Charging management; Charging architecture and principles | S5 | Yes | 2008- 12-11 | |
| 32.250 | Telecommunication management; Charging management; Circuit Switched (CS) domain charging | S5 | Yes | 2008- 12-11 | 1- |
| 32.251 | Telecommunication management; Charging management; Packet Switched (PS) domain charging | S5 | Yes | 2008- 12-11 | 1- |
| 32.252 | Telecommunication management; Charging management; Wireless Local Area Network (WLAN) charging | S5 | Yes | 2008- 12-11 | |
| 32.260 | Telecommunication management; Charging management; IP Multimedia Subsystem (IMS) charging | S5 | Yes | 2008- 12-11 | |
| 32.270 | Telecommunication management; Charging management; Multimedia Messaging Service (MMS) charging | S5 | Yes | 2008- 12-11 | |
| 32.271 | Telecommunication management; Charging management; Location Services (LCS) charging | S5 | Yes | 2008- 12-11 | |
| 32.272 | Telecommunication management; Charging management; Push-to-talk over Cellular (PoC) charging | S5 | Yes | 2008- 12-11 | |
| 32.273 | Telecommunication management; Charging management; Multimedia Broadcast and Multicast Service (MBMS) charging | S5 | Yes | 2008- 12-11 | |
| 32.274 | Telecommunication management; Charging management; Short Message Service (SMS) charging | S5 | Yes | 2008- 12-11 | |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|--|-------------|------------------|----------------|--------|
| 32.295 | Telecommunication management; Charging management; Charging Data Record (CDR) transfer | S5 | Yes | 2008- 12-11 | 1 |
| 32.296 | Telecommunication management; Charging management; Online Charging System (OCS): Applications and interfaces | S5 | Yes | 2008- 12-11 | |
| 32.297 | Telecommunication management; Charging management; Charging Data Record (CDR) file format and transfer | S5 | Yes | 2008- 12-11 | |
| 32.298 | Telecommunication management; Charging management; Charging Data Record (CDR) parameter description | S5 | Yes | 2008- 12-11 | |
| 32.299 | Telecommunication management; Charging management; Diameter charging applications | S5 | Yes | 2008- 12-11 | |
| 32.300 | Telecommunication management; Configuration Management (CM); Name convention for Managed Objects | S5 | Yes | 2008- 12-11 | |
| 32.301 | Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | |
| 32.302 | Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP); Information Service (IS) | S5 | Yes | 2008- 12-11 | |
| 32.303 | Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.305 | Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP); eXtensible Markup Language (XML) definition | S5 | Yes | 2008- 12-11 | 12 |
| 32.307 | Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP); SOAP Solution Set (SS) | S5 | Yes | 2008- 12-11 | |
| 32.311 | Telecommunication management; Generic Integration Reference Point (IRP) management; Requirements | S5 | Yes | 2008- 12-11 | |
| 32.312 | Telecommunication management; Generic Integration Reference Point (IRP) management; Information Service (IS) | S5 | Yes | 2008- 12-11 | |
| 32.313 | Telecommunication management; Generic Integration Reference Point (IRP) management; Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | |
| 32.317 | Telecommunication management; Generic Integration Reference Point (IRP) management; SOAP Solution Set (SS) | S5 | Yes | 2008- 12-11 | |
| 32.321 | Telecommunication management; Test management Integration Reference Point (IRP): Requirements | S5 | Yes | 2008- 12-11 | |
| 32.322 | Telecommunication management; Test management Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2008- 12-11 | |
| 32.323 | Telecommunication management; Test management Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | 1. |
| 32.325 | Telecommunication management; Test management Integration Reference Point (IRP); eXtensible Markup Language (XML) definitions | S5 | Yes | 2008- 12-11 | |
| 32.327 | Telecommunication management; Test management Integration Reference Point (IRP); SOAP Solution Set (SS) | S5 | Yes | | |
| 32.331 | Telecommunication management; Notification Log (NL) Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | |
| 32.332 | Telecommunication management; Notification Log (NL) Integration Reference Point (IRP); Information Service (IS) | S5 | Yes | 2008- 12-11 | |
| 32.333 | Telecommunication management; Notification Log (NL) Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | |
| 32.335 | Telecommunication management; Notification Log (NL) Integration Reference Point (IRP); eXtensible Markup Language (XML) solution definitions | S5 | Yes | 2008- 12-11 | 1. |
| 32.337 | Telecommunication management; Notification Log (NL) Integration Reference Point (IRP); eXtensible Markup Language (XML) solution definitions | S5 | Yes | | |
| 32.341 | Telecommunication management; File Transfer (FT) Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|--|-------------|------------------|----------------|--------|
| 32.342 | Telecommunication management; File Transfer (FT) Integration Reference Point (IRP); Information Service (IS) | S5 | Yes | 2008- 12-11 | yes |
| 32.343 | Telecommunication management; File Transfer (FT) Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.345 | Telecommunication management; File Transfer (FT) Integration Reference Point (IRP); eXtensible Markup Language (XML) definitions | S5 | Yes | 2008- 12-11 | yes |
| 32.347 | Telecommunication management; File Transfer (FT) Integration Reference Point (IRP); SOAP Solution Set (SS) | S5 | Yes | | |
| 32.351 | Telecommunication management; Communication Surveillance (CS) Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.352 | Telecommunication management; Communication Surveillance (CS) Integration Reference Point (IRP); Information Service (IS) | S5 | Yes | 2008- 12-11 | yes |
| 32.353 | Telecommunication management; Communication Surveillance (CS) Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.357 | Telecommunication management; Communication Surveillance (CS) Integration Reference Point (IRP); Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | | |
| 32.361 | Telecommunication management; Entry Point (EP) Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | |
| 32.362 | Telecommunication management; Entry Point (EP) Integration Reference Point (IRP); Information Service (IS) | S5 | Yes | 2008- 12-11 | yes |
| 32.363 | Telecommunication management; Entry Point (EP) Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.365 | Telecommunication management; Entry Point (EP) Integration Reference Point (IRP); eXtensible Markup Language (XML) definitions | S5 | Yes | 2008- 12-11 | |
| 32.367 | Telecommunication management; Entry Point (EP) Integration Reference Point (IRP); SOAP Solution Set (SS) | S5 | Yes | | |
| 32.371 | Telecommunication management; Security Management concept and requirements | S5 | Yes | 2008- 12-11 | |
| 32.372 | Telecommunication management; Security services for Integration Reference Point (IRP); Information Service (IS) | S5 | Yes | 2008- 12-11 | |
| 32.373 | Telecommunication management; Security services for Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) solution | S5 | Yes | 2008- 12-11 | |
| 32.375 | Telecommunication management; Security services for Integration Reference Point (IRP); File integrity solution | S5 | Yes | 2008- 12-11 | |
| 32.38 | Telecommunication management; Partial Suspension of Itf-N Integration Reference Point (IRP);SOAP Solution Set (SS) | S5 | Yes | | |
| 32.381 | Telecommunication management; Partial Suspension of Itf-N Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.382 | Telecommunication management; Partial Suspension of Itf-N Integration Reference Point (IRP); Information Service (IS) | S5 | Yes | 2008- 12-11 | yes |
| 32.383 | Telecommunication management; Partial Suspension of Itf-N Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.385 | Telecommunication management; Partial Suspension of Itf-N Integration Reference Point (IRP); eXtensible Markup Language (XML) file format definition | S5 | Yes | 2008- 12-11 | yes |
| 32.391 | Telecommunication management; Delta synchronization Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | |
| 32.392 | Telecommunication management; Delta synchronization Integration Reference Point (IRP); Information Service (IS) | S5 | Yes | 2008- 12-11 | yes |
| 32.393 | Telecommunication management; Delta synchronization Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.395 | Telecommunication management; Delta synchronization Integration | S5 | Yes | 2008- | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|--|-------------|------------------|----------------|--------|
| | Reference Point (IRP); eXtensible Markup Language (XML) file format definition | | - | 12-11 | |
| 32.397 | Telecommunication management; Delta synchronization Integration Reference Point (IRP); SOAP Solution Set (SS) | S5 | Yes | | |
| 32.401 | Telecommunication management; Performance Management (PM); Concept and requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.404 | Telecommunication management; Performance Management (PM); Performance measurements - Definitions and template | S5 | Yes | 2008- 12-11 | yes |
| 32.405 | Telecommunication management; Performance Management (PM); Performance measurements Universal Terrestrial Radio Access Network (UTRAN) | S5 | Yes | 2008- 12-11 | yes |
| 32.406 | Telecommunication management; Performance Management (PM); Performance measurements Core Network (CN) Packet Switched (PS) domain | S5 | Yes | 2008- 12-11 | yes |
| 32.407 | Telecommunication management; Performance Management (PM); Performance measurements Core Network (CN) Circuit Switched (CS) domain | S5 | Yes | 2008- 12-11 | yes |
| 32.408 | Telecommunication management; Performance Management (PM); Performance measurements Teleservice | S5 | Yes | 2008- 12-11 | yes |
| 32.409 | Telecommunication management; Performance Management (PM); Performance measurements IP Multimedia Subsystem (IMS) | S5 | Yes | 2008- 12-11 | yes |
| 32.410 | Telecommunication management; Key Performance Indicators (KPI) for UMTS and GSM | S5 | Yes | | |
| 32.411 | Telecommunication management; Performance Management (PM) Integration Reference Point (IRP): Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.412 | Telecommunication management; Performance Management (PM) Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2008- 12-11 | yes |
| 32.413 | Telecommunication management; Performance Management (PM) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.415 | Telecommunication management; Performance Management (PM) Integration Reference Point (IRP); eXtensible Markup Language (XML) definitions | S5 | Yes | 2008- 12-11 | yes |
| 32.417 | Telecommunication management; Performance Management (PM) Integration Reference Point (IRP); SOAP Solution Set (SS) | S5 | Yes | | |
| 32.421 | Telecommunication management; Subscriber and equipment trace; Trace concepts and requirements | S5 | Yes | 2008- 12-11 | |
| 32.422 | Telecommunication management; Subscriber and equipment trace; Trace control and configuration management | S5 | Yes | 2008- 12-11 | yes |
| 32.423 | Telecommunication management; Subscriber and equipment trace; Trace data definition and management | S5 | Yes | 2008- 12-11 | yes |
| 32.432 | Telecommunication management; Performance measurement: File format definition | S5 | Yes | 2008- 12-11 | yes |
| 32.435 | Telecommunication management; Performance measurement: eXtensible Markup Language (XML) file format definition | S5 | Yes | 2008- 12-11 | yes |
| 32.436 | Telecommunication management; Performance measurement: Abstract Syntax Notation 1 (ASN.1) file format definition | S5 | Yes | 2008- 12-11 | yes |
| 32.441 | Telecommunication management; Trace Management Integration Reference Point (IRP): Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.442 | Telecommunication management; Trace Management Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2008- 12-11 | yes |
| 32.443 | Telecommunication management; Trace Management Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.447 | Telecommunication management; Trace Management Integration Reference Point (IRP): SOAP Solution Set (SS) | S5 | Yes | | |
| 32.600 | Telecommunication management; Configuration Management (CM); Concept and high-level requirements | S5 | Yes | 2008- 12-11 | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|--|-------------|------------------|----------------|--------|
| 32.601 | Telecommunication management; Configuration Management (CM); Basic CM Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.602 | Telecommunication management; Configuration Management (CM); Basic CM Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2008- 12-11 | yes |
| 32.603 | Telecommunication management; Configuration Management (CM); Basic CM Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.607 | Telecommunication management; Configuration Management (CM); Basic CM Integration Reference Point (IRP); SOAP Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.611 | Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP): Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.612 | Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2008- 12-11 | yes |
| 32.613 | Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.615 | Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP): eXtensible Markup Language (XML) file format definition | S5 | Yes | 2008- 12-11 | yes |
| 32.617 | Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP): Bulk CM IRP SOAP Solution Set (SS) | S5 | Yes | | |
| 32.621 | Telecommunication management; Configuration Management (CM); Generic network resources Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.622 | Telecommunication management; Configuration Management (CM); Generic network resources Integration Reference Point (IRP): Network Resource Model (NRM) | S5 | Yes | 2008- 12-11 | yes |
| 32.623 | Telecommunication management; Configuration Management (CM); Generic network resources Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.625 | Telecommunication management; Configuration Management (CM); Generic network resources Integration Reference Point (IRP): Bulk CM eXtensible Markup Language (XML) file format definition | S5 | Yes | 2008- 12-11 | yes |
| 32.627 | Telecommunication management; Configuration Management (CM); Generic network resources Integration Reference Point (IRP): SOAP Solution Set (SS) | S5 | Yes | | |
| 32.631 | Telecommunication management; Configuration Management (CM); Core network resources Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.632 | Telecommunication management; Configuration Management (CM); Core Network Resources Integration Reference Point (IRP); Network Resource Model (NRM) | S5 | Yes | 2008- 12-11 | yes |
| 32.633 | Telecommunication management; Configuration Management (CM); Core network resources Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.635 | Telecommunication management; Configuration Management (CM); Core network resources Integration Reference Point (IRP); Bulk CM eXtensible Markup Language (XML) file format definition | S5 | Yes | 2008- 12-11 | yes |
| 32.637 | Telecommunication management; Configuration Management (CM); Core network resources Integration Reference Point (IRP); SOAP Solution Set (SS) | S5 | Yes | | |
| 32.647 | Telecommunication management; Configuration Management (CM); UTRAN network resources Integration Reference Point (IRP); SOAP Solution Set (SS) | S5 | Yes | | |
| 32.651 | Telecommunication management; Configuration Management (CM); GERAN network resources Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.652 | Telecommunication management; Configuration Management (CM); | S5 | Yes | 2008- | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|---|-------------|------------------|----------------|--------|
| | GERAN network resources Integration Reference Point (IRP); Network Resource Model (NRM) | | | 12-11 | |
| 32.653 | Telecommunication management; Configuration Management (CM); GERAN network resources Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.655 | Telecommunication management; Configuration Management (CM); GERAN network resources Integration Reference Point (IRP); Bulk CM eXtensible Markup Language (XML) file format definition | S5 | Yes | 2008- 12-11 | yes |
| 32.657 | Telecommunication management; Configuration Management (CM); GERAN network resources Integration Reference Point (IRP); SOAP Solution Set (SS) | S5 | Yes | | |
| 32.661 | Telecommunication management; Configuration Management (CM); Kernel CM Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.662 | Telecommunication management; Configuration Management (CM); Kernel CM Information Service (IS) | S5 | Yes | 2008- 12-11 | yes |
| 32.663 | Telecommunication management; Configuration Management (CM); Kernel CM Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.665 | Telecommunication management; Configuration Management (CM); Kernel CM Integration Reference Point (IRP); eXtensible Markup Language (XML) definitions | S5 | Yes | 2008- 12-11 | yes |
| 32.667 | Telecommunication management; Configuration Management (CM); Kernel CM Integration Reference Point (IRP); SOAP Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.671 | Telecommunication management; Configuration Management (CM); State Management Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.672 | Telecommunication management; Configuration Management (CM); State Management Integration Reference Point (IRP); Information Service (IS) | S5 | Yes | 2008- 12-11 | yes |
| 32.673 | Telecommunication management; Configuration Management (CM); State Management Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.675 | Telecommunication management; Configuration Management (CM); State Management Integration Reference Point (IRP); Bulk CM eXtensible Markup Language (XML) file format definition | S5 | Yes | 2008- 12-11 | yes |
| 32.677 | Telecommunication management; Configuration Management (CM); State Management Integration Reference Point (IRP); SOAP Solution Set (SS) | S5 | Yes | | |
| 32.690 | Telecommunication management; Inventory Management (IM); Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.691 | Telecommunication management; Inventory Management (IM) network resources Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.692 | Telecommunication management; Inventory Management (IM) network resources Integration Reference Point (IRP); Network Resource Model (NRM) | S5 | Yes | 2008- 12-11 | yes |
| 32.695 | Telecommunication management; Inventory Management (IM) network resources Integration Reference Point (IRP); Bulk Configuration Management (CM) eXtensible Markup Language (XML) file format definition | S5 | Yes | 2008- 12-11 | yes |
| 32.697 | Telecommunication management; Inventory Management (IM) network resources Integration Reference Point (IRP); SOAP Solution Set (SS) | S5 | Yes | | |
| 32.711 | Telecommunication management; Configuration Management (CM); Transport Network (TN) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.712 | Telecommunication management; Configuration Management (CM); Transport Network (TN) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS) | S5 | Yes | 2008- 12-11 | yes |
| 32.713 | Telecommunication management; Configuration Management (CM); Transport Network (TN) Network Resource Model (NRM) Integration Reference Point (IRP); Common Object Request Broker Architecture | S5 | Yes | 2008- 12-11 | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|---|-------------|------------------|----------------|--------|
| | (CORBA) Solution Set (SS) | | | | |
| 32.715 | Telecommunication management; Configuration Management (CM) Transport Network (TN) Network Resource Model (NRM) Integration Reference Point (IRP); Bulk CM eXtensible Markup Language (XML) file format definition | S5 | Yes | 2008- 12-11 | yes |
| 32.717 | Telecommunication management; Configuration Management (CM) Transport Network (TN) Network Resource Model (NRM) Integration Reference Point (IRP); SOAP Solution Set (SS) | S5 | Yes | | |
| 32.721 | Telecommunication management; Configuration Management (CM); Repeater network resources Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.722 | Telecommunication management; Configuration Management (CM); Repeater network resources Integration Reference Point (IRP); information Service (IS) | S5 | Yes | 2008- 12-11 | yes |
| 32.723 | Telecommunication management; Configuration Management (CM); Repeater network resources Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.725 | Telecommunication management; Configuration Management (CM); Repeater network resources Integration Reference Point (IRP); Bulk CM eXtensible Markup Language (XML) file format definition | S5 | Yes | 2008- 12-11 | yes |
| 32.727 | Telecommunication management; Configuration Management (CM); Repeater network resources Integration Reference Point (IRP); SOAP Solution Set (SS) | S5 | Yes | | |
| 32.731 | Telecommunication management; IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.732 | Telecommunication management; IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS) | S5 | Yes | 2008- 12-11 | yes |
| 32.733 | Telecommunication management; IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.735 | Telecommunication management; IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP); eXtensible Markup Language (XML) file format definition | S5 | Yes | 2008- 12-11 | yes |
| 32.737 | Telecommunication management; IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP); SOAP Solution Set (SS) | S5 | Yes | | |
| 32.741 | Telecommunication management; Configuration Management (CM); Signalling Transport Network (STN) interface Network Resource Model (NRM) Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | yes |
| 32.742 | Telecommunication management; Configuration Management (CM); Signalling Transport Network (STN) interface Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS) | S5 | Yes | 2008- 12-11 | yes |
| 32.743 | Telecommunication management; Configuration Management (CM); Signalling Transport Network (STN) interface Network Resource Model (NRM) Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2008- 12-11 | yes |
| 32.745 | Telecommunication management; Configuration Management (CM); Signalling Transport Network (STN) interface Network Resource Model (NRM) Integration Reference Point (IRP); Bulk CM eXtensible Markup Language (XML) file format definition | | Yes | 2008- 12-11 | yes |
| 32.747 | Telecommunication management; Configuration Management (CM); Signalling Transport Network (STN) interface Network Resource Model (NRM) Integration Reference Point (IRP); SOAP Solution Set (SS) | S5 | Yes | | |
| 32.751 | Telecommunication management; Evolved Packet Core (EPC) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements | S5 | Yes | 2008- 12-11 | yes |

| 32.752 32.753 | Telecommunication management; Evolved Packet Core (EPC) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS) Telecommunication management; Evolved Packet Core (EPC) | S5 | Yes | | | | | |
|------------------|--|---|----------------|----------------|-----|--|--|--|
| 32.753 | Telecommunication management; Evolved Packet Core (EPC) | | | | | | | |
| | Network Resource Model (NRM) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | | | | | | | |
| 32.755 | Telecommunication management; Evolved Packet Core (EPC) Network Resource Model (NRM) Integration Reference Point (IRP): Bulk CM eXtensible Markup Language (XML) file format definition | Yes | | | | | | |
| 32.761 | Telecommunication management; Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements | Yes | 2008- 12-11 | yes | | | | |
| 32.762 | Telecommunication management; Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | | | | | |
| 32.763 | Telecommunication management; Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | | | | | |
| 32.765 | Telecommunication management; Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP): Bulk CM eXtensible Markup Language (XML) file format definition | S5 | Yes | | | | | |
| 32.808 | Telecommunication management; Study of Common Profile Storage (CPS) Framework of User Data for network services and management | S5 | No | 2008- 12-11 | yes | | | |
| 32.816 | Telecommunication management; Study on management of Evolved Universal Terrestrial Radio Access Network (E-UTRAN) and Evolved Packet Core (EPC) | nagement; Study on management of Evolved S5 Yes | | | | | | |
| 32.818 | Telecommunication management; Study on 3GPP SA5 / MTOSI XML harmonization | S5 | No | 2008- 12-11 | yes | | | |
| 32.820 | Telecommunication management; Study on charging management; 3GPP Evolved Packet Core (EPC): Charging aspects | S5 | No | 2008- 12-11 | yes | | | |
| 32.823 | Telecommunication management; Study on Self-healing of SON (self-optimizing networks) Self-Optimization & Self-Healing OAM Requirements | S5 | No | | | | | |
| 33.203 | 3G security; Access security for IP-based services | S3 | Yes | 2008- 12-11 | yes | | | |
| 33.204 | 3G Security; Network Domain Security (NDS); Transaction Capabilities Application Part (TCAP) user security | S3 | Yes | 2008- 12-11 | yes | | | |
| 33.210 | 3G security; Network Domain Security (NDS); IP network layer security | S3 | Yes | 2008- 12-11 | yes | | | |
| 33.220 | Generic Authentication Architecture (GAA); Generic bootstrapping architecture | S3 | Yes | 2008- 12-11 | yes | | | |
| 33.221 | Generic Authentication Architecture (GAA); Support for subscriber certificates | S3 | Yes | 2008- 12-11 | yes | | | |
| 33.222 | Generic Authentication Architecture (GAA); Access to network application functions using Hypertext Transfer Protocol over Transport Layer Security (HTTPS) Yes | | | | yes | | | |
| 33.223 | Generic Authentication Architecture (GAA); Generic Bootstrapping Architecture (GBA) Push function S3 Yes | | | | yes | | | |
| 33.259 | Key establishment between a UICC hosting device and a remote device | S3 | Yes | 2008- 12-11 | yes | | | |
| 33.401 | 3GPP System Architecture Evolution (SAE); Security architecture | S3 | Yes | 2008- 12-11 | yes | | | |
| 33.402 | 3GPP System Architecture Evolution (SAE); Security aspects of non-3GPP accesses | S3 | Yes | 2008- 12-11 | yes | | | |
| 33.812 | Feasibility Study on remote management of USIM application on M2M equipment | S3 | No | | | | | |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|---|-------------|------------------|----------------|--------------|
| 33.905 | Recommendations for Trusted Open Platforms | S3 | Yes | 2008- 12-11 | |
| 33.919 | 3G Security; Generic Authentication Architecture (GAA); System description | S3 | Yes | 2008- 12-11 | yes |
| 33.980 | Liberty Alliance and 3GPP security interworking; Interworking of Liberty Alliance Identity Federation Framework (ID-FF), Identity Web Services Framework (ID-WSF) and Generic Authentication Architecture (GAA) | S3 | Yes | 2008- 12-11 | yes |
| 34.114 | User Equipment (UE) / Mobile Station (MS) Over The Air (OTA) antenna performance; Conformance testing | R5 | Yes | 2008- 12-11 | yes |
| 34.131 | Test Specification for C-language binding to (Universal) Subscriber Interface Module ((U)SIM) Application Programming Interface (API) | C6 | Yes | 2008- 12-11 | yes |
| 35.215 | Specification of the 3GPP Confidentiality and Integrity Algorithms UEA2 & UIA2; Document 1: UEA2 and UIA2 specifications | S3 | Yes | 2008- 12-11 | yes |
| 35.216 | Specification of the 3GPP Confidentiality and Integrity Algorithms UEA2 & UIA2; Document 2: SNOW 3G specification | S3 | Yes | 2008- 12-11 | yes |
| 35.217 | Specification of the 3GPP Confidentiality and Integrity Algorithms UEA2 & UIA2; Document 3: Implementors" test data | S3 | Yes | 2008- 12-11 | yes |
| 35.218 | Specification of the 3GPP Confidentiality and Integrity Algorithms UEA2 & UIA2; Document 4: Design conformance test data | S3 | Yes | 2008- 12-11 | yes |
| 35.919 | Specification of the 3GPP Confidentiality and Integrity Algorithms UEA2 & UIA2; Document 5: Design and evaluation report | S3 | Yes | 2008- 12-11 | |
| 41.031 | Fraud Information Gathering System (FIGS); Service requirements; S3 Yes Stage 0 | | | | |
| 41.033 | Lawful Interception requirements for GSM | S3 | Yes | 2008- 12-11 | |
| 41.101 | Technical Specifications and Technical Reports for a GERAN-based 3GPP system | SP | Yes | 2008- 12-11 | yes |
| 42.033 | Lawful Interception; Stage 1 | S3 | Yes | 2008- 12-11 | yes |
| 42.043 | Support of Localised Service Area (SoLSA); Service description; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 42.056 | GSM Cordless Telephony System (CTS), Phase 1; Service description; Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 42.068 | Voice Group Call Service (VGCS); Stage 1 | S1 | Yes | 2008- 12-11 | yes |
| 42.069 | Voice Broadcast Service (VBS); Stage 1 | S1 | Yes | 2007- 12-06 | |
| 43.005 | Technical performance objectives | СР | Yes | 2008- 12-11 | yes |
| 43.010 | GSM Public Land Mobile Network (PLMN) connection types | C3 | Yes | 2008- 12-11 | yes |
| 43.013 | Discontinuous Reception (DRX) in the GSM system | G1 | Yes | 2008- 12-11 | |
| 43.020 | Security-related network functions | S3 | Yes | 2008- 12-11 | |
| 43.022 | Functions related to Mobile Station (MS) in idle mode and group receive mode | G1 | Yes | 2008- 12-11 | |
| 43.026 | Multiband operation of GSM / DCS 1800 by a single operator | G1 | Yes | 2008- 12-11 | yes |
| 43.030 | Radio network planning aspects | G1 | Yes | 2008- 12-11 | yes |
| 43.033 | 3G security; Lawful Interception; Stage 2 | S3 | Yes | 2008- 12-11 | yes |
| 43.045 | Technical Realization of Facsimile Group 3 Service - transparent | C3 | Yes | 2008- 12-11 | yes |
| 43.050 | Transmission planning aspects of the speech service in the GSM Public Land Mobile Network (PLMN) system | S4 | Yes | 2008- 12-11 | |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|---|-----------------|------------------|-------------------------|--------|
| 43.051 | GSM/EDGE Radio Access Network (GERAN) overall description; Stage 2 | G1 | Yes | 2008- 12-11 | |
| 43.052 | Lower layers of the GSM Cordless Telephony System (CTS) radio interface; Stage 2 | G1 | Yes | 2008- 12-11 | |
| 43.055 | Dual Transfer Mode (DTM); Stage 2 | G1 | Yes | 2008- 12-11 | |
| 43.058 | Characterisation, test methods and quality assessment for handsfree Mobile Stations (MSs) | Yes | 2008- 12-11 | | |
| 43.059 | Functional stage 2 description of Location Services (LCS) in GERAN | G1 | Yes | 2008- 12-11 | |
| 43.064 | General Packet Radio Service (GPRS); Overall description of the GPRS radio interface; Stage 2 | G1 | Yes | 2008- 12-11 | |
| 43.068 | Voice Group Call Service (VGCS); Stage 2 | C1 | Yes | 2008- 12-11 | |
| 43.069 | Voice Broadcast service (VBS); Stage 2 | C1 | Yes | 2008- 12-11 | |
| 43.073 | Support of Localised Service Area (SoLSA); Stage 2 | C4 | Yes | 2008- 12-11 | |
| 43.129 | Packed-switched handover for GERAN A/Gb mode; Stage 2 | G1 | Yes | 2008- 12-11 | |
| 43.130 | lur-g interface; Stage 2 | G1 | Yes | 2008- 12-11 | 1. |
| 43.246 | Multimedia Broadcast/Multicast Service (MBMS) in the GERAN; Stage 2 | G1 | Yes | 2008- 12-11 | |
| 43.318 | Generic Access Network (GAN); Stage 2 G1 Yes | | | | |
| 43.901 | Feasibility Study on generic access to A/Gb interface | Yes | 2008- 12-11 | | |
| 43.902 | Enhanced Generic Access Networks (EGAN) study G1 Yes | | | | yes |
| 43.903 | A-interface over IP study (AINTIP) GP Yes | | | | |
| 44.001 | Mobile Station - Base Station System (MS - BSS) interface; General aspects and principles | C1 | Yes | 2008- 12-11 | |
| 44.003 | Mobile Station - Base Station System (MS - BSS) Interface Channel Structures and Access Capabilities | G2 | Yes | 2008- 12-11 | 1. |
| 44.004 | Layer 1; General Requirements | G2 | Yes | 2008- 12-11 | |
| 44.005 | Data Link (DL) Layer General Aspects | G2 | Yes | 2008- 12-11 | |
| 44.006 | Mobile Station - Base Stations System (MS - BSS) interface Data Link (DL) layer specification | G2 | Yes | 2008- 12-11 | |
| 44.012 | Short Message Service Cell Broadcast (SMSCB) support on the mobile radio interface | G2 | Yes | 2008- 12-11 | |
| 44.013 | Performance requirements on the mobile radio interface | nterface C1 Yes | | 2008- 12-11 | |
| 44.014 | Individual equipment type requirements and interworking; Special conformance testing functions | G2 | Yes | 2008- 12-11 | yes |
| 44.018 | Mobile radio interface layer 3 specification; Radio Resource Control (RRC) protocol | | | | yes |
| 44.021 | Rate adaption on the Mobile Station - Base Station System (MS-BSS) C3 Yes interface | | | | |
| 44.031 | Location Services (LCS); Mobile Station (MS) - Serving Mobile Location Centre (SMLC) Radio Resource LCS Protocol (RRLP) | G2 | Yes | 12-11 2008- 12-11 | yes |
| 44.035 | Location Services (LCS); Broadcast network assistance for Enhanced Observed Time Difference (E-OTD) and Global Positioning System (GPS) positioning methods | G2 | Yes | 2008- 12-11 | yes |
| 44.056 | GSM Cordless Telephony System (CTS), Phase 1; CTS radio interface | C1 | Yes | 2008- | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen | |
|--------|--|-------------|------------------|----------------|--------|--|
| | layer 3 specification | | | 12-11 | | |
| 44.057 | GSM Cordless Telephony System (CTS), Phase 1; CTS supervising system layer 3 specification | C1 | Yes | 2008- 12-11 | yes | |
| 44.060 | General Packet Radio Service (GPRS); Mobile Station (MS) - Base Station System (BSS) interface; Radio Link Control / Medium Access Control (RLC/MAC) protocol | G2 | Yes | 2008- 12-11 | yes | |
| 44.064 | Mobile Station - Serving GPRS Support Node (MS-SGSN); Logical Link Control (LLC) Layer Specification | C1 | Yes | 2008- 12-11 | yes | |
| 44.065 | Mobile Station (MS) - Serving GPRS Support Node (SGSN); Subnetwork Dependent Convergence Protocol (SNDCP) | C1 | Yes | 2008- 12-11 | yes | |
| 44.068 | Group Call Control (GCC) protocol | C1 | Yes | 2008- 12-11 | yes | |
| 44.069 | Broadcast Call Control (BCC) protocol | C1 | Yes | 2008- 12-11 | yes | |
| 44.071 | Location Services (LCS); Mobile radio interface layer 3 LCS specification | G2 | Yes | 2008- 12-11 | yes | |
| 44.118 | Mobile radio interface layer 3 specification, Radio Resource Control (RRC) protocol; lu mode | G2 | Yes | 2008- 12-11 | yes | |
| 44.160 | General Packet Radio Service (GPRS); Mobile Station (MS) - Base Station System (BSS) interface; Radio Link Control/ Medium Access Control (RLC/MAC) protocol for lu mode | | | | | |
| 44.318 | Generic Access Network (GAN); Mobile GAN interface layer 3 G2 Yes specification | | | | | |
| 44.901 | External Network Assisted Cell Change (NACC) | Yes | 2008- 12-11 | yes | | |
| 45.001 | Physical layer on the radio path; General description G1 Yes | | Yes | 2008- 12-11 | yes | |
| 45.002 | Multiplexing and multiple access on the radio path | G1 | Yes | 2008- 12-11 | yes | |
| 45.003 | Channel coding | G1 | Yes | 2008- 12-11 | yes | |
| 45.004 | Modulation | G1 | Yes | 2008- 12-11 | yes | |
| 45.005 | Radio transmission and reception | G1 | Yes | 2008- 12-11 | yes | |
| 45.008 | Radio subsystem link control | G1 | Yes | 2008- 12-11 | yes | |
| 45.009 | Link adaptation | G1 | Yes | 2008- 12-11 | yes | |
| 45.010 | Radio subsystem synchronization | G1 | Yes | 2008- 12-11 | yes | |
| 45.015 | Release independent Downlink Advanced Receiver Performance (DARP); Implementation guidelines | G1 | Yes | 2008- 12-11 | yes | |
| 45.022 | Radio link management in hierarchical networks | G1 | Yes | 2008- 12-11 | yes | |
| 45.050 | Background for RF Requirements | G1 | Yes | 2008- 12-11 | yes | |
| 45.056 | CTS-FP Radio Sub-system | Yes | 2008- 12-11 | yes | | |
| 45.902 | Flexible Layer One (FLO) | G1 | Yes | 2008- 12-11 | yes | |
| 45.903 | Feasibility study on Single Antenna Interference Cancellation (SAIC) for GSM networks | G1 | Yes | 2008- 12-11 | yes | |
| 45.912 | Feasibility study for evolved GSM/EDGE Radio Access Network (GERAN) | GP | Yes | 2008- 12-11 | yes | |
| 45.913 | Optimized transmit pulse shape for downlink Enhanced General Packet Radio Service (EGPRS2-B) | G1 | Yes | | | |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|--|-------------|------------------|----------------|--------|
| 45.914 | Circuit switched voice capacity evolution for GSM/EDGE Radio Access Network (GERAN) | G1 | Yes | | |
| 46.001 | Full rate speech; Processing functions | S4 | Yes | 2008- 12-11 | |
| 46.002 | Half rate speech; Half rate speech processing functions | S4 | Yes | 2008- 12-11 | yes |
| 46.006 | Half-rate speech: ANSI-C code for GSM half-rate speech codec | S4 | Yes | 2008- 12-11 | yes |
| 46.007 | Half rate speech; Test sequences for the GSM half rate speech codec | S4 | Yes | 2008- 12-11 | yes |
| 46.008 | Half Rate Speech; Performance Characterization of the GSM Half Rate speech codec | S4 | Yes | 2008- 12-11 | |
| 46.010 | Full-rate speech; Transcoding | S4 | Yes | 2008- 12-11 | |
| 46.011 | Full rate speech; Substitution and muting of lost frames for full rate speech channels | S4 | Yes | 2008- 12-11 | |
| 46.012 | Full rate speech; Comfort noise aspect for full rate speech traffic channels | S4 | Yes | 2008- 12-11 | |
| 46.020 | Half rate speech; Half rate speech transcoding | S4 | Yes | 2008- 12-11 | |
| 46.021 | Half rate speech; Substitution and muting of lost frames for half rate speech traffic channels | S4 | Yes | 2008- 12-11 | 1. |
| 46.022 | Half rate speech; Comfort noise aspects for the half rate speech traffic channels | Yes | 2008- 12-11 | 1. | |
| 46.031 | Full rate speech; Discontinuous Transmission (DTX) for full rate speech traffic channels | S4 | Yes | 2008- 12-11 | |
| 46.032 | Full rate speech; Voice Activity Detector (VAD) for full rate speech traffic channels | S4 | Yes | 2008- 12-11 | |
| 46.041 | Half rate speech; Discontinuous Transmission (DTX) for half rate speech traffic channels | S4 | Yes | 2008- 12-11 | |
| 46.042 | Half rate speech; Voice Activity Detector (VAD) for half rate speech traffic channels | Yes | 2008- 12-11 | | |
| 46.051 | Enhanced Full Rate (EFR) speech processing functions; General description | S4 | Yes | 2008- 12-11 | |
| 46.053 | ANSI-C code for the GSM Enhanced Full Rate (EFR) speech codec | S4 | Yes | 2008- 12-11 | |
| 46.054 | Test sequences for the GSM Enhanced Full Rate (EFR) speech codec | S4 | Yes | 2008- 12-11 | |
| 46.055 | Performance characterization of the GSM Enhanced Full Rate (EFR) speech codec | S4 | Yes | 2008- 12-11 | |
| 46.060 | Enhanced Full Rate (EFR) speech transcoding | S4 | Yes | 2008- 12-11 | |
| 46.061 | Substitution and muting of lost frames for Enhanced Full Rate (EFR) speech traffic channels | S4 | Yes | 2008- 12-11 | |
| 46.062 | Comfort noise aspects for Enhanced Full Rate (EFR) speech traffic channels | S4 | Yes | 2008- 12-11 | |
| 46.076 | Adaptive Multi-Rate (AMR) speech codec; Study phase report | S4 | Yes | 2008- 12-11 | yes |
| 46.081 | Discontinuous Transmission (DTX) for Enhanced Full Rate (EFR) speech traffic channels | S4 | Yes | 2008- 12-11 | yes |
| 46.082 | Voice Activity Detector (VAD) for Enhanced Full Rate (EFR) speech traffic channels | Yes | 2008- 12-11 | yes | |
| 46.085 | Subjective tests on the interoperability of the Half Rate / Full Rate / Enhanced Full Rate (HR/FR/EFR) speech codecs, single, tandem and tandem free operation | Yes | 2008- 12-11 | yes | |
| 48.001 | Base Station System - Mobile-services Switching Centre (BSS - MSC) interface; General aspects | G2 | Yes | 2008- 12-11 | |
| 48.002 | Base Station System - Mobile-services Switching Centre (BSS - MSC) | G2 | Yes | 2008- | yes |

| Number | Title | WG prime | For publication? | freeze date | frozen | | |
|----------|---|--|------------------|-------------------------|--------|--|--|
| | interface; Interface principles | | | 12-11 | | | |
| 48.004 | Base Station System - Mobile-services Switching Centre (BSS - MSC) interface; Layer 1 specification | SS - MSC) G2 Yes | | | | | |
| 48.006 | Signalling Transport Mechanism Specification for the Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface | G2 | Yes | 2008- 12-11 | | | |
| 48.008 | Mobile Switching Centre - Base Station system (MSC-BSS) interface; Layer 3 specification | G2 | Yes | 2008- 12-11 | | | |
| 48.014 | General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) interface; Gb interface Layer 1 | G2 | Yes | 2008- 12-11 | | | |
| 48.016 | General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) interface; Network service | G2 | Yes | 2008- 12-11 | J | | |
| 48.018 | General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN); BSS GPRS protocol (BSSGP) | G2 | Yes | 2008- 12-11 | 12 | | |
| 48.020 | Rate adaption on the Base Station System - Mobile-services Switching Centre (BSS-MSC) interface | C3 | Yes | 2008- 12-11 | | | |
| 48.031 | Location Services LCS: Serving Mobile Location Centre - Serving Mobile Location Centre (SMLC - SMLC); SMLCPP specification | G2 | Yes | 2008- 12-11 | | | |
| 48.051 | Base Station Controller - Base Transceiver Station (BSC-BTS) interface; General aspects | G2 | Yes | 2008- 12-11 | | | |
| 48.052 | Base Station Controller - Base Transceiver Station (BSC-BTS) interface; Interface principles | G2 | Yes | 2008- 12-11 | | | |
| 48.054 | Base Station Controller - Base Transceiver Station (BSC - BTS) interface; Layer 1 structure of physical circuits | G2 | Yes | 2008- 12-11 | | | |
| 48.056 | Base Station Controller - Base Transceiver Station (BSC - BTS) interface; Layer 2 specification | n Controller - Base Transceiver Station (BSC - BTS) G2 Yes | | | | | |
| 48.058 | Base Station Controller - Base Transceiver Station (BCS-BTS) Interface Layer 3 Specification | | | | | | |
| 48.060 | In-band control of remote transcoders and rate adaptors for full rate G1 Yes traffic channels | | | | | | |
| 48.061 | In-band control of remote transcoders and rate adaptors for half rate traffic channels Yes | | | | | | |
| 48.071 | Location Services (LCS); Serving Mobile Location Centre - Base Station System (SMLC-BSS) interface; Layer 3 specification | G2 | Yes | 2008- 12-11 | | | |
| 48.103 | Base Station System - Media GateWay (BSS-MGW) interface; User plane transport mechanism | G2 | Yes | 2008- 12-11 | | | |
| 49.008 | Application of the Base Station System Application Part (BSSAP) on the E-interface | C1 | Yes | 2008- 12-11 | | | |
| 49.031 | Location Services (LCS); Base Station System Application Part LCS Extension (BSSAP-LE) | G2 | Yes | 2008- 12-11 | | | |
| 49.995 | General Packet Radio Service (GPRS); Interworking between modified Public Land Mobile Network (PLMN) supporting GPRS and legacy GPRS mobiles | G1 | Yes | 2008- 12-11 | | | |
| 51.010-1 | Mobile Station (MS) conformance specification; Part 1: Conformance specification | G3new | Yes | 2008- 12-11 | | | |
| 51.010-2 | Mobile Station (MS) conformance specification; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification | G3new | Yes | 2008- 12-11 | | | |
| 51.010-5 | Mobile Station (MS) conformance specification; Part 5: Inter-Radio-Access-Technology (RAT) (GERAN / UTRAN) interaction Abstract Test Suite (ATS) G3new Yes | | | | yes | | |
| 51.021 | Base Station System (BSS) equipment specification; Radio aspects G1 Yes | | | | | | |
| 51.026 | Base Station System (BSS) equipment specification; Part 4: Repeaters G1 Yes | | | | | | |
| 52.008 | Telecommunication management; GSM subscriber and equipment trace | S5 | Yes | 12-11 2008- 12-11 | yes | | |
| 52.021 | Network Management (NM) Procedures and messages on the A-bis interface | | | | | | |
| 52.402 | Telecommunication management; Performance Management (PM); S5 Yes 2008 | | | | | | |

| Number | Title | WG prime | For publication? | freeze date | frozen |
|--------|--|----------------|------------------|----------------|--------|
| | Performance measurements - GSM | | | 12-11 | |
| 55.205 | Specification of the GSM-MILENAGE algorithms: An example algorithm set for the GSM Authentication and Key Generation Functions A3 and A8 | Yes | 2008- 12-11 | yes | |
| 55.216 | Specification of the A5/3 encryption algorithms for GSM and ECSD, and the GEA3 encryption algorithm for GPRS; Document 1: A5/3 and GEA3 specification | 2008- 12-11 | yes | | |
| 55.217 | Specification of the A5/3 encryption algorithms for GSM and ECSD, and the GEA3 encryption algorithm for GPRS; Document 2: Implementors' test data | Yes | 2008- 12-11 | yes | |
| 55.218 | Specification of the A5/3 encryption algorithms for GSM and ECSD, and the GEA3 encryption algorithm for GPRS; Document 3: Design and conformance test data | S3 | Yes | 2008- 12-11 | yes |
| 55.226 | Specification of the A5/4 encryption algorithms for GSM and ECSD, and the GEA4 encryption algorithm for GPRS; Document 1: A5/4 and GEA4 specification | S3 | Yes | | |
| 55.236 | Specification of A8_V MILENAGE Algorithm: An example algorithm for the key generation function A8_V | S3 | Yes | 2008- 12-11 | yes |
| 55.919 | Specification of the A5/3 encryption algorithms for GSM and ECSD, and the GEA3 encryption algorithm for GPRS; Document 4: Design and evaluation report | S3 | Yes | 2008- 12-11 | yes |

Annex A (informative): Change history

| | Change history | | | | | |
|------------|----------------|-----------|-----|-----|---|-------------|
| Date | TSG # | TSG Doc. | CR | Rev | Subject/Comment | New version |
| 2001-06 | SP-12 | SP-010278 | _ | - | First draft | 3GPP TS |
| | | | | | | 41.103 |
| | | | | | | version |
| | | | | | | 0.0.0 |
| 2001-06-20 | SP-12 | SP-010384 | | | updates table of specs | 0.1.0 |
| 2001-09-12 | SP-13 | SP-010421 | | | updates table of specs | 1.0.0 |
| 2002-03-04 | SP-15 | SP-020098 | | | updates table of specs; adds columns for freeze info | 1.1.0 |
| 2002-03-13 | SP-15 | SP-020203 | | | updates table of specs | 1.2.0 |
| 2002-06-03 | SP-16 | SP-020274 | | | updates table of specs, minor corrections | 2.0.0 |
| 2002-06-11 | SP-16 | SP-020401 | | | updates table of specs, minor corrections | 2.1.0 |
| 2002-06-12 | SP-16 | SP-020411 | | | updates table of specs; sets unknown freeze target dates blank | 2.2.0 |
| | SP-16 | | | | approved | 5.0.0 |
| 2002-09 | SP-17 | SP-020616 | 001 | 1 | update list of specs; editorial corrections to spec titles | 5.1.0 |
| 2002-12 | SP-18 | SP-020833 | 002 | 1 | Correction to list of specs, editorial corrections to spec titles | 5.2.0 |
| 2003-03 | SP-19 | SP-030077 | 003 | 1 | Correction to list of specs, editorial corrections to spec titles | 5.3.0 |
| 2003-06 | SP-20 | SP-030229 | 004 | | Correction to list of specs | 3GPP TS |
| | | SP-030235 | | | Renumber from 41.103 to 41.101 | 41.101 |
| | | | | | | version |
| | | | | | | 5.4.0 |
| | | | | | | |
| 2003-12 | SP-22 | SP-030574 | 001 | | Correction to list of specs, editorial corrections to spec titles | 5.5.0 |
| 2004-01 | | | | | Correction to typo in previous line of this table. | 5.5.1 |
| 2004-01 | | | | | Correction to typo on cover page | 5.5.2 |
| 2004-03 | SP-23 | SP-040221 | 003 | | Corrections to list of specifications | 5.6.0 |
| 2004-06 | SP-24 | SP-040358 | 005 | | Corrections to list of specifications | 5.7.0 |
| 2004-09 | SP-25 | SP-040604 | 007 | | Corrections to list of specifications | 5.8.0 |
| 2004-12 | SP-26 | SP-040880 | 009 | 1 | Corrections to list of specifications | 6.0.0 |
| 2005-03 | SP-27 | SP-050126 | 012 | | Corrections to list of specifications | 6.1.0 |
| 2005-06 | SP-28 | SP-050356 | 013 | | Corrections to list of specifications | 6.2.0 |
| 2005-09 | SP-29 | SP-050470 | 014 | | Change instances of Release 5 to Release 6 | |
| | | SP-050462 | 016 | | Corrections to list of specifications | 6.3.0 |
| 2005-12 | SP-30 | SP-050845 | 017 | 1 | Corrections to list of specifications | 6.4.0 |
| 2006-03 | SP-31 | SP-060167 | 019 | | Corrections to list of specifications | 6.5.0 |
| 2006-09 | SP-33 | SP-060613 | 020 | | Corrections to list of specifications | 6.6.0 |
| 2006-12 | SP-34 | SP-060901 | 021 | | Correction to list of Specs | 6.7.0 |
| 2007-03 | SP-35 | SP-070188 | 024 | | Correction to list of Specs | 6.8.0 |
| 2007-06 | SP-36 | SP-070344 | 025 | | Correction to list of Specs | 6.9.0 |
| 2007-09 | SP-37 | SP-070519 | 026 | | Upgrade to Rel-7 | 7.0.0 |
| 2007-12 | SP-38 | SP-070770 | 030 | | Correction to list of Specs | |
| | | | 034 | | Update of informative text | 7.1.0 |
| 2008-12 | SP-42 | SP-080722 | 035 | | Correction to list of Specs | 7.2.0 |
| 2009-03 | SP-43 | SP-090033 | 038 | | List of Rel-8 specifications | 8.0.0 |

History

| | Document history | | | | | | |
|--------|------------------|-------------|--|--|--|--|--|
| V8.0.0 | April 2009 | Publication | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |