ETSI TS 132 733 V7.2.0 (2007-06)

Technical Specification

Digital cellular telecommunications system (Phase 2+);

Universal Mobile Telecommunications System (UMTS);

Telecommunication management;

IP Multimedia Subsystem (IMS)

Network Resource Model (NRM)

Integration Reference Point (IRP):

Common Object Request Broker Architecture (CORBA)

Solution Set (SS)

(3GPP TS 32.733 version 7.2.0 Release 7)



Reference
DTS/TSGS-0532733v720

Keywords
GSM, UMTS

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from: <u>http://www.etsi.org</u>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

http://portal.etsi.org/tb/status/status.asp

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2007. All rights reserved.

DECTTM, **PLUGTESTS**TM and **UMTS**TM are Trade Marks of ETSI registered for the benefit of its Members. **TIPHON**TM and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members. **3GPP**TM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://webapp.etsi.org/IPR/home.asp).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under http://webapp.etsi.org/key/queryform.asp.

Contents

Intelle	ectual Property Rights	2
Forew	vord	2
Forew	vord	5
Introd	luction	5
1	Scope	6
2	References	6
3	Definitions and abbreviations	7
3.1 3.2	Definitions	
4	Architectural features	
4.1	Notifications	7
5	Mapping	8
5.1	General mappings	
5.2	Information Object Class (IOC) mapping	
5.2.1	IOC AsFunction	
5.2.2	IOC BgcfFunction	
5.2.3	IOC CamelImSsfAsFunction	
5.2.4	IOC CscfFunction	
5.2.5	IOC HssFunction	
5.2.6	IOC IcsefFunction	
5.2.7	IOC ImsMgwFunction	
5.2.8	IOC MgcfFunction	
5.2.9	IOC MrfcFunction	
5.2.10		
5.2.11		
5.2.12		
5.2.13 5.2.14		
5.2.14	-	
5.2.15		
5.2.17		
5.2.50		
5.2.51		
5.2.52		
5.2.53		
5.2.54	IOC Link_As_Scscf	11
5.2.55	IOC Link_As_Slf	11
5.2.56	IOC Link_Bgcf_Bgcf	11
5.2.57	IOC Link_Bgcf_Cscf	11
5.2.58	IOC Link_Bgcf_Mgcf	11
5.2.59	_ = _	
5.2.60		
5.2.61		
5.2.62		
5.2.63	=	
5.2.64 5.2.65		
5.2.66		
5.2.67		
5.2.68	- -	

5.2.69	IOC Link Icscf Slf		12
5.2.70	IOC Link_ImsMgw_Mgcf		12
5.2.71			
5.2.72	IOC Link Mrfc Mrfp		12
5.2.73	IOC Link_Mrfc_Scscf		12
5.2.74	IOC Link_Scscf_Scscf		12
5.2.75	IOC Link_Scscf_Slf		12
6 Rule	es for NRM extensions		13
6.1 A	Allowed extensions		13
6.2 E	Extensions not allowed		13
Annex A ((normative): CORBA IDL, NRM	A Definitions	14
A.1 IDL	specification (file name "IMSNRMDefs	s.idl")	14
Annex B (informative): Change history		20
History			21

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part of a TS-family covering the 3rd Generation Partnership Project Technical Specification Group Services and System Aspects, Telecommunication management; as identified below:

32.731:	"IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP): Requirements".
32.732:	"IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS)".
32.733:	"IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS)".

1 Scope

The purpose of this *IMS NRM IRP: CORBA Solution Set* is to define the mapping of the IRP Information Service (see TS 32.732 [3]) to the protocol specific details necessary for implementation of this IRP in a CORBA/IDL environment.

This Solution Set specification is related to 3GPP TS 32.732 V7.2.X.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.
- [1] 3GPP TS 32.101: "Telecommunication management; Principles and high level requirements".
- [2] 3GPP TS 32.102: "Telecommunication management; Architecture".
- [3] 3GPP TS 32.732: "Telecommunication management; IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS)".
- [4] 3GPP TS 32.303: "Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS)".
- [5] 3GPP TS 32.623: "Telecommunication management; Configuration Management (CM); Generic Network Resources Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS)".

3 Definitions and abbreviations

3.1 Definitions

For terms and definitions please refer to TS 32.101 [1], TS 32.102 [2] and TS 32.732 [3].

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

CORBA Common Object Request Broker Architecture DN Distinguished Name **IDL** Interface Definition Language (OMG) Information Object Class IOC **Integration Reference Point IRP** Information Service IS Media GateWay MGW Managed Object MO MOC Managed Object Class NRM Network Resource Model **OMG** Object Management Group

SS Solution Set

4 Architectural features

The overall architectural feature of IMS NRM IRP is specified in TS 32.732[3]. This clause specifies features that are specific to the CORBA SS.

4.1 Notifications

Notifications are sent according to the Notification IRP: CORBA SS (see TS 32.303 [4]).

5 Mapping

5.1 General mappings

Attributes modelling associations as defined in the NRM (here also called "reference attributes") are in this SS mapped to attributes. The names of the reference attributes in the NRM are mapped to the corresponding attribute names in the MOC. When the cardinality for an association is 0..1 or 1..1 the datatype for the reference attribute is defined as an MOReference. The value of an MO reference contains the distinguished name of the associated MO. When the cardinality for an association allows more than one referred MO, the reference attribute will be of type MOReferenceSet, which contains a sequence of MO references.

5.2 Information Object Class (IOC) mapping

5.2.1 **IOC** AsFunction

Mapping from NRM IOC AsFunction attributes to SS equivalent MOC AsFunction

Attributes of IOC AsFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
asFunctionId	asFunctionId	string	Read-Only, M

5.2.2 **IOC** BgcfFunction

Mapping from NRM IOC BgcfFunction attributes to SS equivalent MOC BgcfFunction

Attributes of IOC BgcfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
bgcfFunctionId	bgcfFunctionId	string	Read-Only, M

5.2.3 IOC CamelImSsfAsFunction

Void.

5.2.4 IOC CscfFunction

Mapping from NRM IOC CscfFunction attributes to SS equivalent MOC CscfFunction

Attributes of IOC CscfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
cscfFunctionId	cscfFunctionId	string	Read-Only, M
userLabel	userLabel	string	Read-Write, M

5.2.5 **IOC** HssFunction

Mapping from NRM IOC HssFunction attributes to SS equivalent MOC HssFunction

Attributes of IOC HssFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
hssFunctionId	hssFunctionId	string	Read-Only, M

5.2.6 IOC IcscfFunction

Mapping from NRM IOC IcsefFunction attributes to SS equivalent MOC IcsefFunction

Attributes of IOC IcscfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
icscfFunctionId	icscfFunctionId	string	Read-Only, M

5.2.7 **IOC** ImsMqwFunction

Mapping from NRM IOC ImsMgwFunction attributes to SS equivalent MOC ImsMgwFunction attributes

Attributes of IOC	ImsMgwFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
imsMgwFunctionId		imsMgwFunctionId	string	Read-Only, M

5.2.8 **IOC** MgcfFunction

Mapping from NRM IOC MgcfFunction attributes to SS equivalent MOC MgcfFunction

Attributes of IOC MgcfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
mgcfFunctionId	mgcfFunctionId	string	Read-Only, M

5.2.9 **IOC** MrfcFunction

Mapping from NRM IOC MrfcFunction attributes to SS equivalent MOC MrfcFunction

Attributes of IOC MrfcFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
mrfcFunctionId	mrfcFunctionId	string	Read-Only, M

5.2.10 IOC MrfpFunction

Mapping from NRM IOC MrfpFunction attributes to SS equivalent MOC MrfpFunction

Attributes of IOC MrfpFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
mrfpFunctionId	mrfpFunctionId	string	Read-Only, M

5.2.11 IOC OsaScsAsFunction

Void.

5.2.12 IOC PcscfFunction

Mapping from NRM IOC PosofFunction attributes to SS equivalent MOC PosofFunction

Attributes of IOC PcscfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
pcscfFunctionId	pcscfFunctionId	strina	Read-Only, M

5.2.13 IOC ScscfFunction

Mapping from NRM IOC ScscfFunction attributes to SS equivalent MOC ScscfFunction

Attributes of IOC ScscfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
scscfFunctionId	scscfFunctionId	string	Read-Only, M

5.2.14 **IOC** SipAsFunction

Void.

5.2.15 IOC SlfFunction

Mapping from NRM IOC slfFunction attributes to SS equivalent MOC slfFunction

Attributes of IOC SlfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
slfFunctionId	slfFunctionId	string	Read-Only, M

5.2.16 Reserved for Future Use

5.2.17 Reserved for Future Use

•••

5.2.50 Reserved for Future Use

5.2.51 IOC Link_As_Cscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.52 IOC Link As Hss

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.53 IOC Link As Icscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.54 IOC Link_As_Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.55 IOC Link_As_Slf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.56 IOC Link Bqcf Bqcf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.57 IOC Link_Bgcf_Cscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.58 IOC Link_Bgcf_Mgcf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.59 IOC Link Bqcf Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.60 IOC Link Cscf Cscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.61 IOC Link Cscf Hss

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.62 IOC Link_Cscf_Icscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.63 IOC Link_Cscf_Mqcf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.64 IOC Link_Cscf_Mrfc

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.65 IOC Link_Cscf_Pcscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.66 IOC Link_Cscf_Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.67 IOC Link_Cscf_Slf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.68 IOC Link_Hss_Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.69 IOC Link_Icscf_Slf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.70 IOC Link_ImsMgw_Mgcf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.71 IOC Link Mgcf Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.72 IOC Link_Mrfc_Mrfp

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.73 IOC Link Mrfc Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.74 IOC Link_Scscf_Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.75 IOC Link_Scscf_Slf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

6 Rules for NRM extensions

This clause discusses how the models and IDL definitions provided in the present document can be extended for a particular implementation and still remain compliant with 3GPP SA5's specifications.

6.1 Allowed extensions

Vendor-specific MOCs may be supported. The vendor-specific MOCs may support new types of attributes. The 3GPP SA5-specified notifications may be issued referring to the vendor-specific MOCs and vendor-specific attributes. New MOCs shall be distinguishable from 3GPP SA5 MOCs by name. 3GPP SA5-specified and vendor-specific attributes may be used in vendor-specific MOCs. Vendor-specific attribute names shall be distinguishable from existing attribute names.

NRM MOCs may be subclassed. Subclassed MOCs shall maintain the specified behaviour of the 3GPP SA5's superior classes. They may add vendor-specific behaviour with vendor-specific attributes. When subclassing, naming attributes cannot be changed. The subclassed MOC shall support all attributes of its superior class. Vendor-specific attributes cannot be added to 3GPP SA5 NRM MOCs without subclassing.

When subclassing, the 3GPP SA5-specified containment rules and their specified cardinality shall still be followed. As an example, ManagementNode (or its subclasses) shall be contained under SubNetwork (or its subclasses).

Managed Object Instances may be instantiated as CORBA objects. This requires that the MOCs be represented in IDL. 3GPP SA5's NRM MOCs are not currently specified in IDL, but may be specified in IDL for instantiation or subclassing purposes. However, management information models should not require that IRPManagers access the instantiated managed objects other than through supported methods in the present document.

Extension rules related to notifications (Notification categories, Event Types, Extended Event Types etc.) are for further study.

6.2 Extensions not allowed

The IDL specifications in the present document cannot be edited or altered. Any additional IDL specifications shall be specified in separate IDL files.

IDL interfaces (note: not MOCs) specified in the present document may not be subclassed or extended. New interfaces may be defined with vendor-specific methods.

Annex A (normative): CORBA IDL, NRM Definitions

A.1 IDL specification (file name "IMSNRMDefs.idl")

```
// File: IMSNRMDefs.idl
#ifndef _IMSNRMDEFS_IDL_
#define _IMSNRMDEFS_IDL_
#include "GenericNetworkResourcesNRMDefs.idl"
#pragma prefix "3gppsa5.org"
\mbox{\scriptsize \star} This module defines constants for each MO class name and
 \mbox{\scriptsize \star} the attribute names for each defined MO class.
module IMSNRMDefs
       * Definitions for MO class AsFunction
      interface AsFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
         const string CLASS = "AsFunction";
         // Attribute Names
         const string asFunctionId = "asFunctionId";
      };
       * Definitions for MO class SipAsFunction
      interface SipAsFunction : AsFunction
         const string CLASS = "SipAsFunction";
         // All Attributes inherited from AsFunction
      };
       * Definitions for MO class OsaScsAsFunction
      interface OsaScsAsFunction : AsFunction
      {
         const string CLASS = "OsaScsAsFunction";
         // All Attributes inherited from AsFunction
      };
       * Definitions for MO class CamelImSsfAsFunction
      interface CamelImSsfAsFunction : AsFunction
         const string CLASS = "CamelImSsfAsFunction";
         // All Attributes inherited from AsFunction
      };
       * Definitions for MO class BgcfFunction
      interface BgcfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
         const string CLASS = "BgcfFunction";
         // Attribute Names
         const string bgcfFunctionId = "bgcfFunctionId";
      };
       * Definitions for MO class CscfFunction
      interface CscfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
```

```
{
   const string CLASS = "CscfFunction";
  // Attribute Names
  //
  const string cscfFunctionId = "cscfFunctionId";
};
* Definitions for MO class IcscfFunction
interface IcscfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
  const string CLASS = "IcscfFunction";
   // Attribute Names
  const string icscfFunctionId = "icscfFunctionId";
};
* Definitions for MO class ImsMgwFunction
interface ImsMgwFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "ImsMgwFunction";
   // Attribute Names
  const string imsMgwFunctionId = "imsMgwFunctionId";
};
{}^{\star}{}^{\phantom{\dagger}} Definitions for MO class MgcfFunction
interface MgcfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "MgcfFunction";
  // Attribute Names
  const string mgcfFunctionId = "mgcfFunctionId";
};
* Definitions for MO class MrfcFunction
interface MrfcFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "MrfcFunction";
  // Attribute Names
  const string mrfcFunctionId = "mrfcFunctionId";
};
* Definitions for MO class MrfpFunction
interface MrfpFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "MrfpFunction";
   // Attribute Names
  const string mrfpFunctionId = "mrfpFunctionId";
};
 * Definitions for MO class PcscfFunction
interface PcscfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "PcscfFunction";
   // Attribute Names
   const string pcscfFunctionId = "pcscfFunctionId";
};
 * Definitions for MO class ScscfFunction
interface ScscfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "ScscfFunction";
```

```
// Attribute Names
  const string scscfFunctionId = "scscfFunctionId";
};
* Definitions for MO class SlfFunction
* /
interface SlfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "SlfFunction";
  // Attribute Names
   const string slfFunctionId = "slfFunctionId";
};
  Definitions for MO class Link_As_Cscf
* /
interface Link_As_Cscf: GenericNetworkResourcesNRMDefs::Link
{
   const string CLASS = "Link_As_Cscf";
   // All Attributes inherited from Link
};
  Definitions for MO class Link_As_Scscf
\verb|interface Link_As_Scscf| : GenericNetworkResourcesNRMDefs:: Link \\
  const string CLASS = "Link_As_Scscf";
  // All Attributes inherited from Link
};
* Definitions for MO class Link_As_Slf
interface Link_As_Slf : GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_As_Slf";
   // All Attributes inherited from Link
};
* Definitions for MO class Link_Bgcf_Bgcf
* /
interface Link_Bgcf_Bgcf : GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_Bgcf_Bgcf";
   // All Attributes inherited from Link
* Definitions for MO class Link_Bgcf_Cscf
* /
interface Link_Bgcf_Cscf: GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_Bgcf_Cscf";
  // All Attributes inherited from Link
};
* Definitions for MO class Link_Bgcf_Mgcf
* /
interface Link_Bgcf_Mgcf : GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_Bgcf_Mgcf";
   // All Attributes inherited from Link
};
* Definitions for MO class Link_Bgcf_Scscf
* /
interface Link_Bqcf_Scscf : GenericNetworkResourcesNRMDefs::Link
  const string CLASS = "Link_Bgcf_Scscf";
   // All Attributes inherited from Link
};
```

```
* Definitions for MO class Link_Cscf_Cscf
interface Link Cscf Cscf: GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_Cscf_Cscf";
   // All Attributes inherited from Link
};
 * Definitions for MO class Link_Cscf_Icscf
 * /
interface Link_Cscf_Icscf: GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_Cscf_Icscf";
   // All Attributes inherited from Link
   Definitions for MO class Link_Cscf_Mgcf
 * /
interface Link_Cscf_Mgcf: GenericNetworkResourcesNRMDefs::Link
{
   const string CLASS = "Link_Cscf_Mgcf";
   // All Attributes inherited from Link
};
 *
   Definitions for MO class Link_Cscf_Mrfc
 * /
interface Link_Cscf_Mrfc: GenericNetworkResourcesNRMDefs::Link
{
   const string CLASS = "Link_Cscf_Mrfc";
   // All Attributes inherited from Link
};
/**
   Definitions for MO class Link_Cscf_Pcscf
 * /
interface Link_Cscf_Pcscf: GenericNetworkResourcesNRMDefs::Link
{
   const string CLASS = "Link_Cscf_Pcscf";
   // All Attributes inherited from Link
};
 * Definitions for MO class Link_Cscf_Scscf
interface Link Cscf Scscf: GenericNetworkResourcesNRMDefs::Link
{
   const string CLASS = "Link_Cscf_Scscf";
   // All Attributes inherited from Link
};
 * Definitions for MO class Link_Cscf_Slf
 * /
interface Link_Cscf_Slf: GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_Cscf_Slf";
   // All Attributes inherited from Link
};
 * Definitions for MO class Link_Icscf_Slf
interface Link_Icscf_Slf : GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_Icscf_Slf";
   // All Attributes inherited from Link
};
 * Definitions for MO class Link_ImsMgw_Mgcf
interface Link_ImsMgw_Mgcf : GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_ImsMgw_Mgcf";
   // All Attributes inherited from Link
};
 * Definitions for MO class Link_Mgcf_Scscf
 * /
interface Link_Mgcf_Scscf : GenericNetworkResourcesNRMDefs::Link
```

```
const string CLASS = "Link_Mgcf_Scscf";
   // All Attributes inherited from Link
};
 * Definitions for MO class Link_Mrfc_Mrfp
interface Link_Mrfc_Mrfp : GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_Mrfc_Mrfp";
  // All Attributes inherited from Link
};
* Definitions for MO class Link_Mrfc_Scscf
interface Link_Mrfc_Scscf : GenericNetworkResourcesNRMDefs::Link
  const string CLASS = "Link_Mrfc_Scscf";
  // All Attributes inherited from Link
};
* Definitions for MO class Link_Scscf_Scscf
\verb|interface Link_Scscf_Scscf|: GenericNetworkResourcesNRMDefs:: Link|
  const string CLASS = "Link_Scscf_Scscf";
   // All Attributes inherited from Link
};
  Definitions for MO class Link_Scscf_Slf
interface Link_Scscf_Slf : GenericNetworkResourcesNRMDefs::Link
  const string CLASS = "Link_Scscf_Slf";
  // All Attributes inherited from Link
};
  Definitions for MO class HssFunction
interface HssFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
  const string CLASS = "HssFunction";
  // Attribute Names
  const string hssFunctionId = "hssFunctionId";
};
 * Definitions for MO class Link_Hss_Scscf
interface Link_Hss_Scscf : GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_Hss_Scscf";
  // All Attributes inherited from Link
};
* Definitions for MO class Link_Cscf_Hss
interface Link_Cscf_Hss : GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_Cscf_Hss";
  // All Attributes inherited from Link
};
* Definitions for MO class Link_As_Hss
interface Link_Hss_SipAs : GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_Hss_SipAs";
   // All Attributes inherited from Link
```

```
interface Link_Hss_OsaScsAs : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Hss_OsaScsAs";

    // All Attributes inherited from Link
};
interface Link_Hss_CamelImSsfAs : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Hss_CamelImSsfAs";

    // All Attributes inherited from Link
};

/**

* Definitions for MO class Link_As_Icscf
*/
interface Link_As_Icscf : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_As_Icscf";

    // All Attributes inherited from Link
};

};

#endif // _IMSNRMDEFS_IDL_
```

Annex B (informative): Change history

	Change history							
Date	TSG#	TSG Doc.	CR	R	Subject/Comment	Cat	Old	New
Sep 2006	SA_33	SP-060564			Submitted to TSG SA #33 for Information			1.0.0
Dec 2006	SA_34	SP-060751			Submitted to TSG SA #34 for Approval		2.0.0	7.0.0
Mar 2007	SA_35	SP-070047	0001		Add HssFunction to the CORBA SS	F	7.0.0	7.1.0
Jun 2007	SA_36	SP-070276	0002		Add missing Link_As_Icscf To IMS NRM - Align with TS 23.002	F	7.1.0	7.2.0
Jun 2007	SA_36	SP-070276	0003		Correct definitions of AsFunctions - Align with 23.002	F	7.1.0	7.2.0

History

Document history				
V7.2.0 June 2007		Publication		