ETSI TS 128 703 V12.1.0 (2015-01)



Universal Mobile Telecommunications System (UMTS); LTE;

Telecommunication management;
Core Network (CN) Network Resource Model (NRM)
Integration Reference Point (IRP);
Solution Set (SS) definitions
(3GPP TS 28.703 version 12.1.0 Release 12)



Reference RTS/TSGS-0528703vc10 Keywords LTE,UMTS

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from: http://www.etsi.org

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

http://portal.etsi.org/tb/status/status.asp

If you find errors in the present document, please send your comment to one of the following services: <u>http://portal.etsi.org/chaircor/ETSI_support.asp</u>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2015.
All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP**TM and **LTE**TM are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://ipr.etsi.org).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under http://webapp.etsi.org/key/queryform.asp.

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "may not", "need", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intelle	ectual Property Rights	2
Forew	vord	2
Moda	l verbs terminology	2
Forew	vord	5
Introd	luction	5
1	Scope	6
	References	
2		
3 3.1	Definitions and abbreviations Definitions	
3.1	Abbreviations	
Soluti	on Set definitions	
Anne	x A (normative): CORBA Solution Set	8
	General	
A.1 A.1.1	Architectural features	
A.1.1	Rules for NRM extensions	
	Mapping	
A.2.1	General mappings	
A.2.2	Information Object Class (IOC) mapping	9
A.2.2.		
A.2.2.2		
A.2.2.3		
A.2.2.4		9
A.2.2.	5 IOC EirFunction	10
A.2.2.		
A.2.2.		
A.2.2.8	8 IOC SgsnFunction	10
A.2.2.9	9 IOC GgsnFunction	11
A.2.2.	10 IOC BgFunction	11
A.2.2.	11 IOC GmscFunction	11
A.2.2.	12 IOC SmlcFunction	11
A.2.2.		11
A.2.2.	14 IOC ScfFunction	11
A.2.2.		
A.2.2.		
A.2.2.		
A.2.2.	E	
A.2.2.		
A.2.2.2		
A.2.2.2	1	
A.2.2.2	1	
A.2.2.2		
A.2.2.2 A.2.2.2		
A.2.2.2 A.2.2.2		
A.2.2.2 A.2.2.2		
	<u>*</u>	
A.2.2.2		
A.2.2.2		
A.2.2.2		
A.2.2.3	30 IOC CsMgwFunction	14

A.2.2.31 IOC BmScFunction	14
A.2.2.32 IOC Link_BmSc_Ggsn	14
A.2.2.33 IOC Link_Ggsn_Sgsn	
A.2.2.34 CircuitEndPointSubgroup	
A.2.2.35 IOC MscPool	
A.2.2.36 IOC MscPoolArea	
A.2.2.37 IOC SgsnPool	
A.2.2.38 IOC SgsnPoolArea	
A.3 Solution Set definitions	17
A.3.1 IDL definition structure	
A.3.2 IDL specification "CoreNetworkResourcesNRMDefs.id	
A.5.2 IDL specification ColenetworkResourcesNRMDefs.ld	1/
Annoy P (normativa). VMI definitions	23
Annex B (normative): XML definitions	·····································
B.0 General	23
	23
B.0 General	23 23
B.0 General B.1 Architectural features B.1.1 Syntax for Distinguished Names	
B.0 General B.1 Architectural features B.1.1 Syntax for Distinguished Names B.2 Mapping	
B.0 General B.1 Architectural features B.1.1 Syntax for Distinguished Names B.2 Mapping B.3 Solution Set definitions	
B.0 General B.1 Architectural features B.1.1 Syntax for Distinguished Names B.2 Mapping B.3 Solution Set definitions B.3.1 XML definition structure	
B.0 General B.1 Architectural features B.1.1 Syntax for Distinguished Names B.2 Mapping B.3 Solution Set definitions	
B.0 General	
B.0 General	

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part of a TS-family covering the 3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Telecommunication management; as identified below:

- 28.701: "Core Network (CN) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements".
- 28.702: "Core Network (CN) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)".
- 28.703: "Core Network (CN) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions".

1 Scope

The purpose of the present document is to define the mapping of the IRP information model (see TS 28.702 [3]) to the protocol specific details necessary for implementation of this IRP in a specific solution set environment.

This Solution Set specification is related to 3GPP TS 28.702 V12. 1.X.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.
- 3GPP TS 32.101: "Telecommunication management; Principles and high level requirements". [1] [2] 3GPP TS 32.102: "Telecommunication management; Architecture". 3GPP TS 28.702: "Telecommunication management; Core Network (CN) Network Resource [3] Model (NRM) Integration Reference Point (IRP); Information Service (IS)". 3GPP TS 32.300: "Telecommunication management; Configuration Management (CM); Name [4] convention for Managed Objects". [5] W3C REC-xml-names-20060816: "Namespaces in XML 1.1 (Second Edition)". [6] 3GPP TS 28.623: "Telecommunication management; Generic Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions". 3GPP TS 32.612: "Telecommunication management; Configuration Management (CM); Bulk CM [7] Integration Reference Point (IRP); Information Service (IS)". [8] 3GPP TS 32.616: "Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP); Solution Set (SS) definitions". [9] W3C REC-xml11-20060816: "Extensible Markup Language (XML) 1.1 (Second Edition)". [10] Void W3C XML Schema Definition Language (XSD) 1.1 Part 1: Structures. [11]W3C XML Schema Definition Language (XSD) 1.1 Part 2: Datatypes. [12]

3GPP TS 28.626: "Telecommunication management; State Management Data Definition

Integration Reference Point (IRP); Solution Set (SS) definitions".

3 Definitions and abbreviations

3.1 Definitions

[13]

For terms and definitions please refer to TS 32.101 [1], TS 32.102 [2] and TS 28.702 [3].

For the purposes of the present document, the following terms and definitions apply:

XML file: See definition in [6].

XML document: See definition in [6].

XML declaration: See definition in [6].

XML element: See definition in [6].

empty XML element: See definition in [6].

XML content (of an XML element): See definition in [6].

XML start-tag: See definition in [6].

XML end-tag: See definition in [6].

XML empty-element tag: See definition in [6].

XML attribute specification: See definition in [6].

DTD: See definition in [6].

XML schema: See definition in [6].

XML namespace: See definition in [6].

XML complex type: See definition in [6].

XML element type: See definition in [6].

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

CM Configuration Management

CORBA Common Object Request Broker Architecture

DN Distinguished Name
DTD Document Type Definition
EDGE Enhanced Data for GSM Evolution

CERTAIN COMMERCE Particular August 1985

GERAN GSM/EDGE Radio Access Network
GSM Global System for Mobile communication
IDL Interface Definition Language (OMG)

IOC Information Object Class
IRP Integration Reference Point

IS Information Service
MGW Media GateWay
MO Managed Object
MOC Managed Object Class
NRM Network Resource Model
OMG Object Management Group

UMTS Universal Mobile Telecommunications System UTRAN Universal Terrestrial Radio Access Network

XML eXtensible Markup Language

Solution Set definitions

This specifications defines the following 3GPP Core network resources IRP Solution Set Definitions:

- 3GPP Core network resources IRP CORBA SS (Annex A)
- 3GPP Core network resources IRP XML definitions (Annex B)

Annex A (normative): CORBA Solution Set

A.0 General

This annex contains the CORBA Solution Set for the IRP whose semantics is specified in Core Network (CN) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS) (TS 28.702 [3]).

A.1 Architectural features

The overall architectural feature of Core Network NRM IRP is specified in TS 28.702 [3].

This clause specifies features that are specific to the CORBA SS.

A.1.1 Syntax for Distinguished Names

See clause A.1.1 of [6].

A.1.2 Rules for NRM extensions

See clause A.1.2 of [6].

A.2 Mapping

A.2.1 General mappings

See clause A.2.1 of [6].

A.2.2 Information Object Class (IOC) mapping

A.2.2.1 IOC MscServerFunction

Mapping from NRM IOC MscServerFunction attributes to SS equivalent MOC MscServerFunction attributes

IS Attributes	SS Attributes	SS Type
id	mscServerFunctio	string
	nId	
mccList	mccList	GenericNetworkResourcesIRPSyste
		m::AttributeTypes::LongSet
mncList	mncList	GenericNetworkResourcesIRPSyste
		m::AttributeTypes::LongSet
lacList	lacList	GenericNetworkResourcesIRPSyste
		m::AttributeTypes::LongSet
sacList	sacList	GenericNetworkResourcesIRPSyste
		m::AttributeTypes::LongSet
gcaList	gcaList	GenericNetworkResourcesIRPSyste
		m::AttributeTypes::LongSet
mscId	mscId	long
nriList	nriList	GenericNetworkResourcesIRPSyste
		m::AttributeTypes::LongSet
defaultMsc	defaultMsc	short
mscServerFunction-GsmCell	mscServerFunctio	GenericNetworkResourcesIRPSyste
	nGsmCell	m::AttributeTypes::MOReferenceSet
mscServerFunction-	mscServerFunctio	GenericNetworkResourcesIRPSyste
ExternalGsmCell	nExternalGsmCell	m::AttributeTypes::MOReferenceSet
mscServerFunction-	mscServerFunctio	GenericNetworkResourcesIRPSyste
CsMgwFunction	nCsMgwFunction	m::AttributeTypes::MOReferenceSet
mscServerFunction-MscPool	mscServerFunctio	GenericNetworkResourcesIRPSyste
	nMscPool	m::AttributeTypes::MOReferenceSet

A.2.2.2 IOC HIrFunction

Mapping from NRM IOC HIrFunction attributes to SS equivalent MOC HIrFunction attributes

IS Attributes	SS Attributes	SS Type
id	hlrFunctionId	string

A.2.2.3 IOC VIrFunction

Mapping from NRM IOC VIrFunction attributes to SS equivalent MOC VIrFunction attributes

IS Attributes	SS Attributes	SS Type
id	vlrFunctionId	string

A.2.2.4 IOC AucFunction

Mapping from NRM IOC AucFunction attributes to SS equivalent MOC AucFunction attributes

IS Attributes	SS Attributes	SS Type
id	aucFunctionId	string

A.2.2.5 IOC EirFunction

Mapping from NRM IOC EirFunction attributes to SS equivalent MOC EirFunction attributes

IS Attributes	SS Attributes	SS Type
id	eirFunctionId	string

A.2.2.6 IOC SmsIwmscFunction

Mapping from NRM IOC SmslwmscFunction attributes to SS equivalent MOC SmslwmscFunction attributes

IS Attributes	SS Attributes	SS Type
id	smsIwmscFunctionId	string

A.2.2.7 IOC SmsGmscFunction

Mapping from NRM IOC SmsGmscFunction attributes to SS equivalent MOC SmsGmscFunction attributes

I	IS Attributes	SS Attributes	SS Type
	id	smsGmscFunctionId	string

A.2.2.8 IOC SgsnFunction

Mapping from NRM IOC SgsnFunction attributes to SS equivalent MOC SgsnFunction attributes

IS Attributes	SS Attributes	SS Type
id	sgsnFunctionId	string
mccList	mccList	GenericNetworkResourcesIRPSyste m::AttributeTypes::LongSet
mncList	mncList	GenericNetworkResourcesIRPSyste m::AttributeTypes::LongSet
lacList	lacList	GenericNetworkResourcesIRPSyste m::AttributeTypes::LongSet
racList	racList	GenericNetworkResourcesIRPSyste m::AttributeTypes::LongSet
sacList	sacList	GenericNetworkResourcesIRPSyste m::AttributeTypes::LongSet
sgsnId	sgsnId	long
proceduralStatus	See mapping in 3GPP TS 28.626 [13] (State Management Data Definition IRP SS).	See 3GPP TS 28.626 [13].
nriList	nriList	GenericNetworkResourcesIRPSyste m::AttributeTypes::LongSet
sgsnFunction-GsmCell	sgsnFunctionGsmCell	GenericNetworkResourcesIRPSyste m::AttributeTypes::MOReferenceSet
sgsnFunction- ExternalGsmCell	sgsnFunctionExternalG smCell	GenericNetworkResourcesIRPSyste m::AttributeTypes::MOReferenceSet
sgsnFunction-SgsnPool	sgsnFunctionSgsnPool	GenericNetworkResourcesIRPSyste m::AttributeTypes::MOReferenceSet

A.2.2.9 IOC GgsnFunction

Mapping from NRM IOC GgsnFunction attributes to SS equivalent MOC GgsnFunction attributes

IS Attributes	SS Attributes	SS Type
id	ggsnFunctionId	string
proceduralStatus	See mapping in 3GPP TS 28.626 [13]	See 3GPP
	(State Management Data Definition IRP	TS 28.626
	SS).	[13].

A.2.2.10 IOC BgFunction

Mapping from NRM IOC BgFunction attributes to SS equivalent MOC BgFunction attributes

IS Attributes	SS Attributes	SS Type
id	bgFunctionId	string

A.2.2.11 IOC GmscFunction

Mapping from NRM IOC GmscFunction attributes to SS equivalent MOC GmscFunction attributes

IS Attributes	SS Attributes	SS Type
id	gmscFunctionId	string

A.2.2.12 IOC SmlcFunction

Mapping from NRM IOC SmlcFunction attributes to SS equivalent MOC SmlcFunction attributes

IS Attributes	SS Attributes	SS Type
id	smlcFunctionId	string

A.2.2.13 IOC GmlcFunction

Mapping from NRM IOC GmlcFunction attributes to SS equivalent MOC GmlcFunction attributes

IS Attributes	SS Attributes	SS Type
id	gmlcFunctionId	string

A.2.2.14 IOC ScfFunction

Mapping from NRM IOC ScfFunction attributes to SS equivalent MOC ScfFunction attributes

IS Attributes	SS Attributes	SS Type
id	scfFunctionId	string

A.2.2.15 IOC SrfFunction

Mapping from NRM IOC SrfFunction attributes to SS equivalent MOC SrfFunction attributes

IS Attributes	SS Attributes	SS Type
id	srfFunctionId	string

A.2.2.16 IOC CbcFunction

Mapping from NRM IOC CbcFunction attributes to SS equivalent MOC CbcFunction attributes

IS Attributes	SS Attributes	SS Type
id	cbcFunctionId	string

A.2.2.17 IOC CgfFunction

Mapping from NRM IOC CgfFunction attributes to SS equivalent MOC CgfFunction attributes

IS Attributes	SS Attributes	SS Type
id	cgfFunctionId	string

A.2.2.18 IOC GmscServerFunction

Mapping from NRM IOC GmscServerFunction attributes to SS equivalent MOC GmscServerFunction attributes

IS Attributes	SS Attributes	SS Type
id	gmscServerFunctionId	string

A.2.2.19 IOC IwfFunction

Mapping from NRM IOC IwfFunction attributes to SS equivalent MOC IwfFunction attributes

IS Attributes	SS Attributes	SS Type
id	iwfFunctionId	string

A.2.2.20 IOC MnpSrfFunction

Mapping from NRM IOC MnpSrfFunction attributes to SS equivalent MOC IwfFunction attributes

IS Attributes	SS Attributes	SS Type
id	mnpSrfFunctionId	string

A.2.2.21 IOC NpdbFunction

Mapping from NRM IOC NpdbFunction attributes to SS equivalent MOC NpdbFunction attributes

IS Attributes	SS Attributes	SS Type
id	npdbFunctionId	string

A.2.2.22 IOC SgwFunction

Mapping from NRM IOC SgwFunction attributes to SS equivalent MOC SgwFunction attributes

IS Attributes	SS Attributes	SS Type
id	sgwFunctionId	strina

A.2.2.23 IOC SsfFunction

Mapping from NRM IOC SsfFunction attributes to SS equivalent MOC SsfFunction attributes

IS Attributes	SS Attributes	SS Type
id	ssfFunctionId	string

A.2.2.24 IOC BsFunction

Mapping from NRM IOC BsFunction attributes to SS equivalent MOC BsFunction attributes

IS Attributes	SS Attributes	SS Type
id	bsFunctionId	string

A.2.2.25 IOC lucsLink

Mapping from NRM IOC lucsLink attributes to SS equivalent MOC lucsLink attributes

IS Attributes	SS Attributes	SS Type
id	iucsLinkId	string
connectedRnc	connectedRnc	GenericNetworkResourcesIRPSystem::AttributeTyp es::MOReference
connectedBss	connectedBss	GenericNetworkResourcesIRPSystem::AttributeTyp es::MOReference
connectedHNBGW	connectedHNBGW	GenericNetworkResourcesIRPSystem::AttributeTyp es::MOReference

A.2.2.26 IOC lupsLink

Mapping from NRM IOC lupsLink attributes to SS equivalent MOC lupsLink attributes

IS Attributes	SS Attributes	SS Type
id	iupsLinkId	string
connectedRnc	connectedRnc	GenericNetworkResourcesIRPSystem::AttributeTypes::MOReference
connectedBss	connectedBss	GenericNetworkResourcesIRPSystem::AttributeTyp es::MOReference
connectedHNBGW	connectedHNBGW	GenericNetworkResourcesIRPSystem::AttributeTypes::MOReference

A.2.2.27 IOC lubcLink

Mapping from NRM IOC lubcLink attributes to SS equivalent MOC lubcLink attributes

IS Attributes	SS Attributes	SS Type
id	iubcLinkId	string
connectedRnc	connectedRnc	GenericNetworkResourcesIRPSystem::AttributeTy pes::MOReference
connectedHNBGW	connectedHNBGW	GenericNetworkResourcesIRPSystem::AttributeTy pes::MOReference

A.2.2.28 IOC ALink

Mapping from NRM IOC ALink attributes to SS equivalent MOC ALink attributes

IS Attributes	SS Attributes	SS Type
id	aLinkId	string
connectedBss	connectedBss	GenericNetworkResourcesIRPSystem::Attribute Types::MOReference

A.2.2.29 IOC GbLink

Mapping from NRM IOC GbLink attributes to SS equivalent MOC GbLink attributes

IS Attributes	SS Attributes	SS Type
gbLinkId	gbLinkId	string
connectedBss	connectedBss	GenericNetworkResourcesIRPSystem::AttributeTy pes::MOReference

A.2.2.30 IOC CsMgwFunction

Mapping from NRM IOC CsMgwFunction attributes to SS equivalent MOC CsMgwFunction attributes

IS Attributes	SS Attributes	SS Type
id	csMgwFunctionId	string
csMgwFunction-	csMgwFunctionMscServerFu	GenericNetworkResourcesIRPSyste
MscServerFunction	nction	m::AttributeTypes::MOReference
csMgwFunction-	csMgwFunction-	GenericNetworkResourcesIRPSyste
MscServerFunction	MscServerFunction	m::AttributeTypes::MOReference
csMgwFunction-IucsLink	csMgwFunctionIucsLink	GenericNetworkResourcesIRPSyste
		m::AttributeTypes::MOReferenceSet
csMgwFunction-ALink	csMgwFunctionALink	GenericNetworkResourcesIRPSyste
		m::AttributeTypes::MOReferenceSet

A.2.2.31 IOC BmScFunction

Mapping from NRM IOC BmScFunction attributes to SS equivalent MOC BmScFunction attributes

IS Attributes	SS Attributes	SS Type
id	bmScFunctionId	string

A.2.2.32 IOC Link_BmSc_Ggsn

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 28.623 [6].

A.2.2.33 IOC Link_Ggsn_Sgsn

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 28.623 [6].

A.2.2.34 CircuitEndPointSubgroup

Mapping from NRM IOC CircuitEndPointSubgroup attributes to SS equivalent MOC CircuitEndPointSubgroup attributes

IS Attributes	SS Attributes	SS Type
id	circuitEndPointSubgroupId	String

A.2.2.35 IOC MscPool

Mapping from NRM IOC MscPool attributes to SS equivalent MOC MscPool attributes

IS Attributes	SS Attributes	SS Type
id	id	string
mscPool-MscServerFunction	mscPoolMscServerFunction	GenericNetworkResourcesIRP System::AttributeTypes::MOR eferenceSet

A.2.2.36 IOC MscPoolArea

Mapping from NRM IOC MscPoolArea attributes to SS equivalent MOC MscPoolArea attributes

IS Attributes	SS Attributes	SS Type
id	id	string
lacList	lacList	GenericNetworkResourcesIRP System::AttributeTypes::Long Set
pLMNIdList	pLMNIdList	GenericNetworkResourcesIRP System::AttributeTypes::Long Set
mscPoolArea-MscPool	mscPoolAreaMscPool	GenericNetworkResourcesIRP System::AttributeTypes::MOR eferenceSet

A.2.2.37 IOC SgsnPool

Mapping from NRM IOC SgsnPool attributes to SS equivalent MOC SgsnPool attributes

IS Attributes	SS Attributes	SS Type
Id	id	String
sgsnPool-SgsnFunction	sgsnPoolSgsnFunction	GenericNetworkResourcesIRP System::AttributeTypes::MOR eferenceSet

A.2.2.38 IOC SgsnPoolArea

Mapping from NRM IOC SgsnPoolArea attributes to SS equivalent MOC SgsnPoolArea attributes

IS Attributes	SS Attributes	SS Type		
id	id	String		
racList	racList	GenericNetworkResourcesIRP System::AttributeTypes::Long Set		
pLMNIdList	pLMNIdList	GenericNetworkResourcesIRP System::AttributeTypes::Long Set		
sgsnPoolArea-SgsnPool	sgsnPoolAreaSgsnPool	GenericNetworkResourcesIRP System::AttributeTypes::MOR eferenceSet		

A.3 Solution Set definitions

A.3.1 IDL definition structure

Clause A.3.2 defines the MO classes for the Core Network NRM IRP.

A.3.2 IDL specification "CoreNetworkResourcesNRMDefs.idl"

```
// File: CoreNetworkResourcesNRMDefs.idl
#ifndef _CORENETWORKRESOURCESNRMDEFS_IDL_
#define _CORENETWORKRESOURCESNRMDEFS_IDL_
#include "GenericNetworkResourcesNRMDefs.idl"
#pragma prefix "3gppsa5.org"
 * This module defines constants for each MO class name and
 \mbox{\scriptsize \star} the attribute names for each defined MO class.
module CoreNetworkResourcesNRMDefs
       * Definitions for MO class MscServerFunction
      interface MscServerFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
         const string CLASS = "MscServerFunction";
         // Attribute Names
         const string mscServerFunctionId = "mscServerFunctionId";
         const string mccList = "mccList";
         const string mncList = "mncList";
         const string lacList = "lacList";
         const string sacList = "sacList";
         const string gcaList = "gcaList";
         const string mscId = "mscId";
         const string mscServerFunctionGsmCell = "mscServerFunctionGsmCell";
         const string mscServerFunctionExternalGsmCell = "mscServerFunctionExternalGsmCell";
         const string mscServerFunctionCsMqwFunction = "mscServerFunctionCsMqwFunction";
         const string mscServerFunctionMscPool = "mscServerFunctionMscPool";
         const string nriList = "nriList";
         const string defaultMsc = "defaultMsc";
      };
       * Definitions for MO class HlrFunction
      interface HlrFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
         const string CLASS = "HlrFunction";
         // Attribute Names
         const string hlrFunctionId = "hlrFunctionId";
      };
          Definitions for MO class VlrFunction
      interface VlrFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
         const string CLASS = "VlrFunction";
         // Attribute Names
         const string vlrFunctionId = "vlrFunctionId";
      };
       * Definitions for MO class AucFunction
       * /
      interface AucFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
         const string CLASS = "AucFunction";
         // Attribute Names
```

```
const string aucFunctionId = "aucFunctionId";
};
* Definitions for MO class EirFunction
interface EirFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "EirFunction";
   // Attribute Names
  const string eirFunctionId = "eirFunctionId";
};
* Definitions for MO class SmsIwmscFunction
interface SmsIwmscFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "SmsIwmscFunction";
   // Attribute Names
   11
  const string smsIwmscFunctionId = "smsIwmscFunctionId";
};
* Definitions for MO class SmsGmscFunction
* /
interface SmsGmscFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "SmsGmscFunction";
   // Attribute Names
  const string smsGmscFunctionId = "smsGmscFunctionId";
};
* Definitions for MO class SgsnFunction
interface SgsnFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "SgsnFunction";
   // Attribute Names
  const string sgsnFunctionId = "sgsnFunctionId";
  const string mccList = "mccList";
   const string mncList = "mncList";
   const string lacList = "lacList";
  const string racList = "racList";
  const string sacList = "sacList";
   const string sgsnId = "sgsnId";
   const string sgsnFunctionGsmCell = "sgsnFunctionGsmCell";
   const string sgsnFunctionExternalGsmCell = "sgsnFunctionExternalGsmCell";
  const string sgsnFunctionSgsnPool = "sgsnFunctionSgsnPool";
   const string nriList = "nriList";
   const string proceduralStatus = "proceduralStatus";
};
* Definitions for MO class GgsnFunction
interface GgsnFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "GgsnFunction";
   // Attribute Names
   const string ggsnFunctionId = "ggsnFunctionId";
  const string proceduralStatus = "proceduralStatus";
};
/**
^{\star} Definitions for MO class BgFunction
* /
interface BgFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "BgFunction";
   // Attribute Names
   const string bgFunctionId = "bgFunctionId";
};
```

```
* Definitions for MO class GmscFunction
interface GmscFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "GmscFunction";
  // Attribute Names
  const string gmscFunctionId = "gmscFunctionId";
};
 * Definitions for MO class SmlcFunction
interface SmlcFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "SmlcFunction";
  // Attribute Names
  const string smlcFunctionId = "smlcFunctionId";
};
/**
{}^{\star}{}^{\phantom{\dagger}} Definitions for MO class GmlcFunction
* /
interface GmlcFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
  const string CLASS = "GmlcFunction";
  // Attribute Names
  const string gmlcFunctionId = "gmlcFunctionId";
};
* Definitions for MO class ScfFunction
* /
interface ScfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "ScfFunction";
   // Attribute Names
  const string scfFunctionId = "scfFunctionId";
};
* Definitions for MO class SrfFunction
interface SrfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "SrfFunction";
   // Attribute Names
  const string srfFunctionId = "srfFunctionId";
};
* Definitions for MO class CbcFunction
interface CbcFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "CbcFunction";
  // Attribute Names
  const string cbcFunctionId = "cbcFunctionId";
};
* Definitions for MO class CgfFunction
* /
interface CgfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
  const string CLASS = "CgfFunction";
   // Attribute Names
  const string cgfFunctionId = "cgfFunctionId";
};
{}^{\star}{}^{\phantom{\dagger}} Definitions for MO class GmscServerFunction
interface GmscServerFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "GmscServerFunction";
   // Attribute Names
  const string gmscServerFunctionId = "gmscServerFunctionId";
```

```
};
* Definitions for MO class IwfFunction
* /
interface IwfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
  const string CLASS = "IwfFunction";
  // Attribute Names
  //
  const string iwfFunctionId = "iwfFunctionId";
};
^{\star} Definitions for MO class MnpSrfFunction
* /
interface MnpSrfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "MnpSrfFunction";
   // Attribute Names
  const string mnpSrfFunctionId = "mnpSrfFunctionId";
};
/**
* Definitions for MO class NpdbFunction
* /
interface NpdbFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "NpdbFunction";
  // Attribute Names
  //
  const string npdbFunctionId = "npdbFunctionId";
};
/**
* Definitions for MO class SgwFunction
 * /
interface SgwFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "SgwFunction";
  // Attribute Names
  const string sgwFunctionId = "sgwFunctionId";
};
* Definitions for MO class SsfFunction
* /
interface SsfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "SsfFunction";
   // Attribute Names
  const string ssfFunctionId = "ssfFunctionId";
};
* Definitions for MO class BsFunction
* /
interface BsFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "BsFunction";
   // Attribute Names
  //
  const string bsFunctionId = "bsFunctionId";
};
/**
* Definitions for MO class IucsLink
* /
interface IucsLink : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "IucsLink";
  // Attribute Names
   //
   const string iucsLinkId = "iucsLinkId";
   const string connectedRnc = "connectedRnc";
   const string connectedBss = "connectedBss";
  const string connectedHNBGW = "connectedHNBGW";
};
* Definitions for MO class IupsLink
```

```
interface IupsLink : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "IupsLink";
   // Attribute Names
  const string iupsLinkId = "iupsLinkId";
   const string connectedRnc = "connectedRnc";
  const string connectedBss = "connectedBss";
   const string connectedHNBGW = "connectedHNBGW";
};
* Definitions for MO class IubcLink
* /
interface IubcLink : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "IubcLink";
   // Attribute Names
   11
   const string iubcLinkId = "iubcLinkId";
  const string connectedRnc = "connectedRnc";
  const string connectedHNBGW = "connectedHNBGW";
};
* Definitions for MO class ALink
\verb|interface ALink : GenericNetworkResourcesNRMDefs:: ManagedFunction|\\
   const string CLASS = "ALink";
   // Attribute Names
  const string aLinkId = "aLinkId";
   const string connectedBss = "connectedBss";
};
{}^{\star}{}^{\phantom{\dagger}} Definitions for MO class GbLink
interface GbLink : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "GbLink";
   // Attribute Names
  const string gbLinkId = "gbLinkId";
  const string connectedBss = "connectedBss";
};
* Definitions for MO class CsMgwFunction
interface CsMgwFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "CsMgwFunction";
   // Attribute Names
   const string csMgwFunctionId = "csMgwFunctionId";
   const string csMgwFunctionMscServerFunction = "csMgwFunctionMscServerFunction";
   const string csMgwFunctionIucsLink = "csMgwFunctionIucsLink";
  const string csMgwFunctionALink = "csMgwFunctionALink";
};
/**
* Definitions for MO class BmScFunction
interface BmScFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
  const string CLASS = "BmScFunction";
   //Attribute Names
   const string bmScFunctionId = "bmScFunctionId";
* Definitions for MO class Link_BmSc_Ggsn
interface Link_BmSc_Ggsn : GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_BmSc_Ggsn";
   // All Attributes inherited from Link
```

```
* Definitions for MO class Link_Ggsn_Sgsn
      interface Link_Ggsn_Sgsn : GenericNetworkResourcesNRMDefs::Link
        const string CLASS = "Link_Ggsn_Sgsn";
        // All Attributes inherited from Link
       /* Definitions for MO class CircuitEndPointSubgroup
      interface CircuitEndPointSubgroup: GenericNetworkResourcesNRMDefs::ManagedFunction
      {
        const string CLASS = "CircuitEndPointSubgroup";
        //Attribute Names
        const string circuitEndPointSubgroupId = "circuitEndPointSubgroupId";
      * Definitions for MO class MscPool
      interface MscPool: GenericNetworkResourcesNRMDefs::ManagedFunction
        const string CLASS = "MscPool";
        //Attribute Names
        const string id = "id";
        const string mscPoolMscServerFunction = "mscPoolMscServerFunction";
     };
      * Definitions for MO class MscPoolArea
      interface MscPoolArea: GenericNetworkResourcesNRMDefs::ManagedFunction
        const string CLASS = "MscPoolArea";
        //Attribute Names
        const string id = "id";
        const string lacList = "lacList";
        const string pLMNIdList = "pLMNIdList";
        const s
       /* Definitions for MO class SgsnPool
      interface SgsnPool: GenericNetworkResourcesNRMDefs::ManagedFunction
        const string CLASS = "SgsnPool";
        //Attribute Names
        const string id = "id";
        const string sgsnPoolSgsnFunction = "sgsnPoolSgsnFunction";
       /* Definitions for MO class SgsnPoolArea
       /* Definitions for MO class SgsnPoolArea
      interface SgsnPoolArea: GenericNetworkResourcesNRMDefs::ManagedFunction
        const string CLASS = "SgsnPoolArea";
        //Attribute Names
        const string id = "id";
        const string racList = "racList";
        const string pLMNIdList = "pLMNIdList";
        const string sgsnPoolAreaSgsnPool = "sgsnPoolAreaSgsnPool";
#endif // _CORENETWORKRESOURCESNRMDEFS_IDL_
```

Annex B (normative): XML definitions

B.0 General

This annex contains the XML definitions for the Core Network NRM IRP as it applies to Itf-N, in accordance with Core Network NRM IRP IS definitions [3].

The XML file formats are based on XML [9], XML Schema [11] [12] and XML Namespace [5] standards.

B.1 Architectural features

The overall architectural feature of Core Network NRM IRP IS is specified in 3GPP TS 28.702 [3]. This clause specifies features that are specific to the XML Schema definitions.

B.1.1 Syntax for Distinguished Names

The syntax of a Distinguished Name is defined in 3GPP TS 32.300 [4].

B.2 Mapping

The mapping is not present in the current version of this specification.

B.3 Solution Set definitions

B.3.1 XML definition structure

The overall description of the file format of configuration data XML files is provided by 3GPP TS 32.616 [8].

B.3.2 of the present document defines the NRM-specific XML schema coreNrm.xsd for the Core Network NRM IRP defined in 3GPP TS 28.702 [3].

XML schema coreNrm.xsd explicitly declares NRM-specific XML element types for the related NRM.

The definition of those NRM-specific XML element types complies with the generic mapping rules defined in 3GPP TS 32.616 [8].

B.3.2 XML schema "coreNrm.xsd"

```
<?xml version="1.1" encoding="UTF-8"?>

<!--
    3GPP TS 28.703 Core Network NRM IRP
    Bulk CM Configuration data file NRM-specific XML schema
    coreNrm.xsd
-->

<schema
    targetNamespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.703#coreNrm"
    elementFormDefault="qualified"
    attributeFormDefault="unqualified"
    xmlns="http://www.w3.org/2001/XMLSchema"
    xmlns:xn="http://www.3gpp.org/ftp/specs/archive/28_series/28.623#genericNrm"
    xmlns:cn="http://www.3gpp.org/ftp/specs/archive/28_series/28.703#coreNrm"
    xmlns:sm="http://www.3gpp.org/ftp/specs/archive/28_series/28.626#stateManagementIRP"</pre>
```

```
<import namespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.623#genericNrm"/>
  <import namespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.626#stateManagementIRP"/>
  <!-- Core Network NRM IRP class associated XML elements -->
  <complexType name="longList">
    <sequence>
      <element name="em" type="long" minOccurs="0" maxOccurs="unbounded"/>
    </sequence>
</complexType>
  <complexType name="PLMNId">
     <sequence>
       <element name="mcc" type="short"/>
        <element name="mNc" type="short"/>
     </sequence>
  </complexType>
  <complexType name="PLMNIdList">
       <element name="pLMNId" type="cn:PLMNId" maxOccurs="6" />
     </sequence>
  </complexType>
  <element
     name="MscServerFunction"
     substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
       <complexContent>
         <extension base="xn:NrmClass">
           <sequence>
             <element name="attributes" minOccurs="0">
                <complexType>
                  <all>
                    <element name="userLabel" type="string"/>
                    <element name="mscrlapel" type="string"/>
<element name="mcList" type="cn:longList"/>
<element name="mncList" type="cn:longList"/>
<element name="lacList" type="cn:longList"/>
<element name="sacList" type="cn:longList"/>
<element name="gcaList" type="cn:longList" minOccurs="0"/>
<element name="mscId" type="long"/>
<element name="mscServerFunctionGsmCell" type="xn:dnList"/>
<element name="mscServerFunctionFxternalGsmCell" type="xn:dnList"/>
<element name="mscServerFunctionFxternalGsmCell" type="xn:dnList"/>
                    <element name="mscServerFunctionExternalGsmCell" type="xn:dnList"/>
<element name="mscServerFunctionCsMgwFunction" type="xn:dnList"/>
                     <element name="mriList" type="cn:longList"/
<element name="mscServerFunctionMscPool" type="xn:dnList" minOccurs="0"/>
                        <element name="defaultMsc" type="cn:defaultMscType" minOccurs="0"/>
                  </all>
                </complexType>
             </element>
             <choice minOccurs="0" maxOccurs="unbounded">
               <element ref="cn:IucsLink"/>
<element ref="cn:ALink"/>
<element ref="xn:VsDataContainer"/>
             </choice>
           </sequence>
         </extension>
       </complexContent>
    </complexType>
  </element>
    name="HlrFunction"
    substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
    <complexType>
      <complexContent>
         <extension base="xn:NrmClass">
           <sequence>
             <element name="attributes" minOccurs="0">
                <complexType>
                  <all>
                    <element name="userLabel" type="string"/>
                  </all>
                </complexType>
             </element>
             <choice minOccurs="0" maxOccurs="unbounded">
                <element ref="xn:VsDataContainer"/>
             </choice>
           </sequence>
         </extension>
      </complexContent>
    </complexType>
  </element>
  <element
```

```
name="VlrFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
      <sequence>
        <element name="attributes" minOccurs="0">
         <complexType>
           <all>
             <element name="userLabel" type="string"/>
           </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
          <element ref="xn:VsDataContainer"/>
        </choice>
      </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element
 name="AucFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
      <sequence>
        <element name="attributes" min0ccurs="0">
         <complexType>
           <all>
             <element name="userLabel" type="string"/>
           </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
          <element ref="xn:VsDataContainer"/>
        </choice>
      </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element
 name="EirFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
   <complexContent>
    <extension base="xn:NrmClass">
      <sequence>
        <element name="attributes" minOccurs="0">
         <complexType>
           <a11>
             <element name="userLabel"/>
           </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
          <element ref="xn:VsDataContainer"/>
        </choice>
      </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
 name="SmsIwmscFunction"
 \verb|substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"|
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
      <sequence>
        <element name="attributes" minOccurs="0">
         <complexType>
           <all>
             <element name="userLabel"/>
           </all>
         </complexType>
        </element>
        </
        </choice>
```

```
</sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element
 name="SmsGmscFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
      <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
            <a11>
             <element name="userLabel"/>
            </all>
          </complexType>
        </element>
        </pre
        </choice>
      </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element
 name="GmscFunction"
 \verb|substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"|
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
      <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
           <all>
             <element name="userLabel" type="string"/>
            </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
          <element ref="xn:VsDataContainer"/>
        </choice>
      </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element
 name="SgsnFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
  <complexContent>
     <extension base="xn:NrmClass">
      <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
           <all>
             <element name="sgsnId" type="long"/>
<element name="sgsnFunctionGsmCell" type="xn:dnList"/>
             <element name="sgsnFunctionExternalGsmCell" type="xn:dnList"/>
             <element name="sgsnFunctionSgsnPool" type="xn:dn"/>
             <element name="nriList" type="cn:longList"/>
             <element name="proceduralStatus" type="sm:proceduralStatusType"/>
           </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="cn:GbLink"/>
<element ref="cn:IupsLink"/>
          <element ref="xn:VsDataContainer"/>
        </choice>
      </sequence>
     </extension>
   </complexContent>
```

```
</complexType>
</element>
<element
 name="GgsnFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
      <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
            <all>
             <element name="userLabel" type="string"/>
             <element name="proceduralStatus" type="sm:proceduralStatusType"/>
            </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
          <element ref="xn:VsDataContainer"/>
        </choice>
      </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element
 name="BgFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
      <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
            <a11>
             <element name="userLabel" type="string"/>
            </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
          <element ref="xn:VsDataContainer"/>
        </choice>
      </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
 name="SmlcFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
       <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
           <all>
             <element name="userLabel" type="string"/>
            </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
          <element ref="xn:VsDataContainer"/>
        </choice>
      </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element
 name="GmlcFunction"
 \verb|substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"|
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
        <element name="attributes" minOccurs="0">
          <complexType>
            <all>
             <element name="userLabel" type="string"/>
```

```
</all>
           </complexType>
         </element>
         <choice minOccurs="0" maxOccurs="unbounded">
           <element ref="xn:VsDataContainer"/>
         </choice>
       </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element
 name="ScfFunction"
 \verb|substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"|
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
       <sequence>
         <element name="attributes" minOccurs="0">
           <complexType>
            <all>
              <element name="userLabel" type="string"/>
             </all>
           </complexType>
         </element>
         <choice minOccurs="0" maxOccurs="unbounded">
           <element ref="xn:VsDataContainer"/>
         </choice>
       </sequence>
     </extension>
   </complexContent>
  </complexType>
</element>
<element name="IucsLink">
  <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
       <sequence>
         <element name="attributes" minOccurs="0">
           <complexType>
            <all>
              <element name="userLabel" type="string"/>
              <element name="connectedRnc" type="xn:dn" minOccurs="0"/>
<element name="connectedBss" type="xn:dn" minOccurs="0"/>
              <element name="connectedHNBGW" type="xn:dn" minOccurs="0"/>
            </all>
           </complexType>
         </element>
         <choice minOccurs="0" maxOccurs="unbounded">
           <element ref="xn:VsDataContainer"/>
         </choice>
       </sequence>
     </extension>
   </complexContent>
  </complexType>
</element>
<element name="IupsLink">
 <complexType>
  <complexContent>
     <extension base="xn:NrmClass">
       <sequence>
         <element name="attributes" minOccurs="0">
           <complexType>
            <all>
              <element name="userLabel" type="string"/>
              <element name="connectedRnc" type="xn:dn" minOccurs="0"/>
<element name="connectedBss" type="xn:dn" minOccurs="0"/>
              <element name="connectedHNBGW" type="xn:dn" minOccurs="0"/>
             </all>
           </complexType>
         </element>
         <choice minOccurs="0" maxOccurs="unbounded">
           <element ref="xn:VsDataContainer"/>
         </choice>
       </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element name="IubcLink">
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
```

```
<sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
            <all>
              <element name="userLabel" type="string"/>
<element name="connectedRnc" type="xn:dn"/>
              <element name="connectedHNBGW" type="xn:dn" minOccurs="0"/>
            </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
          <element ref="xn:VsDataContainer"/>
         </choice>
       </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element name="ALink">
  <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
       <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
              <element name="userLabel" type="string"/>
              <element name="connectedBss" type="xn:dn"/>
            </all>
          </complexType>
         </element>
         <choice minOccurs="0" maxOccurs="unbounded">
          <element ref="xn:VsDataContainer"/>
        </choice>
       </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element name="GbLink">
 <complexType>
  <complexContent>
     <extension base="xn:NrmClass">
       <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
            <all>
              <element name="userLabel" type="string"/>
              <element name="connectedBss" type="xn:dn"/>
            </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
          <element ref="xn:VsDataContainer"/>
         </choice>
       </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element
 name="SrfFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
       <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
            <all>
              <element name="userLabel" type="string"/>
            </all>
          </complexType>
        </element>
         <choice minOccurs="0" maxOccurs="unbounded">
          <element ref="xn:VsDataContainer"/>
         </choice>
       </sequence>
     </extension>
   </complexContent>
  </complexType>
</element>
<element
```

```
name="CbcFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
       <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
            <all>
             <element name="userLabel" type="string"/>
            </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="cn:IubcLink"/>
          <element ref="xn:VsDataContainer"/>
        </choice>
       </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element
 name="CgfFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
      <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
            <a11>
             <element name="userLabel" type="string"/>
            </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
  <element ref="xn:VsDataContainer"/>
        </choice>
      </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element
 name="GmscServerFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
      <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
            <a11>
             <element name="userLabel" type="string"/>
            </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
          <element ref="xn:VsDataContainer"/>
        </choice>
       </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
 name="IwfFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
      <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
            <all>
              <element name="userLabel" minOccurs="0"/>
            </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
```

```
<element ref="xn:VsDataContainer"/>
        </choice>
       </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element
 name="MnpSrfFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
   <complexContent>
     <extension base="xn:NrmClass">
       <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
            <a11>
              <element name="userLabel" type="string"/>
            </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
<element ref="xn:VsDataContainer"/>
        </choice>
       </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element
 name="NpdbFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
       <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
            <all>
              <element name="userLabel" type="string"/>
            </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
          <element ref="xn:VsDataContainer"/>
        </choice>
       </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element
 name="SgwFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
       <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
            <all>
              <element name="userLabel" type="string"/>
            </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
          <element ref="xn:VsDataContainer"/>
        </choice>
       </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
 name="SsfFunction"
 \verb|substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"|
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
       <sequence>
```

```
<element name="attributes" minOccurs="0">
          <complexType>
            <all>
             <element name="userLabel" type="string"/>
            </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
          <element ref="xn:VsDataContainer"/>
        </choice>
      </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element
 name="BsFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
      <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
           <all>
             <element name="userLabel" type="string"/>
            </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
          <element ref="xn:VsDataContainer"/>
        </choice>
      </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
<element
 name="CsMqwFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
      <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
            <all>
             <element name="userLabel" type="string"/>
             <element name="csMgwFunctionMscServerFunction" type="string" />
             <element name="csMgwFunctionIucsLink" type="xn:dnList"/>
             <element name="csMgwFunctionALink" type="xn:dnList"/>
           </all>
          </complexType>
        </element>
        <choice minOccurs="0" maxOccurs="unbounded">
          <element ref="xn:VsDataContainer"/>
        </choice>
      </sequence>
     </extension>
   </complexContent>
 </complexType>
</element>
   <element
 name="BmScFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
   <complexContent>
     <extension base="xn:NrmClass">
      <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
            <all>
             <element name="userLabel" type="string"/>
            </all>
          </complexType>
        </element>
        </
        </choice>
      </sequence>
     </extension>
   </complexContent>
 </complexType>
```

```
</element>
<element name="Link_BmSc_Ggsn" substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
          <complexType>
                <complexContent>
                     <extension base="xn:NrmClass">
                          <sequence>
                               <element name="attributes" minOccurs="0">
                                    <complexType>
                                         <all>
                                               <element name="aEnd" type="xn:dn"/>
                                              celement name="alinkType" type="xn:linkType" minOccurs="0"/>
celement name="protocolName" type="string" minOccurs="0"/>
celement name="protocolVersion" type="string" minOccurs="0"/>
celement name="userLabel" type="string"/>
celement name="zEnd" type="xn:dn"/>
                                         </all>
                                    </complexType>
                               </element>
                               <choice minOccurs="0" maxOccurs="unbounded">
                                    <element ref="xn:VsDataContainer"/>
                               </choice>
                          </sequence>
                    </extension>
               </complexContent>
          </complexType>
     </element>
<element name="Link_Ggsn_Sgsn" substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
          <complexType>
               <complexContent>
                     <extension base="xn:NrmClass">
                          <sequence>
                               <element name="attributes" minOccurs="0">
                                    <complexType>
                                         <all>
                                              <element name="aEnd" type="xn:dn"/>
<element name="linkType" type="xn:linkType" minOccurs="0"/>
<element name="protocolName" type="string" minOccurs="0"/>
<element name="protocolVersion" type="string" minOccurs="0"/>
<element name="userLabel" type="string"/>
<element name="userLabel" type="string"/>
<element name="zEnd" type="xn:dn"/>
                                         </all>
                                    </complexType>
                               </element>
                               <choice minOccurs="0" maxOccurs="unbounded">
                                    <element ref="xn:VsDataContainer"/>
                               </choice>
                          </sequence>
                    </extension>
               </complexContent>
          </complexType>
     </element>
  <element
    name="CircuitEndPointSubgroup"
    substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
             <element name="attributes" minOccurs="0">
               <complexType>
                 <all>
                   <element name="circuitEndPointSubgroupId" type="string"/>
                 </all>
               </complexType>
             </element>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
  <element name="MscPool" substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass">
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
             <element name="attributes" minOccurs="0">
               <complexType>
                 <all>
                   <element name="mscPoolMscServerFunction" type="xn:dnList" />
                 </all>
               </complexType>
             </element>
          </sequence>
        </extension>
      </complexContent>
```

```
</complexType>
 </element>
 <element name="MscPoolArea" substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass">
   <complexType>
     <complexContent>
       <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
               <element name="lacList" type="cn:longList"/>
               <element name="pLMNIdList" type="cn:PLMNIdList" minOccurs="0"/>
<element name="mscPoolAreaMscPool" type="xn:dnList"/>
              </all>
            </complexType>
          </element>
        </sequence>
       </extension>
     </complexContent>
   </complexType>
 </element>
 <simpleType name="defaultMscType">
   <restriction base="unsignedShort">
     <minInclusive value="0"/>
     <maxInclusive value="1"/>
   </restriction>
 </simpleType>
 <element name="SqsnPool" substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass">
   <complexType>
     <complexContent>
       <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
               <element name="sgsnPoolSgsnFunction" type="xn:dnList"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer" />
          </choice>
        </sequence>
       </extension>
     </complexContent>
   </complexType>
 </element>
 <element name="SgsnPoolArea" substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass">
   <complexType>
  <complexContent>
       <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
               <element name="racList" type="cn:longList "/>
               <element name="pLMNIdList" type="cn:PLMNIdList" minOccurs="0"/>
               <element name="sgsnPoolAreaSgsnPool" type="xn:dnList"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer" />
          </choice>
        </sequence>
       </extension>
     </complexContent>
   </complexType>
 </element>
</schema>
```

Annex C (informative): Change history

Change history								
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Cat	Old	New
2014-03	SA#63	SP- 140031	001	1	Correction of proceduralStatus attribute mapping and datatype	F	11.0.0	11.1.0
2014-06	SA#64		002	-	Upgrade W3C XML Schema version from 1.0 to 1.1	F	11.1.0	11.2.0
		SP- 140360	003	-	remove the feature support statements	F		
2014-09	SA#65	SP- 140560	004	-	Update the link from Solution Set to Information Service due to the end of Release 12	С	11.2.0	12.0.0
2014-12	SA#66	SP- 140798	006	-	Update SS-IS version link	F	12.0.0	12.1.0

History

Document history					
V12.0.0	October 2014	Publication			
V12.1.0	January 2015	Publication			