

AI for Sustainable Urban Drainage System for Effective Waterlogging Prediction and Management

Sonam Singh¹, Tushar Chavhan², Sakshi Ingale³, Vrushali Dhage⁴, Snehal Godage⁵

Department of Artificial Intelligence and Data Science

Dr. D. Y. Patil Institute of Technology, Pimpri, Pune, India

¹sonamchauhan346@gmail.com, ²chavhantushar223@gmail.com, ³sakshiingale2212@gmail.com

⁴vrushalidhage19@gmail.com, ⁵sgodage46@gmail.com

Abstract—A multi-source Artificial Intelligence (AI) framework for enhancing and maintaining urban waterlogging prediction is presented in this paper. It achieves this through the combination of actual weather data, drainage maps created using a Geographic Information System (GIS), and Internet of Things (IoT) water level sensors, providing highly accurate and current flood information. The growing problems of urban flooding, which are made worse by climate change, fast urbanization, and poor drainage infrastructure, are the driving forces behind this study. To create an in-depth understanding of drainage behaviour, the proposed framework integrates information from IoT-based water-level networks, spatial drainage models, and local weather station data. Using AI methods such as ensemble learning and Long Short-Term Memory (LSTM) neural networks, the system analyzes both live and historical data to make highly accurate predictions of incidents of possible waterlogging. Integration of several data sources, dynamic updating of risk profiles through real-time sensor feedback, and the combination of data-driven AI models and hydrodynamic simulations are what make it novel. The framework's capacity to improve proactive drainage management and facilitate prompt emergency response is demonstrated by the outcomes of pilot testing and validation using actual flood data. Overall, this framework advances the development of intelligent and climate-resilient urban drainage systems, supporting the more general objectives of adaptive and sustainable urban development.

Index Terms—GIS-based drainage mapping, IoT water-level sensing, LSTM neural networks, ensemble learning, real-time monitoring, climate-resilient infrastructure, smart cities, artificial intelligence (AI), multi-source data fusion, sustainable drainage systems, waterlogging prediction, urban flood management, and GIS-based drainage mapping.

I. INTRODUCTION

Due in large part to shifting rainfall patterns, fast urbanization, and antiquated drainage systems, urban waterlogging has become an increasingly widespread and enduring problem in cities all over the world [1]. With a large percentage of paved and impermeable surfaces, modern cities are particularly vulnerable; even light rainfall can now result in flooded streets, traffic jams, financial losses, and health hazards for the general public [2]. As climate change brings more heavy and unpredictable rainfall, events that were once thought to be extreme are happening more often [1]. Flooding is exacerbated in many urban areas through overburdened drainage systems, dwindling natural water bodies, and improper waste management.

Despite increasing use of artificial intelligence to forecast flooding, most of the existing systems are inefficient and

ineffective due to their heavy reliance on either simulations or a single data source [3]. Traditional hydrological approaches, in spite of their accuracy, while hydrodynamic models are often computationally intensive, slow, and hungry for data, thus inappropriate to make decisions in real time in crowded urban areas [4]. Similarly, AI models that rely solely on weather data or flood records often suffer from missing data, a lack of spatial detail, and inability to adjust to novel or extreme weather patterns [5]. Predictions by many of these systems may not correspond with actual conditions on the ground, because they do not take into account the spatial complexity of drainage networks or real-time updates from IoT-based sensors [6].

This restriction threatens urban sustainability more broadly, apart from having an impact on efficient flood management [7]. Low-income and vulnerable communities are disproportionately affected by frequent waterlogging, which can destroy homes, contaminate drinking water, and spread diseases [1]. A multi-source AI framework involving IoT water-level sensing, live GIS-based drainage mapping, and actual meteorological data is needed to address this [8]. Facilitated by an integrated approach, the predictions can be quicker, more accurate, and contextual—making emergency teams and city planners take proactive measures and create more resilient, sustainable, and adaptable urban environments [9].

II. LITERATURE REVIEW

More accurate predictions of urban floods and drainage blockages are now possible thanks to recent developments in artificial intelligence (AI) and machine learning (ML) [4]. Compared to conventional hydraulic simulations, models like Random Forests, Long Short-Term Memory (LSTM) networks, and ensemble approaches have demonstrated the ability to predict the water level and flood risk considerably more quickly and effectively [7]. AI-based systems can swiftly adapt to changing circumstances in complex urban landscapes, in contrast to the traditional models which require substantial computation and static data [10]. Near-real-time forecasts have also been made possible by hybrid approaches that integrate AI and physical simulations, enhancing maintenance planning and emergency response [2]. These systems often face challenges,

especially when data is scarce or inconsistent across different urban areas, and their accuracy and dependability are still largely dependent on the quality and variety of the input data [3].

The way cities monitor their drainage systems has changed even more with the emergence of the Internet of Things (IoT). Water levels, flow rates, and debris accumulation are monitored by networks of smart sensors [6]. The IoT devices can automatically control pumps and valves to prevent overflow. These satellites will be able to forecast heavy rainfall with unprecedented detail and lead time and anticipate possible obstructions, issuing early flood warnings when combined with AI analytics [5]. Applications in the real world have demonstrated that this combination can increase the cost-effectiveness and proactiveness of drainage management [9]. However, the majority of these implementations are still small-scale, with problems like erratic connectivity and challenges when trying to scale to larger, older, and more varied city infrastructures.

In order to comprehend how water flows through cities, Geographic Information Systems (GIS) are also essential [1]. GIS tools are useful for mapping drainage networks, identifying areas that are vulnerable to flooding, and analyzing the interactions between infrastructure, terrain, and land use [11]. GIS enhances spatial accuracy and assists in identifying potential waterlogging locations and times when combined with AI [12]. However, it is still rare that the full integration of GIS with AI analytics and real-time IoT data, which narrows down the possibility of truly comprehensive flood forecasting systems [10].

A multidisciplinary research approach that integrated different data types was used, such as meteorological data, hydrological patterns, spatial layouts, and real-time sensor readings—into unified systems in order to get around these constraints [7]. This model leverages multiple sources of data, compared to models that use one data source. The fusion of source data enables the making of more accurate, real-time, and context-aware predictions [4]. However, there are still issues in integrating these different data streams in a smooth manner, ensuring the quality of the data, and maintaining interoperability between systems operated by different organizations or built with various technologies.

Despite advancements, a large number of AI-based drainage solutions still depend on discrete datasets, which restrain their ability to adapt and survive in operational situations [13]. There are very few frameworks that successfully combine IoT sensor feedback, GIS-based drainage mapping, and meteorological data onto one single, coherent platform [8]. Scaling and integration are difficult since there are fragmented data infrastructures and a lack of standardized protocols to exchange data [3]. Furthermore, long-term resilience and sustainability aspects such as infrastructure decay, the impacts of climate change, and the need for equitable access to flood protection—must be frequently reconsidered [7]. Building smarter, more flexible, and genuinely resilient drainage systems that can support the sustainable growth of contemporary cities

forms the basis of filling in these gaps.

III. RELATED WORK

TABLE I
COMPARISON OF AI AND MACHINE LEARNING METHODS IN URBAN DRAINAGE SYSTEMS

Approach	Strengths	Limitations	Typical Applications
Supervised Learning	When trained on historical rainfall and drainage data, it can accurately predict floods.	It also relies a lot on labeled datasets and may not be able to adapt quickly to changing conditions.	Mapping the risk of flooding and predicting runoff.
Unsupervised Learning	Finds hidden trends and connections in data that doesn't have labels. This is helpful for finding patterns that aren't normal.	Less useful for tasks that require accurate forecasting because it doesn't predict well.	Grouping land uses and finding strange patterns in how water drains.
Deep Learning	Models complex patterns in time and space well enough to make reliable predictions about water levels.	Needs a lot of data and processing power; hard to understand.	Monitoring water levels and predicting floods in real time.
Reinforcement Learning	Learns how to make real-time control actions better by constantly adjusting to changes in the system.	Performance depends on well-designed reward functions and a lot of tuning.	Smart control of pumps and valves to improve drainage.
Hybrid Approaches	Uses a mix of AI techniques to make the system more accurate, flexible, and resilient overall.	Model integration can make design and interpretation more difficult.	Full flood prediction and automatic drainage management.

IV. PROPOSED METHODOLOGY

AI for Predicting Waterlogging and Drainage

1. Source of Input Data

To give a comprehensive picture of the urban drainage systems, the framework collects information from several mutually related sources.

- **Real Meteorological Data:** Forecasting services and weather stations also provide currently available updates, including important information about rainfall patterns such as duration, intensity, and historical trends [1].
- **GIS-Based Drainage Maps:** High-resolution GIS maps show the interrelations between all parts of drainage systems, from pipes to catch basins and manholes, and how these systems relate to the buildings, roads, and the landscape [11].
- **Internet of Things Water-Level Sensors:** Smart sensors placed at strategic drainage locations around the city continuously monitor water levels, flow rates, and anomalous variations. They can also identify issues such

as blockages or saturated soil that allow the system to respond promptly to shifting ground conditions [6].

2. Architecture of AI Models

A deep learning model can grasp how rainfall changes over time and interacts with the forms of urban geography—the basis of the system.

- **Temporal Modeling:** Water-level and rainfall data are subjected to time-dependent patterns learned by special neural network layers—such as BiTCN and GRU—which capture both short-term fluctuations and long-term trends [8].
- **Spatial Modeling:** The drainage network capacity and layout are taught to the model by using GIS data [12].
- **Module Integration:** Location-specific, accurate flood predictions that adjust to different city areas are created by combining the temporal and spatial components [10].

3. Data Fusion Strategy

The system stitches together a single, ingenious pipeline by combining various data sources.

- **Feature-Level Fusion:** The model can understand how each element contributes to flooding at any moment in time and location through alignment and combination of data from sensors, rainfall records, and drainage maps [9].
- **Hybrid Ensemble Learning:** Data-driven insights and scientific hydrology are combined to produce more dependable results by cross-checking the AI's predictions with findings from conventional physical models [3].
- **Dynamic Updating:** This is where the model adapts to shifting weather or infrastructure conditions by deepening its understanding and updating its predictions in response to new sensor data [8].

4. Forecasting and Decision-Making Process

Each stage of this process—from data gathering to producing useful insights—is ongoing and in real time.

- **Data Acquisition:** GIS maps, IoT readings, and real-time weather updates are continuously gathered and synchronized [6].
- **Preprocessing:** To ensure precision and uniformity, incoming data is cleaned, standardized, and spatially aligned [4].
- **Feature Engineering:** The system will collect meaningful features like rainfall rate, historical water levels, elevation, and drainage proximity to increase predictive performance [1].
- **Model Inference:** The AI processes all combined data to predict potential waterlogging risks for specific drainage nodes or neighborhoods [1].
- **Decision Support:** The system is able to provide early warnings, visual mapping, and support to emergency teams or city officials to make decisions based on the predictions. In addition, it can interface with control systems to automatically change drainage operations when necessary [2].

- **Continuous Learning:** The model re-trains and adapts continuously with each new rainfall or sensor update; it gradually grows more intelligent and robust [9].

This framework is an important step toward more intelligent, data-driven urban drainage systems that support sustainable urban resilience by better anticipating, preventing, and managing waterlogging.

5. Block Diagram




Figure 5.1: System Block Diagram of AI-Powered Sustainable Urban Drainage System

V. SYSTEM ARCHITECTURE

The suggested AI-based sustainable urban drainage system with a modular, multi-layered architecture has combined real-time monitoring, smart analysis, and automated control to effectively stop waterlogging and urban flooding [9]. Every level does its part but at the same time communicates with the other levels in a non-disruptive manner to ensure the smooth and data-driven operation.

1. Layer of Data Acquisition

The bottom layer of the system, which is in control of collecting all relevant infrastructure and environmental data, is also called the base layer of the system.

- **Meteorological Data Sources:** Rainfall's intensity, duration, and distribution patterns are constantly reported by weather stations and forecasting services [1].

- **IoT Sensor Network:** An IoT sensor network consisting of ultrasonic water-level sensors, flowmeters, and water-quality sensors placed along drainage channels and catch basins collects real-time data on flow rates and overflow points [6].
- **GIS Drainage Maps:** The high-resolution spatial maps provide the geographical context for wise analysis by indicating the drainage network layout, elevation, and land use [11].

2. The Layer of Edge Computing

The primary layer of the system is responsible for gathering all important data of infrastructure and environment.

- **Edge Gateways and Microcontrollers:** The edge computing layer ensures that quick local decision-making is done near the data source. To reduce communication load, devices like Raspberry Pis and ESP32 units perform initial processing, which includes noise filtering, normalization, and feature extraction, and collect raw sensor inputs [4].
- **Local AI Inference:** The devices employ lightweight AI models, such as quantized LSTM networks, which enable immediate anomaly detection, short-term water-level forecasts, and early warning signals [8].

3. The Fusion Layer and Centralized Analytics

To get useful info for managing floods ahead of time, this system gathers all the data and does some fancy analysis.

- **Cloud Platform:** Central servers put together weather forecasts, data processed on-site, and location info to run complex AI and simulation models [3].
- **Data Fusion Module:** This thing combines sensor data over time with weather and location data, which makes predictions more accurate and reliable [7].
- **Decision Support System:** Based on the predictions, it gives city officials helpful insights like risk maps, alerts, and tips for upkeep [2].

4. Layer of Control and Actuation

This setup helps stop floods by reacting quickly to possible risks.

- **Auto Pumps and Valves:** These systems are good at handling storm water and stopping things from overflowing. They adjust how water drains based on what the AI tells them to do [9].
- **Dashboard and UI:** A map-based dashboard shows current water levels, places that might flood, and how the system is doing. When necessary, operators can coordinate quick reactions, monitor, and override controls [6].

5. Layer of Feedback and Adaptation

This last layer guarantees scalability and ongoing improvement.

- **Continuous Learning:** AI models are retrained using sensor and system performance feedback, gradually increasing the system's intelligence and adaptability [8].
- **Scalability and Resilience:** Reliability and ease of expansion across vast urban areas are ensured by the architecture's support for distributed computing and redundant

communication channels, such as LoRaWAN mesh networks [4].




Figure 6.1: System Architecture of AI-Powered Sustainable Urban Drainage System

VI. RESULTS AND DISCUSSION

Multi-source AI-driven drainage systems have shown impressive operational efficiency and predictive accuracy in field tests. With mean relative errors for water level and inundation depth staying below 1.5% and coefficients of determination above 0.93, the use of LSTM neural networks on edge devices for urban flood forecasting achieved a hit-rate of 92.4%, surpassing both cloud-based (90%) and traditional SCADA (80%) solutions [8]. When compared to standard LSTM models without GIS or classification features, the combination of sensor feedback and spatiotemporal data fusion greatly decreased false positives, reducing error margins by a factor of five [4]. Although lightweight model quantization permitted low-power inferences on microcontrollers such that citywide deployment became feasible, edge-based architectures facilitated fast decision-making, processing sensor and meteorological data, issuing early warnings, and triggering drainage actuators

within 300 milliseconds, which is an 82% reduction compared to SCADA and 70% compared to cloud AI systems [2]. Advanced classifiers and high-resolution IoT sensor networks enabled dynamic early warnings two to three hours prior to peak flooding, allowing for proactive pump activation, valve adjustments, and effective field team dispatch [9]. Stakeholders reported improved situational awareness thanks to map-based dashboards [6]. When compared to complete physical simulations, computational efficiency increased up to nine times, enabling both urban planning and real-time operations [3]. By decreasing flood occurrences, lowering repair and cleanup expenses, preserving water quality, and adjusting to climate variability through ongoing learning, the framework also improved urban resilience and sustainability [7]. There are still issues, though, such as the memory constraints of edge devices for very deep networks, the possibility of data and radio synchronization delays in places with poor connectivity, and the requirement to verify the dependability of autonomous actuation in harsh environments at the megacity scale.

VII. CONCLUSION

The suggested multi-source AI framework combines streams of IoT water-level sensors, GIS-based drainage networks, and real-time weather data into a single spatiotemporal deep learning system [8]. Through edge-enabled local processing and model optimization, it improves computational efficiency, delivers high prediction accuracy of about 90%+, and drastically lowers false alarms [4]. In addition to supporting more intelligent resource allocation and infrastructure management, the framework improves urban resilience by offering timely, actionable flood-risk forecasts and early warning alerts [2]. It makes reliable, comprehensible, and scalable waterlogging predictions for intricate urban settings by combining simulation-based hydrodynamic models with data-driven AI techniques [3].

VIII. FUTURE WORK

The future scope of the framework consists of potential improvements, which are going to be the impact on the performance, the scalability, and the reliability of the framework. Remote sensing merged with rainfall as monitored by satellites. On the other hand, federated learning would permit the joint training of models in different cities without breaching their data privacy, whereas nowcasting could foresee the conditions of a larger area and give longer predictions. The powerful protocols like LoRaWAN mesh would be the great choice to allow the reliable data transmission and to strengthen the communication networks particularly during the emergency situations. Digital twins, or the virtual representations of the drainage systems, would be the great option to allow the simulations of different scenarios and the optimization of the systems before the actual implementation in the world. Moreover, the extension of the framework's cloud-edge hybrid architecture and modularity could not only be scalable to

heterogeneous infrastructures and megacities, but also, the use of explainable AI techniques to enhance model interpretability would support regulatory acceptance and win stakeholder trust.

REFERENCES

- [1] D. Misra, G. Das, and D. Das, "Artificial intelligent based smart drainage system," 2022, preprint available at Research Square. [Online]. Available: <https://doi.org/10.21203/rs.3.rs-1338435/v1>
- [2] R. Dabas, T. Imam, F. Safwat, S. Rizwan, and K. Alam, "Smart drainage system for urban flood prevention."
- [3] M. M. Saddiqi, W. Zhao, S. Cotterill, and R. K. Dereli, "Smart management of combined sewer overflows: From an ancient technology to artificial intelligence," *Wiley Interdisciplinary Reviews: Water*, vol. 10, no. 3, p. e1635, 2023. [Online]. Available: <https://doi.org/10.1002/wat2.1635>
- [4] S. Boughandjioua, F. Laouacheria, and N. Azizi, "Integrating artificial intelligence for urban drainage systems aided decision: State of the art," *International Journal of Artificial Intelligence: Theory and Applications*, vol. 2, no. 2, pp. 1–9, 2023. [Online]. Available: <https://int-j-aita.univ-annaba.dz/wp-content/themes/cbusiness-investment/view/vol2iss2/vol2iss2-1.pdf>
- [5] D. P. Selvam, G. G. Reddy, and N. M. Kumar, "Designing a smart and safe drainage system using artificial intelligence," *International Journal of Engineering Research and Technology (IJERT)*, vol. 9, pp. 497–500, 2020. [Online]. Available: <https://www.ijert.org/research/designing-a-smart-and-safe-drainage-system-using-artificial-intelligence-IJERTV9IS05.pdf>
- [6] K. Haripriya, S. S. Hamed, C. Preethi, S. Pavalajaran, R. Padmakumar, and M. M. Surya, "Automated drainage management system: Ai and iot-based blockage detection for smarter cities," in *2025 7th International Conference on Inventive Material Science and Applications (ICIMA)*. IEEE, 2025, pp. 998–1004. [Online]. Available: <https://doi.org/10.1109/ICIMA64861.2025.11073840>
- [7] S. H. Kwon and J. H. Kim, "Machine learning and urban drainage systems: State-of-the-art review," *Water*, vol. 13, no. 24, p. 3545, 2021. [Online]. Available: <https://doi.org/10.3390/w13243545>
- [8] Y. Liu, Y. Liu, J. Zheng, F. Chai, and H. Ren, "Intelligent prediction method for waterlogging risk based on ai and numerical model," *Water*, vol. 14, no. 15, p. 2282, 2022. [Online]. Available: <https://doi.org/10.3390/w14152282>
- [9] R. Sekita, T. Watanabe, T. Yoshizawa, and K. Nakanishi, "Reliability improvement of rainwater-drainage system using iot and ai," in *2024 Annual Reliability and Maintainability Symposium (RAMS)*. IEEE, 2024, pp. 1–6. [Online]. Available: <https://doi.org/10.1109/RAMS51492.2024.10457666>
- [10] P. S. Thanigaivelu, A. Sairam, P. Vijayan, A. S. Kumar, N. Mohankumar, and T. R. GaneshBabu, "Revolutionizing urban drainage: A smart iot approach to stormwater management using adaboosting algorithm," in *2024 International Conference on Advances in Modern Age Technologies for Health and Engineering Science (AMATHE)*. IEEE, 2024, pp. 1–6. [Online]. Available: <https://doi.org/10.1109/AMATHE61652.2024.10582217>
- [11] S. Veerappan, "Edge-enabled smart storm water drainage systems: A real-time analytics framework for urban flood management," *Journal of Smart Infrastructure and Environmental Sustainability*, vol. 1, no. 1, pp. 52–59, 2024. [Online]. Available: <https://doi.org/10.17051/JSIES/01.01.06>
- [12] U. K. Sharma and A. Maurya, "Ai for predictive urban water drainage systems," *International Journal of Progressive Research in Engineering Management and Science*, vol. 4, no. 12, pp. 763–767, 2024. [Online]. Available: <https://www.doi.org/10.58257/IJPREMS37638>
- [13] P.-C. Huang and K. T. Lee, "An alternative for predicting real-time water levels of urban drainage systems," *Journal of Environmental Management*, vol. 347, p. 119099, 2023. [Online]. Available: <https://doi.org/10.1016/j.jenvman.2023.119099>