

EGARCH-SP

August 6, 2020

1 Importing packages

[]:

```
[1]: #importing packages
import statsmodels.api as sm
from statsmodels.tsa.stattools import adfuller
import pandas as pd
import numpy as np
import statsmodels.formula.api as smf
from sklearn import linear_model
import matplotlib.pyplot as plt
from scipy import stats
import datetime
```

[]:

Assignment Project Exam Help
<https://tutorcs.com>
WeChat: cstutorcs

2 Reading Excel file saved in hard drive

```
[2]: #reading the file
df = pd.read_excel("C:\\Users\\rluck\\OneDrive\\shares.xlsx")
df.head()
```

```
[2]:
```

	Date	Price
0	1998-01-02	975.039978
1	1998-01-05	977.070007
2	1998-01-06	966.580017
3	1998-01-07	964.000000
4	1998-01-08	956.049988

3 Calculating annual return

```
[3]: #computing the annual return from S&P500
df['R'] = 100*np.log(df['Price']/df['Price'].shift(1))
df.head()
```

```
[3]:
```

	Date	Price	R
0	1998-01-02	975.039978	NaN
1	1998-01-05	977.070007	0.207983
2	1998-01-06	966.580017	-1.079422
3	1998-01-07	964.000000	-0.267279
4	1998-01-08	956.049988	-0.828109

```
[4]: df.tail(10)
```

```
[4]:
```

	Date	Price	R
984	2001-12-03	1129.900024	-0.841649
985	2001-12-04	1144.800049	1.310084
986	2001-12-05	1170.349976	2.207284
987	2001-12-06	1167.99976	-0.278981
988	2001-12-07	1163.310059	-0.755992
989	2001-12-10	1139.930054	-1.599519
990	2001-12-11	1136.760010	-0.278478
991	2001-12-12	1131.60945	-0.42716
992	2001-12-13	1119.380005	-1.567977
993	2001-12-14	1123.089966	0.330882

Assignment Project Exam Help

<https://tutorcs.com>

WeChat: cstutorcs

4 Remove the first row Nan

```
[5]: #Selecting the sample from
dta =df.iloc[1:900]
dta.head()
```

```
[5]:
```

	Date	Price	R
1	1998-01-05	977.070007	0.207983
2	1998-01-06	966.580017	-1.079422
3	1998-01-07	964.000000	-0.267279
4	1998-01-08	956.049988	-0.828109
5	1998-01-09	927.690002	-3.011257

```
[6]: dta.tail()
```

```
[6]:
```

	Date	Price	R
895	2001-07-23	1191.030029	-1.650407
896	2001-07-24	1171.650024	-1.640547
897	2001-07-25	1190.489990	1.595195

```
898 2001-07-26 1202.930054 1.039531
899 2001-07-27 1205.819946 0.239950
```


5 Plotting the time series: Stock Returns (R)

```
[7]: #plotting the series
plt.plot(dta["R"])
```

```
[7]: [<matplotlib.lines.Line2D at 0x26ba1f5ef08>]
```



```
[8]: import matplotlib.pyplot as plt
_ = plt.hist(dta['R'], bins=100)
_ = plt.xlabel('OBS')
_ = plt.ylabel('R')
plt.show()
```




Assignment Project Exam Help

<https://tutorcs.com>

6 Q4(a) CDF & 1% quantile

[9]: `import numpy as np
import scipy
import matplotlib.pyplot as plt
import seaborn as sns
dta=dta['R']
generate samples from normal distribution (discrete data)
norm_cdf = scipy.stats.norm.cdf(dta) # calculate the cdf - also discrete

plot the cdf
sns.lineplot(x=dta, y=norm_cdf)
plt.show()`



Assignment Project Exam Help

[10]: `#lower 1% quantile`
`np.percentile(dta,1)` <https://tutorcs.com>

[10]: -3.0849950142334084

WeChat: cstutorcs

7 Q4b-c: GARCH(1,1), GJR and EGARCH

[11]: `from arch import arch_model`

8 GARCH(1,1)

[12]: `#GARCH(1,1)`
`model = arch_model(dta, mean='constant', vol='GARCH', p=1, q=1)`
`res_1 = model.fit()`
`res_1.summary`

Iteration:	1,	Func. Count:	6,	Neg. LLF:	1478.37238353009
Iteration:	2,	Func. Count:	15,	Neg. LLF:	1477.9764253323951
Iteration:	3,	Func. Count:	26,	Neg. LLF:	1477.970683730851
Iteration:	4,	Func. Count:	34,	Neg. LLF:	1476.571267302416
Iteration:	5,	Func. Count:	43,	Neg. LLF:	1476.10266273572
Iteration:	6,	Func. Count:	49,	Neg. LLF:	1475.8308574534146
Iteration:	7,	Func. Count:	56,	Neg. LLF:	1475.682907378089

```

Iteration:      8,   Func. Count:      62,   Neg. LLF: 1475.6514266378354
Iteration:      9,   Func. Count:      68,   Neg. LLF: 1475.6494614480196
Iteration:     10,   Func. Count:      74,   Neg. LLF: 1475.6487752742607
Iteration:     11,   Func. Count:      80,   Neg. LLF: 1475.6484969528722
Iteration:     12,   Func. Count:      86,   Neg. LLF: 1475.6484950954127
Optimization terminated successfully.   (Exit mode 0)
      Current function value: 1475.6484950951449
      Iterations: 12
      Function evaluations: 86
      Gradient evaluations: 12

```

```

[12]: <bound method ARCHModelResult.summary of
GARCH Model Results
=====
Dep. Variable:              R      R-squared:              -0.000
Mean Model:                Constant Mean  Adj. R-squared:              -0.000
Vol Model:                  GARCH      Log-Likelihood:              -1475.65
Distribution:                Normal      AIC:                2959.30
Method:                     Maximum Likelihood      BIC:                2978.50
                                     No. Observations:      899
Date:                       Thu, Aug 06 2020      Df Residuals:      895
Time:                       20:19:12      Df Model:          4
                                     Mean Model
=====
                                coef      std err          t      P>|t|      95.0% Conf. Int.
-----
mu                0.0503    4.034e-02      1.247      0.212    [-2.876e-02,  0.129]
Volatility Model
=====
                                coef      std err          t      P>|t|      95.0% Conf. Int.
-----
omega             0.0685    3.987e-02      1.718    8.574e-02    [-9.636e-03,  0.147]
alpha[1]          0.0875    3.351e-02      2.610    9.052e-03    [2.179e-02,  0.153]
beta[1]           0.8739    4.556e-02     19.183    5.140e-82    [ 0.785,  0.963]
=====

Covariance estimator: robust
ARCHModelResult, id: 0x26ba2d35988>

```

9 GJR

```

[13]: from arch.univariate import EGARCH
resi = arch_model(dta, mean = 'constant', vol='GARCH', p=1,o=1, q=1)
resi = resi.fit(update_freq=5, disp='off')
resi

```

[13]:

Constant Mean - GJR-GARCH Model Results

```
=====
Dep. Variable:          R    R-squared:          -0.000
Mean Model:            Constant Mean    Adj. R-squared:          -0.000
Vol Model:             GJR-GARCH    Log-Likelihood:          -1447.88
Distribution:          Normal    AIC:                2905.76
Method:               Maximum Likelihood    BIC:                2929.76
                                No. Observations:          899
Date:                 Thu, Aug 06 2020    Df Residuals:          894
Time:                 20:19:12    Df Model:              5
                                Mean Model
=====
```

	coef	std err	t	P> t	95.0% Conf. Int.
mu	-6.0831e-04	4.394e-02	-1.384e-02	0.989	[-8.673e-02, 8.551e-02]

Volatility Model

```
=====
coef    std err    t    P>|t|    95.0% Conf. Int.
-----
omega   0.0809   5.974e-02   1.363   0.173   [-3.540e-02, 0.197]
alpha[1] 0.0000   7.091e-02   0.000   1.000   [-0.139, 0.139]
gamma[1] 0.2094   7.451e-02   2.810   4.957e-03   [6.332e-02, 0.355]
beta[1]  0.8520    0.115     7.439   1.011e-13   [ 0.628, 1.076]
=====
```

Covariance estimator: robust
ARCHModelResult, id: 0x260a5bf9888

Assignment Project Exam Help

<https://tutorcs.com>

WeChat: cstutorcs

10 EGARCH

```
[14]: from arch.univariate import EGARCH
model = arch_model(dta, mean = 'constant', vol='EGARCH', p=1, o=1, q=1)
res = model.fit(update_freq=5)
res
```

```
Iteration:      5,    Func. Count:      50,    Neg. LLF: 1447.6823394342935
Iteration:     10,    Func. Count:      87,    Neg. LLF: 1444.6700658480654
Optimization terminated successfully.    (Exit mode 0)
Current function value: 1444.6671831233068
Iterations: 14
Function evaluations: 115
Gradient evaluations: 14
```

[14]:

Constant Mean - EGARCH Model Results

```
=====
Dep. Variable:          R    R-squared:          -0.001
=====
```

```

Mean Model:          Constant Mean    Adj. R-squared:          -0.001
Vol Model:           EGARCH           Log-Likelihood:         -1444.67
Distribution:        Normal           AIC:                   2899.33
Method:             Maximum Likelihood BIC:                   2923.34
                                           No. Observations:      899
Date:               Thu, Aug 06 2020   Df Residuals:          894
Time:               20:19:12           Df Model:              5

```

Mean Model

```

=====
              coef      std err          t      P>|t|     95.0% Conf. Int.
-----
mu          -6.9738e-03  3.763e-02     -0.185    0.853  [-8.073e-02,6.678e-02]

```

Volatility Model

```

=====
              coef      std err          t      P>|t|     95.0% Conf. Int.
-----
omega         0.0243  1.557e-02     1.558    0.119  [-6.265e-03,5.477e-02]
alpha[1]       0.0862  3.307e-02     2.608  9.114e-03  [2.142e-02, 0.151]
gamma[1]      -0.1707  4.196e-02    -4.068  4.738e-05  [-0.253,-8.846e-02]
beta[1]        0.9448  2.856e-02    33.082  6.375e-240  [0.889, 1.001]

```

```

Covariance estimator: robust
ARCHModelResult, id: 0x26ba50b94c8

```

<https://tutorcs.com>

[]:


WeChat: cstutorcs

11 4d Plotting residuals and conditional volatility

```

[15]: #Standardised residual plots
fig =res.plot(annualize='D')

```

Assignment Project Exam Help

<https://tutorcs.com>

12 ACF and PACF of Standardised Residuals (dt) and Standardised Residuals Squared (dts)


WeChat: cstutorcs

```
[16]: dt=res.resid/res.conditional_volatility
      dts=dt**2
```

13 Standardised Residuals

```
[17]: sm.graphics.tsa.plot_acf(dt.values.squeeze(),lags=16)
      sm.graphics.tsa.plot_pacf(dt.values.squeeze(),lags=16)
```


```
[17]:
```




Assignment Project Exam Help

<https://tutorcs.com>

WeChat: cstutorcs





[18]: `r,q,p=sm.tsa.acf(dt.values.squeeze(),qstat=True)`
`data = np.c_[range(1,41),r[1:],q,p]`
`table =pd.DataFrame(data,columns =['lag',"AC","Q","Prob(>Q)"])`
`print(table.set_index('lag'))`

	AC	Q	Prob(>Q)
lag			
1.0	0.023511	0.498594	0.480118
2.0	0.009502	0.580118	0.748219
3.0	-0.048597	2.715134	0.437661
4.0	-0.023518	3.215702	0.522399
5.0	-0.045766	5.113457	0.402191
6.0	-0.000914	5.114214	0.529250
7.0	-0.039940	6.562797	0.475773
8.0	-0.005681	6.592140	0.581207
9.0	-0.018728	6.911354	0.646348
10.0	0.045250	8.776947	0.553395
11.0	-0.046517	10.750744	0.464375
12.0	0.086353	17.560259	0.129709
13.0	0.055651	20.391598	0.085867
14.0	0.003819	20.404947	0.117883
15.0	0.023698	20.919521	0.139420
16.0	-0.046797	22.928449	0.115661
17.0	0.027888	23.642689	0.129473
18.0	-0.049931	25.934858	0.101257

19.0	0.036480	27.159779	0.100986
20.0	-0.026914	27.827276	0.113552
21.0	-0.059934	31.141168	0.071340
22.0	-0.034555	32.244006	0.073330
23.0	0.011467	32.365596	0.092776
24.0	0.034136	33.444312	0.095040
25.0	0.013432	33.611528	0.116476
26.0	0.018026	33.913014	0.137228
27.0	0.067144	38.100821	0.076282
28.0	-0.017172	38.375053	0.091511
29.0	0.056514	41.348610	0.064183
30.0	-0.005811	41.380084	0.080782
31.0	-0.013936	41.561314	0.097461
32.0	-0.050735	43.966145	0.077387
33.0	-0.016447	44.219145	0.091800
34.0	-0.091372	52.037197	0.024621
35.0	-0.028167	52.781009	0.027331
36.0	0.010745	52.889367	0.034398
37.0	-0.001613	52.891812	0.043694
38.0	-0.011488	53.020310	0.033535
39.0	0.069750	57.602506	0.027760
40.0	-0.088893	65.053707	0.007387

C:\Users\rluck\anaconda3\lib\site-packages\statsmodels\tsa\stattools.py:572:
FutureWarning: fft=True will become the default in a future version of
statsmodels. To suppress this warning, explicitly set fft=False.

FutureWarning

Assignment Project Exam Help


<https://tutorcs.com>

WeChat: cstutorcs

14 Standardised Residuals Squared

```
[19]: sm.graphics.tsa.plot_pacf(dts.values.squeeze(),lags=16)
sm.graphics.tsa.plot_acf(dts.values.squeeze(),lags=16)
```


[19]:




Assignment Project Exam Help

<https://tutorcs.com>

WeChat: cstutorcs





Assignment Project Exam Help

[20]: `r,q,p=sm.tsa.acf(dts.values.squeeze(),qstat=True)`
`data = np.c_[range(1,41),r[1:],q,p]`
`table =pd.DataFrame(data,columns =['lag',"AC","Q","Prob(>Q)"])`
`print(table.set_index('lag'))`

	AC	Q	Prob(>Q)
lag			
1.0	-0.038583	1.342757	0.246548
2.0	0.031452	2.236045	0.326926
3.0	-0.012011	2.366469	0.499907
4.0	0.017259	2.636040	0.620452
5.0	0.022684	3.102243	0.684226
6.0	-0.035242	4.228776	0.645748
7.0	0.024418	4.770187	0.687985
8.0	0.020524	5.153137	0.741090
9.0	-0.034055	6.208615	0.718871
10.0	0.023009	6.690968	0.754262
11.0	0.008363	6.754767	0.818581
12.0	-0.010135	6.848560	0.867457
13.0	-0.005896	6.880340	0.908212
14.0	-0.004423	6.898247	0.938563
15.0	-0.026918	7.562152	0.940136
16.0	0.039820	9.016709	0.912724
17.0	0.034510	10.110429	0.898916
18.0	0.026269	10.744899	0.904867

19.0	0.038315	12.096183	0.881473
20.0	0.002313	12.101114	0.912552
21.0	0.107708	22.803556	0.354541
22.0	-0.015359	23.021423	0.400521
23.0	-0.043127	24.741213	0.363765
24.0	0.018051	25.042830	0.403436
25.0	0.063808	28.816092	0.271677
26.0	0.011376	28.936166	0.313993
27.0	0.083034	35.340649	0.130445
28.0	-0.003951	35.355164	0.159763
29.0	0.032513	36.339372	0.163886
30.0	-0.045949	38.307351	0.142017
31.0	0.031797	39.250832	0.146821
32.0	0.074017	44.369182	0.071658
33.0	0.034348	45.472696	0.072746
34.0	-0.029492	46.287188	0.077851
35.0	0.001479	46.289238	0.096038
36.0	-0.031647	47.229249	0.099705
37.0	-0.006140	47.264678	0.120226
38.0	-0.020120	47.645511	0.135735
39.0	-0.009904	47.737896	0.159112
40.0	-0.024120	48.286462	0.172926

Assignment Project Exam Help

<https://tutorcs.com>


C:\Users\rluck\anaconda3\lib\site-packages\statsmodels\tsa\stattools.py:572:
FutureWarning: fft=True will become the default in a future version of
statsmodels. To suppress this warning, explicitly set fft=False.

FutureWarning

WeChat: cstutorcs

15 Standardised Residuals Statistics

```
[21]: std_resid = res.resid / res.conditional_volatility
      resid = res.resid
      df = pd.concat([std_resid, resid], 1)
      df.columns = ['Std Resids', 'Resids']
      subplot = df.plot(kind='kde', xlim=(-6, 6))
```



Assignment Project Exam Help

16 Standardised Residuals Statistics

[22]: `stats.describe(dt)`

[22]: DescribeResult(nobs=899, minmax=(-4.434125613175355, 3.298921120454863), mean=0.010834927485779064, variance=0.9995416472236635, skewness=-0.23125990208915737, kurtosis=0.7657947338486237)

[23]: `skewness = -0.23125990208915737`
`kurtosis = 0.7657947338486237`
`nobs = 899`
`JB = (skewness**2 + 0.25*(kurtosis**2))*nobs/6`
`JB`

[23]: 29.980381797460023

[24]: `dt.describe()`

[24]:

count	899.000000
mean	0.010835
std	0.999771
min	-4.434125
25%	-0.611477
50%	0.024652
75%	0.675022


```
max          3.298921
dtype: float64
```

17 Residuals Statistics

```
[25]: stats.describe(resid)
```

```
[25]: DescribeResult(nobs=899, minmax=(-7.036783685554021, 4.971570575558916),
mean=0.03060410465469678, variance=1.693610695043089,
skewness=-0.12413029499760052, kurtosis=2.041118218908278)
```

```
[26]: skewness =-0.12413029499760052
kurtosis =2.041118218908278
nobs =899
JB =(skewness**2+0.25*(kurtosis**2))*nobs/6
JB
```

```
[26]: 158.36622569956484
```

```
[27]: resid.describe()
```

```
[27]: count      899.000000
mean         0.030604
std          1.301388
min          -7.036784
25%          -0.711097
50%           0.034797
75%           0.815742
max           4.971571
Name: resid, dtype: float64
```

18 Forecasts

```
[28]: forecasts =res.forecast()
s=forecasts.variance.tail(1)
s
```

```
[28]:          h.1
899    1.632889
```

```
[29]: sd= forecasts.residual_variance.iloc[-1:]
sd
```

```
[29]:          h.1
899    1.632889
```

Assignment Project Exam Help

<https://tutorcs.com>

WeChat: cstutorcs

```
[30]: sm = forecasts.mean.tail(1)
      sm
```

```
[30]:          h.1
      899 -0.006974
```

19 Value-at-Risk (VaR)

```
[31]: q= dt.quantile(0.01)
      q
```

```
[31]: -2.4238806396103247
```

```
[32]: res = model.fit(last_obs=(2001,28,7), update_freq=5)
      forecasts = res.forecast(horizon=1)
      print(forecasts.variance.dropna().head())
```

```
Iteration:      5,  Func. Count:      50,  Neg. LLF: 1447.6823394342935
Iteration:      5,  Func. Count:      87,  Neg. LLF: 1444.6700638480654
Optimization terminated successfully.      (Exit mode 0)
      Current function value: 1444.6671831233068
      Iterations: 14
      Function evaluations: 115
      Gradient evaluations: 14
          h.1
      899  1.632889
```

```
[33]: cond_mean=forecasts.mean
      cond_mean.tail(1)
```

```
[33]:          h.1
      899 -0.006974
```

```
[34]: cond_var=forecasts.variance
      cond_var.tail(1)
```

```
[34]:          h.1
      899  1.632889
```

```
[35]: P= 10000000
      VaR = (cond_mean - np.sqrt(cond_var)* q)*P/100
      VaR.tail(1)
```

```
[35]:          h.1
      899 309037.145464
```

[]:

[]:

[]:

Assignment Project Exam Help

<https://tutorcs.com>

WeChat: cstutorcs