




(ER)-localized multiprotein complex, Ig heavy chains associated (n = 7)




12S U11 snRNP (n = 6)




17S U2 snRNP (n = 13)




18S U11/U12 snRNP (n = 7)




20S methylosome and RG-containing Sm protein complex (n = 3)




20S proteasome (n = 14)




26S proteasome (n = 22)




28S ribosomal subunit, mitochondrial (n = 19)




39S ribosomal subunit, mitochondrial (n = 19)




40S ribosomal subunit, cytoplasmic (n = 22)




55S ribosome, mitochondrial (n = 38)




5FMC (Friends of Methylated Chtop) complex (n = 3)




9S-cytosolic aryl hydrocarbon (Ah) receptor non-ligand activated complex (n = 3)




Akt-Arrb2-Ppp2ca-Ppp2r2a complex (n = 3)




ALL-1 supercomplex (n = 7)




Alpha-GDI-Hsp90 chaperone complex, ATP dependent (n = 3)




AMPA receptor complex (anti-GluA1-a) (n = 5)




AMPA receptor complex (anti-GluA1-b) (n = 5)




AMPA receptor complex (anti-GluA1-c) (n = 5)




AMPA receptor complex (anti-GluA2-a) (n = 5)




AMPA receptor complex (anti-GluA2-b) (n = 5)




Anaphase-promoting complex (n = 5)




anti-BHC110 complex (n = 3)




Anti-HDAC2 complex (n = 6)




AP1 adaptor complex (n = 3)




AP3 adaptor complex (n = 3)




AP3-BLOC1 complex (n = 3)







Arp2/3 protein complex (n = 4)




ATP synthasome (n = 12)




BARD1-BRCA1-CSTF complex (n = 3)




BBS-chaperonin complex (n = 6)




BBSome (n = 3)




Bcl-2-Beclin1-UVRAG-PI(3)KC3 complex (n = 3)




Beta-catenin-Cadherin-LAR complex (n = 3)




BHC complex (n = 3)




BORC complex (n = 3)




BRAF53-BRCA2 complex (n = 3)




BRCA1-RNA polymerase II complex (n = 4)




BRM-SIN3A complex (n = 3)




BRM-SIN3A-HDAC complex (n = 3)




BRMS1-SIN3-HDAC complex (n = 3)




C9orf72–SMCR8–WDR41 complex (n = 3)




CADM1-DLG1-MPP3-PIK3R1 complex (n = 3)




Calcineurin-FKBP12 complex (n = 3)




Caveolar macromolecular signaling complex (n = 3)




CCC complex (n = 9)




CCC-Wash (WASH1, FAM21C) complex (n = 9)




CCDC22-CCDC93-C16orf62 complex (n = 3)




CCDC22-CCDC93-C16orf62-FAM21-WASH1 complex (n = 3)




CCR4–NOT complex (n = 6)




CCR4–NOT–CNOT7–CNOT6 complex (n = 5)




CCR4–NOT–CNOT7–CNOT6L complex (n = 6)




CCR4–NOT–CNOT8–CNOT6 complex (n = 4)




CCR4–NOT–CNOT8–CNOT6L complex (n = 5)




CCT complex (chaperonin containing TCP1 complex) (n = 8)




CCT complex (chaperonin containing TCP1 complex), testis specific (n = 7)




CCT-Pdcl complex (n = 9)




CCT-Prefoldin complex (n = 8)




CCT–Prefoldin complex, testis specific (n = 7)




CDC5L complex (n = 9)




CDC5L core complex (n = 4)




CDH4-HDAC2-MTA2-RBBP7-TWIST1 complex (n = 3)




CEN complex (n = 6)




CIN85 complex (CIN85, CRK, BCAR1, CBL, PIK3R1, GRB2, SOS1) (n = 3)




Class C Vps complex (hVPS11, hVPS18, hVPS16, rVPS33a) (n = 4)




Class C Vps complex (hVPS11, hVPS18, rVPS33a) (n = 3)




Class C Vps complex (VPS11, VPS18, VPS16) (n = 3)




Class C VPS/HOPS complex (n = 3)




Cleavage stimulation factor (n = 3)




Coatomer complex (n = 7)




Coatomer-Arf1 complex (n = 7)




COG complex (n = 4)




COG1-COG8-COG2-COG3-COG4 subcomplex (n = 4)




COMMD1-CCDC22-CCDC93-C16orf62 complex (n = 4)




COMMD1-CCDC93-C16orf62 complex (n = 3)




CoREST-HDAC complex (n = 3)




CORVET complex (n = 4)




CSA complex (n = 8)




CSA-POLIIa complex (n = 8)




CtBP complex (n = 3)




CtBP core complex (n = 3)




CTLH complex (n = 5)




Cytochrome bc1-complex (EC 1.10.2.2), mitochondrial (n = 9)




Cytochrome c oxidase, mitochondrial (n = 11)




DCS complex (n = 3)




DDB2 complex (n = 8)




Decapping complex (n = 5)




DGCR8 multiprotein complex (n = 5)




DLG4-DLGAP1-SHANK2 complex (n = 3)




DLG4-DLGAP1-SHANK3 complex (n = 3)




Dlgap1-Dlg4-Begain complex (n = 3)




DNA-PK-Ku-eIF2-NF90-NF45 complex (n = 3)




Drosha complex (n = 5)




DSS1 complex (n = 3)




Dynein complex (n = 3)




Dystrobrevin-syntrophin complex, brain-derived (n = 3)




EARP complex (n = 4)




Ecsit complex (ECSIT, MT-CO2, GAPDH, TRAF6, NDUFAF1) (n = 3)




Ecsit complex (ECSIT, MT-CO2, NDUFA1, MT-ND1, TRAF6, NDUFAF1) (n = 5)




Ecsit complex (ECSIT, NDUFS3, NDUFAF1) (n = 3)




EIF2B1–EIF2B2–EIF2B3–EIF2B4–EIF2B5 complex (n = 4)




EIF2B2–EIF2B3–EIF2B4–EIF2B5 complex (n = 3)




EIF3 complex (EIF3A, EIF3B, EIF3G, EIF3I, EIF3C) (n = 5)




EIF3 complex (EIF3A, EIF3B, EIF3G, EIF3I, EIF3J) (n = 4)




EIF3 complex (EIF3B, EIF3G, EIF3I) (n = 3)




EIF3S6, EIF3S5, EIF3S4, EIF3S3, EIF3S6IP, EIF3S2, EIF3S9, EIF3S12, EIF3S10, EIF3S8, EIF3S1, EI




EIF3 core complex (EIF3A, EIF3B, EIF3G, EIF3I) (n = 4)




Elongator holo complex (n = 4)




Emerin complex 25 (n = 3)




Emerin complex 32 (n = 3)




Emerin complex 52 (n = 5)




Endocytic coat complex (11 subunits) (n = 3)




ESCRT-II complex (n = 3)




ESCRT-III complex (n = 4)




Exon junction complex (EIF4A3, MLN51, MAGOH, Y14) (n = 3)




Exon junction complex (EIF4A3, MLN51, UPF3B, MAGOH, Y14, PYM) (n = 3)




Exosome (n = 4)




F0F1 ATP synthase, mitochondrial (n = 12)




FCP1-associated protein complex (n = 3)




Fibrinogen complex (n = 3)




Frataxin complex (n = 5)




GABA-A receptor (GABRA1, GABRB2, GABRD) (n = 3)




Gamma-BAR-AP1 complex (n = 3)




Gamma-tubulin complex (n = 6)




GARP complex (n = 3)




Gata1–Fog1–MeCP1 complex (n = 5)




GATOR complex (n = 3)




GATOR2 complex (n = 3)




GCN5–TRRAP histone acetyltransferase complex (n = 3)




Glur2–Glur4–Plp–Itgav complex (n = 3)




H2AX complex, isolated from cells without IR exposure (n = 3)




HCF-1 complex (n = 5)




HDAC1-associated core complex cII (n = 3)




HDAC1-associated protein complex (n = 4)




HDAC2-associated core complex (n = 3)




HES1 promoter–Notch enhancer complex (n = 3)




HOPS complex (n = 4)




HSPA9-GRPEL1-GRPEL2-TIMM44 complex (n = 3)




hTREX84 complex (n = 5)




HuR-Tia1-Tiar-Hrnpu complex (n = 3)




IGF2BP1 complex (n = 4)




IKBKB–CDC37–KIAA1967–HSP90AB1–HSP90AA1 complex (n = 3)




Immunoproteasome (n = 13)




ING2 complex (n = 3)




Integrator complex (n = 4)




Integrator–RNAPII complex (n = 4)




ITGA3-ITGB1-BSG complex (n = 3)




ITGA3-ITGB1-CD151 complex (n = 3)




ITGA5–ITGB1–ADAM15 complex (n = 3)




KAT2A–Oxoglutarate dehydrogenase complex (n = 3)




Kif3–cadherin–catenin complex (n = 3)




KIF3A/B-PAR-3-aPKC-PAR-6 complex (n = 3)




Kinase maturation complex 1 (n = 10)




Kinase maturation complex 2 (n = 3)




Kinesin II complex (Kif3a–Kif3b–Kifap3) (n = 3)




Ksr1-CK2-MEK-14-3-3 complex, PDGF treated (n = 3)




LARC complex (LCR-associated remodeling complex) (n = 3)




Large Drosha complex (n = 9)




LAS1L-PELP1-TEX10-WDR18-NOL9-SEN3 complex (n = 4)




LIN2-LIN7-SAP97 complex (n = 3)




LIN2-LIN7-SAP97-MINT1 complex (n = 3)




LSm1-7 complex (n = 3)




LSm2-8 complex (n = 4)




MeCP1 complex (n = 4)




Merlin-ERM-moesin-CD44 complex (n = 3)




Mi2/NuRD complex (n = 4)




MIB complex (n = 11)




MICOS complex (n = 7)




mitochondrial calcium uniporter complex (n = 3)




MLL1–WDR5 complex (n = 3)




mSin3A complex (n = 3)




MTA1 complex (n = 4)




MTA1-HDAC core complex (n = 4)




MTA2 complex (n = 4)




Multiprotein complex (mRNA turnover) (n = 3)




Multisynthetase complex (n = 7)




NCOR1 complex (n = 5)




nNos-Capon-Syn1 complex (n = 3)




Nop56p-associated pre-rRNA complex (n = 44)




NRD complex (Nucleosome remodeling and deacetylation complex) (n = 4)




NuRD.1 complex (n = 4)




Oligosaccharyltransferase complex (Stt3A variant) (n = 4)




Oligosaccharyltransferase complex (Stt3B variant) (n = 5)




p54(nrb)-PSF-matrin3 complex (n = 3)




PA28–20S proteasome (n = 15)




PA28gamma-20S proteasome (n = 14)




PA700 complex (n = 18)




PA700–20S–PA28 complex (n = 33)




Parvulin-associated pre-rRNP complex (n = 24)




PI4K2A-WASH complex (n = 4)




Polyadenylation complex (CSTF1, CSTF2, CSTF3, SYMPK CPSF1, CPSF2, CPSF3) (n = 5)




Prefoldin complex (n = 4)




Profilin 1 complex (n = 3)




prohibitin 2 complex, mitochondrial (n = 4)




PYR complex (n = 3)




Respiratory chain complex I (beta subunit) mitochondrial (n = 14)




Respiratory chain complex I (early intermediate NDUFAF1 assembly), mitochondrial (n = 7)




Respiratory chain complex I (gamma subunit) mitochondrial (n = 9)




Respiratory chain complex I (holoenzyme), mitochondrial (n = 36)




Respiratory chain complex I (incomplete intermediate ND1, ND2, ND3, CIA30 assembly), mitochondrial




Respiratory chain complex I (incomplete intermediate), mitochondrial (n = 11)




Respiratory chain complex I (intermediate I/200kD and III/250kD), mitochondrial (n = 3)




Respiratory chain complex I (intermediate II/230kD), mitochondrial (n = 3)




Respiratory chain complex I (intermediate IV/310kD), mitochondrial (n = 4)




Respiratory chain complex I (intermediate V/380kD and VI/480kD), mitochondrial (n = 5)




Respiratory chain complex I (intermediate VII/650kD), mitochondrial (n = 9)




Respiratory chain complex I (intermediate), mitochondrial (n = 10)




Respiratory chain complex I (lambda subunit) mitochondrial (n = 15)




Respiratory chain complex I (nuclear encoded subunits), mitochondrial (n = 29)




Respiratory chain complex I (subcomplex I alpha), mitochondrial (n = 17)




Respiratory chain complex I (subcomplex I beta), mitochondrial (n = 10)




Respiratory chain complex I, mitochondrial (n = 38)




Ribosome, cytoplasmic (n = 39)




RNA pol II containing coactivator complex Tat-SF (n = 3)




RNA polymerase II (RNAPII) (n = 4)




RNA polymerase II complex, chromatin structure modifying (n = 4)




RNA polymerase II holoenzyme complex (n = 4)




SAP complex (Sin3-associated protein complex) (n = 3)




SDH-mABC1-PIC-ANT-ATPase complex (n = 5)




SELK multiprotein complex (n = 5)




Septin complex (n = 5)




SF3b complex (n = 4)




SIN3 complex (n = 3)




SIN3-HDAC-SAP30-ARID4 complex (n = 3)




SIN3-ING1b complex I (n = 3)




SIN3-ING1b complex II (n = 3)




SIN3-SAP25 complex (n = 3)




SNARE complex (Bet1, Gosr1, Gosr2, Scfd1, Stx5, Sec22b) (n = 4)




SNARE complex (STX1a, STX1b, SNAP25, RAB3a, SYT1, VAMP2, CPLX2) (n = 3)




SNARE complex (STX1A, STX1B, SNAP25, RAB3A, SYT1, VAMP2) (n = 3)




SNARE complex (Stx4, Stx6, Stx7, Vamp3, Vamp7, Vamp8, Vti1b) (n = 3)




SNARE complex (Vamp7, Stx5, Bet1, Vti1a) (n = 3)




SNF2h-cohesin-NuRD complex (n = 7)




SOG complex (n = 4)




Spliceosome (n = 48)




Succinate dehydrogenase complex II, mitochondrial (n = 4)




Succinyl-CoA synthetase, ADP-forming (n = 3)




SWI/SNF-related chromatin-remodeling complex (Brm-based) (n = 3)




TBCD-ARL2-tubulin(beta)-TBCE complex (n = 3)




THO complex (n = 5)




TIM23-TOM22-TIM50-HSD3B2 complex (n = 3)




TIMM8A–TIMM13–TIMM23 complex (n = 3)




plex (RPL6, RPL30, RPS13, CHUK, DDX3X, NFKB2, NFKBIB, REL, IKBKG, NFKB1, MAP3K8, RELB, C




TNF- α /NF- κ B signaling complex 10 (n = 4)




TNF- α /NF- κ B signaling complex 5 (n = 3)




TNF- α /NF- κ B signaling complex 6 (n = 5)




Toposome (n = 4)




Translocon-associated protein (TRAP) complex (n = 3)




TRAPP complex (n = 7)







Ubiquitin-proteasome complex (n = 4)




Ubiquitin E3 ligase (CSN1, CSN8, HRT1, SKP1, SKP2, CUL1, CUL2, CUL3) (n = 3)




Ubiquitin E3 ligase (DDB1, DYRK2, EDD, VPRBP) (n = 3)




URI complex (Unconventional prefoldin RPB5 Interactor) (n = 3)




v-ATPase-Ragulator-AXIN/LKB1-AMPK complex (n = 3)




Vacuolar ATPase (n = 6)




WASH complex (n = 5)




WASH-CAPZ α /beta complex (n = 5)




WDR41-(C9orf72-SMCR8)-(FIP200-ULK1-ATG13-ATG101) complex (n = 4)




WINAC complex (n = 3)




XFIM complex (n = 3)



Xin-Cdh2-Ctnnb1-Ctnnd1 complex (n = 3)



RAVE (n = 3)



WASHC (n = 5)

