




(ER)-localized multiprotein complex, Ig heavy chains associated (n = 7)




12S U11 snRNP (n = 6)




17S U2 snRNP (n = 13)




18S U11/U12 snRNP (n = 7)




20S methylosome and RG-containing Sm protein complex (n = 3)




20S proteasome (n = 14)



26S proteasome (n = 22)




28S ribosomal subunit, mitochondrial (n = 19)







39S ribosomal subunit, mitochondrial (n = 19)




40S ribosomal subunit, cytoplasmic (n = 22)




55S ribosome, mitochondrial (n = 38)




5FMC (Friends of Methylated Chtop) complex (n = 3)




7SK RNP complex (n = 4)




9S-cytosolic aryl hydrocarbon (Ah) receptor non-ligand activated complex (n = 3)



Akt-Arrb2-Ppp2ca-Ppp2r2a complex (n = 3)




ALL-1 supercomplex (n = 7)







Alpha-GDI-Hsp90 chaperone complex, ATP dependent (n = 3)




AMPA receptor complex (anti-GluA1-a) (n = 5)




AMPA receptor complex (anti-GluA1-b) (n = 5)




AMPA receptor complex (anti-GluA1-c) (n = 5)




AMPA receptor complex (anti-GluA2-a) (n = 5)




AMPA receptor complex (anti-GluA2-b) (n = 5)



Anaphase-promoting complex (n = 5)




anti-BHC110 complex (n = 3)







Anti-HDAC2 complex (n = 6)




AP1 adaptor complex (n = 3)




AP3 adaptor complex (n = 3)




AP3-BLOC1 complex (n = 3)







Arp2/3 protein complex (n = 4)



BBS-chaperonin complex (n = 6)




BBSome (n = 3)







Beta-catenin-Cadherin-LAR complex (n = 3)




BORC complex (n = 3)




BRAF53-BRCA2 complex (n = 3)




BRG1–SIN3A complex (n = 4)




BRG1–SIN3A–HDAC containing SWI/SNF remodeling complex I (n = 4)




BRM-SIN3A complex (n = 3)



BRM-SIN3A-HDAC complex (n = 3)




BRMS1-SIN3-HDAC complex (n = 3)







c-Src immune complex (n = 4)




Calcineurin–FKBP12 complex (n = 3)




Caveolar macromolecular signaling complex (n = 3)




CCC complex (n = 9)




CCC-Wash (WASH1, FAM21C) complex (n = 9)




CCDC22-CCDC93-C16orf62-FAM21-WASH1 complex (n = 3)



CCR4–NOT–CNOT7–CNOT6 complex (n = 5)




CCR4–NOT–CNOT7–CNOT6L complex (n = 6)







CCR4–NOT–CNOT8–CNOT6 complex (n = 4)




CCR4–NOT–CNOT8–CNOT6L complex (n = 5)




CCT complex (chaperonin containing TCP1 complex) (n = 8)




CCT complex (chaperonin containing TCP1 complex), testis specific (n = 7)




CCT-Pdcl complex (n = 9)




CCT-Prefoldin complex (n = 8)



CCT-Prefoldin complex, testis specific (n = 7)




CDH4-HDAC2-MTA2-RBBP7-TWIST1 complex (n = 3)







CF IIAm complex (Cleavage factor IIAm complex) (n = 6)




CIN85 complex (CIN85, CRK, BCAR1, CBL, PIK3R1, GRB2, SOS1) (n = 3)




Cleavage stimulation factor (n = 3)




CLIC4 complex (n = 6)




COG complex (n = 4)




CSA complex (n = 8)



CtBP core complex (n = 3)




Cytochrome c oxidase, mitochondrial (n = 11)







Decapping complex (n = 5)




DLG4-DLGAP1-SHANK2 complex (n = 3)




DLG4-DLGAP1-SHANK3 complex (n = 3)




Dlgap1-Dlg4-Begain complex (n = 3)




DNA-PK-Ku-eIF2-NF90-NF45 complex (n = 3)




Drosha complex (n = 5)



DSS1 complex (n = 3)




Dynein complex (n = 3)







Dystrobrevin-syntrophin complex, brain-derived (n = 3)




### EARP complex (n = 4)




Ecsit complex (ECSIT, MT-CO2, GAPDH, TRAF6, NDUFAF1) (n = 3)




Ecsit complex (ECSIT, MT-CO2, NDUFA1, MT-ND1, TRAF6, NDUFAF1) (n = 5)




Ecsit complex (ECSIT, NDUFS3, NDUFAF1) (n = 3)




EIF2B1–EIF2B2–EIF2B3–EIF2B4–EIF2B5 complex (n = 4)



EIF2B2–EIF2B3–EIF2B4–EIF2B5 complex (n = 3)




EIF3 complex (EIF3A, EIF3B, EIF3G, EIF3I, EIF3C) (n = 5)







EIF3 complex (EIF3A, EIF3B, EIF3G, EIF3I, EIF3J) (n = 4)




EIF3 complex (EIF3B, EIF3G, EIF3I) (n = 3)




EIF3S6, EIF3S5, EIF3S4, EIF3S3, EIF3S6IP, EIF3S2, EIF3S9, EIF3S12, EIF3S10, EIF3S8, EIF3S1, EI




EIF3 core complex (EIF3A, EIF3B, EIF3G, EIF3I) (n = 4)




F0F1 ATP synthase, mitochondrial (n = 12)




Frataxin complex (n = 5)



GAA1-GPI8-PIGT-PIG-PIGS complex (n = 4)




Gamma-BAR-AP1 complex (n = 3)







Gamma-tubulin complex (n = 6)




GARP complex (n = 3)




Gata1–Fog1–MeCP1 complex (n = 5)




GATOR complex (n = 3)




GATOR2 complex (n = 3)




GCN5–TRRAP histone acetyltransferase complex (n = 3)



H2AX complex, isolated from cells without IR exposure (n = 3)




HCF-1 complex (n = 5)







HDAC2-associated core complex (n = 3)




HES1 promoter–Notch enhancer complex (n = 3)




HRD1 complex (n = 8)




hTREX84 complex (n = 5)




HuR-Tia1-Tiar-Hrnpu complex (n = 3)




IGF2BP1 complex (n = 4)



Immunoproteasome (n = 13)




ING2 complex (n = 3)







Integrator complex (n = 4)




Integrator–RNAPII complex (n = 4)




Intraflagellar transport complex A (n = 4)




Intraflagellar transport complex B (n = 4)




ITGA5–ITGB1–ADAM15 complex (n = 3)




KAT2A–Oxoglutarate dehydrogenase complex (n = 3)



Kif3-cadherin-catenin complex (n = 3)




KIF3A/B-PAR-3-aPKC-PAR-6 complex (n = 3)







Kinase maturation complex 1 (n = 10)




Ksr1-CK2-MEK-14-3-3 complex, PDGF treated (n = 3)




LARC complex (LCR-associated remodeling complex) (n = 3)




Large Drosha complex (n = 9)




LAS1L-PELP1-TEX10-WDR18-NOL9-SEN3 complex (n = 4)




Mi2/NuRD complex (n = 4)




MIB complex (n = 11)




MICOS complex (n = 7)









mTORC2 complex (n = 4)




Multisynthetase complex (n = 7)




Ncam-Fgfr4 signaling complex (n = 6)




NCOR1 complex (n = 5)




NCOR2 complex (n = 6)



nNos-Capon-Syn1 complex (n = 3)




Nop56p-associated pre-rRNA complex (n = 44)







NRD complex (Nucleosome remodeling and deacetylation complex) (n = 4)




# Nuclear pore complex (n = 4)




P2X7 receptor signalling complex (n = 6)




p54(nrb)-PSF-matrin3 complex (n = 3)




PA28–20S proteasome (n = 15)




PI4K2A-WASH complex (n = 4)



Polyadenylation complex (CSTF1, CSTF2, CSTF3, SYMPK CPSF1, CPSF2, CPSF3) (n = 5)




PYR complex (n = 3)







Ragulator-AXIN/LKB1-AMPK complex (n = 4)




Respiratory chain complex I (beta subunit) mitochondrial (n = 14)




Respiratory chain complex I (early intermediate NDUFAF1 assembly), mitochondrial (n = 7)




Respiratory chain complex I (gamma subunit) mitochondrial (n = 9)




Respiratory chain complex I (holoenzyme), mitochondrial (n = 36)




Respiratory chain complex I (incomplete intermediate ND1, ND2, ND3, CIA30 assembly), mitochondrial



Respiratory chain complex I (incomplete intermediate), mitochondrial (n = 11)




Respiratory chain complex I (intermediate I/200kD and III/250kD), mitochondrial (n = 3)







Respiratory chain complex I (intermediate V/380kD and VI/480kD), mitochondrial (n = 5)




Respiratory chain complex I (intermediate VII/650kD), mitochondrial (n = 9)




Respiratory chain complex I (nuclear encoded subunits), mitochondrial (n = 29)




Respiratory chain complex I (subcomplex I alpha), mitochondrial (n = 17)




Ribosome, cytoplasmic (n = 39)




RICH1/AMOT polarity complex, Flag-Rich1 precipitated (n = 6)



RNA polymerase II complex, chromatin structure modifying (n = 4)




RNA polymerase II holoenzyme complex (n = 4)







SAP complex (Sin3-associated protein complex) (n = 3)




Septin complex (n = 5)




SF3b complex (n = 4)




SNARE complex (Bet1, Gosr1, Gosr2, Scfd1, Stx5, Sec22b) (n = 4)




SNARE complex (Snap25, Syt1, Unc13b, Vamp2, Stx1b2, Stx1a) (n = 4)




SNARE complex (STX1a, STX1b, SNAP25, RAB3a, SYT1, VAMP2, CPLX2) (n = 3)



SNARE complex (STX1A, STX1B, SNAP25, RAB3A, SYT1, VAMP2) (n = 3)




Succinate dehydrogenase complex II, mitochondrial (n = 4)







Succinyl-CoA synthetase, ADP-forming (n = 3)




TBCD-ARL2-tubulin(beta)-TBCE complex (n = 3)




TFIIH transcription factor complex (n = 4)




TIMM8A-TIMM13-TIMM23 complex (n = 3)




TLE1 corepressor complex (MASH1 promoter–corepressor complex) (n = 4)




plex (RPL6, RPL30, RPS13, CHUK, DDX3X, NFKB2, NFKBIB, REL, IKBKG, NFKB1, MAP3K8, RELB, C



TNF- $\alpha$ /NF- $\kappa$ B signaling complex 10 (n = 4)




TNF- $\alpha$ /NF- $\kappa$ B signaling complex 5 (n = 3)







TNF- $\alpha$ /NF- $\kappa$ B signaling complex 6 (n = 5)




TNF-R1-associated signaling complex (n = 4)




Toposome (n = 4)




Ubiquilin–proteasome complex (n = 4)




Ubiquitin E3 ligase (DDB1, DYRK2, EDD, VPRBP) (n = 3)




URI complex (Unconventional prefoldin RPB5 Interactor) (n = 3)



v-ATPase-Regulator-AXIN/LKB1-AMPK complex (n = 3)




Vacuolar ATPase (n = 6)







VCP-VIMP-DERL1-DERL2-HRD1-SEL1L complex (n = 4)




WDR41-(C9orf72-SMCR8)-(FIP200-ULK1-ATG13-ATG101) complex (n = 4)



WINAC complex (n = 3)



RAVE (n = 3)



WASHC (n = 5)

