1982 FI2.3

一共有4幅不同顏色的旗,每次升起最少一幅。如果不考慮顏色的次序, 求一共有多少種不同的訊號c?

the flags, without considering the arrangement of colours, find the value of c.

1984 FG6.3

某年三月第15日為星期三,而同年三月第r日為星期五,且18<r<26, 求r的值。

If the 15th day of March in a year is Wednesday and the rth day of March in the 在一平面上畫 20 條直綫,最多可將平面分成幾個區域? same year is Friday, where 18 < r < 26, find the value of r.

1985 FSG.2

若第 n 個質數為 19, 求 n 的值。

If the n^{th} prime number is 19, find the value of n.

1985 FG9.3

若某年五月第3日為星期五,且同年五月第1日為星期一,

其中 15 < n < 25, 求 n 的值。

If the 3^{rd} day of May in a year is Friday and the n^{th} day of May in the same year 1994 FI5.4 is Monday, where 15 < n < 25, find the value of n.

1987 FG8.4

若某年五月第5日為星期四,且同年五月第K日為星期一,其中10<K<20, 求 K的值。

If the 5^{th} day of May in a year is Thursday and the K^{th} day of May in the same year is Monday, where 10 < K < 20, find the value of K.

1988 FG10.2

某年五月第18日是星期五。同年五月第k日是星期二,且20<k<26。 求 k 的值。

The 18^{th} day of May in a year is Friday. The k^{th} day of May in the same year is Tuesday, where 20 < k < 26. Find the value of k.

1989 FI5.4

某年三月第12日是星期五,同年三月第k日是星期三,且20<k<25。 求 k 的值。

If the 12^{th} day of March in a year is Friday. The k^{th} day of March in the same year is Wednesday, where 20 < k < 25, find the value of k.

1989 FSG.3

第 9 個質數是 $p \circ$ 求 p 的值。The 9th prime number is p. Find the value of p.

1990 FI5.3

某年五月第5日為星期五,而同年五月第c日為星期二,且16 < c < 24, 求c的值。

If c signals can be made with 4 flags of different colours by raising at least one of If the 5^{th} day of May in a year is Friday and the c^{th} day of May in the same year is Tuesday, where 16 < c < 24, find the value of c.

1990 FI5.4

23 是第 d 個質數。求 d 的值。23 is the dth prime number. Find the value of d.


1993 HG4

What is the maximum number of regions produced by drawing 20 straight lines on a plane?

1994 HG6


圖一包含 n 個長方形, 求n的值。

There are n rectangles in figure 1. Find the value of n.



十五塊邊長為 5 單位的正方形磚如圖排列。一蟻沿磚之邊緣爬行,而其左 邊必為一黑磚。求 D 的值,此蟻由 P 爬至 Q 之最短距離。

Fifteen square tiles with side 5 units long are P arranged as shown. An ant walks along the edges of the tiles, always keeping a black tile on its left. Find the shortest distance *D* that the ant would walk in going from P to Q.



1994 FG8.3-4

用1、2、3、4 這四個數字,而每個數字均可重複使用,則可組成一些4 位數。求

G8.3 共可組成的 4 位數的個數 c 的值。

G8.4 所組成的 4 位數的總和 d 的值。

From the digits 1, 2, 3, 4, when each digit can be used repeatedly, 4-digit numbers are formed. Find the values of


G8.3 c, the number of 4-digit numbers that can be formed.

G8.4 *d*, the sum of all these 4-digit numbers.

Counting (HKMO Classified Questions by topics)

1995 HG9


圖中是一個 3×3 的正方形,求圖中三角形的總數。 In the figure, find the total number of triangles in the 3×3 square.



1995 FG8

在方格紙上繪畫尺寸為 $\ell \times b$ 的長方形,其中 $\ell \setminus b$

為正整數並添上對角綫一條。以V代表相交的端點總 數(不包括首尾兩點在內)。(如圖示)



Rectangles of length ℓ and breadth b where ℓ , b are positive

 $\ell = b = 3$

V = 2

integers, are drawn on square grid paper. For each of these rectangles, a diagonal is drawn and the number of vertices V intersected (excluding the two end points) is counted (see figure).

G8.1 営 $\ell = 6$, b = 4 時 , 求 V 的值。

Find the value of V, when $\ell = 6$, b = 4.

G.8.2 當 $\ell = 5$, b = 3 時 , 求 V 的值。

Find the value of V, when $\ell = 5$, b = 3.

G8.3 當 $\ell = 12$ 且 1 < b < 12 時,求使 V = 0 時,b 的不同個數 r。

When $\ell = 12$ and 1 < b < 12, find r, the number of different values of b that of points of intersection, find the value of d. makes V = 0?

G8.4 當 $\ell = 108$, b = 72 時 , 求 V 的值。

Find the value of V, when $\ell = 108$, b = 72.

1996 HI7

若各數字可重複選用,從數字 4,5,6,7,8,9 中,可組成多少個 3 位數? How many 3-digit numbers can be made from the figures 4, 5, 6, 7, 8, 9 when repetitions are allowed?

1996 HG7

圖中每個小正方形的邊長為 1單位。求圖中所有可能組 成之長方形(包括正方形)的面積之和。


In the figure, the side of each smaller square is 1 unit long. Find the sum of the area of all possible rectangles (squares included) that can be formed in the figure.

Created by Mr. Francis Hung

1996 FIS.1

看下圖,由A到D共有a條路徑, 求a 的值。

From the following figure, determine the number of routes a from A to D.



1997 HI8

某班有 6 位學生。每位學生送給班中其餘各位同學一張聖誕咭, 求該班學生寄出聖誕咭的總數。


There are 6 students in a class. Everyone sends one Christmas card to each of the rest of the class. Find the total number of cards sent out by the class.

1998 HG9

在圖五,ABCD 為正方形。點 $E \cdot F \cdot G \cdot H$ 分別為邊 $AB \cdot A$ BC、CD、DA之中點,求圖中直角三角形的數目。

In figure 5, ABCD is a square and points E, F, G, H are the mid-points of sides AB, BC, CD, DA respectively,

find the number of right-angled triangles in the figure.



1998 FI5.4

若 6 條直綫和 3 個圓畫於一白紙上,且它們的最多交點數量為 d,求 d 的值。 If 6 straight lines and 3 circles are drawn on a paper, and d is the largest numbers

1999 HI5

在 0 至 10^6 之間,有多少個整數 n,使得 n^3 的個位數字是 1? How many integers n are there between 0 and 10^6 , such that the unit digit of n^3 is 1? 2000 HI3

用數字 0、 1、 2、 5 可以組成多少個能被 5 整除的三位數? (若數字不可以重複使用。)

Using digits 0, 1, 2, and 5, how many 3-digit numbers can be formed, which are divisible by 5? (If no digit may be repeated.)

2000 FI1.3

在直角座標平面的第一象限中,把座標為整數的點按以下方法編號:

In the first quadrant of the rectangular co-ordinate plane, all integral points are numbered as follows,

point (0, 0) is numbered as 1, 點 (0, 0) 為第 1 號,


point (1, 0) is numbered as 2, 點 (1, 0) 為第 2 號,

point (1, 1) is numbered as 3, 點 (1, 1) 為第 3 號,

point (0, 1) is numbered as 4, 點 (0, 1) 為第 4 號,

point (0, 2) is numbered as 5, 點 (0, 2) 為第 5 號,

point (1, 2) is numbered as 6, 點 (1, 2) 為第 6 號,



已知 (Q-1,Q) 點為第R號,求R的值。

Given that point (7, 8) is numbered as R, find the value of R.

2002 HI4

把數字2,3,4,5組成沒有重複數字的四位數,求這些四位數的和。

Each of the digits 2, 3, 4, 5 can be used once and once only in writing a four-digit number. Find the sum of all such numbers.

2002 FG3.3

從50個正整數1,2,3,...,50中任意抽兩個不同的數。已知兩數之和不 少於50。若抽取這兩數共有c種取法,求c的值。

Suppose two different numbers are chosen randomly from the 50 positive integers $1, 2, 3, \dots, 50$, and the sum of these two numbers is not less than 50. If the number of ways of choosing these two numbers is c, find the value of c.

2003 FI2.4

有 2003 個袋從左至右排列。已知最左面的袋裝有 8 個球,而且每 7 個相鄰 的袋共裝有 19 個球。若最右面的袋有 S 個球, 求 S 的值。

There are 2003 bags arranged from left to right. It is given that the leftmost bag contains 8 balls, and every 7 consecutive bags contains 19 balls altogether. If the 2011 HI6 rightmost bag contains S balls, find the value of S.

2004 FG2.3

已知在 100 以內的質數中,其個位並非平方數的數目有 c 個,求 c 的值。 Given that there are c prime numbers less than 100 such that their unit digits are not square numbers, find the values of c.

2005 HI10

已知 2005 年 1 月 29 日是星期六,那麼 2008 年 1 月 29 日是星期幾? Given that 29th January 2005 is Saturday, on what day is 29th January 2008?


2007 FG3.4

某數學比賽共有 4 條題目。以下述方式為每個題目評分:答對得 2 分、答錯扣一 分、不作答得零分。若至少有 S 名參賽者才可保證比賽中有三人同分,求 S 的值。 There are 4 problems in a mathematics competition. The scores of each problem

are allocated in the following ways: 2 marks will be given for a correct answer, 1 mark will be deducted from a wrong answer and 0 mark will be given for a blank answer. To ensure that 3 candidates will have the same scores, there should be at least S candidates in the competition. Find the value of S.

2008 HI6

在圖三中,ΔABC為等邊三角形。它由多個相同的等邊三 角形組成。若圖中共有N個等邊三角形,求 N 的值。 In Figure 3, $\triangle ABC$ is an equilateral triangle. It is formed by several identical equilateral triangles. If there are altogether N equilateral triangles in the figure, find the value of N.



2010 HI9

把 1, 2, ..., n (n ≥ 3) 作環形排列,使得每兩個相鄰的數字相差為 1 或 2。 求有多少個此類的環形排列。

Arrange the numbers 1, 2, ..., n ($n \ge 3$) in a circle so that adjacent numbers always differ by 1 or 2. Find the number of possible such circular arrangements.

2010 HG8

如果正整數 a 的各數位之和等於 7,則 a 稱為「幸運數」。例如 7,61, 12310 都是「幸運數」。將所有「幸運數」從小到大排成一列 a1, a2, a3, ···。

Let a be a positive integer. If the sum of all digits of a is equal to 7, then a is called a "lucky number". For example, 7, 61, 12310 are lucky numbers.

List all lucky numbers in ascending order a_1, a_2, a_3, \cdots

If $a_n = 1600$, find the value of a_{2n} .

甲、乙及丙三人互相傳球。甲首先將球傳出。有多少不同方案使得經過5次 傳球後,球會回傳給甲?

A, B and C pass a ball among themselves. A is the first one to pass the ball to other one. In how many ways will the ball be passed back to A after 5 passes?

2011 FG2.2

從1到100選取兩整數(容許重覆)其和大於100。問可選得多少對?

From 1 to 100, take a pair of integers (repetitions allowed) so that their sum is greater than 100. How many ways are there to pick such pairs?

Counting (HKMO Classified Questions by topics)

2013 HG9

從 1、2、3、…、2012、2013 中最多可取出多少個數,使得在取出的數中 任意兩數之和都不是這兩個數之差的倍數?

At most how many numbers can be taken from the set of integers: $1, 2, 3, \dots$, 2012, 2013 such that the sum of any two numbers taken out from the set is not a multiple of the difference between the two numbers?

2014 FG2.3

A, B, C, D, E 和 F 六人根據英文字母的順序輪班工作。A 在第一個星期日當 值,然後 B 在星期一當值,如此類推。A 於第 50 個星期的哪一天當值?(答案 以數字 0 代表星期日、數字 1 代表星期一、……、數字 6 代表星期六)。

with A serving on the first Sunday, B on the first Monday and so on. In the fiftieth week, which day does A serve on? (Represent Sunday by 0, Monday by 1, ...,

Saturday by 6 in your answer.)

2015 FG1.2

在50隊香港數學競賽的參賽隊伍中,沒有一隊能答對一團體項目中的全部 共四個題目。若該項目中的第一題有 45 隊答中,第二題有 40 隊答中,第 三題有 35 隊答中,及第四題有 30 隊答中。請計算有多少隊伍同時答中第 三及第四題。

Among 50 school teams joining the HKMO, no team answered all four questions Let a₁, a₂, a₃, a₄, a₅, a₆ be non-negative integers and satisfy correctly in the paper of a group event. If the first question was solved by 45 teams, the second by 40 teams, the third by 35 teams and the fourth by 30 teams. How many teams solved both the third and the fourth questions?

2015 FG2.1

在一個 3×3 的方格內的九個正方形上,分別填上紅色或藍色。若α為不同着 色方法的數量而使得所有 2×2 方格中所包含的正方形都不是全為紅色, 求α的值。

On a 3×3 grid of 9 squares, each squares is to be painted with either Red or Blue. If α is the total number of possible colouring in which no 2×2 grid consists of only Red squares, determine the value of α .

2016 HI7

在整數 1 至 500 之間出現了多少個數字「2」?

How many '2's are there in the numbers between 1 to 500?

2016 FG1.1

一項工程包括三個項目: $A \setminus B$ 和 $C \circ 若項目 A$ 開始三天後,項目 B 才可 開始進行。項目 C 亦必須在項目 B 開始四天後才可開始進行。若完成項 目 $A \cdot B$ 和 C分別需要四天、六天和五天,求最少天數 (P) 完成全項工程。 A project comprises of three tasks, A, B and C. Suppose task B must begin 3 days later than task A begins, and task C must begin 4 days later than task B begins. If the numbers of days to complete tasks A, B and C are 4, 6 and 5, respectively, determine the least number of days (P) to complete the project.

2016 FG2.1

一個盒子有五個球,球面上分別印上號碼3、4、6、9或10。由盒中同時隨 機取出2個球,並得出其號碼的總和。若A為不同總和的數量,求A的值。 Six persons A, B, C, D, E and F are to rotate for night shifts in alphabetical order A box contains five distinctly marked balls with number markings being 3, 4, 6, 9 or 10. Two balls are randomly drawn without replacement from the box. If A is the number of possible distinct sums of the selected numbers, determine the value of A.

2016 FG2.3

設
$$a_1 \cdot a_2 \cdot a_3 \cdot a_4 \cdot a_5 \cdot a_6$$
 為非負整數,並滿足
$$\begin{cases} a_1 + 2a_2 + 3a_3 + 4a_4 + 5a_5 + 6a_6 = 26 \\ a_1 + a_2 + a_3 + a_4 + a_5 + a_6 = 5 \end{cases}$$


若 c 為方程系統的解的數量, 求 c 的值。

$$\begin{cases} a_1 + 2a_2 + 3a_3 + 4a_4 + 5a_5 + 6a_6 = 26 \\ a_1 + a_2 + a_3 + a_4 + a_5 + a_6 = 5 \end{cases}$$

If c is the number of solutions to the system of equations, determine the value of c.

2016 FG3.1

下圖是郵差的送信路線圖:從郵局開始,到達 十二個地點送信,最後返回郵局。若郵差從一 地點步行到另一地點需要十分鐘及 K 為郵差需 要的時數來完成整天路線,求K的最小可能 值。




The figure below represents routes of a postman. Starting at the post office, the postman walks through all the 12 points and finally returns to the post office. If he takes 10 minutes from a point to another adjacent point by walk and K is the number of hours required for the postman to finish the routes, find the smallest possible value of K.

Counting (HKMO Classified Questions by topics)

2017 FG4.3

如圖,求按箭咀方向由 A 往 B 的路線總數 R。


In the figure below, determine the number of ways *R* getting from point A to B with the direction indicated by the arrows.



2017 FG4.4

如果用 3 款顏料替下圖中所有區域著色,並且相鄰的區域不可用相同顏料。求同一款顏料最多可用作上色的區域數目 S。

To shade all the regions inside the following circular map using 3 colours, for which adjacent regions must not be in the same colour. Determine the maximum number S of regions being shaded by the same colour.



2018 HI3

在編制某雜誌中每頁的頁碼時,總共用去了 2,046 個數字,問該雜誌總共有多少頁?(假設該雜誌第一頁的頁碼是 1。)

In numbering the pages of a magazine, 2046 digits were used. How many pages are there in the magazine? (Assume the page number of the magazine starts from 1.)

2018 FG2.3

若班中有20位男同學及15位女同學參加兩次考試。已知8位同學在第一次考試中不合格,12位同學在第二次考試中不合格,及6位同學於兩次考試均不合格。若5位男同學在第一次考試中不合格,7位男同學在第二次考試中不合格,4位男同學兩次考試均不合格及n位女同學兩次考試均合格,求n的值。

Suppose that there were 20 boys and 15 girls in a class taking two examinations. Given that 8 students failed in the first examinations, 12 students failed in the second examinations, and 6 students failed in both examinations. If 5 boys failed in the first examinations, 7 boys failed in the second examinations, 4 boys failed in both examinations, and n girls passed in both examinations, determine the value of n.

2019 HG3

若從一個正九邊形的9個頂點中選3點,共可組成多少個等腰三角形?

If three vertices are chosen from the nine vertices of a regular nonagon, how many possible isosceles triangles are there?

2019 FI3.3

若今天是某一週的第2日,以及已知 6^{2019} 日後的當天為該週的第u日,求u的值。

If today is the 2^{nd} day of a week, and it is known that 6^{2019} days later is the u^{th} day of the week, determine the value of u.

2021 P1Q9

在 4000 和 7000 之間 4 個數位各不相同的偶數有多少個?

How many even numbers between 4000 and 7000 have four different digits?

2022 P1Q14

設 $a \cdot b$ 及 c 為非零數字。有多少個三位數 abc 使得 ab < bc < ca?

Let a, b and c are non-zero digits. How many three digit numbers abc are there

such that $\overline{ab} < \overline{bc} < \overline{ca}$?

2023 FI1.4

有 21 對夫婦參加了一個派對,即在派對上共有 42 人。在這個派對上,沒有人會和同一位客人重複地握手。此外,每位丈夫都會和他妻子以外的所有客人握手,而妻子們不會與其他妻子握手,但會和其他客人握手。D 是在這派對上 42 人之間握手的總數,求 D 的值。

21 couples are attending a party, which means that there are 42 people present. At this party, no one will shake hands repeatedly with the same guest. The party also has the condition that each husband will shake hands with every guest except his own wife, and wives will shake hands with every guest except other wives. *D* represents the total number of handshakes between the 42 people at the party.

Find value of D.

2023 FG1.1

有 100 個燈泡,編號從 1 到 100。班上有 100 名學生。每個學生輪流按下燈泡開關,情序如下:第一個學生按下編號為 1 及其倍數的燈泡開關,第二個學生按下編號為 2 及其倍數的燈泡開關,以此類推。每個學生只出來一次。如果燈泡亮著,按下開關後就會熄滅,反之亦然。一開始所有燈泡都是熄滅的。 X 代表在第 100 個學生按下開關後,燈泡亮著的數量。求 X 的值。

There are 100 light bulbs labeled from 1 to 100, and there are 100 students in the class. Each student takes a turn to press the switch buttons of the light bulbs with a label that is a multiple of their assigned number. For example, the first student presses the switch buttons of the light bulb with label 1 and all of its multiples, the second student presses the switch buttons of the light bulb with label 2 and all of its multiples, and so on. Each student will only come out once, and if a light bulb is on, it becomes off after being pressed, and vice versa. All the light bulbs are off at the beginning. X is the number of light bulbs that are on after the 100th student presses. Find the value of X.

2023 FG1.4

使用正整數序列 1、2、3、4、5、6 等等,通過將它們連接起來形成一個新的整數:123456789101112131415161718 ... 這個整數的最左邊的數位被定義為第一個數位。問在第 2023 數位是 0 至 9 的哪一個數?

Using the sequence of positive integers 1, 2, 3, 4, 5, 6, and so on, a new integer is formed by concatenating them: 123456789101112131415161718...

The leftmost digit in this integer is defined as first position.

What is the digit at position 2023?

2023 FG2.2

有一顆骰子,它的六個面上分別寫上數字 6 至 11。現投擲這顆骰子兩次,第一次得知四個側面的數字和是 36,第二次的數字和是 33。 請問數字 10 的對面是甚麼數字?

A cubic dice has faces marked with numbers from 6 to 11. The dice was rolled twice. At the first time, the sum of the numbers on the four lateral faces was 36. At the second time, the sum was 33. What number is on the face opposite to the one with the number 10?

2024 HG7

Answers

Answers				
1982 FI2.3	1984 FG6.3	1985 FSG.2	1985 FG9.3	1987 FG8.4
15	24	8	20	16
1988 FG10.2	1989 FI5.4	1989 FSG.3	1990 FI5.3	1990 FI5.4
22	24	23	23	9
1993 HG4	1994 HG6	1994 FI5.4	1994 FG8.3	1994 FG8.4
211	27	50	256	711040
1995 HG9	1995 FG8	1996 HI7	1996 HG7	1996 FIS.1
124	1, 0, 3, 35	216	400	17
1997 HI8	1998 HG9	1998 FI5.4	1999 HI5	2000 HI3
30	20	57	100000	10
2000 FI1.3	2002 HI4	2002 FG3.3	2003 FI2.4	2004 FG2.3
72	93324	649	8	15
2005 HI10	2007 FG3.4	2008 HI6	2010 HI9	2010 HG8
Tuesday	25	27	2	10105
2011 HI6	2011 FG2.2	2013 HG9	2014 FG2.3	2015FG1.2
10	2550	671	5	15
2015FG2.1	2016 HI7	2016 FG1.1	2016 FG2.1	2016 FG2.3
417	200	12	9	5
2016 FG3.1	2017 FG4.3	2017 FG4.4	2018 HI3	2018 FG2.3
4	377	5	718	9
2019 HG3	2019 FI3.3	2021 P1Q9	2022 P1Q14	2023 FI1.4
30	1	728	120	1260
2023 FG1.1	2023 FG1.4	2023 FG2.2	2024 HG7	
10	7	8	225	