

Backtrack <<Logical Function>>

Document Type	Function Sp	pecification (FncS)	
Template Version			
SysML Report Version			
Document ID		FncS	
Document Location			
Document Owner			
Document Revision		FncS0	
Document Status	Re	eleased	
Date Issued	20	22/11/15	
Date Revised	20	23/02/22	
Document	GIS1 Item Number:	27.60/35	
Classification	GIS2 Classification:	Confidential	

Document Approval								
Person	Role	Email Confirmation	Date					



This document contains Ford Motor Company Confidential information. Disclosure of the information contained in any portion of this document is not permitted without the expressed, written consent of a duly authorized representative of Ford Motor Company, Dearborn, Michigan, U.S.A.

Copyright © 2022, Ford Motor Company

Printed Copies Are Uncontrolled

Important Note

You need to use the RE specification macros provided by the "RE_SpecificationMacroTemplate.dotm" (refer to "Utilities" on page "Specification Templates" in the RE Wiki) to allow seamless VSEM import of the specification content. Use only these RE specification macros to create requirements in this specification. Refer to "How to use the Specification Templates" on how to enable and use the macros and the requirements templates in this specification.

Date Revised: 2022/11/15



CONTENTS

Cor	ntents		
1	Functio	n Specification	4
1.1	Fu	nction Overview	4
	1.1.1	Function Description	4
1.2	Fu	nction Scope	4
	1.2.1	Logical Function	4
1.3	Fu	nction Modeling	5
	1.3.1	Activity Diagrams	6
	1.3.2	Sequence Diagrams	8
	1.3.3	Decision Tables	g
1.4	Fu	nction requirements	g
	1.4.1	Functional Requirements	9
	1.4.2	Non-Functional Requirements	
	1.4.3	Functional Safety Requirements	36
	1.4.4	Other Requirements	
	1.4.5	Non-Functional Requirements	Error! Bookmark not defined.
	1.4.6	Functional Safety Requirements	Error! Bookmark not defined.
	1.4.7	Other Requirements	
2	Open C	Concerns	
3	Revisio	n History	40
4	Append	xib	41
4.1	Da	ta Dictionary	41
	4.1.1	Logical Signals	41
	4.1.2	Logical Parameters	41
	4.1.3	Encoding Types	

FUNCTION SPECIFICATION

Function Overview

1.1.1 Function Description

This function is used to help the driver to reverse back automatically in narrow road conditions. The system can record up to the latest 50m routine of the vehicle in real time when environment condition and vehicle condition are met.

The system will control the vehicle to reverse back and can display remain distance real time according to the recorded routine after the driver activates the function. During the reversing process, if the system detects obstacles (ex. pedestrians, vehicles or predicts) in danger area, it will execute emergency braking automatically. Driver should observe the surrounding situation so that can take over the vehicle if need to ensure vehicle safety.

1.2 **Function Scope**

The ___ "Backtrack" function is called by the following functions:

- "Logical Function"

1.2.1 Logical Function






Figure 1: Activity Diagram of (m) "I/O Block" calling (m) "Backtrack"

1.3 Function Modeling





1.3.1 Activity Diagrams






Figure 1: Activity Diagram of Backtrack




Figure 2: Activity Diagram of IVI precheck






Figure 3: Activity Diagram of Termination Decision

1.3.2 Sequence Diagrams

No sequence diagram associated to specified function.

1.3.3 Decision Tables

No Decision Tables found in the Magicdraw model.

1.4 Function requirements

1.4.1 Functional Requirements

1.4.1.1 Inputs

1.4.1.1.1 Internal flag

Check_ popup_display_Timer

MUX messages on the CAN Bus 1.4.1.1.2

1.4.1.1.3 **CAN Input Signals**

Backtrack_TerminatePopup

Signal_Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
Backtrack_Termi								
natePopup	6			1	0		0(0x0)	63(0X3F)
		No Request				0x0		
		Req_Quit_CarModeInvalid				0x1		
		Req_Quit_OTA_Active				0x2		
		Req_Quit_ADAS				0x3		
		Req_Quit_ABSActvie				0x4		
		Req_Quit_TCSActive				0x5		
		Req_Quit_ESCActive				0x6		
		Req_Quit_eCALL				0x7		
		Req_Quit_CameraBlockage				0x8		
		Req_Quit_USS Blockage				0x9		
		Req_Quit_SlopeTooLarge				0xA		
		Req_Quit_SpeedHigh				0xB		
		Req_Quit_TirePressureTooL						
		OW				0xC		
		Req_Quit_RemoteStartForbid				0xD		
		Req_Quit_PT_Ready_Failed				0xE		
		Req_Quit_VehicleLowBattery				0xF		
		Req_Quit_TrailerConnected				0x10		
		Req_Quit_TractionControlSys temOff				0x11		
		Req_Quit_PowerpackTorque Status ChangesToNotAvailable				0x12		
		Req_Quit_PowerManagemen tFailure				0x13		
		Req_Quit_LSC_Error				0x14		
		Req_Quit_EPAS_Error				0x15		



Req_Quit_ABS_Error	0x16	
Req_Quit_BCM_Error	0x17	
Req_Quit_BLEM_Failure	0x18	}
Req_Quit_Remote_Device_E rror	0x19)
Req_Quit_UnexpectedDeacti vation_Of_LSC	0x1A	
Req_Quit_Unexpected Deactivation_Of_ABS	0x1E	
Req_Quit_UnexpectedDeacti vation of EPAS	0x10	
Req_Quit_ExternalECUFailur e	0x1E	
Req_Quit_Sys_Failure	0x1E	
Req_Quit_CAN_Communicati on_Failure	0x1F	
Req_Quit_FunctionOnCheck Overtime	0x20	
Req_Quit UserExitViaButtion/Voice	0x21	
BrakeExceed_2min	0x22	
Req_Quit_GearIntervention	0x23	
Req_Quit_EPB_Apply	0x24	
Req_Quit_SteeringWheel_Int ervention	0x25	
Req_Quit_MirrorFold	0X26	
Req_Quit_Unsafe_Behavior	0x27	
Req_Quit_Vehcle_Charging	0x28	
Req_PowerOFF	0x29	
Req_Quit_InsurmountableOb stacle Detected	0x2A	
Req_Quit_TimingOvertime	0x2F	
Req_Quit_MatimeOvertime_1 0min	0x2C	
RecoveryTimeout	0x20	
Req_Quit_InterruptTimesOve	UNZE	<u> </u>
rflow	0x2E	:
Req_Quit_RemoteMoveDista nceOut_Of Range	0x2F	
Req_Quit_HandshakeFailed	0x30	
Req_Quit_SteeringAngle_Out _of_Limit	0x31	
Req_Quit_Shift_Operate_Fail ed	0x32	
Req_Quit_TrajectoryDeviatio	0x33	
Req_Quit_ChargeCover	0x34	
Req_Quit_SpaceLimit	0x35	
ParkingSucceed	0x36	
Req_Quit_Searching_Timeou		
t Req_Quit_Actuator feedback	0x37	,
abnormal	0x38	
Req_Quit_APA_active	0x39) [



Not used		0x3A-0x3F	

Backtrack _ActiveType_Indicate

Signal_Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
Backtrack								
_ActiveType_Indic								
ate	3			1	0		0(0x0)	7(0x7)
		OFF				0x0		
		Backtrack actived by						
		IVI soft button				0x1		
		Backtrack actived by						
		voice button				0x2		
		Backtrack actived by						
		AVM soft button				0x3		
		QuickPanel				0x4		
		Reserved				0x5		
		Reserved				0x6		
		Reserved				0x7		

Prk_IVIFunc_Req

Signal_Name	Size(bits)	Detail	Units	Res.	Offs et	State Encoded	Min	Max
Prk_IVIFunc_Req				1	0		0(0x0)	7(0x7)
		No req				0x0		
		AVM ON req				0x1		
		APA ON req				0x2		
		Backtrack ON req				0x3		
		HAVP ON req				0x4		
		Reserved				0x5		
		Reserved				0x6		
		Reserved				0x7		

Prk_Resume_Req

Signal_Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
Prk_Resume_Req	1			1	0		0(0x0)	1(0x1)
		No request				0x0		
		Request				0x1		

Backtrack_Start_Sta

Signal_Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
Backtrack_Start_Sta	2			1	0		0(0x0)	3(0x3)
		No display				0x0		
		Highlighted				0x1		
		Grey				0x2		
		Reserved				0x3		



Backtrack_RemainDis

Signal_Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
Backtrack_Remain								
Dis	6		m	1	0		0	63
		0-50m						

Backtrack_PageDisplay

Signal_Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
Backtrack_PageDi splay	2			1	0		0(0x0)	3(0x3)
		OFF				0x0		
		Backtrack_Reversing				0x1		
		Backtrack_Completed				0x2		
		Invalid				0x3		

BcktrakMde_D_Stat_IVI

Signal_Name	Size(bits)	Detail	Units	Res.	Offs et	State Encoded	Min	Max
BcktrakMde_D_Sta								
t_IVI	4			1	0		0(0x0)	15(0xf)
		OFF				0x0		
		Initialization				0x1		
		Standby				0x2		
		Checking				0x3		
		Maneuvering				0x4		
		Paused				0x5		
		Terminated				0x6		
		Disable				0x7		
		Failure				0x8		
		Completed				0x9		
		Reserved				0xA		
		Not used				0xB~0xf		

Backtrack_GuidePopUp

Signal_Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
Backtrack_GuideP								
opUp	5			1	0		0(0x0)	31(0x1F)
		No Popup				0x0		
		Gear N				0x1		
		Release Brake Pedal						
		Or Choose Exit				0x2		
		Release Acclerator				0x3		
		Doors				0x4		
		Hood				0x5		
		Trunk				0x6		



	Safty Belt	0x7	
	Press Start	0x8	
ļ.	Keep Vehilce Standstill	0x9	
	Reversing	0xA	
	Charging Gun	0xB	
	Charger Cover	0xC	
	Press Resume	0xD	
	Rear mirror	0xE	
	Release EPB	0xF	
	Brake	0x10	
	Reserved	0x11	
	Not used	0x12~0x1F	

Backtrack_CheckPopUp

Signal_Name	Size(bits)	Detail	Units	Res.	Offs et	State Encoded	Min	Max
Backtrack_CheckP								
opUp	5			1	0		0(0x0)	31(0x1F)
		No Req				0x0		
		ACU Failure				0x1		
		Valid Stored Routine				0x2		
		Velocity				0x3		
		Slope				0x4		
		Ready				0x5		
		Emergency Call				0x6		
		failure				0x7		
		Mode				0x8		
		Other ADAS Feature						
		Active				0x9		
		Mobile control				0xA		
		SW is updating				0xB		
		Space is enough				0xC		
		Passed exam				0xD		
		Authorization				0xE		
		Backtrack SW Avail				0xF		
		Wake up				0x10		
		Log-in				0x11		
		In Progress				0x12		
		Mirror				0x13		
		HAVP learning				0x14		
		Reserved				0x15		
		Not used				0x16~0x1F		

Backtrack_SuspendPopup

Signal_Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
Backtrack_Suspen								
dPopup	4			1	0		0(0x0)	0(0x7)
		Default				0x0		
		Belt				0x1		
		Doors				0x2		



Blocked	0x3	
Hood	0x4	
Trunk	0x5	
ChagerCover	0x6	
Reserved	0x7	

Veh_V2_Dsply

Signal_Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
Veh_V2_Dsply	9			1	0		0x0	511(0x1FF)

TrnlpcDsplyMde_D_ActI

Signal_Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
TrnlpcDsplyMde_D								
_Actl	3		SED	1	0		0(0x0)	7(0x7)
		Park				0x0		
		Reverse				0x1		
		Neutral				0x2		
		Drive				0x3		
		Sport				0x4		
		Manual_1_Low				0x5		
		Manuel_2				0x6		
		Manuel_3				0x7		

DrStatDrv_B_ActI

Signal Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
DrStatDrv_B_ActI	1		SED	1	0		0 (0x0)	1 (0x1)
		Closed				0x0		
		Ajar				0x1		

DrStatPsngr_B_Actl

Signal Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
DrStatPsngr_B_Actl	1		SED	1	0		0 (0x0)	1 (0x1)
		Closed				0x0		
		Ajar				0x1		

DrStatRI_B_ActI

Signal Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
DrStatRI_B_ActI	1		SED	1	0		0 (0x0)	1 (0x1)
		Closed				0x0		
		Ajar				0x1		



DrStatRr_B_Actl

Signal Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
DrStatRr_B_Actl	1		SED	1	0		0 (0x0)	1 (0x1)
		Closed				0x0		
		Ajar				0x1		

1.4.1.2 **Outputs**

1.4.1.2.1 Internal flag

- Backtrack_Suspend_X_Status_Flag, internal flag used to control suspend warning message in center display.
- Backtrack_Check_X_Status_Flag, internal flag used to control the check popup message displayed in the message center.
- Backtrack_Guide_X_Status_Flag, internal flag used to control the guide message displayed in the message center.

1.4.1.2.2 MUX signals on the CAN Bus

IVI_Prk_DispStat

Signal_Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
IVI_Prk_DispStat	3			1	0		0(0x0)	7(0x7)
		OFF				0x0		
		AVM actived				0x1		
		APA actived				0x2		
		Backtrack actived				0x3		
		HAVP active				0x4		
		Reserved				0x5		
		Reserved				0x6		
		Reserved				0x7		

Backtrack ActButton

Signal_Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
Backtrack_ActButton	1			1	0		0(0x0)	1(0x1)
		No request				0x0		
		Requested				0x1		

IVI_Backtrack_AVMSoftButton

Signal_Name Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
------------------------	--------	-------	------	--------	------------------	-----	-----



IVI_Backtrack_AVMSoftBu tton	1		1	0		0(0x0)	1(0x1)
ttori		OFF	'	0	0x0	O(OXO)	1(0/1)
		ON			0x1		

IVI_Backtrack_Act_Flag

Signal_Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
IVI_Backtrack_Act_Flag	1			1	0		0(0x0)	1(0x1)
		Unactivated				0x0		
		Activated				0x1		

IVI_Bktrk_Launch_SoftButton

Signal_Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
IVI_Bktrk_Launch_SoftBu								
tton	1			1	0		0(0x0)	1(0x1)
		OFF				0x0		
		ON				0x1		

Prk_DriverResume_Req

Signal_Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
Prk_DriverResume_Req	1			1	0		0(0x0)	1(0x1)
		No pressed				0x0		
		Pressed				0x1		

Prk_InfobookButtonStat

Signal_Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
Prk_InfobookButtonStat	2			1	0		0(0x0)	2(0x2)
		Normal				0x0		
		Gray				0x1		
		Not display				0x2		

IVI_Bktrak_VoiceActivButton

Signal_Name	Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
IVI_Bktrak_VoiceActivButt								
on	2			1	0		0(0x0)	2(0x2)
		No request				0x0		
		ON				0x1		
		OFF				0x2		

Prk_ExitButton

Signal_Name Size(bits)	Detail	Units	Res.	Offset	State Encoded	Min	Max
------------------------	--------	-------	------	--------	------------------	-----	-----



Prk_ExitButton	2		1	0		0(0x0)	1(0x1)
		No Pressed			0x0		
		Pressed			0x1		



State Matrix for Backtrack_suspend_X_Status_Flag

Operational _Mode	BackTrack_Cfg	Backtrack_SuspendPopup Signal	Backtrack_Suspend_1 _Status_Flag	Backtrack_Suspend_2 _Status_Flag	Backtrack_Suspend_3 _Status_Flag	Backtrack_Suspend_4 _Status_Flag	Backtrack_Suspend_5 _Status_Flag	Backtrack_Suspend_6 _Status_Flag
		0x1	Active	Inactive	Inactive	Inactive	Inactive	Inactive
		0x2	Inactive	Active	Inactive	Inactive	Inactive	Inactive
Normal	Yes	0x3	Inactive	Inactive	Active	Inactive	Inactive	Inactive
Normal	(0x1)	0x4	Inactive	Inactive	Inactive	Active	Inactive	Inactive
		0x5	Inactive	Inactive	Inactive	Inactive	Active	Inactive
		0x6	Inactive	Inactive	Inactive	Inactive	Inactive	Active
	Other cas	es	Inactive	Inactive	Inactive	Inactive	Inactive	Inactive

• Backtrack Suspend Warning MC Status Flags to MC Warning Message and Active Chime

Message ID	Description of Warning	Active MC_Status_Flag	Active Chime_Status_Flag
M5001	Driver Seat Belt Unbuckled	Backtrack_Suspend_1_Status_Flag	No Chime
M5002	Doors Ajar	Backtrack_Suspend_2_Status_Flag	No Chime
M5003	Obstacle Blocked	Backtrack_Suspend_3_Status_Flag	No Chime
M5004	Hood Ajar	Backtrack_Suspend_4_Status_Flag	No Chime
M5005	Trunk Ajar	Backtrack_Suspend_5_Status_Flag	No Chime
M5006	Charger Cover	Backtrack_Suspend_6_Status_Flag	No Chime



State Matrix for Backtrack_Guide_X_Status_Flag

Operational_Mode	Backtrack_Cfg	Backtrack_GuidePop Up	Backtrack_Guide_1_ Status_Flag	Backtrack_Guide_2_ Status_Flag	Backtrack_Guide_3_ Status_Flag	Backtrack_Guide_4_ Status_Flag	Backtrack_Guide_5_ Status_Flag	Backtrack_Guide_6_ Status_Flag	Backtrack_Guide_7_ Status_Flag	Backtrack_Guide_8_ Status_Flag	Backtrack_Guide_9_ Status_Flag	Backtrack_Guide_10 _Status_Flag	Backtrack_Guide_11 _Status_Flag	Backtrack_Guide_12 _Status_Flag	Backtrack_Guide_13 _Status_Flag	Backtrack_Guide_14 _Status_Flag	Backtrack_Guide_15 _Status_Flag	Backtrack_Guide_16 _Status_Flag
		0x1	ACT	Ina	Ina	Ina	Ina	Ina	Ina	Ina								
		0x2	Ina	ACT	Ina	Ina	Ina	Ina	Ina	Ina	Ina							
		0x3	Ina	Ina	ACT	Ina	Ina	Ina	Ina	Ina	Ina	Ina						
		0x4	Ina	Ina	Ina	ACT	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina
		0x5	Ina	Ina	Ina	Ina	ACT	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina
		0x6	Ina	Ina	Ina	Ina	Ina	ACT	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina
		0x7	Ina	Ina	Ina	Ina	Ina	Ina	ACT	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina
		0x8	Ina	ACT	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina						
Normal	Enabled	0x9	Ina	ACT	Ina													
		0xA	Ina	ACT	Ina	Ina	Ina	Ina	Ina	Ina								
		0xB	Ina	ACT	Ina	Ina	Ina	Ina	Ina									
		0xC	Ina	Ina	ACT	Ina	Ina	Ina	Ina									
		0xD	Ina	Ina	Ina	ACT	Ina	Ina	Ina									
		0xE	Ina	Ina	Ina	Ina	ACT	Ina	Ina									
		0xF	Ina	Ina	Ina	Ina	Ina	ACT	Ina									
		0x10	Ina	Ina	Ina	Ina	Ina	Ina	ACT									
C	Other Cases	3	Ina	Ina	Ina	Ina	Ina	Ina	Ina									

Document Owner: GIS1 Item Number: 27.60/35 GIS2 Classification: Confidential Page 19 of 42



• Backtrack Guide popup MC Status Flags to MC Message and Active Chime

Message ID	Description of GuidePopup	Active MC_Status_Flag	Active Chime_Status_Flag
M5101	Please switch to Neutral	Backtrack_Guide_1_Status_Flag	No Chime
M5102	Release Brake Pedal or Choose Exit	Backtrack_Guide_2_Status_Flag	No Chime
M5103	Release Accelerator	Backtrack_Guide_3_Status_Flag	No Chime
M5104	Doors Ajar	Backtrack_Guide_4_Status_Flag	No Chime
M5105	Hood Ajar	Backtrack_Guide_5_Status_Flag	No Chime
M5106	Trunk Ajar	Backtrack_Guide_6_Status_Flag	No Chime
M5107	Please fasten Seatbelt	Backtrack_Guide_7_Status_Flag	No Chime
M5108	Press "Start reversing" button to get started	Backtrack_Guide_8_Status_Flag	No Chime
M5109	Keep Vehicle Standstill	Backtrack_Guide_9_Status_Flag	No Chime
M5110	Reversing	Backtrack_Guide_10_Status_Flag	No Chime
M5111	Charing Gun	Backtrack_Guide_11_Status_Flag	No Chime
M5112	Charger door ajar	Backtrack_Guide_12_Status_Flag	No Chime
M5113	Press "Resume" button to continue reversing	Backtrack_Guide_13_Status_Flag	No Chime
M5114	Rear mirror error	Backtrack_Guide_14_Status_Flag	No Chime
M5115	Release EPB	Backtrack_Guide_15_Status_Flag	No Chime
M5116	Brake	Backtrack_Guide_16_Status_Flag	No Chime



State Matrix for Backtrack_Check_X_Status_Flag

Operational_ Mode	Backtrack_Cfg	Backtrack_Check PopUp	Backtrack_Check _1_Status_Flag	Backtrack_Check _2_Status_Flag	Backtrack_Check _3_Status_Flag	Backtrack_Check _4_Status_Flag	Backtrack_Check _5_Status_Flag	Backtrack_Check _6_Status_Flag	Backtrack_Check _7_Status_Flag	Backtrack_Check _8_Status_Flag	Backtrack_Check _9_Status_Flag	Backtrack_Check _10_Status_Flag	Backtrack_Check _11_Status_Flag	Backtrack_Check _12_Status_Flag	Backtrack_Check _13_Status_Flag	Backtrack_Check _14_Status_Flag	Backtrack_Check _15_Status_Flag	Backtrack_Check _16_Status_Flag	Backtrack_Check _17_Status_Flag	Backtrack_Check _18_Status_Flag	Backtrack_Check _19_Status_Flag	Backtrack_Check _20_Status_Flag
		0x1	ACT	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina								
		0x2	Ina	ACT	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina							
		0x3	Ina	Ina	ACT	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina						
		0x4	Ina	Ina	Ina	ACT	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina
		0x5	Ina	Ina	Ina	Ina	ACT	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina
		0x6	Ina	Ina	Ina	Ina	Ina	ACT	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina
		0x7	Ina	Ina	Ina	Ina	Ina	Ina	ACT	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina
		0x8	Ina	ACT	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina						
		0x9	Ina	ACT	Ina																	
Normal	Enabled	0xA	Ina	ACT	Ina																	
		0xB	Ina	ACT	Ina																	
		0xC	Ina	Ina	ACT	Ina																
		0xD	Ina	Ina	Ina	ACT	Ina															
		0xE	Ina	Ina	Ina	Ina	ACT	Ina	Ina	Ina	Ina	Ina	Ina									
		0xF	Ina	Ina	Ina	Ina	Ina	ACT	Ina	Ina	Ina	Ina	Ina									
		0x10	Ina	Ina	Ina	Ina	Ina	Ina	ACT	Ina	Ina	Ina	Ina									
		0x11	Ina	Ina	Ina	Ina	Ina	Ina	Ina	ACT	Ina	Ina	Ina									
		0x12	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	ACT	Ina	Ina									
		0x13 0x14	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina Ina	Ina Ina	ACT Ina	Ina ACT									
Ot	ther Cases	J 37.17	Ina Ina	Ina Ina	Ina Ina	Ina Ina	Ina Ina	Ina Ina	Ina Ina	Ina	Ina	Ina	Ina									



• Backtrack Check popup MC Status Flags to MC Message and Active Chime

Message ID	Description of CheckPopup	Active MC_Status_Flag	Active Chime_Status_Fla g
M5201	ACU Failure	Backtrack_Check_1_Status_Flag	No Chime
M5202	Invalid Stored Routine	Backtrack_Check_2_Status_Flag	No Chime
M5203	High Vehicle speed	Backtrack_Check_3_Status_Flag	No Chime
M5204	High Slope	Backtrack_Check_4_Status_Flag	No Chime
M5205	Motion not Ready	Backtrack_Check_5_Status_Flag	No Chime
M5206	Emergency Call	Backtrack_Check_6_Status_Flag	No Chime
M5207	ECU failure	Backtrack_Check_7_Status_Flag	No Chime
M5208	Non-Normal Mode	Backtrack_Check_8_Status_Flag	No Chime
M5209	Other ADAS Feature Active	Backtrack_Check_9_Status_Flag	No Chime
M5210	Under Mobile control	Backtrack_Check_10_Status_Flag	No Chime
M5211	SW is updating	Backtrack_Check_11_Status_Flag	No Chime
M5212	Limited Space	Backtrack_Check_12_Status_Flag	No Chime
M5213	Exam not Passed	Backtrack_Check_13_Status_Flag	No Chime
M5214	No Authorization	Backtrack_Check_14_Status_Flag	No Chime
M5215	Backtrack SW not Available	Backtrack_Check_15_Status_Flag	No Chime
M5216	Waiting Wake up	Backtrack_Check_16_Status_Flag	No Chime
M5217	Not Log-in	Backtrack_Check_17_Status_Flag	No Chime
M5218	In Progress	Backtrack_Check_18_Status_Flag	No Chime
M5219	Rear Mirror	Backtrack_Check_19_Status_Flag	No Chime
M5220	HAVP learning	Backtrack_Check_20_Status_Flag	No Chime



State Matrix for Backtrack_Terminate_X_Status_Flag

State Matrix	TOI Backtra	CK_TCTTTTTTCC		atus_	ı ıag																										
Operational_ Mode	Backtrack_Cfg	Backtrack_TerminatePopup	Backtrack_TerminatePopup_1_Status_Flag	Backtrack_TerminatePopup_2_Status_Flag	Backtrack_TerminatePopup_3_Status_Flag	Backtrack_TerminatePopup_4_Status_Flag	Backtrack_TerminatePopup_5_Status_Flag	Backtrack_TerminatePopup_6_Status_Flag	Backtrack_TerminatePopup_7_Status_Flag	Backtrack_TerminatePopup_8_Status_Flag	Backtrack_TerminatePopup_9_Status_Flag	Backtrack_TerminatePopup_10_Status_Flag	Backtrack_TerminatePopup_11_Status_Flag	Backtrack_TerminatePopup_12_Status_Flag	Backtrack_TerminatePopup_13_Status_Flag	Backtrack_TerminatePopup_14_Status_Flag	Backtrack_TerminatePopup_15_Status_Flag	Backtrack_TerminatePopup_16_Status_Flag	Backtrack_TerminatePopup_17_Status_Flag	Backtrack_TerminatePopup_18_Status_Flag	Backtrack_TerminatePopup_19_Status_Flag	Backtrack_TerminatePopup_20_Status_Flag	Backtrack_TerminatePopup_21_Status_Flag	Backtrack_TerminatePopup_22_Status_Flag	Backtrack_TerminatePopup_23_Status_Flag	Backtrack_TerminatePopup_24_Status_Flag	Backtrack_TerminatePopup_25_Status_Flag	Backtrack_TerminatePopup_26_Status_Flag	Backtrack_TerminatePopup_27_Status_Flag	Backtrack_TerminatePopup_28_Status_Flag	Backtrack_TerminatePopup_29_Status_Flag
		0x1	Act	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina								
		0x2	Ina	Act	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina							
		0x3	Ina	Ina	Act	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina						
		0x4	Ina	Ina	Ina	Act	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina
		0x5	Ina	Ina	Ina	Ina	Act	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina
		0x6	Ina	Ina	Ina	Ina	Ina	Act	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina
Normal	Enabled	0x7	Ina	Ina	Ina	Ina	Ina	Ina	Act	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina
, Toma	Znasiod	0x8	Ina	Act	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina	Ina						
		0x9	Ina	Act	Ina																										
		0xA	Ina	Act	Ina																										
		0xB	Ina	Act	Ina																										
		0xC	Ina	Ina	Act	Ina																									
		0xD	Ina	Ina	Ina	Act	Ina																								
		0xE	Ina	Ina	Ina	Ina	Act	Ina																							





0xF	Ina	Act	Ina																										
0x10	Ina	Act	Ina																										
0x11	Ina	Act	Ina																										
0x12	Ina	Act	Ina																										
0x13	Ina	Act	Ina																										
0x14	Ina	Act	Ina																										
0x15	Ina	Act	Ina																										
0x16	Ina	Act	Ina																										
0x17	Ina	Act	Ina	Ina	Ina	Ina	Ina	Ina																					
0x18	Ina	Act	Ina	Ina	Ina	Ina	Ina																						
0x19	Ina	Act	Ina	Ina	Ina	Ina																							
0x1A	Ina	Act	Ina	Ina	Ina																								
0x1B	Ina	Act	Ina	Ina																									
0x1C	Ina	Act	Ina																										
0x1D	Ina	Act																											
0x1E	Ina																												
0x1F	Ina																												
0x20	Ina																												
0x21	Ina																												
0x22	Ina																												
0x23	Ina																												
0x24	Ina																												
0x25	Ina																												
																													i





		0X26	Ina																												
		0x27	Ina																												
		0x28	Ina																												
		0x29	Ina																												
		0x2A	Ina																												
		0x2B	Ina																												
		0x2C	Ina																												
		0x2D	Ina																												
		0x2E	Ina																												
		0x2F	Ina																												
		0x30	Ina																												
		0x31	Ina																												
		0x32	Ina																												
		0x33	Ina																												
		0x34	Ina																												
		0x35	Ina																												
		0x36	Ina																												
		0x37	Ina																												
		0X38	Ina																												
		0x39-0x3F	Ina																												
	Other Case	s	Ina																												
-			•		•	•	•	•			•	•		•		•	•	•		•	-		•		•	•	•	•	•		





Operational_ Mode	Backtrack_Cfg	Backtrack_TerminatePopup	Backtrack_TerminatePopup_30_Status_Flag	Backtrack_TerminatePopup_31_Status_Flag	Backtrack_TerminatePopup_32_Status_Flag	Backtrack_TerminatePopup_33_Status_Flag	Backtrack_TerminatePopup_34_Status_Flag	Backtrack_TerminatePopup_35_Status_Flag	Backtrack_TerminatePopup_36_Status_Flag	Backtrack_TerminatePopup_37_Status_Flag	Backtrack_TerminatePopup_38_Status_Flag	Backtrack_TerminatePopup_39_Status_Flag	Backtrack_TerminatePopup_40_Status_Flag	Backtrack_TerminatePopup_41_Status_Flag	Backtrack_TerminatePopup_42_Status_Flag	Backtrack_TerminatePopup_43_Status_Flag	Backtrack_TerminatePopup_44_Status_Flag	Backtrack_TerminatePopup_45_Status_Flag	Backtrack_TerminatePopup_46_Status_Flag	Backtrack_TerminatePopup_47_Status_Flag	Backtrack_TerminatePopup_48_Status_Flag	Backtrack_TerminatePopup_49_Status_Flag	Backtrack_TerminatePopup_50_Status_Flag	Backtrack_TerminatePopup_51_Status_Flag	Backtrack_TerminatePopup_52_Status_Flag	Backtrack_TerminatePopup_53_Status_Flag	Backtrack_TerminatePopup_54_Status_Flag	Backtrack_TerminatePopup_55_Status_Flag	Backtrack_TerminatePopup_56_Status_Flag	Backtrack_TerminatePopup_57_Status_Flag
		0x1	Ina																											
		0x2	Ina																											
		0x3	Ina																											
		0x4	Ina																											
		0x5	Ina																											
		0x6	Ina																											
		0x7	Ina																											
Normal	Enabled	0x8	Ina																											
		0x9	Ina																											
		0xA	Ina																											
		0xB	Ina																											
		0xC	Ina																											
		0xD	Ina																											
		0xE	Ina																											
		0xF	Ina																											

Document Owner: GIS1 Item Number: 27.60/35 GIS2 Classification: Confidential

Page 26 of 42

Document ID: backtrack function specification v1.0 20221214
Date Issued: 2022/11/15
Date Revised: 2022/11/15





0x10	Ina																											
0x11	Ina																											
0x12	Ina																											
0x13	Ina																											
0x14	Ina																											
0x15	Ina																											
0x16	Ina																											
0x17	Ina																											
0x18	Ina																											
0x19	Ina																											
0x1A	Ina																											
0x1B	Ina																											
0x1C	Ina																											
0x1D	Ina																											
0x1E	Act	Ina																										
0x1F	Ina	Act	Ina																									
0x20	Ina	Ina	Act	Ina																								
0x21	Ina	Ina	Ina	Act	Ina																							
0x22	Ina	Ina	Ina	Ina	Act	Ina																						
0x23	Ina	Ina	Ina	Ina	Ina	Act	Ina																					
0x24	Ina	Ina	Ina	Ina	Ina	Ina	Act	Ina																				
0x25	Ina	Act	Ina																									
0X26	Ina	Act	Ina																									
-																												





	0x27	Ina	Act	Ina					
	0x28	Ina	Act	Ina					
	0x29	Ina	Act	Ina					
	0x2A	Ina	Act	Ina					
	0x2B	Ina	Act	Ina					
	0x2C	Ina	Act	Ina					
	0x2D	Ina	Act	Ina					
	0x2E	Ina	Act	Ina					
	0x2F	Ina	Act	Ina					
	0x30	Ina	Act	Ina					
	0x31	Ina	Act	Ina					
	0x32	Ina	Act	Ina					
	0x33	Ina	Act	Ina	Ina	Ina	Ina	Ina	Ina
	0x34	Ina	Act	Ina	Ina	Ina	Ina	Ina	
	0x35	Ina	Act	Ina	Ina	Ina	Ina		
	0x36	Ina	Act	Ina	Ina	Ina			
	0x37	Ina	Act	Ina	Ina				
	0X38	Ina	Act	Ina					
	0x39	Ina	Act						
Other Cases		Ina							



Backtrack Terminate popup MC Status Flags to MC Message and Active Chime

Message ID	Description of TerminatePopup	Active MC_Status_Flag	Active Chime_Status_ Flag
M5301	Req_Quit_CarModeInvalid	Backtrack_TerminatePopup_1_ Status_Flag	No Chime
M5302	Req_Quit_OTA_Active	Backtrack_TerminatePopup_2_ Status_Flag	No Chime
M5303	Req_Quit_ADAS	Backtrack_TerminatePopup_3_ Status_Flag	No Chime
M5304	Req_Quit_ABSActvie	Backtrack_TerminatePopup_4_ Status_Flag	No Chime
M5305	Req_Quit_TCSActive	Backtrack_TerminatePopup_5_ Status_Flag	No Chime
M5306	Req_Quit_ESCActive	Backtrack_TerminatePopup_6_ Status_Flag	No Chime
M5307	Req_Quit_eCALL	Backtrack_TerminatePopup_7_ Status_Flag	No Chime
M5308	Req_Quit_CameraBlockage	Backtrack_TerminatePopup_8_ Status_Flag	No Chime
M5309	Req_Quit_USS Blockage	Backtrack_TerminatePopup_9_ Status_Flag	No Chime
M5310	Req_Quit_SlopeTooLarge	Backtrack_TerminatePopup_10 _Status_Flag	No Chime
M5311	Req_Quit_SpeedHigh	Backtrack_TerminatePopup_11 _Status_Flag	No Chime
M5312	Req_Quit_TirePressureTooLow	Backtrack_TerminatePopup_12 _Status_Flag	No Chime
M5313	Req_Quit_RemoteStartForbid	Backtrack_TerminatePopup_13 _Status_Flag	No Chime
M5314	Req_Quit_PT_Ready_Failed	Backtrack_TerminatePopup_14 _Status_Flag	No Chime
M5315	Req_Quit_VehicleLowBattery	Backtrack_TerminatePopup_15 _Status_Flag	No Chime
M5316	Req_Quit_TrailerConnected	Backtrack_TerminatePopup_16 _Status_Flag	No Chime
M5317	Req_Quit_TractionControlSystemOff	Backtrack_TerminatePopup_17 _Status_Flag	No Chime
M5318	Req_Quit_PowerpackTorqueStatus ChangesToNotAvailable	Backtrack_TerminatePopup_18 _Status_Flag	No Chime
M5319	Req_Quit_PowerManagementFailure	Backtrack_TerminatePopup_19 _Status_Flag	No Chime
M5320	Req_Quit_LSC_Error	Backtrack_TerminatePopup_20 _Status_Flag	No Chime
M5321	Req_Quit_EPAS_Error	Backtrack_TerminatePopup_21 _Status_Flag	No Chime
M5322	Req_Quit_ABS_Error	Backtrack_TerminatePopup_22 _Status_Flag	No Chime
M5323	Req_Quit_BCM_Error	Backtrack_TerminatePopup_23 _Status_Flag	No Chime
M5324	Req_Quit_BLEM_Failure	Backtrack_TerminatePopup_24 _Status_Flag	No Chime
M5325	Req_Quit_Remote_Device_Error	Backtrack_TerminatePopup_25 _Status_Flag	No Chime



M5326	Req_Quit_UnexpectedDeactivation_Of_L SC	Backtrack_TerminatePopup_26 _Status_Flag	No Chime
M5327	Req_Quit_Unexpected Deactivation_Of_ABS	Backtrack_TerminatePopup_27 _Status_Flag	No Chime
M5328	Req_Quit_UnexpectedDeactivation of EPAS	Backtrack_TerminatePopup_28 _Status_Flag	No Chime
M5329	Req_Quit_ExternalECUFailure	Backtrack_TerminatePopup_29 _Status_Flag	No Chime
M5330	Req_Quit_Sys_Failure	Backtrack_TerminatePopup_30 _Status_Flag	No Chime
M5331	Req_Quit_CAN_Communication_Failure	Backtrack_TerminatePopup_31 _Status_Flag	No Chime
M5332	Req_Quit_FunctionOnCheckOvertime	Backtrack_TerminatePopup_32 _Status_Flag	No Chime
M5333	Req_Quit _UserExitViaButtion/Voice	Backtrack_TerminatePopup_33 _Status_Flag	No Chime
M5334	BrakeExceed_2min	Backtrack_TerminatePopup_34 _Status_Flag	No Chime
M5335	Req_Quit_GearIntervention	Backtrack_TerminatePopup_35 _Status_Flag	No Chime
M5336	Req_Quit_EPB_Apply	Backtrack_TerminatePopup_36 _Status_Flag	No Chime
M5337	Req_Quit_SteeringWheel_Intervention	Backtrack_TerminatePopup_37 _Status_Flag	No Chime
M5338	Req_Quit_MirrorFold	Backtrack_TerminatePopup_38 _Status_Flag	No Chime
M5339	Req_Quit_Unsafe_Behavior	Backtrack_TerminatePopup_39 _Status_Flag	No Chime
M5340	Req_Quit_Vehcle_Charging	Backtrack_TerminatePopup_40 _Status_Flag	No Chime
M5341	Req_PowerOFF	Backtrack_TerminatePopup_41 _Status_Flag	No Chime
M5342	Req_Quit_InsurmountableObstacle Detected	Backtrack_TerminatePopup_42 _Status_Flag	No Chime
M5343	Req_Quit_TimingOvertime	Backtrack_TerminatePopup_43 _Status_Flag	No Chime
M5344	Req_Quit_MatimeOvertime_10min	Backtrack_TerminatePopup_44 _Status_Flag	No Chime
M5345	RecoveryTimeout	Backtrack_TerminatePopup_45 _Status_Flag	No Chime
M5346	Req_Quit_InterruptTimesOverflow	Backtrack_TerminatePopup_46 _Status_Flag	No Chime
M5347	Req_Quit_RemoteMoveDistanceOut_Of Range	Backtrack_TerminatePopup_47 _Status_Flag	No Chime
M5348	Req_Quit_HandshakeFailed	Backtrack_TerminatePopup_48 _Status_Flag	No Chime
M5349	Req_Quit_SteeringAngle_Out_of_Limit	Backtrack_TerminatePopup_49 _Status_Flag	No Chime
M5350	Req_Quit_Shift_Operate_Failed	Backtrack_TerminatePopup_50 _Status_Flag	No Chime
M5351	Req_Quit_TrajectoryDeviation	Backtrack_TerminatePopup_51 _Status_Flag	No Chime
M5352	Req_Quit_ChargeCover	Backtrack_TerminatePopup_52 _Status_Flag	No Chime
M5353	Req_Quit_SpaceLimit	Backtrack_TerminatePopup_53 _Status_Flag	No Chime



M5354	ParkingSucceed	Backtrack_TerminatePopup_54 _Status_Flag	No Chime
M5355	Req_Quit_Searching_Timeout	Backtrack_TerminatePopup_55 _Status_Flag	No Chime
M5356	Req_Quit_Actuator feedback abnormal	Backtrack_TerminatePopup_56 _Status_Flag	No Chime
M5357	Req_Quit_APA_active	Backtrack_TerminatePopup_57 _Status_Flag	No Chime



1.4.1.3 Error Handling

Missing Message Strategy

The signals will be declared missing as per the Diagnostics section of this SPSS.

DTCs states and history will be determined as per the Diagnostics section of this SPSS.

If Backtrack_Cfg is "Disabled", the cluster shall never log a missing message DTC for this feature.

1.4.2 Non-Functional Requirements

Operational Modes


Mode	Differentiating Vehicle Conditions
Sleep Mode	Backtrack function and Information displaying Disabled
Limited Mode	Backtrack function and Information displaying Disabled
Normal Mode	Backtrack function and Information displaying Enabled / Disabled
Crank Mode	Backtrack function and Information displaying Disabled

Function activation and button response

Users can activate Backtrack via voice control command (IVI_Bktrak_VoiceActivButton) or buttons (IVI_Backtrack_AVMButton or IVI_Backtrack_QuickPanel) in touchable screen of infotainment system. When buttons clicked, IVI should send signals with value 0x01 for three times, then send value 0x0. All button event for backtrack should comply this behavior.

Indicator Graphics / Display Format





Backtrack Graphics



Backtrack Suspend & Termination popup Graphics

These are only sample graphics, please refer HMI specifications for program specific details.



Memory Storage Table 1

Parameter Name	Description	Value at Battery Connect	Value at Module Wake-up
Operational Mode	4 state indicators for cluster operational mode	Limited	Limited or Normal or Crank
Backtrack_Cfg	State indicator for feature presence controlled via CAN at EOL at VO plant.	Use Stored Value	Use Stored Value
Backtrack_RemainDis	remaining valid distance of Backtrack feature in m	0x0	Do not init
Backtrack_GuidePopUp	This signal indicates the guide prompt once Backtrack ON via SoftButton/MainButton/Voice, which is dispalyed on IVI screen. E,g remind the driver to shift to gear N so handshake among ECU will execute.	0x0	Do not init
Backtrack_CheckPopUp	This signal indicates the pre-condition prompt ,which is not met displayed on IVI screen once Backtrack ON via SoftButton/MainButton/Voice, E.g remind the driver to closed the door so the feature could be activated. This signal is differ from Backtrack_MainEntryPopUp. Once all the condition met in Backtrack_MainEntry, driver has the right to resolve isse e.g safey belt or	0x0	Do not init
Backtrack _ActiveType_Indicate	doors issue This signal indicates the different activation ways of the Backtrack.	0x0	Do not init
Backtrack_TerminatePopup	This signal indicates the terminated condition of Backtrack feature. The feature will be deactived in a safet manner and driver will receive a rootcause via PopUp window last for 3 seconds E.g If the driver don't close the door within 30 second in pause phase, the feature will be terminated and a popup window with root case will be given to driver	0x0	Do not init
Backtrack_SuspendPopup	This signal indicates the pause condition of Backtrack feature. Driver has the right to eliminate the issue within 30s so the feature could be resumed noramlly. e.g once doors is open, Backtrack will help driver to stop the vehicle safely and the feature remind driver to close the door before resume.	0x0	Do not init
Prk_ExitButton	This signal indicates parking feature request for IVI to have function ON, include APA/AVM/Backtrack/HAVP.	0x0	Do not init
Prk_Resume_Req	Interruption conditions are met, prompting the HMI cut user to confirm the recovery pop-up window.	0x0	Do not init



	This signal indicates driver the status, if			
Backtrack_Start_Sta	backtrack is ready to control the vehilce and	0x0	Do not init	
	the buttion is highlighted.	ONO	Do not mit	
Backtrack_PageDisplay	RA main page display req	0x0	Do not init	
BoktrakMdo D Stat IVI	This signal indicates the state machine defined for Backtrack feature in ACU.	0x0	Do not init	
SOA message	Input message from Ethernet from IPMB for Backtrack routine information.	0x0	Do not init	
Veh_V2_Dsply	Transmission mode for display on instrument cluster or center stack. CAN signal from PCM	0x0	Do not init	
TrnlpcDsplyMde_D_Actl	Transmission mode for display on instrument cluster or center stack. CAN signal from PCM	0x0	Do not init	
IVI_Backtrack_AVMSoftButton	This signal indicates the soft button of Backtrack on APIM screen (in AVM), if user click this button, APIM will sent pressed status to IPMB.	0x0	Do not init	
Backtrack_ActButton	The driver needs to press the backtrack activation button once prep-condtion met (after driver press the Backtrack_SoftButton/AVMButton/VoiceActiva tionButton)	0x0	Do not init	
	This signal indicates the voice activation of Backtrack, if user requests Backtrack ON by voice, APIM will sent this signal to IPMB.	0x0	Do not init	
Prk_DriverResume_Req	User clicks the Resume button	0x0	Do not init	
IVI_Backtrack_Act_Flag	This signal indicates whether the IVI related		Do not init	
IVI_Bktrk_Launch_SoftButton	This signal indicates the soft button of Backtrack on APIM launcher page, if user click this button, APIM will sent pressed status to IPMB.	0x0	Do not init	
	This signal indicates which parking feature is displayed on APIM, include APA/AVM/Backtrack/HAVP	0x0	Do not init	
Prk_InfobookButtonStat	This signal indicates the status of Infobook button, if parking feature actived, IPMB will request APIM to display the button in grey.	0x0	Do not init	
DrStatDrv_B_Actl	CAN Signal sent from the BCM	Closed (0x0)	Closed (0x0)	
DrStatPsngr_B_Actl	CAN Signal sent from the BCM	Closed (0x0)	Closed (0x0)	
DrStatRI_B_ActI	CAN Signal sent from the BCM	Closed (0x0)	Closed (0x0)	
DrStatRr_B_Actl	CAN Signal sent from the BCM	Closed (0x0)	Closed (0x0)	
ag	State variable used by Message Arbitrator	inactive	inactive	
Backtrack_Guide_X_Status_Flag	State variable used by Message Arbitrator	inactive	inactive	
Backtrack_suspend_X_Status_ Flag	State variable used by Message Arbitrator	inactive	inactive	
Backtrack_Terminate_X_Status _Flag	State variable used by Message Arbitrator	inactive	inactive	



Memory Storage Table 2

Parameter Name	Description	Range	Units	Resolution	Init Value
- · · · —	Variable used to set amount of time	0-20	Seconds	1	3
popup_display_Timer	before Check_popup message off	0 20	Coconac	'	

System Accuracy

Within 100 msec of receiving a message that results in a change of state the cluster will update the display to the proper state.

Self Test

None

Engineering Test Mode

Reference section "Dealer / Engineering Test Mode (ETM)"

Part II Performance

See individual Chime STSS modules.

Supported Diagnostic Trouble Codes (DTCs)

DTC	Description	When Logged
Cxxxxx	Lost communication with IPMB	Message missing for more than 5 seconds
Cxxxxx	Invalid Data Received From IPMB	XX signal value

DID DExx:

Block Num	Block Description	Byte(s)	Bit s	State: Description	"0"	"1"	Default	Comments / Information
	PACKETED BLOCKS							
\$xx	Option Content (B&A)	*	*	Backtrack	Disabled	Enabled	Disable d	Disabled means the feature is not presented in the vehicle

1.4.3 Functional Safety Requirements

No Functional Safety Requirements specified.

1.4.4 Other Requirements

No Other Requirements specified.



1.4.4.1 Design Requirements

No Design Requirements specified.





2 OPEN CONCERNS

No Open Concerns (Ford Modeling Action Items) in the Magicdraw model.



3 REVISION HISTORY

SPSS Module Revision History

	3F33 Woddie Revision History						
Revision	Name	Change Description	Date				
Level							
1.0	Li Eureka	Initial Release.	12/14/2022				
1.1	Li Eureka	Update I/O block, input, output and Flow Chart, details as below.	02/21/2023				
		Deleted unused signals:					
		IVI_Launcher_SoftButton					
		IVI Backtrack QuickPanel					
		IVI Backtrack SoftButton					
		Renamed signals:					
		Backtrack StateMachine to BcktrakMde D Stat IVI					
		IVI_Backtrack_VoiceActivationButton to IVI_Bktrak_VoiceActivButton					
		IVI Backtrack Launcher SoftButton to IVI Bktrk Launch SoftButton					
		Added signals:					
		DrStatDrv_B_Actl					
		DrStatPsngr_B_Actl					
		DrStatRI_B_ActI					
		DrStatRr_B_Actl					
		Update Flag matrix logic & MC message for Backtrack_Check_20_Status_Flag,					
		Backtrack_Suspend_6_Status_Flag,					
		Backtrack_TerminatePopup_57_Status_Flag					
		Update Backtrack_PageDisplay, IVI_Prk_DispStat and pre-check logic in					
		chapter 1.3.1.					

Ford

Function Specification Feature

4 APPENDIX

4.1 Data Dictionary

4.1.1 Logical Signals

No "Logical Interface Table" or "Logical Signals" tables found.

4.1.2 Logical Parameters

(No parameters have been defined)

4.1.3 Encoding Types



Document ends here.