

Workiz Integration

What the AI can do

Summary

Workiz Integration connects **Workiz** (field service management platform) with **Newo Platform**.

It enables:

- Creating service jobs in Workiz with full customer details, address, job type, and scheduling
- Automatic technician assignment to created jobs
- Cancelling existing jobs by setting status to "Canceled"
- Looking up existing jobs for returning customers by phone number
- Syncing dispatcher team members from Workiz for technician assignment
- DevMode for testing without real API credentials (LLM-emulated responses)
- Auto-configuring conversation canvas with booking and cancellation scenarios

This integration is designed for **home services businesses** (appliance repair, plumbing, electrical, HVAC, cleaning, etc.) who use Workiz to manage their field operations and need **an AI receptionist to book and cancel jobs** through voice or chat.

Common use cases

- When a caller requests a service → Agent collects details (name, phone, email, address, job type, date/time) and creates a job in Workiz
- When a caller wants to cancel an appointment → Agent finds the booking and cancels it in Workiz
- When a returning customer calls → Agent looks up their existing jobs by phone number
- When the project is published → Agent syncs the dispatcher team list from Workiz for technician assignment

Features at a glance

Feature	Supported	Notes
Create Job	✓	Full customer details, address, job type, date/time
Cancel Job	✓	Sets job status to "Canceled" with optional notes
Technician Assignment	✓	Auto-assigns primary tech from dispatcher team
Existing Client Lookup	✓	Search jobs by phone number, filters future bookings
Team Sync	✓	Loads dispatcher-capable team members on publish
Canvas Auto-Setup	✓	Booking + cancellation scenarios and intents
DevMode (LLM Emulation)	✓	Test without real API — LLM generates realistic responses
Check Availability	✗	Workiz API does not support availability queries
Reschedule	✗	Cancel + rebook as workaround
Payment Processing	✗	Not implemented

Before You Start

Before installation:

- Active **Workiz** account with API access
- **API Key** from Workiz Settings → Integrations → API
- **API Secret** from the same page
- At least one team member with a dispatcher-capable role (dispatch, manager, or admin)

Setup

Create the Newo project

If this project already exists in **Newo Builder**, skip this subsection and continue with the integration-specific settings below.

1. In **Newo Builder**, open the projects list and click **Create Project** (or **Create New Project** from the top-right menu).



Create New Project menu in Newo Builder

2. Fill **IDN** and **Title**. The exact names do not matter; use any clear names your team will recognize.
3. In **Registry**, choose the release channel:
 - **staging** — the newest module fixes appear here first. Use it when you need the latest fix, but expect possible unfinished changes.
 - **production** — the final stable version for live projects.
4. In **Module**, select the module for this integration.



Create Project form showing IDN, Title, Registry, and Module fields 5. Leave **Module version** on **Latest**

version unless support tells you to pin a specific version, then click **Create**.

3.1 Step 1 — Get API Credentials from Workiz

1. Log in to your **Workiz** account at <https://app.workiz.com>
2. Navigate to **Settings** → **Integrations** → **API**
3. Copy the **API Token** (this is your API Key)
4. Copy the **API Secret**
5. Note your **Job Types** from **Settings** → **Job Types** (e.g., "Dishwasher", "Dryer", "Refrigerator")



Screenshot: Workiz Settings → Integrations → API page showing API Token and Secret

</> **Developer**

Use your API credentials to access the Workiz APIs.

[API Docs](#) 

API Credentials

These credentials gives developers full access to create, view, update, and delete most data in this account. Keep your API credentials safe and don't share it publicly. Each key is specific to a Workiz account, not an individual user. You can regenerate your API credentials and get new ones at any time.

API Token

api_3ic



API Secret

.....

[Request New Credentials](#)

3.2 Step 2 — Connect in Platform

1. Open **Newo** → **Projects**
2. Set the following attributes in **Builder / Attributes**:

Attribute	Required	Default	Description
workiz_api_key	✓	—	API Token from Workiz Settings
workiz_api_secret	✓	—	API Secret from Workiz Settings
workiz_base_url	✗	https://api.workiz.com/api/v1	API base URL
workiz_mode	✗	Production	Production for real API, DevMode for LLM emulation
workiz_job_types	✗	[]	JSON array of job type names, e.g. ["Dishwasher", "Dryer"]

workiz_enable_booking	✗	True	Enable job creation
workiz_enable_cancellation	✗	True	Enable job cancellation
workiz_setup_scenarios	✗	True	Auto-add booking/cancellation scenarios to canvas
workiz_primary_assigned_user_id	✗	—	Primary technician (dropdown populated after team sync)
workiz_default_job_source	✗	AI System	Job source label in Workiz



Screenshot: Newo Platform → Builder → Attributes showing Workiz settings



USA Plumbing Service / Attributes

12-1. Workiz

12-2. Workiz

12-3. Workiz

12-4. Workiz

12-5. Workiz

12-6. Workiz

12-7. Workiz

12-8. Workiz

12-9. Workiz

12-10. Workiz

12-11. Workiz

12-12. Workiz

12-13. Workiz

12-14. Workiz

12-15. Workiz

12-16. Workiz

12-17. Workiz

12-18. Workiz

12-19. Workiz

12-20. Workiz

12-21. Workiz

12-22. Workiz

12-23. Workiz

12-24. Workiz

12-25. Workiz

12-26. Workiz

12-27. Workiz

12-28. Workiz

12-29. Workiz

12-30. Workiz

12-31. Workiz

12-32. Workiz

12-33. Workiz

12-34. Workiz

12-35. Workiz

12-36. Workiz

12-37. Workiz

12-38. Workiz

12-39. Workiz

12-40. Workiz

12-41. Workiz

12-42. Workiz

12-43. Workiz

12-44. Workiz

12-45. Workiz

12-46. Workiz

12-47. Workiz

12-48. Workiz

12-49. Workiz

12-50. Workiz

12-51. Workiz

12-52. Workiz

12-53. Workiz

12-54. Workiz

12-55. Workiz

12-56. Workiz

12-57. Workiz

12-58. Workiz

12-59. Workiz

12-60. Workiz

12-61. Workiz

12-62. Workiz

12-63. Workiz

12-64. Workiz

12-65. Workiz

12-66. Workiz

12-67. Workiz

12-68. Workiz

12-69. Workiz

12-70. Workiz

12-71. Workiz

12-72. Workiz

12-73. Workiz

12-74. Workiz

12-75. Workiz

12-76. Workiz

12-77. Workiz

12-78. Workiz

12-79. Workiz

12-80. Workiz

12-81. Workiz

12-82. Workiz

12-83. Workiz

12-84. Workiz

12-85. Workiz

12-86. Workiz

12-87. Workiz

12-88. Workiz

12-89. Workiz

12-90. Workiz

12-91. Workiz

12-92. Workiz

12-93. Workiz

12-94. Workiz

12-95. Workiz

12-96. Workiz

12-97. Workiz

12-98. Workiz

12-99. Workiz

12-100. Workiz

Customer

Projects

Persons

12-01. Workiz Execution Mode

workiz_mode

Production sends real Workiz API requests. DevMode emulates every Workiz response through Gen[].

DevMode

Save

12-01. Workiz Primary Assigned User

workiz_primary_assigned_user_id

Primary Workiz assignee. Dropdown is refreshed from dispatcher-capable team members.

Yuri Soko

Save

12-02. Workiz API Key

workiz_api_key

Workiz API key used in the base URL path.

api_3618*****

Save

12-03. Workiz API Secret

workiz_api_secret

Workiz api secret included in POST bodies.

sec_32030*****

Save

12-04. Workiz Base URL

workiz_base_url

Base URL for Workiz API requests.

https://api.workiz.com/api/v1

Save

12-05. Workiz Enable Booking

workiz_enable_booking


Allow Workiz booking flow to create jobs.

True

Save

3. Click **Save + Publish All**

- Prepares the connection for Workiz API
- Sets all customer attributes with metadata
- Registers booking and cancellation tools on ConvoAgent
- Syncs dispatcher team members from Workiz
- Populates the technician assignment dropdown



How to use the integration

4.1 How the Integration Works

The integration uses Workiz **Jobs API** for creating and cancelling jobs, and **Team API** for syncing dispatcher members. Authentication uses API Key (in URL path) and API Secret (in request body).

- A **Trigger** is a system event that starts a flow
- An **Action** is the API operation performed in Workiz

Canvas scenarios

When `workiz_setup_scenarios` is `True` (default), Publish All automatically adds:

Scenarios:

- **"Scheduling Appointment via Agent"** (`workiz_schedule_appointment_via_agent_scenario`) — 10-step guided booking flow that collects all required fields (name, phone, email, address, ZIP, job type, date/time) with code-phrases
- **"Canceling Appointment via Agent"** (`cancellation_via_agent_scenario`) — 6-step cancellation flow with confirmation and code-phrases

Intent Types:

- **"[L] Appointment via Agent"** (`library_intent_types_common_appointment_agent`) — from library
- **"[T] Cancellation via Agent"** (`cancellation_via_agent_intent`) — caller wants to cancel

Where to test

Testing can be done through the **Newo conversation interface** (chat or voice).

DevMode: Set `workiz_mode` to `DevMode` to test without real API credentials. The integration will use LLM to generate realistic Workiz API responses.

How to test that everything works

To test the integration:

1. **Setup:** Publish the project and verify team sync completed (check `workiz_dispatcher_team_members` attribute)
2. **Booking:** Request a service — provide name, phone, email, address, job type, and date → verify job created in Workiz
3. **Cancellation:** Ask to cancel — verify job status changed to "Canceled" in Workiz
4. **Existing Client:** Call with a known phone number → verify agent finds existing bookings

 Screenshot: Workiz dashboard showing a job created by the AI agent

NEW JOB # JOB ADMIN # SETTINGS # DEVELOPER # DASHBOARD # SCHEDULE				
Today < > April 2026				
Sun 5		Mon 6	Tue 7	
2 PM		Job ID: 86 2, Recall, Call 30 minutes before Pfeffer Recall appointment - 2006 SW 2nd St, C, , Florida 33		
3 PM				
4 PM				
5 PM				
6 PM				

If no action occurs:

- Ensure API credentials are set (`workiz_api_key` , `workiz_api_secret`)
- Verify `workiz_mode` is Production (not DevMode)
- Check feature flags (`workiz_enable_booking` , `workiz_enable_cancellation`)
- Confirm `workiz_job_types` array matches your Workiz job types exactly
- Verify `workiz_primary_assigned_user_id` is selected (must publish first to populate dropdown)
- Re-publish after configuration changes

Note: This integration creates real jobs in Workiz. Jobs and cancellations are reflected in the live Workiz system.

FAQ

Q: How does authentication work? A: Workiz uses two credentials: **API Key** (embedded in the URL path) and **API Secret** (sent in the POST body as `auth_secret`). No OAuth flow needed — just paste the values from Workiz Settings.

Q: What is DevMode? A: When `workiz_mode` is set to `DevMode` , the integration uses LLM (Gen) to emulate Workiz API responses instead of making real HTTP requests. Useful for testing the booking flow without creating real jobs.

Q: How is the technician assigned to a job? A: After creating a job, the integration automatically calls the create/update request with the `workiz_primary_assigned_user_id` selected in the platform dropdown. This dropdown is populated from Workiz team members with dispatch/manager/admin roles.

Q: Why doesn't availability checking work? A: Workiz API does not provide an availability/capacity endpoint. The agent collects the preferred date/time from the caller and creates the job at that time. Scheduling conflicts are handled by dispatchers in Workiz.

Q: How does existing client lookup work? A: When `define_user_phone_number` event fires, the integration fetches all jobs from today onward (the lookup request), filters by the caller's phone number, and stores matching future bookings in the persona's `bookings` attribute. This allows the cancellation flow to find the booking.

Q: What job types are supported? A: Set `workiz_job_types` as a JSON array matching your Workiz configuration, e.g. `["Dishwasher", "Dryer", "Refrigerator", "Washer"]`. The agent will present these as options and validate the selection before creating the job.

Q: What happens if the phone number format is different? A: The integration normalizes phone numbers automatically — strips formatting characters (`+` , `-` , `(` , `)` , spaces, dots), handles 10-digit (prepends `+1`) and 11-digit (prepends `+`) US numbers.