

Exely Integration Guide

See also: [TESTING_GUIDE.md](#)

1. What This Integration Does

The Newo AI Agent integrates with Exely (hotel PMS / channel manager) so your AI can act as a hotel reservation assistant for your property.

Once connected, the AI agent can:

- check room availability for requested stay dates and guest counts
- present room options with pricing and meal plans
- hand off bookings to guests via a prefilled web booking link (email + SMS + chat) — default mode
- create hotel reservations directly via REST (after Exely opens the Reservation API in June 2026)
- hand off cancellations to the hotel phone and email contacts (default mode)
- look up existing reservations by confirmation number via the Read Reservation API
- auto-add default hotel booking scenarios to Canvas

In plain terms: the AI can talk to guests about room availability and bookings while Exely acts as the hotel reservation backend.

Important — current Exely API limitations. The public Exely offering exposes Content, Search, and Read-Reservation APIs. The **Reservation write API (verify / create / cancel / modify)** is scheduled to be released in June 2026, per Exely support. Until that release:

- **Booking:** the agent sends the guest a prefilled `bookingFormLink` from Exely's booking widget via email + SMS + chat; the guest completes the booking in the browser.
- **Cancellation / Modification:** the agent directs the guest to the hotel contacts (phone + email auto-populated from the Content API).

Both modes are controlled by the `Online Booking via API / Online Cancellation via API` toggles (disabled by default). When Exely opens the write API, flip the toggles — no code changes needed.

Manager Quick View

Question	Short answer
What business problem does this solve?	Lets the AI handle hotel availability, booking, cancellation, modification, and booking lookup without a human agent doing those actions manually.
Who is this for?	Hotels and hospitality businesses using Exely (formerly Bnovo) as their property management system.
What is needed before setup?	Exely API credentials (Client ID + Client Secret) and the Property ID.
How long does setup usually take?	5-10 minutes if API connections are already enabled in the Exely extranet.
How do we know it worked?	Publish All completes successfully and <code>exely_access_token</code> is populated.

What should we test first?	Availability, then booking, then booking lookup.
----------------------------	--

Best Fit / Not a Fit

Best fit:

- hotel reservation operations via Exely
- AI-led guest conversations about room availability and bookings
- teams that want one Newo project per hotel/property

Not a fit:

- CRM-heavy workflows or lead pipeline automation
- guest recognition based only on phone number
- multi-property routing inside one Exely setup
- payment processing (not yet supported)

2. Before You Start

Make sure you have:

- access to the Newo project builder for your project
- permission to edit project settings and publish
- **API connections section** enabled in the Exely extranet (may need to request from Exely support)
- Exely API credentials (Client ID and Client Secret)
- the exact Property ID for your hotel

Who Usually Provides What

Role	Usually provides
Hotel / client team	Exely account access, Property ID, operational testing help
Exely support	API connections enablement, Client ID, Client Secret
Newo implementer / PM	Newo setup, feature toggles, publish, test plan, go-live validation

You will need these values before setup:

- **Client ID** (OAuth2)
- **Client Secret** (OAuth2)
- **Property ID**
- **Base URL** (default: `https://connect.hopenapi.com`)
- **Language Code** (default: `en`)

Note: The API connections section is **not enabled by default** in the Exely extranet. You must contact Exely support (`welcome@exely.com`) to enable it before you can generate API credentials.

3. Connecting for the First Time

3.1 Enable API Access in Exely

1. Contact your Exely account manager or email `welcome@exely.com`
2. Request to enable the **"API connections"** section in your extranet

3. Wait for confirmation (typically 1-2 business days)

3.2 Create an API Connection

Based on Exely's official guide: [How to create an API connection](#).

1. Log in to the Exely extranet at <https://secure.exely.com/app/> .
2. Navigate to **Property Settings** → **API Connections** and click **Create a connection**.




Figure 1. API Connections screen in Property Settings.

3. On the creation page, enter a connection **name** (e.g. **Newo AI Integration**) in the *API connection* section.
4. In the **Available APIs** section, tick the checkboxes for the APIs Newo needs:
 - **Content API** — required (property description, meal plans, cancellation rules)
 - **Search API** — required (room availability, pricing)
 - **Read Reservation API** — required (booking lookup)
 - **Reservation API** — tick if/when Exely has enabled the write endpoint for your account (see the June 2026 note in §1). Safe to tick in advance — nothing breaks if the server-side role isn't granted yet.
 - **PMS Universal API v2** — optional; Newo doesn't call it today.

Click **Save** at the top of the page.

Create an API connection

API connection

Connection name ?

Data for API connection

⚠ The client_id and client_secret will appear after saving.

client_id

client_secret 🔒

Available APIs

ℹ [Learn more about how to use APIs.](#)

☒ Read Reservation API — bookings details

☒ Content API — property details

Figure 2. Enter a connection name and select the required APIs.

5. In the confirmation popup, choose **Save and enable access** to activate the connection immediately. *Save only* leaves it disabled; you can enable it later from the actions menu (Figure 6 / Figure 8).

Save the API connection

×



Enable access to the "Restaurant system" connection?

Allow access to the connection for immediate use. You can also open access later if needed.

Save and enable access

Save only

Cancel

Figure 3. "Save and enable access" activates the connection immediately.

6. ⚠️ **Copy the generated `client_id` and `client_secret` now.** Exely fills them in automatically right after save; these values are what Newo uses to authenticate and they must be stored somewhere safe before you leave the page.

Restaurant system

API access

Enabled

Connection created:

17/01/2025, 17:31

Last connection update:

17/01/2025, 17:35

API connection

Connection name

Restaurant system

Data for API connection

Copy the data and provide it to a developer.

client_id

api_connection_49cc4_7bc1ca51dd

client_secret

Available APIs

Learn more about how to use APIs.

☒ Read Reservation API — bookings details

☒ Content API — property details

Figure 4. Copy the Client ID and Client Secret — you will need them in the Newo platform setup.

7. Your created connections appear in the list on the main **API Connections** page. Each row shows the connection name, status, and an actions menu.




Figure 5. List of created API connections.

8. Use the row's action menu to **edit**, **open settings**, **enable / disable**, or **delete** a connection.




Figure 6. Per-connection actions menu.

9. **Settings** re-opens the full editor (name + API checkboxes). Use this to grant an additional API later — e.g. to add **Reservation API** once Exely enables write access for your client.

Restaurant system

API access

Enabled

Connection created:

17/01/2025, 17:31

Last connection update:

17/01/2025, 17:35

API connection

Connection name

Restaurant system

Data for API connection

Copy the data and provide it to a developer.

client_id

api_connection_49cc4_7bc1ca51dd

client_secret

Available APIs

Learn more about how to use APIs.

Read Reservation API — bookings details

Content API — property details

Figure 7. Connection settings editor.

- The **Enable access / Disable access** toggle in the actions menu controls whether requests authenticated with that `client_id` reach the Exely APIs.




Figure 8. Enable / disable access toggle.

Tip. Your Property ID can be found in the extranet URL:

`https://secure.exely.com/app/Property/{PROPERTY_ID}/...` — or ask Exely support for it.

Warning. If you disable or delete the connection, every Newo call (availability, lookup, booking handoff) will fail with `401` until you either re-enable access or issue a new `client_id` / `client_secret` pair and update Newo's attributes **04** and **05**.

3.3 Configure Exely in Newo

1. Open your project in Newo.
2. Go to **Builder → Attributes**.
3. Find the **12. Exely Settings** section.
4. Fill in:
 - o **01. Base URL** — `https://connect.hopenapi.com` (production) or `https://connect.test.hopenapi.com` (testing)
 - o **02. Property ID** — your hotel's property identifier
 - o **03. Language Code** — language for room descriptions (`en` , `ru` , `de` , etc.)
 - o **04. Client ID** — OAuth2 Client ID from step 3.2
 - o **05. Client Secret** — OAuth2 Client Secret from step 3.2
5. Review the feature toggles:
 - o **07. Enable Availability Check** — on
 - o **08. Enable Booking** — on
 - o **09. Enable Cancellation** — on
 - o **10. Enable Reschedule** — on
 - o **11. Enable Booking Lookup** — on
 - o **12. Enable Guest Identification** — on (phone-based guest lookup + active stays listing — lets the agent find an existing reservation without a confirmation number)
 - o **13. Online Booking via API** — `off` (flip to `True` only when Exely's Reservation write API is available to your client)
 - o **14. Online Cancellation via API** — `off` (flip to `True` only when Exely's Reservation write API is available)
6. Optional: override **15. Hotel Contact Phone** and **16. Hotel Contact Email** if the values auto-imported from Exely's Content API are wrong. Both are used in offline booking / cancellation handoffs, so they must point at a real front-desk contact.
7. Click **Save**.

8. Click **Publish All**.

3.4 What Happens After Publish

When you publish:

- Newo validates the integration registry ID
- creates or updates HTTP connectors:
 - `exely_connector` (main API)
 - `exely_token_connector` (OAuth2 authentication)
- creates or refreshes the setup persona and actor
- requests an OAuth2 access token from Exely (valid 15 minutes, auto-refreshed)
- stores the token in `exely_access_token`
- registers all 7 Exely custom tools (availability, booking, cancellation, modification, lookup, guest identification, active stays listing)
- on the first availability check after setup, loads property metadata from the Content API and auto-populates `exely_hotel_contact_phone` / `exely_hotel_contact_email` (only if they are still empty — your manual overrides are preserved)
- auto-adds default hotel scenarios and intent types to Canvas

3.5 What "Successful Setup" Looks Like

After setup is complete, you should expect all of the following:

- `exely_access_token` has a non-empty value
- the project can run an availability check without authentication errors
- the Exely settings stay saved after refresh
- the booking-related tools are available to the agent
- hotel-specific scenarios and intent types appear in Canvas

3.6 Making a New Room Available Online

The AI only offers rooms that Exely returns from `/api/search/v1/.../room-stays` — which means the room must exist in the PMS, have a rate plan, and have non-zero "Available online" quantity. Below is the end-to-end path based on Exely's own guide ([How to create room inventory in Exely PMS](#)).


Part 1 — Add a Room Type

1. In the Exely extranet, navigate to **Room management** → **Room types** and click **Add room type**.

On/off	Rooms	Room codes	Photos	Guests	Extra guests	Action
	Single standard	STD		1	—	
	Standard Double Room	STD_DBL		2	—	
	Business Double Room	BUS DBL		2	1	
	Luxe suite	SUT		2	2	

Figure 9.1. Room types list with "Add room type" action.

2. In the **Main setting** section, provide the room **name** and **room code**.




The screenshot shows a form titled "Room type creation". Inside, there is a section titled "Main settings". Below this title, there are two input fields. The first is labeled "Rooms" and the second is labeled "Room codes" with a small question mark icon next to it. Both fields are empty and have a light gray border.

Figure 9.2. Main setting — name and code.

3. In **Occupancy**, choose the accommodation offer type and room area. Fill in:

- **Guests with main occupancy** — guest count + applicable accommodation types.
- **Extra beds in the room** — if applicable.
- **Child accommodation without bed** — if applicable.

Occupancy



The screenshot shows a form titled "Occupancy". It contains three rows of configuration options. The first row is labeled "Accommodation offer" and has a dropdown menu with "Room" selected. The second row is labeled "Area" and has a dropdown menu with "Same" selected, followed by a text input field and the unit "m²". The third row is labeled "Number of rooms in a suite" and has a text input field.

Figure 9.3. Occupancy configuration.

4. Click **Save**. Repeat for every room type you want bookable.

Part 2 — Create the Room Inventory

5. Go to **Property management → Room Inventory**. If the property has several buildings or floors, add them on the **Buildings and floors** tab first.

Guests with main occupancy

Number of guests

3 ▼

Guests

- ☒ Single
- 2X ☒ Double
- 3X ☒ Triple

Figure 9.4. Buildings and floors tab.

6. Open the **Rooms** tab → click **Add room**. Pick the building, floor, room type, and bed type (for display), enter the room number, and click **Add room No.** to add every physical unit of that type. Click **Save**.

Room Inventory

Buildings and floors

Rooms

Property buildings

△ Specify the number of buildings and floors of the property.

Main building 

Building name ✓

Number of floors ▼

▼ Add a floor name

Additional building 

Building name ✓

Number of floors ▼

▼ Add a floor name


+ Add a building

Figure 9.5. Add room dialog.

7. Verify the rooms show up correctly in **Property management → Front desk**.

Part 3 — Enable Online Availability


8. Go to **Room management → Availability** and **set the default availability** for the new room type on the calendar (the "Available online" number must be **> 0** for the dates the AI will offer).



The screenshot shows a 'New room' form with a section titled 'Room settings'. It contains four fields: 'Building' (dropdown menu showing 'Building A'), 'Floor' (dropdown menu showing '2'), 'Room type' (dropdown menu showing 'Standard Double Room'), and 'Beds in the room' (radio button selection). The 'Beds in the room' section has three options: 'Not set', 'Double' (selected), and 'Twin'. Each option has a small icon of two beds next to it, and there is a question mark icon next to the 'Double' option.

Figure 9.6. Set default availability.

9. Go to **Room management → Rate plans**, open an existing plan or create a new one, and **indicate prices** for the new room type. Without a priced rate plan, the room will not be returned by the Search API even if availability is non-zero.



The screenshot shows a 'Rate plan — room prices' form. It has a table with three rows, each representing a room number. The first row has 'Room No' as the label and '208' as the value, with a green checkmark icon. The second row has '207' as the value, with a green checkmark icon and a trash can icon. The third row has '211' as the value, with a green checkmark icon and a trash can icon. Below the table is a link that says '+ Add room No'.

Figure 9.7. Rate plan — room prices.

Checklist — if the AI still doesn't see the room

- ☐ Room type was saved in **Room management → Room types**.
- ☐ At least one physical room of that type exists in **Room Inventory → Rooms**.
- ☐ **Availability** on the requested dates is non-zero (check the calendar for the exact stay window).

- ☐ A **Rate plan** with prices exists for the new room type.
- ☐ Channel distribution includes Exely's online booking engine (the source behind `connect.hopenapi.com`). A room restricted to OTA-only distribution will not appear.

Quick self-check — does `/room-stays` return the new room?

```
curl "https://connect.hopenapi.com/api/search/v1/properties/<PROPERTY_ID>/room-stays\
?arrivalDate=2026-05-01&departureDate=2026-05-03&adults=1&includeExtraStays=false&includeExtraServices=false" \
-H "Authorization: Bearer <TOKEN>" \
-H "Accept: application/json"
```

- If the new room is **missing** from `roomStays[]` , re-check the checklist above — this is an Exely-side setup issue; the AI has no way to see a room that doesn't come back from Search.
- If the new room **is present**, the AI will offer it automatically. No redeployment needed — `exely_room_type_map` is refreshed on every availability cycle.

Note. If an existing room type's human-readable name changes in Exely, trigger one availability check to refresh `exely_room_type_map` . The attribute is updated from the live Content API response each time static data is fetched.

See also. Exely's own articles: [Create room type](#), [Create buildings and floors](#), [Create apartment inventory](#).

4. Settings Reference

You can find all settings in **Builder → Attributes → 12. Exely Settings**.

4.1 Connection Settings

Setting	What it does	Required
01. Base URL	Root URL for the Exely Connect API	Yes (default provided)
02. Property ID	The hotel property the AI will query and update	Yes
03. Language Code	Language for room type names and descriptions	Yes (default: en)
04. Client ID	OAuth2 credential for API authentication	Yes
05. Client Secret	OAuth2 credential for API authentication	Yes
06. Access Token	Temporary OAuth2 token stored after setup	Auto-filled

4.2 Feature Toggles

Setting	Default	What it controls
07. Enable Availability Check	On	Allows the agent to check room availability

08. Enable Booking	On	Allows the agent to create reservations (direct REST or link handoff, depending on 12)
09. Enable Cancellation	On	Allows the agent to cancel reservations (direct REST or hotel handoff, depending on 13)
10. Enable Reschedule	On	Allows the agent to modify/reschedule reservations
11. Enable Booking Lookup	On	Allows the agent to look up reservation details by confirmation number (uses Read Reservation API)
12. Enable Guest Identification	On	When True, the agent can identify a returning guest by phone against the Exely PMS guest database and list their currently active stays — letting the AI surface a reservation even when the guest does not have the confirmation number. Disable if you do not want the AI calling the PMS guests/search / find-occupied-room-stays endpoints.
13. Online Booking via API	Off	When True, creates bookings through Exely's Reservation write API (verify → create). When False (default), the agent hands the guest a prefilled booking link via email + SMS + chat. Flip to True only after Exely enables the Reservation write API for your client (expected June 2026).
14. Online Cancellation via API	Off	When True, cancellations go through Exely's Reservation write API (calculate-penalty → cancel). When False (default), the agent directs the guest to the hotel contacts. Flip to True at the same time as toggle 13.

4.3 Hotel Contact Settings (offline handoffs)

These are surfaced to guests when `Online Booking via API` / `Online Cancellation via API` are off. They are what the guest is given to complete a booking outside the AI chat (confirmation email link from Exely + hotel front desk) or to cancel an existing reservation.

Setting	Default	What it does
15. Hotel Contact Phone	Auto-filled from Content API	Shown in the cancellation handoff message. Override if the auto-imported value is a fax / legacy number.
16. Hotel Contact Email	Auto-filled from Content API	Same purpose as 15, for email.

Tip. The auto-import runs the first time the integration fetches property metadata (usually the first availability check after setup). If both fields were already set manually before that, the auto-import does not overwrite them.

4.4 Technical / Advanced Settings

Setting	Default	What it does
Setup Persona ID	Auto	Persona used during setup and tool registration

5. What the AI Agent Can Do

5.1 Check Availability

The AI checks Exely availability for:

- check-in date (arrival)
- check-out date (departure)
- number of adult guests

The integration calls:

- `GET /api/search/v1/properties/{propertyId}/room-stays`
- `GET /api/content/v1/meal-plans`

What the agent receives:

- available room types with names
- rate plans with names
- meal plan information (Room Only, Bed & Breakfast, etc.)
- total pricing per room type
- checksums for booking verification

5.2 Create a Reservation

The AI can create a reservation after it has:

- stay dates (arrival + departure)
- adult count
- guest first name and last name
- guest phone number
- (optional) guest email

Behaviour depends on toggle **13. Online Booking via API:**

Default — offline link handoff (toggle off). The agent pulls the prefilled `bookingFormLink` from the availability response (it carries hotel + room + rate + dates + currency) and:

- emits `email_worker_send_email` to the guest with subject "Complete your hotel booking" and the link in the body
- emits `sms_worker_send_sms` to the guest's phone with the link
- shows the link in chat and explains the guest finishes the booking in the browser

No REST booking call is made. The confirmation number is not known to the AI in this mode; the guest receives it from Exely after they complete the form.

Online (toggle on, after June 2026). Two-step REST flow:

1. `POST /api/reservation/v1/bookings/verify` — validates the booking and returns a `createBookingToken`
2. `POST /api/reservation/v1/bookings` — creates the confirmed reservation using the token

On success in online mode, the agent:

- stores booking metadata in the persona `bookings` attribute (NAF standard)
- communicates the confirmation number, total price, and dates to the guest

Note: The `createBookingToken` is single-use and valid for 24 hours.

5.3 Cancel a Reservation

The AI can cancel a reservation when the guest provides their confirmation number.

Behaviour depends on toggle **14. Online Cancellation via API**:

Default — hotel handoff (toggle off). The agent replies with a message like:

"To cancel booking `<number>` , please use the 'Manage booking' link in the confirmation email you received from Exely, or contact the hotel directly by phone at `<Hotel Contact Phone>` or by email at `<Hotel Contact Email>` ."

No REST cancel call is made. The hotel contact values come from attributes **15** and **16**.

Online (toggle on, after June 2026). Three-step REST flow:

1. GET `/api/reservation/v1/bookings/{number}` — retrieves booking details (via Read Reservation API)
2. GET `/api/reservation/v1/bookings/{number}/calculate-cancellation-penalty` — calculates the penalty
3. POST `/api/reservation/v1/bookings/{number}/cancel` — cancels with the expected penalty amount

In online mode, the agent communicates any penalty to the guest before proceeding.

5.4 Modify / Reschedule a Reservation

The AI can update an existing reservation by changing stay dates or room type.

The integration follows a three-step process:

1. GET `/api/reservation/v1/bookings/{number}` — retrieves current booking (including version for optimistic locking)
2. POST `/api/reservation/v1/bookings/{number}/verify` — verifies the modification is possible
3. POST `/api/reservation/v1/bookings/{number}/modify` — applies the changes

Note: Modification requires the booking `version` field for optimistic locking. If a 409 conflict occurs, the booking is re-fetched and the modification retried.

5.5 Look Up an Existing Reservation (by confirmation number)

The AI can retrieve a single booking's details when the guest provides their confirmation number.

The integration calls the **public Read Reservation API**:

- GET `/api/read-reservation/v1/properties/{propertyId}/bookings/{number}`

The agent reads back: status, dates, room type, guest name, and total price. This endpoint is available in the current Exely offering (does not depend on the write-API release in June 2026).

5.6 Find a Reservation by Phone (no confirmation number)

When the guest does not have the confirmation number, the agent identifies the guest in the Exely PMS by phone, then lists their currently active stays. This path requires toggle **12. Enable Guest Identification** to

be on (it is on by default).

The integration uses two PMS endpoints:

- GET /api/pms/v2/properties/{propertyId}/guests/search?phone={E.164 phone} — finds the guest profile
- GET /api/pms/v2/properties/{propertyId}/guests/{pmsPersonId}/find-occupied-room-stays — lists active stays for that guest

If multiple guest profiles share the same phone, the agent collects first / last name (and optionally citizenship) to disambiguate. If no profile matches, the agent offers the confirmation-number path or hands off to the hotel staff.

5.7 Auto-Setup Canvas Scenarios

If Canvas auto-setup is enabled, Exely inserts:

- 7 hotel-specific **scenarios**: Room Booking, Cancellation, Modification, Booking Lookup, Room Availability, Guest Identification, Active Stays Listing
- 7 corresponding **intent types** that trigger the scenarios
- removes conflicting default appointment/reservation scenarios

This happens through:

- CanvasSetupFlow
- SetupCanvasSkill + SetupLibrarySkill

6. Supported Features

Feature	Supported	Notes
Check availability	Yes	Room types, pricing, meal plans
Create reservation — link handoff (default)	Yes	Agent sends Exely's bookingFormLink via email + SMS + chat
Create reservation — direct REST	Gated	Ships when Exely opens the Reservation write API (June 2026). Two-step verify → create flow already wired in code.
Cancel reservation — hotel handoff (default)	Yes	Agent surfaces hotel phone + email from Content API contacts
Cancel reservation — direct REST	Gated	Ships together with direct booking (June 2026).
Modify reservation	Gated	Same API surface as cancellation (June 2026).
Look up reservation	Yes	By confirmation number, via public Read Reservation API
Recognize returning guests by phone	Yes	Phone-based PMS guest lookup with duplicate-profile disambiguation by name / citizenship (toggle 12).
List a returning guest's active stays	Yes	After phone-based identification, the AI fetches all currently occupied / upcoming stays for the guest (toggle 12).

Payment processing	No	Planned for Phase 2
Guest check-in	No	Planned for Phase 2
Outbound reminders	No	Planned for Phase 2
Canvas auto-setup	Yes	5 scenarios + 5 intent types
Multi-property in one project	No	One exely_property_id per project
Webhooks from Exely	No	Exely does not support webhooks

7. Technical Architecture

7.1 Three-Layer Architecture

Layer 1 – Entry Flows (Availability, Booking, Cancellation, Reschedule, ExistingClient)

Receive ConvoAgent events, extract parameters via LLM, dispatch to Layer 2

Layer 2 – ApiFlow

Build API requests, chain multi-step operations, route results back to Layer 1

Layer 3 – NetworkFlow

HTTP execution via exely_connector, OAuth2 token management via exely_token_connector

7.2 Trigger Events

All operations use custom Newo tools with conversation history-based parameter extraction.

Event	Source	Purpose
exely_check_availability	Custom tool	Check room availability
exely_create_booking	Custom tool	Create reservation
exely_cancel_booking	Custom tool	Cancel reservation
exely_modify_booking	Custom tool	Modify/reschedule reservation
exely_lookup_booking	Custom tool	Look up reservation details

7.3 Internal Events

Event	Purpose
exely_execute_request	Send authenticated HTTP request through NetworkFlow
exely_result_success	Route successful API response to ApiFlow
exely_result_error	Route failed API response to ApiFlow

exely_check_availability_request	Dispatch availability check to ApiFlow
exely_book_slot_request	Dispatch booking to ApiFlow
exely_cancel_booking_request	Dispatch cancellation to ApiFlow
exely_reschedule_request	Dispatch modification to ApiFlow
exely_lookup_request	Dispatch lookup to ApiFlow

7.4 Authentication

- **Method:** OAuth2 Client Credentials
- **Token endpoint:** `{base_url}/auth/token`
- **Token lifetime:** 15 minutes
- **Auto-refresh:** On HTTP 401, token is refreshed and request retried (max 1 retry)
- **Rate limits:** Auth endpoint: 3 req/s, 15 req/min, 300 req/hr per IP

7.5 High-Level Sequence

```
sequenceDiagram
    participant Guest
    participant ConvoAgent
    participant ExelyAgent
    participant ExelyAPI

    Guest->>ConvoAgent: Ask about rooms / booking
    ConvoAgent->>ExelyAgent: Custom tool event (exely_check_availability /
exely_create_booking / etc.)
    ExelyAgent->>ExelyAgent: Extract payload from conversation (LLM)
    ExelyAgent->>ExelyAPI: Authenticated HTTP request
    ExelyAPI-->>ExelyAgent: Room availability / booking confirmation
    ExelyAgent->>ExelyAgent: Parse result, update persona state
    ExelyAgent-->>ConvoAgent: urgent_message with result
    ConvoAgent-->>Guest: Room options / confirmation / details
```

8. How to Test That Everything Works

Before going live, run through this checklist.

Recommended Test Order

1. **Availability** — proves authentication and property targeting work
2. **Booking** — proves write access and two-step flow work
3. **Booking Lookup** — proves existing reservation retrieval works
4. **Cancellation** — proves post-booking lifecycle works
5. **Modification** — proves date/room change flow works

8.1 After Setup

After clicking **Publish All**, confirm:

- ☐ `exely_access_token` is populated (non-empty)

- ☐ no publish errors appear
- ☐ `exely_setup_persona_id` exists
- ☐ feature toggles have the intended values
- ☐ hotel scenarios appear in Canvas

8.2 Test Availability

1. Start a test conversation.
2. Ask: *"Do you have any rooms available for May 1st to May 3rd for 2 guests?"*
3. Confirm the agent says *"Let me check available rooms for you"* and returns room options with prices.

8.3 Test Booking

1. Continue from availability or start a new conversation.
2. Select a room type from the options.
3. Provide guest details when asked (name, phone, email).
4. Confirm the agent says *"I'm booking your room now"* and returns a confirmation number.

8.4 Test Booking Lookup

1. Start a new conversation.
2. Ask: *"Can you check my reservation? My booking number is [number]."*
3. Confirm the agent returns status, dates, room type, and total price.

8.5 Test Cancellation

1. Start a new conversation.
2. Say: *"I need to cancel my reservation. My booking number is [number], check-in [date]."*
3. Confirm the agent asks for confirmation, then cancels.

8.6 Test Modification

1. Start a new conversation.
2. Say: *"I need to change my booking [number] to new dates [dates]."*
3. Confirm the agent checks availability for new dates and offers to update.

9. FAQ and Troubleshooting

Why does `exely_access_token` stay empty after publish?

Check:

- Client ID and Client Secret are correctly filled in
- Base URL is correct (`https://connect.hopenapi.com` for production)
- API connection is enabled and active in the Exely extranet

Why is availability working but booking fails?

Check:

- **08. Enable Booking** is turned on
- required guest fields are present in the conversation (name, phone)
- if you have **13. Online Booking via API** turned **on**, the Exely API credentials must have write permissions — if they don't, the REST call returns `403 "You cannot consume this service"` .
Turn toggle 13 **off** to fall back to the link-handoff flow that works without write permissions.

Why don't I see a confirmation number after a booking?

In the default offline mode (toggle 13 off), the confirmation number is generated by Exely **after** the guest completes the form in the browser — the AI never sees it, so it can't read it back to the guest. Confirmation arrives at the guest's email from Exely directly.

If you need the AI to confirm the reservation by number, flip toggle 13 on (requires Reservation write API access).

Why is the AI directing guests to call the hotel to cancel?

This is the default when **14. Online Cancellation via API** is off. The AI cannot call the REST cancel endpoint, so it hands the guest over to the hotel contacts defined in **15. Hotel Contact Phone** / **16. Hotel Contact Email**. Flip toggle 14 to `True` once Exely enables the write API for your client.

The hotel contact phone/email shown is wrong. How do I fix it?

Override attributes **15** and **16** manually in **Builder → Attributes → 12. Exely Settings**, then **Publish All**. Your manual values will not be overwritten by the next Content API fetch — the auto-import only runs while both fields are empty.

Why can't the agent find my reservation?

Most commonly:

- the confirmation number format is wrong
- the booking was made in a different property
- **11. Enable Booking Lookup** is turned off

Do I need to reconnect if credentials change?

Yes. Any time you change Exely credentials:

1. Update the attributes in Newo
2. Click **Save**
3. Click **Publish All**
4. Run at least one live test

Does this integration support multiple properties?

Not in the current implementation. One project uses one `exely_property_id`. For multiple properties, create separate Newo projects.

What currency are prices displayed in?

Prices are returned in the property's configured currency in Exely (e.g., GEL for Georgia, EUR for Europe, USD for international properties).

Does Exely send webhooks for booking changes?

No. Exely does not support webhooks. Booking status is checked on-demand during conversations.

10. Manager Rollout Summary

This integration is a good fit if you want the AI to handle:

- room availability inquiries
- hotel reservation creation
- reservation changes and cancellations
- booking lookup by confirmation number

This integration is **not** currently positioned as:

- a CRM replacement
- a payment processing system
- a guest recognition system based only on caller ID

Recommended rollout order:

1. Enable API connections in Exely extranet
2. Generate API credentials
3. Configure in Newo and publish
4. Test availability
5. Test booking
6. Test lookup, cancellation, modification
7. Review Canvas scenarios
8. Go live on one hotel first

Go-Live Recommendation

For the cleanest launch:

- start with one property only
- keep all core features enabled unless there is a clear business reason not to
- run at least one real booking and one real lookup before launch day
- have a fallback human process ready for the first live shift