## MATH 3100 – Homework #2

posted August 28, 2023; due by end-of-day on September 6, 2023

'Obvious' is the most dangerous word in mathematics. — E.T. Bell

Section and exercise numbers correspond to the online notes. Assignments are expected to be **neat** and **stapled**. **Illegible work may not be marked**.

## Required problems

- 1. Let  $a_n = 2n$  for all  $n \in \mathbb{N}$ , and let  $b_n = 2^n$  for all  $n \in \mathbb{N}$ . Show that  $\{b_n\}$  is a subsequence of  $\{a_n\}$  by writing down a strictly increasing function  $g \colon \mathbb{N} \to \mathbb{N}$  with  $b_n = a_{g(n)}$  for all  $n \in \mathbb{N}$ .
- 2. §1.3, Exercise 8 (no proofs necessary)
- 3. §1.3, Exercise 9 (no proofs necessary)
- 4. §1.3, Exercise 13
- 5. §1.3, Exercise 15
- 6. Let  $\{a_n\}$  be the sequence defined by  $a_n = n^2 7n + 11$  for all  $n \in \mathbb{N}$ . Find a value of  $N \in \mathbb{N}$  such that  $a_n \leq a_{n+1}$  for all  $n \geq N$ . Justify your answer.
- 7. Show that if  $\{a_n\}$  is a sequence, then  $\lim_{n\to\infty} a_n = 0$  if and only if  $\lim_{n\to\infty} |a_n| = 0$ . (Remember that an if-and-only-if statement requires a proof for **both** directions.)
- 8. In class, we will show that if 0 < r < 1, then  $\lim_{n \to \infty} r^n = 0$ . We will also show that if r > 1, then  $\{r^n\}$  is not bounded. You may assume these two results for this exercise.
  - (a) Suppose that -1 < r < 0. Prove that  $\lim_{n \to \infty} r^n = 0$ .
  - (b) Suppose that r < -1. Prove that  $\{r^n\}$  is unbounded. Deduce that  $\{r^n\}$  diverges in this case.

Hint: Problems 5 and 7 (above) may be useful.

- 9. §1.4, Exercise 2
- 10. §1.4, Exercise 8

## Recommended problems (NOT to turn in)

§1.3: 14, 17, 18, 19, 20, 25

§1.4: 1, 3, 4, 5, 6, 7