2D Poiseuille Exact Coherent State equations (the other streamfunction)

February 10, 2014

1 The full equations

$$T_{ij} = \frac{1}{\text{Wi}} (C_{ij} - \mathbf{I}_{ij}) \tag{1}$$

$$u = \partial_y \psi \tag{2}$$

$$v = -\partial_x \psi \tag{3}$$

1.1 ψ

$$0 = -\operatorname{Re} \nu \partial_x \nabla^2 \psi + \operatorname{Re} u \partial_x \nabla^2 \psi + \operatorname{Re} v \partial_y \nabla^2 \psi$$
$$-\beta \nabla^4 \psi + (1-\beta) \left(\partial_{xx} T_{xy} + \partial_{xy} (T_{yy} - T_{xx}) - \partial_{yy} T_{xy} \right) \tag{4}$$

1.2 C_{xx}

$$0 = \nu \partial_x C_{xx} - (u\partial_x + v\partial_y)C_{xx} + 2C_{xx}\partial_x u + 2C_{xy}\partial_x v - T_{xx}$$
(5)

1.3 C_{yy}

$$0 = \nu \partial_x C_{yy} - (u\partial_x + v\partial_y)C_{yy} + 2C_{xy}\partial_y u + 2C_{yy}\partial_y v - T_{yy}$$
(6)

1.4 C_{xy}

$$0 = \nu \partial_x C_{xy} - (u\partial_x + v\partial_y)C_{xy} + C_{xx}\partial_y u + C_{yy}\partial_x v - T_{xy}$$
(7)

1.5 ψ_0

$$0 = -\operatorname{Re} \overline{v \partial_y u} + \beta \overline{\partial_{yyy} \psi} + (1 - \beta) \overline{\partial_y T_{xy}} + 2$$
(8)

2 The 1st order terms in a Taylor expansion

These are the equations as they will need to be entered into the Jacobian matrix.

$$\psi = \Psi + \delta \psi \tag{9}$$

$$C_{ij} = C_{ij} + \delta c_{ij} \tag{10}$$

2.1 ψ

$$0 = -\nu \operatorname{Re} \, \partial_x \nabla^2 \delta \psi + \operatorname{Re} \, (\partial_x \nabla^2 \Psi) \partial_y \delta \psi + \operatorname{Re} \, U \partial_x \nabla^2 \delta \psi$$
$$- \operatorname{Re} \, (\partial_y \nabla^2 \Psi) \partial_x \delta \psi + \operatorname{Re} \, V \partial_y \nabla^2 \delta \psi - \beta \nabla^4 \delta \psi$$
$$+ \frac{(1 - \beta)}{\operatorname{Wi}} \left(\partial_{xx} \delta c_{xy} + \partial_{xy} (\delta c_{yy} - \delta c_{xx}) - \partial_{yy} \delta c_{xy} \right)$$
(11)

2.2 C_{xx}

$$0 = \nu \partial_x \delta c_{xx} - (\mathbf{V} \cdot \nabla) \delta c_{xx}$$

$$- (\partial_x C_{xx}) \partial_y \delta \psi + (\partial_y C_{xx}) \partial_x \delta \psi$$

$$+ 2(\partial_x U) \delta c_{xx} + 2(\partial_x V) \delta c_{xy}$$

$$+ 2C_{xx} \partial_{xy} \delta \psi - 2C_{xy} \partial_{xx} \delta \psi - \frac{1}{Wi} \delta c_{xx}$$
(12)

 $\mathbf{2.3}$ C_{yy}

$$0 = \nu \partial_x \delta c_{yy} - (\mathbf{V} \cdot \nabla) \delta c_{yy}$$

$$- (\partial_x C_{yy}) \partial_y \delta \psi + (\partial_y C_{yy}) \partial_x \delta \psi$$

$$+ 2(\partial_y U) \delta c_{xy} + 2(\partial_y V) \delta c_{yy}$$

$$+ C_{xy} \partial_{yy} \delta \psi - C_{yy} \partial_{xy} \delta \psi - \frac{\delta c_{yy}}{\mathbf{W}_{i}}$$

$$(13)$$

2.4 C_{xy}

$$0 = \nu \partial_x \delta c_{xy} - (\mathbf{V} \cdot \nabla) \delta c_{xy}$$

$$- (\partial_x C_{xy}) \partial_y \delta \psi + (\partial_y C_{xy}) \partial_x \delta \psi$$

$$+ (\partial_y U) \delta c_{xx} + (\partial_x V) \delta c_{yy}$$

$$+ C_{xx} \partial_{yy} \delta \psi - C_{yy} \partial_{xx} \delta \psi - \frac{\delta c_{xy}}{\mathbf{W}_{i}}$$
(14)

2.5 ψ_0

$$0 = +\text{Re } \overline{(\partial_x \Psi) \partial_{yy} \delta \psi} + \text{Re } \overline{(\partial_{yy} \Psi) \partial_x \delta \psi}$$

+ $\beta \overline{\partial_{yyy} \delta \psi} + \frac{1 - \beta}{\text{Wi}} \overline{\partial_y \delta c_{xy}}$ (15)