Midterm 2 Examination

CSCI 561 Summer 2015: Artificial Intelligence

Student ID:								
Last Name: _								
First Name: _	 	 	 	 				
USC email:					@us	sc.ec	du	

Instructions:

- 1. Date: 7/7/2015 from 4:00pm 6:00 pm in SLH200
- 2. Maximum credits/points for this midterm: 100 points.
- 3. Credits/points for each question is indicated in the brackets [] before the question.
- 4. No books (or any other material) are allowed.
- 5. Write down name, student ID and USC email address.
- 6. Your exam will be scanned and uploaded online.
- 7. Write within the boxes provided for your answers.
- 8. Do NOT write on the 2D barcode.
- 9. The back of the pages will not be graded. You may use it for scratch paper.
- 10. No questions during the exam. If something is unclear to you, write that in your exam.
- 11. Be brief: a few words are often enough if they are precise and use the correct vocabulary studied in class.
- 12. When finished raise completed exam sheets until approached by proctor.
- 13. Adhere to the Academic Integrity code.

Problems	100 Points total
1- General Concepts	20
2- Truth Tables	10
3- Propositional Logic	30
4- First Order Logic	30
5- Planning	10

1) General Concepts (20 points)

a) (1pt each) For each of the statements below, fill in the bubble T if the statement is always and unconditionally true, or fill in the bubble F if it is always false, sometimes false, or just does not make sense:

1	T F	1- In FOL, constant symbols refer to objects, while predicate symbols refer
2	T F	to relations. 2- The truth table method of inference is complete for propositional logic.
3	T F	3- Not every sentence of propositional logic can be converted to CNF.
4	T F	4- ∀ is often used with Λ
5	T F	5- Propositional logic is not monotonic but First order logic is.
6	T F	6- Propositional logic has 2 quantifiers: for all and there exists.
7	T F	7- Forward checking algorithm is sound but it is not complete for knowledge bases of definite clauses.
8	T F	8- Cyc is an example application of a knowledge engineering.
9	T F	9- The Semantic Web solves all of the problems of knowledge sharing
10	T F	10- An upper ontology can be used for knowledge sharing.
11	T F	11- Inheritance can occur from any subclass
12	T F	12- Reification represents a category as an object

b) (1 pt each) Fill in the blank	for each sentence with the appropr	iate word or phrase.
13- A	_hierarchy allows for an inference	process called Inheritance.
14- An inference algorithm	n is sound if it	•
15- An inference algorithm	n is complete if it	<u>.</u>
16- A sentence is		_ if it is true in all models.
17- α entails β if and only	if	is unsatisfiable.
18- Generalized modus po	onens requires sentences to be in	form.
19- Prolog does inference	using	chaining.
20	is a sentence that is	necessary true in all models.

2) Truth Tables (10 points)

 α = (A \wedge B) \vee C

a) (8 points) Enumerate the truth table to discuss whether the sentence α is entailed by the knowledge base or not? Draw your table in the space below. There should be one row for each model. There should be columns for each propositional symbol. There should be sufficient number of additional columns to prove entailment.

KB= (A ∨¬C) ∧ (B ∨ C)

3) Propositional Logic (30 points)

a) Convert the following propositional sentence into CNF. Your answer must be as simplified as much as possible and must exactly match the CNF form. (10 points) ~((A => B) => (((P^B) => Q) v R))	

b) Consider the KB given below: (1) ExamNextWeek => Study
(2) HomeworkDueNextWeek ^ HighWeightageOfHomework => WorkOnHW
(3) Study => GoodGrades
(4) ~GoodGrades
(5) StudyBreak => ExamNextWeek
(6) HomeworkDueNextWeek
(7) HighWeightageOfHomework
Are the following statements true? Mention which inference rule is used and to which sentences it was applied. If you need to perform intermediate steps, you can number the intermediate result and use it in your next step. (10 points)
(8) ~Study (9) WorkOnHW
(10) ~StudyBreak

c) Use resolution and proof by contradiction to prove W from the following knowledge base:
1. P
2. – Q
3. P → R
4. ¬ Q ∨ W
$5. \text{ W} \rightarrow \text{P}$
6. ¬ R ∨ W
Please show the complete resolution proof, including all substitutions used. (10 points)

4) First-Order Logic (30 points)

1- Consider the following predicates:
Student(x): x is a student. Course(x): x is a course.
Semester(x): x is a semester.
Takes(x,y,z): student 'x' has taken course 'y' in 'z' semester
Failed(x,y,z): student 'x' has failed course 'y' in 'z' semester
Using the above predicates translate these English sentences into logic expressions (15 points
a) Every student takes at least two courses in each semester.
b) Only one student failed History in Spring2015.
c) No student failed Chemistry in Spring2015 but at least one student failed History (in
Spring2015).
d) Every student who takes Analysis also takes Geometry.
d) Every student who takes Analysis also takes Geometry.
e) No student has Analysis and History simultaneously in one semester

2- Consider the following 8 sentences that are added to KB. Enrolled, Classmate, hasHelp,
IsWillingToLearn, Passes are predicates. Bob, Alice, Susan and Al are constants. x, y, z are
variables. Assume all sentences are universally quantifies over all variables.

- HasHelp(x) ∧ IsWillingToLearn(x,y) ② Passes(x,y)
- Classmate(x,y) ⇒ HasHelp(x) ∧ HasHelp(y)
- Classmate(x,y) ∧ Classmate(y,z) ② Classmate(y,z)
- Enrolled(x,y) ∧ Enrolled(z,y) ② Classmate(x,z)
- Enrolled(Bob, AI)
- Enrolled(Alice, AI)
- Classmate(Alice, Susan)
- IsWillingToLearn(Bob,AI)

3- Is backward chaining a complete algorithm? If yes, why? If no, how can we make it complete? (3 points)
4- What does it mean to say that entailment for first-order logic is semidecidable? (2 points)

5) Planning (10 points)

Consider the following partial-order plan (a step followed by e.g. ~g means that the steps deletes g):

