## MAE5803 - HW#5 Part 1 Adaptive Controller

```
function HW5P1(p,lambda,k)
% Choose parameters
% p = 1;
P = p*eye(2);
% lambda = 2;
% k = 1;
% Given
a1 = 2;
a2 = 5;
% Integrate
tspan = [0 \ 20];
X0 = zeros(1,5);
[t,X] = ode45(@EOM,tspan,X0,[],a1,a2,P,lambda,k);
% Plot
for i = 1:length(t)
    [-, u(i)] = EOM(t(i), X(i,:), a1, a2, P, lambda, k);
end
xd = sin(0.8*t);
x1 = X(:,1);
a = [a1 \ a2];
a hat = [X(:,4) \ X(:,5)];
fh = figure(1);
set(fh,'Position',[0 0 799 1089])
suptitle(['HW1 Problem #1' ' p = ' num2str(p) ', lam = '
num2str(lambda)', k = 'num2str(k)]);
% Dynamics
subplot(311)
plot(t,xd,t,x1,'--')
legend('Desired','Sumulated','location','southeast')
xlabel('Time'); ylabel('Position'); ylim([-2 1]);
% Parameter Estimate
subplot(312)
hold on
plot(t,a1*ones(size(t)), 'b')
plot(t,a2*ones(size(t)),'--r')
plot(t,a_hat(:,1), 'b')
plot(t,a hat(:,2),'--r')
title('Parameter Estimates'); xlabel('Time'); ylabel('Value'); ylim([0
61);
% Control Input
subplot(313)
plot(t,u)
title('Control Input'); xlabel('Time'); ylabel('u'); ylim([-7 7]);
end
```

## **EOM**

```
function [dx, u] = EOM(t,x,a1,a2,P,lambda,k)
dx = zeros(size(x));
x1 = x(1);
x2 = x(2);
x3 = x(3);
a1_hat = x(4);
a2_hat = x(5);
       = sin(0.8*t);
xd
xd_d = 0.8*cos(0.8*t);
xd_dd = -0.64*sin(0.8*t);
xd_ddd = -0.512*cos(0.8*t);
xt
    = x1 - xd;
xt_d = x2 - xd_d;
xt_dd = x3 - xd_dd;
s = xt_dd + 2*lambda*xt_d + lambda^2*xt;
xr_ddd = xd_ddd - 2*lambda*xt_dd - lambda^2*xt_d;
gamma = [x2^2 sin(2*x1)];
a_hat = [a1_hat a2_hat]';
u = xr_ddd + gamma*a_hat - k*s;
da_hat = -P*transpose(gamma)*s;
dx(1) = x2;
dx(2) = x3;
dx(3) = u - a1*x2^2 - a2*sin(2*x1);
dx(4) = da_hat(1);
dx(5) = da_hat(2);
end
```

Published with MATLAB® R2016a







