Table 1. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2013-2014

Gender and age	Sample size	Energy	Protein	Carbo- hydrate	Total sugars	Dietary fiber	Total fat	Saturated fat	Mono- unsaturated fat	Poly- unsaturated fat
(years)		kcal (SE)	g (SE)	g (SE)	g (SE)	g (SE)	g (SE)	g (SE)	g (SE)	g (SE)
Males:										
2 - 5	337	1571 (35.2)	55.8 (2.36)	217 (5.2)	104 (3.1)	12.4 (0.48)	55.7 (1.27)	20.1 (0.57)	18.3 (0.40)	12.0 (0.38)
6 - 11	537	2036 (46.2)	72.9 (2.13)	270 (4.7)	126 (2.8)	15.0 (0.70)	76.2 (2.54)	28.5 (1.29)	25.1 (0.83)	15.4 (0.59)
12 - 19	646	2376 (38.2)	95.5 (3.51)	298 (7.9)	139 (4.8)	16.4 (0.43)	90.5 (1.59)	30.5 (0.82)	30.9 (0.83)	20.1 (0.79)
20 - 29	424	2704 (62.5)	110.8 (3.32)	310 (10.3)	141 (7.5)	17.7 (0.80)	103.9 (2.86)	34.3 (1.16)	35.8 (1.01)	23.8 (0.90)
30 - 39	429	2622 (68.0)	102.0 (2.03)	310 (9.8)	138 (6.6)	19.1 (0.53)	97.7 (2.18)	31.3 (0.91)	34.2 (0.70)	22.4 (0.73)
40 - 49	410	2520 (45.3)	101.9 (2.65)	294 (9.1)	129 (6.7)	19.0 (0.70)	94.1 (2.60)	30.8 (1.19)	32.5 (0.92)	21.5 (0.74)
50 - 59	398	2493 (77.7)	96.7 (1.98)	286 (8.1)	119 (4.5)	19.5 (0.91)	96.3 (3.67)	31.1 (1.06)	34.6 (1.46)	21.6 (1.07)
60 - 69	395	2253 (51.7)	86.9 (2.11)	258 (8.0)	106 (4.3)	18.9 (0.91)	89.4 (2.83)	28.7 (1.15)	31.3 (0.97)	21.5 (1.07)
70 and over	358	2022 (63.3)	80.8 (2.00)	237 (9.3)	102 (5.3)	18.9 (1.09)	80.9 (2.95)	26.6 (1.10)	28.2 (1.05)	18.8 (0.94)
2 - 19	1520	2101 (26.4)	79.9 (1.96)	273 (3.8)	128 (2.7)	15.1 (0.28)	78.8 (1.54)	27.8 (0.65)	26.4 (0.64)	16.9 (0.54)
20 and over	2414	2477 (26.1)	98.3 (1.25)	287 (3.2)	125 (2.7)	18.8 (0.40)	95.0 (1.31)	30.9 (0.47)	33.2 (0.43)	21.9 (0.45)
2 and over	3934	2382 (21.0)	93.6 (1.18)	283 (2.8)	126 (2.3)	17.9 (0.26)	90.9 (1.02)	30.1 (0.36)	31.5 (0.39)	20.6 (0.35)
Females:										
2 - 5	339	1395 (36.9)	50.3 (1.67)	186 (4.7)	90 (3.2)	10.8 (0.42)	51.9 (1.87)	18.8 (0.78)	16.9 (0.64)	11.3 (0.46)
6 - 11	510	1786 (30.4)	61.2 (1.14)	239 (5.9)	107 (3.1)	13.9 (0.51)	67.7 (1.22)	23.6 (0.52)	22.4 (0.42)	15.4 (0.32)
12 - 19	650	1689 (48.0)	61.9 (2.16)	220 (5.1)	99 (2.5)	12.5 (0.61)	64.2 (2.68)	21.3 (0.92)	21.3 (0.98)	15.5 (0.83)
20 - 29	430	1933 (61.9)	70.2 (1.95)	237 (7.8)	111 (4.3)	14.3 (0.40)	73.7 (2.85)	24.3 (1.07)	24.9 (1.07)	17.4 (0.66)
30 - 39	463	1986 (33.0)	76.5 (2.25)	243 (4.9)	111 (3.0)	16.5 (0.48)	76.5 (1.89)	24.6 (0.68)	26.4 (0.71)	18.2 (0.68)
40 - 49	487	1873 (36.3)	72.3 (1.25)	224 (5.3)	99 (3.8)	15.9 (0.36)	73.7 (1.66)	23.6 (0.66)	25.6 (0.70)	17.6 (0.40)
50 - 59	439	1779 (38.2)	69.7 (0.88)	210 (6.9)	93 (4.2)	15.3 (0.74)	70.6 (1.91)	22.1 (0.64)	24.3 (0.78)	17.4 (0.66)
60 - 69	433	1712 (55.5)	67.6 (2.26)	201 (6.7)	85 (3.7)	15.2 (0.56)	69.1 (2.73)	21.7 (0.76)	24.3 (1.20)	16.9 (0.76)
70 and over	381	1604 (37.9)	60.0 (1.50)	201 (5.8)	92 (3.0)	15.2 (0.45)	62.9 (1.64)	20.3 (0.75)	21.6 (0.59)	15.3 (0.35)
2 10	1.400	1657 (22.7)								, ,
2 - 19 20 and over	1499 2633	1657 (22.7) 1825 (18.1)	59.2 (1.13) 69.8 (0.79)	219 (2.9) 220 (3.0)	100 (1.8) 99 (1.7)	12.6 (0.28) 15.4 (0.28)	62.7 (1.25) 71.5 (0.70)	21.5 (0.43) 22.9 (0.24)	20.7 (0.50) 24.7 (0.30)	14.6 (0.41) 17.2 (0.23)
20 and over	4132	1786 (16.4)	67.4 (0.74)	220 (3.0) 220 (2.6)	99 (1.7)	13.4 (0.28)	69.4 (0.66)	22.6 (0.23)	23.7 (0.27)	16.6 (0.18)
	1132	1,00 (10.4)	07.1 (0.74)	220 (2.0)	77 (1.3)	11.0 (0.23)	07.1 (0.00)	22.0 (0.23)	23.7 (0.27)	10.0 (0.10)
Males and females:	2010	1005 (01.1)	(0.9 (1.15)	246 (2.6)	114 (17)	12.0 (0.10)	70.0 (1.10)	247 (0.42)	22.6 (0.42)	15.0 (0.41)
2 - 19	3019 5047	1885 (21.1)	69.8 (1.16)	246 (2.8)	114 (1.7)	13.9 (0.19)	70.9 (1.19)	24.7 (0.43)	23.6 (0.48)	15.8 (0.41)
20 and over 2 and over	8066	2141 (18.7) 2079 (17.2)	83.6 (0.73) 80.3 (0.74)	253 (2.1) 251 (2.1)	111 (1.4) 112 (1.3)	17.1 (0.27) 16.3 (0.21)	82.9 (0.89) 80.0 (0.79)	26.7 (0.27) 26.3 (0.24)	28.8 (0.31) 27.6 (0.30)	19.5 (0.31) 18.6 (0.26)
Z and Over	0000	2017 (11.2)	00.5 (0.74)	231 (2.1)	112 (1.3)	10.5 (0.21)	00.0 (0.79)	20.5 (0.24)	27.0 (0.30)	10.0 (0.20)

Table 1. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2013-2014 (continued)

Gender and age	Choles- terol	Retinol	Vitamin A (RAE)	Alpha- carotene	Beta- carotene	Beta-crypto- xanthin	Lycopene	Lutein + zeaxanthin	Thiamin
(years)	mg (SE)	μg (SE)	μg (SE)	μg (SE)	μg (SE)	μg (SE)	μg (SE)	μg (SE)	mg (SE)
Males:									
2 - 5	180 (10.1)	443 (18.6)	566 (32.5)	332*(108.2)	1279 (236.4)	71 (8.0)	3370 (528.2)	592 (42.9)	1.33 (0.040)
6 - 11	234 (10.6)	576 (27.1)	711 (33.8)	302 (48.8)	1443 (172.2)	76 (7.7)	4197 (369.4)	872 (154.7)	1.68 (0.051)
12 - 19	315 (14.7)	529 (23.7)	648 (25.1)	293 (58.1)	1253 (132.7)	73 (7.6)	5392 (408.2)	937 (72.7)	1.99 (0.085)
20 - 29	377 (15.4)	551 (41.1)	739 (50.2)	300 (39.0)	2082 (337.2)	68 (7.6)	5551 (367.7)	1616 (304.8)	2.00 (0.068)
30 - 39	353 (13.5)	460 (31.6)	678 (33.2)	461 (48.2)	2355 (188.9)	70 (5.0)	5888 (624.7)	1506 (228.1)	1.92 (0.054)
40 - 49	362 (16.0)	452 (18.4)	655 (26.6)	451 (86.8)	2188 (259.7)	64 (5.8)	5705 (595.7)	1500 (168.8)	1.86 (0.058)
50 - 59	352 (16.1)	475 (21.9)	672 (27.2)	376 (53.7)	2148 (219.3)	88 (12.0)	5407 (602.1)	1706 (195.3)	1.85 (0.031)
60 - 69	304 (13.6)	453 (16.9)	660 (35.8)	375 (56.0)	2257 (290.2)	92 (12.7)	6931 (869.7)	1492 (226.2)	1.78 (0.065)
70 and over	313 (18.7)	544 (53.1)	759 (49.6)	426 (48.2)	2344 (239.9)	79 (8.1)	5606 (281.2)	1614 (189.5)	1.73 (0.066)
	, ,	, ,	, ,			` ,		, ,	
2 - 19	260 (7.6)	529 (14.2)	654 (18.9)	304 (40.2)	1325 (105.7)	73 (5.5)	4581 (254.6)	848 (77.5)	1.75 (0.040)
20 and over	348 (7.7)	488 (11.9)	691 (15.3)	394 (26.5)	2216 (90.0)	76 (3.2)	5817 (304.6)	1575 (108.0)	1.87 (0.025)
2 and over	325 (6.5)	498 (9.5)	682 (12.6)	371 (20.3)	1991 (70.3)	76 (2.9)	5505 (236.4)	1391 (80.0)	1.84 (0.021)
Females:									
2 - 5	167 (11.3)	438 (22.2)	532 (25.2)	213 (35.6)	1008 (80.4)	56 (9.5)	2627 (298.8)	589 (51.7)	1.17 (0.032)
6 - 11	195 (7.5)	478 (22.1)	586 (26.9)	240 (32.4)	1143 (122.8)	74 (9.0)	3965 (543.5)	957 (163.4)	1.51 (0.052)
12 - 19	188 (8.1)	367 (17.3)	507 (36.1)	306* (94.3)	1501 (288.1)	62 (9.1)	3894 (257.2)	981 (168.5)	1.35 (0.037)
20 - 29	251 (10.6)	377 (19.4)	536 (33.5)	310 (65.1)	1735 (246.1)	66 (8.7)	3913 (296.2)	1329 (143.3)	1.40 (0.043)
30 - 39	260 (12.4)	346 (13.1)	570 (42.5)	303 (64.4)	2514 (473.6)	74 (8.4)	4674 (456.8)	2097 (497.0)	1.50 (0.047)
40 - 49	242 (9.0)	342 (9.8)	570 (31.5)	506 (89.1)	2441 (290.5)	102 (18.6)	4685 (373.0)	1760 (134.3)	1.38 (0.036)
	, ,		, ,		` ,	, ,	, ,	, ,	` ,
50 - 59	246 (10.2)	377 (20.3)	597 (20.7)	465 (53.1)	2388 (225.2)	78 (11.8)	4079 (334.8)	2133 (365.3)	1.39 (0.074)
60 - 69	233 (10.0)	372 (17.2)	607 (25.6)	401 (62.8)	2573 (278.4)	120 (32.1)	4241 (584.8)	1681 (163.2)	1.34 (0.035)
70 and over	210 (9.4)	437 (33.2)	654 (42.3)	420 (62.5)	2355 (295.1)	100 (11.8)	4010 (433.7)	1485 (112.9)	1.31 (0.035)
2 - 19	186 (5.3)	418 (12.9)	538 (19.7)	265 (46.3)	1280 (139.0)	64 (4.3)	3645 (265.0)	889 (92.1)	1.36 (0.021)
20 and over	242 (3.1)	372 (8.2)	586 (17.6)	402 (34.7)	2324 (155.8)	89 (5.7)	4271 (171.3)	1762 (110.8)	1.39 (0.021)
2 and over	229 (2.6)	383 (7.5)	575 (16.0)	370 (31.1)	2083 (139.3)	83 (4.5)	4126 (160.9)	1561 (96.9)	1.38 (0.019)
Males and females:									
2 - 19	224 (5.3)	475 (10.3)	598 (14.6)	285 (37.1)	1303 (97.0)	69 (4.1)	4126 (210.2)	868 (50.8)	1.56 (0.027)
20 and over	293 (4.2)	428 (8.1)	637 (12.2)	398 (25.9)	2271 (89.2)	83 (3.1)	5021 (136.4)	1671 (74.3)	1.62 (0.018)
2 and over	276 (3.7)	440 (6.8)	627 (11.5)	371 (22.8)	2037 (80.3)	79 (2.8)	4805 (121.3)	1477 (57.3)	1.61 (0.018)
2 and 5 761	2.0 (3.7)	. 10 (0.0)	327 (11.3)	271 (22.0)	2007 (00.0)	, , (2.0)	.505 (121.5)	2177 (37.3)	1.01 (0.010)

Table 1. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2013-2014 (continued)

Gender and age	Ribo- flavin	Niacin	Vitamin B6	Folic acid	Food folate	Folate (DFE)	Choline	Vitamin B12	Added Vitamin B12
(years)	mg (SE)	mg (SE)	mg (SE)	μg (SE)	μg (SE)	μg (SE)	mg (SE)	μg (SE)	μg (SE)
Males:									
2 - 5	1.74 (0.062)	16.4 (0.56)	1.43 (0.056)	175 (9.7)	139 (8.2)	436 (20.1)	217 (9.5)	3.93 (0.230)	0.90 (0.078)
6 - 11	2.14 (0.057)	22.0 (0.71)	1.84 (0.052)	222 (12.0)	162 (6.1)	538 (23.1)	267 (6.5)	5.11 (0.160)	1.17 (0.061)
12 - 19	2.53 (0.101)	31.5 (1.22)	2.53 (0.116)	250 (19.5)	195 (4.4)	620 (34.8)	347 (10.2)	6.50 (0.308)	2.00 (0.289)
20 - 29	2.81 (0.153)	35.8 (1.43)	2.91 (0.172)	232 (17.3)	262 (11.2)	656 (31.7)	426 (11.9)	7.28 (0.520)	1.92 (0.352)
30 - 39	2.58 (0.103)	36.0 (1.58)	3.24 (0.257)	215 (9.8)	255 (10.0)	620 (19.6)	402 (9.3)	6.77 (0.484)	2.14 (0.401)
40 - 49	2.53 (0.056)	32.0 (0.90)	2.61 (0.090)	182 (12.9)	254 (7.2)	563 (20.9)	423 (15.3)	5.69 (0.227)	0.99 (0.192)
50 - 59	2.54 (0.070)	30.1 (0.56)	2.49 (0.064)	212 (11.2)	254 (11.9)	615 (19.4)	416 (15.4)	5.58 (0.292)	1.18 (0.203)
60 - 69	2.32 (0.067)	27.9 (0.53)	2.21 (0.068)	185 (11.3)	230 (7.2)	545 (21.7)	359 (8.8)	4.70 (0.257)	0.94 (0.105)
70 and over	2.29 (0.088)	25.4 (0.56)	2.27 (0.083)	205 (17.3)	227 (14.8)	576 (36.4)	358 (14.5)	5.40 (0.333)	1.35 (0.217)
2 - 19	2.24 (0.053)	25.2 (0.66)	2.07 (0.056)	225 (10.1)	173 (3.5)	555 (18.2)	294 (5.7)	5.51 (0.185)	1.50 (0.159)
20 and over	2.54 (0.041)	31.8 (0.42)	2.66 (0.047)	207 (5.4)	249 (4.0)	601 (10.6)	402 (6.1)	6.01 (0.142)	1.45 (0.089)
2 and over	2.47 (0.040)	30.2 (0.41)	2.51 (0.044)	211 (4.9)	230 (3.2)	589 (8.9)	375 (5.6)	5.88 (0.128)	1.46 (0.097)
Females:									
2 - 5	1.68 (0.067)	14.8 (0.45)	1.32 (0.063)	170 (11.1)	119 (4.3)	409 (17.1)	201 (8.7)	3.82 (0.177)	0.93 (0.099)
6 - 11	1.83 (0.045)	20.0 (0.46)	1.59 (0.047)	203 (12.8)	148 (4.5)	493 (24.0)	224 (5.6)	4.29 (0.157)	1.25 (0.099)
12 - 19	1.70 (0.088)	20.5 (0.78)	1.60 (0.071)	187 (12.8)	149 (6.5)	467 (22.7)	216 (6.4)	3.90 (0.139)	1.06 (0.124)
20 - 29	1.73 (0.058)	22.3 (0.54)	1.91 (0.078)	170 (14.0)	181 (4.2)	471 (24.5)	275 (10.2)	4.23 (0.150)	1.07 (0.086)
30 - 39	1.92 (0.073)	23.2 (0.76)	1.84 (0.064)	154 (4.3)	223 (9.6)	485 (10.5)	296 (11.6)	4.02 (0.210)	0.62 (0.083)
40 - 49	1.85 (0.052)	21.6 (0.56)	1.71 (0.062)	141 (7.7)	210 (4.7)	449 (15.7)	281 (9.0)	3.83 (0.241)	0.56 (0.077)
50 - 59	1.89 (0.063)	21.6 (0.59)	1.80 (0.059)	152 (13.6)	198 (9.5)	456 (25.5)	281 (7.2)	3.73 (0.183)	0.82 (0.128)
60 - 69	1.80 (0.059)	20.4 (0.80)	1.61 (0.049)	144 (6.9)	195 (8.2)	440 (15.3)	277 (10.1)	4.12 (0.286)	0.63 (0.084)
70 and over	1.79 (0.058)	18.4 (0.53)	1.66 (0.043)	156 (8.0)	186 (6.2)	451 (16.4)	256 (7.3)	3.81 (0.203)	0.93 (0.111)
2 - 19	1.74 (0.051)	19.1 (0.38)	1.54 (0.044)	188 (8.4)	142 (3.2)	463 (14.0)	216 (4.2)	4.01 (0.108)	1.09 (0.063)
20 and over	1.83 (0.024)	21.4 (0.24)	1.76 (0.016)	153 (4.1)	199 (4.2)	459 (8.3)	278 (3.4)	3.96 (0.089)	0.77 (0.036)
2 and over	1.81 (0.023)	20.9 (0.20)	1.71 (0.015)	161 (3.7)	186 (3.8)	460 (7.1)	264 (2.9)	3.97 (0.076)	0.84 (0.031)
Males and females:									
2 - 19	2.00 (0.040)	22.2 (0.45)	1.81 (0.039)	207 (7.2)	158 (2.1)	510 (12.7)	256 (3.8)	4.78 (0.104)	1.30 (0.097)
20 and over	2.18 (0.028)	26.5 (0.24)	2.20 (0.030)	179 (4.3)	224 (3.1)	528 (8.7)	339 (3.9)	4.95 (0.075)	1.10 (0.050)
2 and over	2.13 (0.029)	25.4 (0.24)	2.11 (0.028)	186 (4.1)	208 (2.8)	524 (8.0)	319 (3.5)	4.91 (0.067)	1.15 (0.056)

Table 1. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2013-2014 (continued)

Gender and age	Vitamin C	Vitamin D	Vitamin E (alpha- tocopherol)	Added Vitamin E	Vitamin K	Calcium	Phosphorus	Magnesium
(years)	mg (SE)	μg (SE)	mg (SE)	mg (SE)	μg (SE)	mg (SE)	mg (SE)	mg (SE)
Males:								
2 - 5	81.4 (3.56)	6.1 (0.52)	5.9 (0.30)	0.6 (0.17)	48.9 (3.69)	940 (33.6)	1097 (37.1)	207 (8.4)
6 - 11	77.4 (4.01)	6.1 (0.25)	7.2 (0.30)	0.5 (0.11)	71.8 (7.71)	1175 (41.5)	1388 (35.9)	246 (7.7)
12 - 19	75.9 (5.39)	6.0 (0.30)	9.3 (1.01)	1.1* (0.53)	80.5 (4.12)	1186 (35.4)	1604 (29.4)	296 (6.4)
20 - 29	87.3 (8.19)	6.1 (0.68)	11.6 (0.93)	1.6 (0.45)	124.3 (13.98)	1284 (65.0)	1825 (53.0)	350 (13.5)
30 - 39	82.4 (4.73)	4.6 (0.21)	10.7 (0.49)	0.9 (0.23)	118.4 (10.54)	1094 (30.1)	1681 (32.4)	350 (6.5)
40 - 49	75.1 (3.97)	6.3 (0.82)	10.0 (0.36)	0.6* (0.20)	114.5 (8.79)	1092 (40.8)	1675 (44.5)	351 (9.2)
50 - 59	83.4 (6.01)	5.2 (0.47)	10.4 (0.53)	0.9 (0.15)	130.5 (12.61)	1013 (36.7)	1589 (37.5)	360 (13.1)
60 - 69	78.3 (5.12)	5.1 (0.50)	9.9 (0.66)	0.7* (0.25)	118.4 (9.76)	997 (41.1)	1450 (26.4)	329 (14.6)
70 and over	97.5 (5.49)	5.7 (0.36)	9.4 (0.50)	1.3* (0.48)	116.0 (9.23)	940 (40.5)	1377 (44.0)	313 (12.3)
2 - 19	77.5 (3.40)	6.1 (0.19)	7.9 (0.50)	0.8* (0.26)	71.4 (4.36)	1135 (25.8)	1430 (24.6)	261 (5.0)
20 and over	83.3 (2.39)	5.5 (0.29)	10.4 (0.26)	1.0 (0.08)	120.9 (5.32)	1086 (18.2)	1625 (17.9)	345 (4.6)
2 and over	81.9 (1.51)	5.7 (0.22)	9.8 (0.22)	0.9 (0.07)	108.4 (4.08)	1098 (13.8)	1576 (14.3)	324 (3.8)
Females:								
2 - 5	74.2 (5.87)	5.6 (0.35)	5.3 (0.17)	0.5 (0.10)	50.1 (2.97)	926 (45.1)	1016 (34.9)	184 (5.3)
6 - 11	71.6 (4.03)	4.7 (0.10)	7.1 (0.23)	0.8 (0.20)	75.0 (7.72)	960 (28.1)	1180 (19.4)	218 (3.7)
12 - 19	62.7 (3.92)	3.7 (0.15)	6.7 (0.31)	0.4 (0.09)	82.5 (11.19)	842 (33.3)	1095 (37.4)	210 (6.3)
20 - 29	71.6 (2.34)	4.0 (0.28)	8.0 (0.33)	0.8 (0.17)	100.9 (7.33)	872 (32.8)	1191 (31.6)	248 (7.1)
30 - 39	76.3 (4.58)	3.8 (0.26)	9.3 (0.37)	1.0 (0.28)	139.0 (20.12)	912 (27.9)	1286 (29.9)	285 (8.1)
40 - 49	72.8 (5.60)	3.6 (0.23)	8.5 (0.34)	0.6 (0.11)	130.9 (7.77)	865 (23.6)	1217 (22.8)	277 (4.9)
50 - 59	74.1 (4.27)	4.1 (0.15)	8.6 (0.55)	0.9 (0.23)	141.6 (16.74)	828 (30.0)	1177 (23.1)	278 (9.8)
60 - 69	71.2 (4.79)	4.2 (0.37)	8.3 (0.50)	0.9 (0.21)	122.3 (8.21)	814 (30.4)	1154 (36.4)	267 (10.5)
70 and over	87.4 (4.46)	4.4 (0.19)	7.7 (0.22)	1.0 (0.21)	110.7 (4.50)	809 (28.6)	1069 (25.1)	249 (5.5)
2 - 19	68.0 (2.11)	4.4 (0.13)	6.5 (0.17)	0.6 (0.09)	73.2 (5.73)	898 (22.8)	1105 (19.3)	207 (3.3)
20 and over	75.1 (2.15)	4.0 (0.11)	8.4 (0.17)	0.9 (0.09)	125.0 (5.02)	852 (10.9)	1187 (12.2)	268 (3.7)
2 and over	73.4 (1.84)	4.1 (0.08)	8.0 (0.15)	0.8 (0.08)	113.0 (4.88)	863 (10.3)	1168 (11.9)	254 (3.3)
Males and females:								
2 - 19	72.9 (1.78)	5.3 (0.10)	7.2 (0.29)	0.7 (0.15)	72.2 (3.02)	1020 (19.2)	1272 (15.9)	235 (3.1)
20 and over	79.1 (1.67)	4.7 (0.16)	9.4 (0.18)	0.9 (0.05)	123.0 (3.16)	965 (11.8)	1399 (11.9)	305 (3.4)
2 and over	77.6 (1.25)	4.9 (0.12)	8.9 (0.16)	0.9 (0.05)	110.7 (2.76)	978 (11.2)	1369 (11.0)	288 (3.1)

Table 1. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2013-2014 (continued)

Gender					a		G 1		ъ.		a 1		G. S	c :	TD1 1		. 1	
and age	Iro		Zı	inc	Coj	oper	Sele	nium	Potas	ssium	Sod	ium	Car	feine	Theob	romine	Alc	ohol
(years)	mg	(SE)	mg	(SE)	mg	(SE)	μg	(SE)	mg	(SE)	mg	(SE)	mg	(SE)	mg	(SE)	g	(SE)
Males:																		
2 - 5	12.0	(0.50)	7.9	(0.25)	0.8	(0.03)	78.0	(2.99)	2019	(76.8)	2396	(62.5)	4.7	(0.48)	41.1	(6.00)		
6 - 11	14.7	(0.34)	10.5	(0.27)	1.0	(0.03)	102.2	(3.65)	2332	(53.1)	3185	(94.5)	16.3	(2.10)	60.2	(6.29)		
12 - 19	17.4	(0.77)	13.7	(0.67)	1.1	(0.03)	131.1	(3.51)	2665	(41.8)	3960	(91.8)	53.0	(5.69)	48.0	(3.93)		
20 - 29	17.6	(0.79)	14.7	(0.32)	1.4	(0.05)	148.6	(3.79)	3010	(96.6)	4466	(106.3)	122.1	(18 19)	37.3	(6.28)		
30 - 39	16.7	(0.54)	13.9	(0.41)	1.4	(0.03)	138.5	(4.08)	2991	(53.9)	4274	,	178.2		33.6	(5.65)		
40 - 49	16.0	(0.61)	12.9	(0.45)	1.4	(0.04)	144.9	(3.11)	3101	(74.4)	4254	` '	204.7	. ,	50.1	(5.62)		
50 50	17.0	(0.50)	12.0	(0.45)	1.5	(0.00)	140.5	(5.20)	2110	(7.4.6)	4074	(110.0)	220.2	(11.60)	41.5	(5 <1)		
50 - 59	17.0	(0.59)	12.9	(0.45)	1.5	(0.06)	140.5	(5.30)	3110	(74.6)	4074	()	229.3		41.5	(5.61)		
60 - 69 70 and over	15.6 16.5	(0.53) (0.92)	11.4 12.3	(0.39)	1.3 1.3	(0.05) (0.07)	125.5 112.8	(2.52)	2908 2912	(55.2)	3687 3424	(94.7) (86.6)	194.3 157.6	` ′	37.2	(12.40)		
70 and over	10.5	(0.92)	12.3	(0.66)	1.3	(0.07)	112.0	(2.63)	2912	(89.5)	3424	(80.0)	137.0	(10.48)	31.2	(3.40)		
2 - 19	15.4	(0.39)	11.5	(0.31)	1.0	(0.02)	110.7	(2.13)	2423	(37.0)	3385	(62.6)	30.8	(2.29)	51.0	(3.60)		
20 and over	16.6	(0.22)	13.2	(0.14)	1.4	(0.01)	137.4	(1.69)	3016	(36.0)	4094	(53.3)	181.4	(7.26)	41.7	(2.69)	15.5	(1.27)
2 and over	16.3	(0.18)	12.7	(0.11)	1.3	(0.01)	130.6	(1.60)	2866	(31.7)	3915	(46.2)	143.3	(6.77)	44.0	(2.12)		
Females:																		
2 - 5	10.8	(0.40)	8.1	(0.28)	0.7	(0.02)	68.2	(2.13)	1811	(80.3)	2110	(65.8)	5.6	(1.32)	37.2	(3.91)		
6 - 11	13.8	(0.52)	9.1	(0.36)	0.9	(0.03)	88.2	(1.87)	1962	(49.3)	2767	(56.0)	12.1	(1.48)	47.7	(4.96)		
12 - 19	12.1	(0.50)	8.6	(0.36)	0.9	(0.03)	88.3	(2.27)	1873	(63.2)	2844	(89.6)	44.4	(7.05)	33.7	(5.28)		
20 - 29	12.3	(0.39)	9.4	(0.41)	1.0	(0.04)	98.2	(2.81)	2158	(55.0)	3210	(72.6)	00.6	(5.49)	34.2	(5.67)		
30 - 39	13.1	(0.39) (0.24)	10.1	(0.41) (0.34)	1.0	(0.04) (0.03)	106.2	(2.81) (2.79)	2364	(63.9)	3269	(64.0)	131.0	` ,	35.7	(4.50)		
40 - 49	12.4	(0.24) (0.43)	9.3	(0.34) (0.28)	1.1	(0.03)	100.2	(2.79)	2405	(40.7)	3068	(59.9)	168.4	. ,	40.8	(3.55)		
	12.1	(0.43)	7.5	(0.20)	1.1	(0.03)		(2.7)		(40.7)		(3).))		,	10.0	(3.33)		
50 - 59	13.1	(0.78)	9.1	(0.39)	1.1	(0.04)	97.1	(1.76)	2390	(62.0)	2894	(70.7)	201.3		40.6	(3.55)		
60 - 69	12.0	(0.35)	9.0	(0.34)	1.1	(0.05)	96.1	(2.88)	2301	(86.4)	2837	(87.4)	167.4	` '	34.9	(3.81)		
70 and over	12.4	(0.50)	8.8	(0.30)	1.0	(0.03)	83.5	(2.18)	2290	(56.9)	2597	(66.0)	132.2	(12.31)	29.6	(4.82)		
2 - 19	12.3	(0.22)	8.7	(0.28)	0.8	(0.02)	84.0	(1.19)	1888	(37.1)	2662	(38.6)	25.7	(3.85)	38.9	(3.48)		
20 and over	12.6	(0.16)	9.3	(0.10)	1.1	(0.02)	97.8	(1.07)	2320	(35.0)	2997	(22.1)	149.7	(6.30)	36.4	(1.11)	6.8	(0.65)
2 and over	12.5	(0.14)	9.2	(0.11)	1.0	(0.02)	94.6	(0.94)	2220	(32.2)	2920	(20.5)	121.0	(6.06)	37.0	(1.32)		
Males and females:																		
2 - 19	13.9	(0.23)	10.1	(0.16)	0.9	(0.01)	97.7	(1.25)	2163	(28.0)	3034	(39.7)	28.3	(2.35)	45.1	(2.54)		
20 and over	14.5	(0.23) (0.14)	11.2	(0.10) (0.09)	1.2	(0.01) (0.01)	117.0	(1.23) (1.03)	2658	(30.9)	3529	(30.1)	165.0	(6.40)	38.9	(2.54) (1.61)	11.0	(0.84)
2 and over	14.4	(0.14) (0.14)	10.9	(0.09)	1.2	(0.01)	112.3	(0.99)	2538	(28.7)	3409	(27.7)	132.0	(6.00)	40.4	(1.36)		(0.04)
		(5.2.)		(0.07)		(0.01)	112.0	(0.77)		(=0.7)		(=)	102.0	(0.00)		(2.00)		

Table 1. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2013-2014 (continued)

Condon	CEA	CEA						
Gender and age	SFA 4:0	SFA 6:0	SFA 8:0	SFA 10:0	SFA 12:0	SFA 14:0	SFA 16:0	SFA 18:0
(years)	g (SE)	g (SE)						
Males:								
2 - 5	0.48 (0.024)	0.32 (0.019)	0.29 (0.027)	0.48 (0.028)	0.74 (0.064)	1.89 (0.082)	10.42 (0.318)	4.60 (0.112)
6 - 11	0.65 (0.051)	0.41 (0.033)	0.35 (0.033)	0.64 (0.051)	1.20 (0.224)	2.68 (0.188)	14.84 (0.482)	6.69 (0.303)
12 - 19	0.59 (0.038)	0.37 (0.022)	0.29 (0.014)	0.57 (0.033)	0.93 (0.083)	2.58 (0.141)	16.62 (0.379)	7.37 (0.210)
20 - 29	0.63 (0.045)	0.40 (0.027)	0.32 (0.026)	0.64 (0.036)	0.96 (0.063)	2.95 (0.154)	18.68 (0.576)	8.27 (0.250)
30 - 39	0.55 (0.032)	0.34 (0.017)	0.29 (0.016)	0.57 (0.027)	1.00 (0.087)	2.61 (0.112)	17.01 (0.445)	7.59 (0.222)
40 - 49	0.60 (0.038)	0.36 (0.020)	0.30 (0.017)	0.59 (0.033)	0.93 (0.080)	2.64 (0.146)	16.68 (0.540)	7.51 (0.318)
50 - 59	0.57 (0.037)	0.36 (0.026)	0.31 (0.018)	0.59 (0.044)	1.00 (0.072)	2.51 (0.127)	16.91 (0.562)	7.63 (0.227)
60 - 69	0.57 (0.061)	0.35 (0.030)	0.28 (0.019)	0.56 (0.043)	0.89 (0.091)	2.37 (0.189)	15.61 (0.490)	6.88 (0.228)
70 and over	0.53 (0.038)	0.34 (0.023)	0.27 (0.018)	0.53 (0.033)	0.87 (0.077)	2.24 (0.136)	14.31 (0.577)	6.48 (0.285)
2 - 19	0.59 (0.029)	0.37 (0.016)	0.31 (0.012)	0.58 (0.025)	0.99 (0.073)	2.49 (0.098)	14.80 (0.285)	6.60 (0.161)
20 and over	0.58 (0.023)	0.36 (0.013)	0.30 (0.011)	0.59 (0.018)	0.95 (0.036)	2.59 (0.070)	16.77 (0.209)	7.50 (0.113)
2 and over	0.58 (0.016)	0.36 (0.009)	0.30 (0.009)	0.59 (0.013)	0.96 (0.039)	2.57 (0.052)	16.27 (0.162)	7.27 (0.086)
Females:								
2 - 5	0.47 (0.031)	0.30 (0.019)	0.26 (0.017)	0.46 (0.022)	0.68 (0.039)	1.80 (0.099)	9.79 (0.398)	4.32 (0.190)
6 - 11	0.50 (0.020)	0.33 (0.013)	0.27 (0.011)	0.51 (0.020)	0.85 (0.058)	2.12 (0.067)	12.53 (0.291)	5.53 (0.126)
12 - 19	0.43 (0.030)	0.27 (0.020)	0.22 (0.013)	0.44 (0.028)	0.71 (0.044)	1.86 (0.114)	11.52 (0.478)	5.01 (0.219)
20 - 29	0.50 (0.032)	0.30 (0.016)	0.25 (0.013)	0.50 (0.023)	0.80 (0.047)	2.14 (0.108)	13.13 (0.551)	5.79 (0.268)
30 - 39	0.47 (0.025)	0.30 (0.014)	0.27 (0.020)	0.50 (0.024)	0.96 (0.117)	2.11 (0.092)	13.14 (0.353)	5.94 (0.163)
40 - 49	0.46 (0.021)	0.29 (0.013)	0.23 (0.010)	0.46 (0.019)	0.71 (0.039)	1.99 (0.083)	12.84 (0.364)	5.71 (0.163)
50 - 59	0.42 (0.020)	0.27 (0.012)	0.22 (0.011)	0.44 (0.020)	0.71 (0.069)	1.82 (0.073)	12.02 (0.335)	5.35 (0.167)
60 - 69	0.41 (0.026)	0.26 (0.014)	0.21 (0.012)	0.42 (0.024)	0.68 (0.046)	1.75 (0.097)	11.82 (0.429)	5.15 (0.177)
70 and over	0.43 (0.026)	0.27 (0.016)	0.22 (0.015)	0.43 (0.024)	0.67 (0.053)	1.74 (0.084)	10.84 (0.356)	4.94 (0.229)
2 - 19	0.46 (0.019)	0.30 (0.012)	0.24 (0.006)	0.46 (0.015)	0.75 (0.024)	1.93 (0.062)	11.47 (0.217)	5.03 (0.117)
20 and over	0.45 (0.008)	0.28 (0.005)	0.24 (0.004)	0.46 (0.007)	0.76 (0.022)	1.94 (0.030)	12.37 (0.125)	5.51 (0.062)
2 and over	0.45 (0.007)	0.29 (0.004)	0.24 (0.004)	0.46 (0.007)	0.76 (0.018)	1.93 (0.025)	12.16 (0.119)	5.40 (0.065)
Males and females:								
2 - 19	0.53 (0.019)	0.34 (0.012)	0.28 (0.007)	0.52 (0.017)	0.87 (0.042)	2.22 (0.066)	13.18 (0.197)	5.84 (0.114)
20 and over	0.51 (0.011)	0.32 (0.006)	0.27 (0.005)	0.52 (0.010)	0.85 (0.018)	2.25 (0.034)	14.50 (0.143)	6.47 (0.064)
2 and over	0.52 (0.009)	0.32 (0.006)	0.27 (0.005)	0.52 (0.009)	0.86 (0.021)	2.24 (0.030)	14.18 (0.124)	6.32 (0.063)

Table 1. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2013-2014 (continued)

Gender and age	MFA	MFA	MFA	MFA	PFA	PFA	PFA
	16:1	18:1	20:1	22:1	18:2	18:3	18:4
(years)	g (SE)	g (SE)	g (SE)	g (SE)	g (SE)	g (SE)	g (SE)
Males: 2 - 5 6 - 11	0.64 (0.016)	16.86 (0.381)	0.21 (0.014)	0.01 (0.001)	10.67 (0.332)	1.07 (0.050)	0.01 (0.001)
	0.99 (0.063)	22.57 (0.834)	0.25 (0.010)	0.02 (0.001)	13.78 (0.542)	1.36 (0.043)	0.01 (0.002)
12 - 19	1.23 (0.058)	27.69 (0.845)	0.32 (0.013)	0.02 (0.003)	17.99 (0.733)	1.73 (0.059)	0.01 (0.001)
20 - 29	1.47 (0.065)	31.75 (0.899)	0.42 (0.020)	0.04 (0.004)	21.16 (0.842)	2.14 (0.075)	0.01 (0.002)
30 - 39	1.34 (0.046)	30.54 (0.603)	0.39 (0.018)	0.04 (0.004)	19.93 (0.681)	1.98 (0.062)	0.01 (0.002)
40 - 49	1.29 (0.043)	29.50 (0.877)	0.39 (0.032)	0.03 (0.004)	19.02 (0.661)	1.93 (0.082)	0.02* (0.005)
50 - 59	1.29 (0.031)	31.26 (1.444)	0.39 (0.015)	0.03 (0.004)	19.06 (0.958)	1.92 (0.126)	0.01 (0.002)
60 - 69	1.08 (0.067)	28.40 (0.987)	0.38 (0.022)	0.04 (0.005)	18.93 (0.951)	2.05 (0.129)	0.01 (0.003)
70 and over	1.04 (0.053)	25.25 (0.937)	0.34 (0.024)	0.05* (0.018)	16.32 (0.769)	1.98 (0.199)	0.01* (0.003)
2 - 19	1.03 (0.037)	23.80 (0.639)	0.28 (0.009)	0.02 (0.001)	15.09 (0.495)	1.47 (0.044)	0.01 (0.001)
20 and over	1.28 (0.020)	29.85 (0.408)	0.39 (0.010)	0.04 (0.002)	19.32 (0.396)	2.00 (0.051)	0.01 (0.001)
2 and over	1.22 (0.019)	28.32 (0.385)	0.36 (0.009)	0.03 (0.002)	18.25 (0.308)	1.87 (0.043)	0.01 (0.001)
Females: 2 - 5	0.63 (0.036)	15.45 (0.576)	0.17 (0.011)	0.01 (0.001)	10.08 (0.424)	1.03 (0.045)	#
6 - 11	0.81 (0.030)	20.35 (0.376)	0.23 (0.005)	0.02 (0.001)	13.78 (0.297)	1.38 (0.028)	0.01 (0.001)
12 - 19	0.76 (0.034)	19.49 (0.926)	0.24 (0.016)	0.02 (0.002)	13.85 (0.737)	1.37 (0.090)	0.01 (0.001)
20 - 29	0.95 (0.040)	22.52 (0.966)	0.27 (0.013)	0.02 (0.003)	15.32 (0.601)	1.64 (0.057)	0.01 (0.001)
30 - 39	0.95 (0.037)	23.92 (0.630)	0.30 (0.011)	0.02 (0.002)	16.10 (0.616)	1.71 (0.069)	0.01 (0.003)
40 - 49	0.94 (0.069)	23.24 (0.606)	0.28 (0.012)	0.03 (0.003)	15.56 (0.368)	1.68 (0.048)	0.01 (0.001)
50 - 59	0.85 (0.023)	22.24 (0.704)	0.25 (0.015)	0.02 (0.003)	15.34 (0.555)	1.68 (0.109)	0.01 (0.002)
60 - 69	0.78 (0.038)	22.19 (1.083)	0.31 (0.034)	0.03 (0.003)	14.85 (0.688)	1.57 (0.110)	0.01 (0.003)
70 and over	0.71 (0.025)	19.71 (0.551)	0.22 (0.008)	0.02 (0.003)	13.46 (0.306)	1.53 (0.048)	#
2 - 19	0.75 (0.019)	18.90 (0.458)	0.22 (0.007)	0.02 (0.001)	13.02 (0.373)	1.30 (0.042)	0.01 (0.001)
20 and over	0.87 (0.018)	22.41 (0.277)	0.27 (0.009)	0.02 (0.001)	15.18 (0.209)	1.64 (0.030)	0.01 (0.001)
2 and over	0.84 (0.015)	21.60 (0.249)	0.26 (0.007)	0.02 (0.001)	14.68 (0.159)	1.56 (0.026)	0.01 (0.001)
Males and females: 2 - 19 20 and over 2 and over	0.89 (0.024) 1.07 (0.014) 1.03 (0.014)	21.42 (0.466) 26.02 (0.304) 24.91 (0.297)	0.25 (0.008) 0.33 (0.007) 0.31 (0.006)	0.02 (0.001) 0.03 (0.001) 0.03 (0.001)	14.09 (0.374) 17.19 (0.280) 16.44 (0.226)	1.39 (0.036) 1.82 (0.035) 1.71 (0.031)	0.01 (#) 0.01 (0.001) 0.01 (0.001)

Table 1. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2013-2014 (continued)

Gender	PFA	PFA	PFA	PFA
and age	20:4	20:5	22:5	22:6
(years)	g (SE)	g (SE)	g (SE)	g (SE)
Males:			<u> </u>	<u> </u>
2 - 5	0.09 (0.006)	0.02* (0.007)	0.01 (0.002)	0.04* (0.015)
6 - 11	0.12 (0.006)	0.01 (0.001)	0.01 (0.001)	0.02 (0.002)
12 - 19	0.17 (0.010)	0.01 (0.002)	0.02 (0.001)	0.03 (0.004)
20 - 29	0.21 (0.009)	0.03 (0.005)	0.03 (0.003)	0.06 (0.010)
30 - 39	0.19 (0.007)	0.03 (0.004)	0.03 (0.002)	0.06 (0.007)
40 - 49	0.19 (0.007)	0.05 (0.012)	0.03 (0.003)	0.10 (0.022)
50 - 59	0.19 (0.011)	0.03 (0.006)	0.03 (0.004)	0.08 (0.016)
60 - 69	0.16 (0.010)	0.03 (0.006)	0.02 (0.002)	0.06 (0.011)
70 and over	0.16 (0.012)	0.04 (0.005)	0.02 (0.002)	0.08 (0.011)
2 - 19	0.14 (0.006)	0.01 (0.002)	0.02 (0.001)	0.03 (0.004)
20 and over	0.19 (0.005)	0.03 (0.002)	0.03 (0.002)	0.07 (0.006)
2 and over	0.18 (0.004)	0.03 (0.002)	0.03 (0.001)	0.06 (0.005)
Females:				
2 - 5	0.08 (0.006)	0.01 (0.002)	0.01 (0.001)	0.02 (0.004)
6 - 11	0.10 (0.005)	0.01 (0.001)	0.01 (0.001)	0.02 (0.004)
12 - 19	0.10 (0.006)	0.02 (0.004)	0.02 (0.001)	0.03 (0.005)
20 - 29	0.13 (0.005)	0.02 (0.004)	0.02 (0.001)	0.05 (0.008)
30 - 39	0.14 (0.006)	0.03 (0.004)	0.02 (0.001)	0.06 (0.006)
40 - 49	0.13 (0.006)	0.03 (0.005)	0.02 (0.002)	0.07 (0.009)
50 - 59	0.14 (0.009)	0.03 (0.006)	0.02 (0.003)	0.06 (0.012)
60 - 69	0.12 (0.006)	0.04 (0.008)	0.02 (0.002)	0.07 (0.014)
70 and over	0.11 (0.006)	0.02 (0.003)	0.02 (0.002)	0.05 (0.008)
2 - 19	0.10 (0.004)	0.01 (0.002)	0.01 (0.001)	0.02 (0.003)
20 and over	0.13 (0.002)	0.03 (0.003)	0.02 (0.001)	0.06 (0.005)
2 and over	0.12 (0.002)	0.02 (0.002)	0.02 (0.001)	0.05 (0.004)
Males and females:				
2 - 19	0.12 (0.004)	0.01 (0.001)	0.02 (0.001)	0.03 (0.003)
20 and over	0.16 (0.002)	0.03 (0.002)	0.02 (0.001)	0.07 (0.004)
2 and over	0.15 (0.002)	0.03 (0.002)	0.02 (0.001)	0.06 (0.003)

Symbol Legend

* Indicates an estimate that may be less statistically reliable than estimates that are not flagged. The rules for flagging estimated means are as follows:

Mean: An estimated mean is flagged when based on a sample size of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect, or when the relative standard error is greater than 30 percent. The VIF used in this table is 1.98.

Indicates a non-zero value too small to report.

Abbreviations

SE = standard error; RAE = retinol activity equivalents; DFE = dietary folate equivalents. SFA = saturated fatty acid; MFA = monounsaturated fatty acid; PFA = polyunsaturated fatty acid.

Notes Applicable to All Tables in Series: What We Eat in America, NHANES 2013-2014

Sample weights designed for dietary analysis were used to allow estimates representative of the U. S. population for the years of collection.

The statistics in this table are estimated from Day 1 dietary recall interviews conducted in the *What We Eat in America*, National Health and Nutrition Examination Survey (NHANES) 2013-2014. The 24-hour dietary recalls were conducted in-person, by trained interviewers, using the USDA 5-step Automated Multiple-Pass Method. Food intakes were coded and nutrient values were determined using the USDA Food and Nutrient Database for Dietary Studies 2013-2014 www.ars.usda.gov/nea/bhnrc/fsrg.

Intakes of nutrients and other dietary components are based on the consumption of food and beverages, including water, and do not include intake from supplements or medications.

The table includes data from individuals 2 years and over. Breast-fed children were excluded because breast milk was not quantified in dietary recall interviews.

Although alcohol data are collected for all individuals, estimates are not presented for age groups under 20 years due to extreme variability and/or inadequate sample size.

Suggested Citation

U.S. Department of Agriculture, Agricultural Research Service. 2016. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, What We Eat in America, NHANES 2013-2014.