Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic

| | | | | | | |] | F o o d | e n | e r g | y | | | | | | |
|-----------------------|----------------|---------------|---------------------------|------|-----------------|-----------|--------------------|-----------------------|---------------|-------|-------------|----------|--------------------|-----------------------|----------------|---------|-------------|
| | | | | | | -All Indi | viduals | 2 | | | —All R | estauran | t Consu | mers ³ — | . | Non-con | isumers 4 |
| Gender and age | Sample Size | Pero Repor | cent ting ⁵ | | otal ake | | e from taurants | Percentag All Rest | | | otal ake | | e from taurants | Percentag All Rest | | | otal ake |
| (years) | | % | (SE) | kcal | (SE) | kcal | (SE) | % | (SE) | kcal | (SE) | kcal | (SE) | % | (SE) | kcal | (SE) |
| Males: | | | | ı | | | | | 1 | | | | | | ı | I | |
| 2 - 5 | 468 | 45 | (2.8) | 1667 | (41.7) | 253 | (25.3) | 15 | (1.3) | 1837 | (88.7) | 569 | (49.1) | 31 | (2.0) | 1531 | (34.0) |
| 6 - 11 | 701 | 41 | (3.1) | 1989 | (38.4) | 302 | (16.0) | 15 | (0.8) | 2139 | (58.9) | 736 | (31.9) | 34 | (1.2) | 1885 | (45.4) |
| 12 - 19 | 899 | 53 | (3.2) | 2299 | (36.4) | | (61.7) | 28 | (2.5) | 2578 | (50.4) | 1219 | (63.3) | 47 | (2.2) | 1978 | (72.2) |
| | | | ` ′ | | , , | | , , | | Ì | | , , | | ` ′ | | ` ′ | | , , |
| 20 - 39 | 1086 | 66 | (2.5) | 2547 | (53.8) | 842 | (61.0) | 33 | (2.0) | 2651 | (75.8) | 1282 | (69.5) | 48 | (1.7) | 2348 | (68.0) |
| 40 - 59 | 1221 | 56 | (2.6) | 2561 | (48.4) | 701 | (48.3) | 27 | (1.7) | 2744 | (70.6) | 1250 | (48.2) | 46 | (1.3) | 2327 | (55.6) |
| 60 and over | 1438 | 44 | (2.9) | 2305 | (32.4) | 405 | (34.6) | 18 | (1.4) | 2406 | (58.8) | 926 | (49.3) | 39 | (1.7) | 2227 | (50.8) |
| 2 - 19 | 2068 | 47 | (2.1) | 2061 | (20.9) | 450 | (28.9) | 22 | (1.4) | 2303 | (41.9) | 949 | (37.9) | 41 | (1.4) | 1843 | (33.2) |
| 2 - 19 20 and over | 3745 | 56 | (1.9) | 2483 | (24.2) | 668 | (32.8) | 27 | (1.4) (1.2) | 2629 | (31.6) | 1192 | (37.9) | 45 | (1.4) (1.0) | 2297 | (28.7) |
| 20 and over | 5813 | 54 | (1.9) | 2379 | (24.2) (20.3) | 615 | (28.6) | 26 | (1.2) (1.1) | 2558 | (29.5) | 1132 | (28.7) | 45 | (0.9) | 2169 | (22.1) |
| 2 and over | 3013 | J - | (1.0) | 2317 | (20.3) | 013 | (20.0) | 20 | (1.1) | 2336 | (27.3) | 1137 | (20.7) | 7.5 | (0.7) | 210) | (22.1) |
| Females: | | | | } | | | | | } | | | | | | | | |
| 2 - 5 | 472 | 40 | (3.0) | 1417 | (24.8) | 195 | (19.9) | 14 | (1.3) | 1491 | (32.6) | 492 | (23.6) | 33 | (1.6) | 1368 | (37.6) |
| 6 - 11 | 710 | 50 | (3.1) | 1902 | (37.9) | 386 | (34.9) | 20 | (1.7) | 2079 | (50.6) | 768 | (34.1) | 37 | (1.5) | 1723 | (48.0) |
| 12 - 19 | 841 | 60 | (2.5) | 1812 | (57.3) | 530 | (28.5) | 29 | (1.2) | 1966 | (82.0) | 889 | (43.3) | 45 | (1.6) | 1586 | (42.1) |
| | 1050 | | | 1040 | | | | 2.1 | | • | | 0.40 | | | | 4000 | |
| 20 - 39 | 1272 | 65 | (2.4) | 1940 | (17.6) | 608 | (24.2) | 31 | (1.2) | 2000 | (27.2) | 940 | (32.8) | 47 | (1.3) | 1829 | (35.0) |
| 40 - 59 | 1327 | 52 | (2.3) | 1834 | (35.5) | 442 | (19.4) | 24 | (1.1) | 1886 | (35.7) | 843 | (30.5) | 45 | (1.3) | 1777 | (56.5) |
| 60 and over | 1363 | 42 | (2.7) | 1696 | (34.0) | 304 | (23.5) | 18 | (1.3) | 1747 | (43.0) | 716 | (24.9) | 41 | (1.3) | 1658 | (44.7) |
| 2 - 19 | 2023 | 52 | (1.9) | 1757 | (31.5) | 411 | (23.5) | 23 | (1.1) | 1924 | (49.0) | 786 | (29.7) | 41 | (1.0) | 1573 | (21.0) |
| 20 and over | 3962 | 54 | (1.9) | 1829 | (17.7) | 458 | (14.7) | 25 | (0.8) | 1901 | (21.9) | 853 | (19.3) | 45 | (0.9) | 1745 | (27.7) |
| 2 and over | 5985 | 53 | (1.6) | 1812 | (12.1) | 447 | (13.6) | 25 | (0.7) | 1906 | (19.6) | 838 | (15.8) | 44 | (0.7) | 1705 | (20.6) |
| | | | (===) | | () | | (====) | | (31.) | -, -, | (-2.10) | | () | | (011) | | (====) |
| Males and Females: | | | | | | | | | Ì | | | | | | | l | |
| 2 - 19 | 4091 | 50 | (1.6) | 1911 | (19.7) | 431 | (22.3) | 23 | (1.0) | 2108 | (36.2) | 865 | (29.1) | 41 | (0.9) | 1717 | (21.0) |
| 20 and over | 7707 | 55 | (1.7) | 2144 | (14.9) | 559 | (21.0) | 26 | (0.9) | 2259 | (18.8) | 1020 | (20.5) | 45 | (0.7) | 2003 | (20.3) |
| 2 and over | 11798 | 54 | (1.5) | 2089 | (11.3) | 529 | (18.1) | 25 | (0.8) | 2226 | (15.2) | 986 | (15.6) | 44 | (0.6) | 1930 | (16.5) |
| | | | | • | | | | | • | | | | | | • | | |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | | | Ρr | o t e | i n | | | | | | | |
|---------------------|----------------|---------------|----------------|------|------------------|------------------|--------------------|-----------------------|-------------|-------|------------------|--------------|--------------------|-----------------------|----------------|--------------|------------------|
| | | | | | | -All Indi | viduals | 2 | | | —All R | estauran | t Consu | mers ³ — | | Non-con | sumers 4 |
| Gender and age | Sample Size | Pero Repor | | | otal ake | Intak All Res | e from taurants | Percentag All Rest | | | otal ake | | e from taurants | Percentag All Rest | | To Inta | otal ake |
| (years) | | % | (SE) | g | (SE) | g | (SE) | % | (SE) | g | (SE) | g | (SE) | % | (SE) | g | (SE) |
| Malan | | | | | | | | | | | | | | | ı | ı | |
| Males: 2 - 5 | 468 | 15 | (2.9) | 56.9 | (1.56) | 8.9 | (0.94) | 16 | (1.4) | 61.1 | (2.05) | 20.1 | (1.61) | 33 | (2.2) | 52.6 | (1.60) |
| 6 - 11 | 701 | 45 41 | (2.8) (3.1) | 66.7 | (1.56) (1.57) | 11.3 | (0.84) (0.78) | 16 17 | (1.4) (1.2) | 71.4 | (3.05) (2.72) | 27.6 | (1.01) | 33 39 | (2.2) (1.7) | 63.4 | (1.68) (1.62) |
| 12 - 19 | 899 | 53 | (3.1) | | (2.44) | | | 30 | (2.3) | 96.3 | | 49.3 | (2.57) | 51 | (2.0) | | (3.34) |
| 12 - 19 | 077 | 33 | (3.2) | 80.0 | (2.44) | 20.3 | (2.41) | 30 | (2.3) | 90.3 | (3.07) | 47.3 | (2.37) | 31 | (2.0) | 13.3 | (3.34) |
| 20 - 39 | 1086 | 66 | (2.5) | 96.6 | (1.91) | 34.2 | (2.46) | 35 | (2.2) | 99.6 | (2.95) | 52.1 | (2.83) | 52 | (2.2) | 90.7 | (2.70) |
| 40 - 59 | 1221 | 56 | (2.6) | 97.7 | (2.18) | | (2.09) | 30 | (2.0) | 100.7 | | 51.5 | | 51 | (1.5) | 93.8 | (3.20) |
| 60 and over | 1438 | 44 | (2.9) | | ` / | | (1.58) | 20 | (1.7) | 91.8 | | | (2.19) | 43 | (2.3) | 83.3 | (2.73) |
| | | | , , | | , | | , | | · í | | , , | | ` / | | ` / | ı | , |
| 2 - 19 | 2068 | 47 | (2.1) | 73.6 | (1.27) | 17.6 | (1.22) | 24 | (1.5) | 82.1 | (2.21) | 37.2 | (1.64) | 45 | (1.6) | 66.1 | (1.52) |
| 20 and over | 3745 | 56 | (1.9) | 94.2 | (1.14) | 27.6 | (1.39) | 29 | (1.3) | 98.2 | (1.55) | 49.1 | (1.32) | 50 | (1.1) | 89.1 | (1.41) |
| 2 and over | 5813 | 54 | (1.8) | 89.2 | (1.09) | 25.1 | (1.26) | 28 | (1.2) | 94.7 | (1.54) | 46.5 | (1.22) | 49 | (1.0) | 82.6 | (1.08) |
| F | | | | | | | | | , | | | | | | | ı | |
| Females: | 472 | 40 | (2.0) | 50.0 | (0.02) | 6.0 | (0.71) | 1.4 | (1.2) | 40.2 | (1.52) | 17 / | (0.07) | 25 | (2.2) | 50.4 | (1.20) |
| 2 - 5 | 472 710 | 40 50 | (3.0) | | (0.92) | | (0.71) | 14 | (1.3) | | (1.53) | 17.4 | (0.97) | 35 | (2.2) | | (1.38) |
| 6 - 11 12 - 19 | 841 | 60 | (3.1) | 63.0 | (1.31) | | (1.34) | 20 32 | (1.9) | 66.7 | (1.58) | 25.3 32.9 | (1.38) | 38 50 | (1.6) | 59.2 56.7 | (2.00) |
| 12 - 19 | 841 | 60 | (2.5) | 02.3 | (2.91) | 19.0 | (1.11) | 32 | (1.3) | 66.1 | (4.00) | 32.9 | (2.23) | 30 | (2.5) | 30.7 | (2.44) |
| 20 - 39 | 1272 | 65 | (2.4) | 72.1 | (0.90) | 23.8 | (0.89) | 33 | (1.1) | 74 6 | (1.49) | 36.8 | (1.18) | 49 | (1.6) | 67.7 | (2.10) |
| 40 - 59 | 1327 | 52 | (2.3) | 68.7 | (1.69) | 17.7 | (0.97) | 26 | (1.3) | 68.6 | (1.45) | 33.9 | (1.60) | 49 | (1.9) | 68.7 | (2.40) |
| 60 and over | 1363 | 42 | (2.7) | | (1.59) | | (0.97) | 19 | (1.5) | | (1.50) (1.52) | | (1.00) (1.25) | 44 | (1.7) | | ` , |
| 00 and 0 (01 | 1505 | | (2.7) | 03.2 | (1.57) | 12.2 | (0.72) | 17 | (1.5) | 05.1 | (1.52) | 20.7 | (1.23) | • • | (1.7) | 00.0 | (2.13) |
| 2 - 19 | 2023 | 52 | (1.9) | 59.9 | (1.61) | 14.6 | (0.94) | 24 | (1.2) | 63.6 | (2.36) | 28.0 | (1.41) | 44 | (1.2) | 55.8 | (1.29) |
| 20 and over | 3962 | 54 | (1.9) | 68.8 | (0.93) | | (0.63) | 26 | (0.8) | 70.3 | (1.10) | 33.8 | (0.79) | 48 | (1.1) | 67.1 | (1.40) |
| 2 and over | 5985 | 53 | (1.6) | 66.8 | (0.79) | | (0.61) | 26 | (0.8) | 68.8 | | 32.5 | (0.73) | 47 | (0.9) | | (1.08) |
| | | | , , | | , | | , | | ` ′ | | , , | | ` / | | ` / | ı | , |
| Males and Females: | | | | İ | | | | | | | | | | | | ı | |
| 2 - 19 | 4091 | 50 | (1.6) | 66.9 | (1.26) | 16.2 | (0.88) | 24 | (1.1) | 72.5 | (2.02) | 32.4 | (1.19) | 45 | (1.0) | 61.3 | (1.09) |
| 20 and over | 7707 | 55 | (1.7) | 81.0 | (0.74) | 22.7 | (0.91) | 28 | (1.0) | 84.1 | (0.76) | 41.4 | (0.75) | 49 | (0.8) | 77.4 | (1.15) |
| 2 and over | 11798 | 54 | (1.5) | 77.7 | (0.75) | 21.1 | (0.81) | 27 | (0.9) | 81.5 | (0.95) | 39.4 | (0.69) | 48 | (0.7) | 73.3 | (0.91) |
| | | | | ' | | | | | | | | | | | | | |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

Carbohvdrate -All Individuals ²-----All Restaurant Consumers ³ -----Non-consumers 4 Gender Sample Percent Total Intake from Percentages from ⁶ Total Intake from Percentages from 6 Total and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake g (SE) (SE) (SE) (SE) (years) % (SE) (SE) g (SE) % g (SE) Males: 222 13 27 202 2 - 5..... 468 45 (2.8)(5.6)29 246 66 (5.9)(1.9)(3.4)(3.1)(1.2)(11.9)701 33 30 6 - 11..... 41 258 13 274 81 (3.6)247 (3.1)(5.9)(1.7)(0.7)(6.7)(1.3)(8.3)899 53 282 25 249 12 - 19..... (3.2)(4.4)71 (7.1)(2.5)310 (6.3)132 (7.4)43 (2.5)(8.4)20 - 39..... 1086 289 30 295 132 66 (2.5)(7.1)86 (6.3)(1.9)(8.7)(6.9)45 (1.6)278 (11.8)40 - 59..... 1221 56 285 69 (4.4)24 303 (8.3)122 40 262 (7.8)(2.6)(4.8)(1.6)(4.3)(1.3)33 60 and over..... 1438 44 (2.9)260 (4.1)39 (3.2)15 (1.2)266 (5.7)89 (4.4)(1.3)255 (6.1)2 - 19..... 2068 47 (2.1)261 (2.5)49 (3.2)19 (1.3)287 (5.2)104 (4.1)36 (1.5)238 (4.2)20 and over... 3745 56 280 (3.5)67 (3.4)24 291 (4.9)119 (3.7)41 264 (3.8)(1.9)(1.1)(1.0)5813 275 290 40 2 and over... 54 (1.8)(2.8)62 (3.0)23 (1.0)(4.3)116 (2.9)(0.9)257 (2.8)**Females:** 2 - 5..... 472 189 12 29 183 40 (3.0)(3.8)23 (2.4)(1.2)199 (4.7)57 (3.0)(1.5)(6.1)6 - 11..... 710 248 45 18 89 33 229 50 (6.0)(4.2)267 (4.3)(3.1)(1.5)(7.9)(1.4)(6.7)12 - 19..... 841 60 227 59 245 100 41 200 (2.5)(6.6)(3.8)26 (1.3)(9.6)(5.0)(1.6)(4.8)20 - 39..... 1272 65 (2.4)225 (3.3)63 (2.7)28 227 (4.0)97 (3.8)43 221 (5.3)(1.2)(1.4)40 - 59..... 1327 52 213 45 21 215 39 210 (2.3)(5.6)(2.2)(1.0)(5.3)85 (3.6)(1.4)(8.8)60 and over..... 30 37 194 1363 (2.7)194 (4.7)(2.6)16 (1.2)193 (5.7)(3.1)(1.3)(5.9)2 - 19..... 2023 (1.9)226 (3.8)47 (2.9)21 (1.0)244 (5.9)89 (3.4)37 (1.0)205 (2.7)20 and over... 3962 54 (1.9)211 (2.2)47 (1.6)22 (0.8)215 (2.7)87 (2.2)40 (0.8)207 (3.5)2 and over... 5985 53 214 47 (1.5)22 (0.7)221 87 (1.8)39 (0.7)206 (2.7)(1.6)(1.6)(2.5)Males and Females: 96 2 - 19..... 4091 50 244 (2.4)48 (2.5)20 (0.9)265 (4.2)(3.3)36 (1.0)222 (2.9)(1.6)7707 244 56 (2.2)23 (0.8)253 (2.2)41 234 20 and over... 55 (1.7)(2.1)(2.7)103 (0.7)(2.8)54 40 2 and over... 11798 244 22 255 231 (1.5)(1.6)(1.9)(0.8)(2.1)101 (1.6)(0.6)(2.2)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | Total sugars | | | | | | | | | | | | | |
|---|----------------------|----------------|---------------------------|-------------------|----------------------------------|--------------------|-------------------------|-----------------------|-------------------------|-------------------|-------------------------|----------------------|-------------------------|-----------------------|-------------------------|-------------------|-------------------------|
| | | | | | | -All Indiv | riduals | 2 | | | —All R | estaurant | Consu | mers ³ — | . | Non-con | sumers 4 |
| Gender and age | Sample Size | Pero Repor | cent ting ⁵ | To Inta | | Intake All Rest | from aurants | Percentag All Rest | | To Inta | | Intake All Rest | | Percentag All Rest | | To Inta | |
| (years) | | % | (SE) | g | (SE) | g | (SE) | % | (SE) | g | (SE) | g | (SE) | % | (SE) | g | (SE) |
| Males: | | | | I | | | | | 1 | | | | | | ĺ | | |
| 2 - 5 | 468 701 899 | 45 41 53 | (2.8) (3.1) (3.2) | 109 117 125 | (4.3) (3.1) (3.1) | 10 12 25 | (1.7) (0.7) (3.4) | 9 10 20 | (1.3) (0.6) (2.5) | 121 127 139 | (8.0) (4.4) (4.7) | 23 28 48 | (3.1) (2.0) (4.2) | 19 22 34 | (2.1) (1.7) (2.8) | 99 110 108 | (3.3) (4.1) (3.9) |
| 20 - 39 40 - 59 60 and over | 1086 1221 1438 | 66 56 44 | (2.5) (2.6) (2.9) | 119 126 111 | (5.1) (5.1) (4.6) (2.4) | 26 22 11 | (2.3) (1.9) (1.0) | 22 18 10 | (1.6) (1.3) (0.9) | 119 134 113 | (5.1) (7.6) (4.1) | 40 40 40 26 | (2.7) (2.9) (1.5) | 34 30 23 | (1.6) (1.4) (1.3) | 120 116 110 | (7.7) (5.1) (3.6) |
| 2 - 19 20 and over 2 and over | 2068 3745 5813 | 47 56 54 | (2.1) (1.9) (1.8) | 119 119 119 | (1.7) (3.0) (2.4) | 18 21 20 | (1.4) (1.3) (1.1) | 15 17 17 | (1.1) (0.9) (0.8) | 132 123 125 | (3.5) (3.9) (3.3) | 37 37 37 | (2.0) (1.8) (1.3) | 28 30 30 | (1.4) (1.0) (0.7) | 107 115 113 | (1.9) (2.6) (2.1) |
| Females: 2 - 5 | 472 710 841 | 40 50 60 | (3.0) (3.1) (2.5) | 92 112 99 | (2.6) (3.6) (3.7) | 7 18 24 | (1.0) (2.0) (2.7) | 8 16 24 | (1.0) (1.6) (2.1) | 95 123 109 | (3.3) (5.3) (5.0) | 18 36 40 | (1.6) (2.5) (3.9) | 19 29 36 | (1.7) (1.6) (2.9) | 91 102 85 | (3.7) (3.5) (3.7) |
| 20 - 39 40 - 59 60 and over | 1272 1327 1363 | 65 52 42 | (2.4) (2.3) (2.7) | 96 96 84 | (3.0) (2.9) (2.9) | 22 15 10 | (1.3) (0.9) (1.1) | 23 16 11 | (1.3) (0.8) (1.2) | 96 94 80 | (3.2) (4.2) (2.8) | 34 29 23 | (1.9) (1.9) (1.6) | 35 31 29 | (1.5) (1.4) (1.8) | 97 97 88 | (4.5) (4.1) (3.7) |
| 2 - 19 20 and over 2 and over | 2023 3962 5985 | 52 54 53 | (1.9) (1.9) (1.6) | 102 92 95 | (2.3) (1.4) (1.1) | 18 16 16 | (1.6) (0.7) (0.7) | 18 17 17 | (1.3) (0.8) (0.8) | 111 91 96 | (3.4) (1.9) (1.7) | 35 30 31 | (2.4) (0.9) (0.9) | 31 32 32 | (1.7) (0.8) (0.9) | 92 94 93 | (1.9) (2.2) (1.7) |
| Males and Females: 2 - 19 20 and over 2 and over | 4091 7707 | 50 55 54 | (1.6) (1.7) (1.5) | 111 105 107 | (1.5) (1.7) (1.4) | 18 18 18 | (1.3) (0.8) (0.7) | 16 17 17 | (1.0) (0.7) (0.6) | 121 107 110 | (2.6) (2.1) (1.7) | 36 33 34 | (2.0) (1.0) (0.7) | 30 31 31 | (1.3) (0.6) (0.5) | 100 104 103 | (1.5) (1.9) (1.6) |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic *(continued)*

| | | | | | | | D | i e t a | r y | f i b | e r | | | | | | |
|------------------------|----------------|---------------|---------------------------|------------|-----------------|------------|--------------------|-----------------------|---------------|--------------|-----------------|------------|--------------------|-----------------------|---------------|--------------|-----------------|
| | | | | | | -All Indi | viduals | 2 | | | —All R | estauran | t Consu | mers ³ — | - | Non-cor | isumers 4 |
| Gender and age | Sample Size | Pero Repor | cent ting ⁵ | To Inta | | | e from taurants | Percentag All Rest | | | otal ake | | e from taurants | Percentag All Rest | | | otal ake |
| (years) | | % | (SE) | g | (SE) | g | (SE) | % | (SE) | g | (SE) | g | (SE) | % | (SE) | g | (SE) |
| Males: | | | | ı | | | | | | | | | | | | ı | |
| 2 - 5 | 468 | 45 | (2.8) | 12.5 | (0.37) | 1.7 | (0.16) | 14 | (1.1) | 13.2 | (0.65) | 3.8 | (0.32) | 29 | (2.4) | 11.9 | (0.50) |
| 6 - 11 | 701 | 41 | (3.1) | 14.7 | (0.57) (0.65) | 1.8 | (0.10) (0.12) | 13 | (1.1) (1.0) | 14.3 | (0.53) | 4.5 | (0.32) (0.26) | 31 | (1.6) | 15.0 | (0.96) |
| 12 - 19 | 899 | 53 | (3.1) (3.2) | 15.4 | (0.39) | 4.0 | ` , | 26 | (2.7) | 16.5 | (0.73) | 7.5 | (0.20) (0.58) | 45 | (2.8) | 14.2 | (0.73) |
| | | | (=) | | (5.57) | | (31.12) | | (=, | | (=1,-) | | (0100) | | (=) | | (31.2) |
| 20 - 39 | 1086 | 66 | (2.5) | 17.7 | (0.50) | 5.2 | (0.41) | 30 | (2.0) | 17.5 | (0.76) | 8.0 | (0.54) | 46 | (2.0) | 18.1 | (0.79) |
| 40 - 59 | 1221 | 56 | (2.6) | 18.7 | (0.45) | 4.6 | (0.43) | 25 | (2.1) | 19.1 | (0.57) | 8.2 | (0.49) | 43 | (2.1) | 18.2 | (0.67) |
| 60 and over | 1438 | 44 | (2.9) | 17.9 | (0.47) | 2.7 | (0.28) | 15 | (1.3) | 17.9 | (0.62) | 6.2 | (0.41) | 35 | (1.6) | 17.9 | (0.56) |
| 2 - 19 | 2068 | 47 | (2.1) | 14.6 | (0.29) | 2.8 | (0.21) | 19 | (1.3) | 15.2 | (0.44) | 5.9 | (0.34) | 39 | (1.8) | 14.0 | (0.46) |
| 20 and over | 3745 | 56 | (1.9) | 18.1 | (0.32) | 4.3 | (0.21) | 24 | (1.3) | 18.1 | (0.38) | 7.7 | (0.34) | 42 | (1.3) | 18.1 | (0.41) |
| 2 and over | 5813 | 54 | (1.8) | 17.2 | (0.28) | 3.9 | (0.25) | 23 | (1.2) | 17.5 | (0.35) | 7.3 | (0.30) | 42 | (1.2) | 16.9 | (0.36) |
| Females: | | | | | | | | | | | | | | | | 5 | |
| 2 - 5 | 472 | 40 | (3.0) | 12.0 | (0.41) | 1 4 | (0.15) | 12 | (1.4) | 11.6 | (0.58) | 3.6 | (0.23) | 31 | (1.7) | 12.3 | (0.73) |
| 6 - 11 | 710 | 50 | (3.1) | 14.7 | (0.41) (0.40) | 2.3 | (0.13) (0.21) | 16 | (1.4) | 15.1 | (0.36) (0.49) | 4.6 | (0.25) | 31 | (1.7) | 14.4 | (0.75) (0.55) |
| 12 - 19 | 841 | 60 | (2.5) | l | (0.40) | 3.3 | (0.21) (0.23) | 24 | (1.2) | | (0.45) (1.25) | | (0.23) (0.31) | 39 | (2.6) | 12.7 | (0.72) |
| 20, 20 | 1070 | <i>(</i> = | (2. t) | 15.5 | (0.40) | 2.0 | (0.15) | 25 | (1.0) | 140 | (0.50) | 6.0 | (0.04) | 40 | (2.5) | 16.6 | (0.54) |
| 20 - 39 | 1272 | 65 52 | (2.4) | 15.5 | (0.43) | | (0.17) | 25 | (1.2) | 14.9 | ` ′ | 6.0 | (0.24) | 40 | (2.5) | 16.6 | (0.64) |
| 40 - 59 60 and over | 1327 1363 | 52 42 | (2.3) | 15.0 | (0.54) | 2.8 2.1 | (0.19) | 19 14 | (1.2) | 14.5 14.1 | ` / | 5.4 5.0 | ` / | 37 35 | (1.6) | 15.6 15.9 | (0.94) |
| oo and over | 1303 | 42 | (2.7) | 15.2 | (0.48) | 2.1 | (0.21) | 14 | (1.2) | 14.1 | (0.56) | 3.0 | (0.31) | 33 | (1.3) | 13.9 | (0.61) |
| 2 - 19 | 2023 | 52 | (1.9) | 13.6 | (0.41) | 2.6 | (0.14) | 19 | (0.8) | 14.1 | (0.61) | 4.9 | (0.19) | 35 | (1.3) | 13.1 | (0.40) |
| 20 and over | 3962 | 54 | (1.9) | 15.2 | (0.37) | 3.0 | ` , | 20 | (0.7) | 14.6 | (0.34) | 5.6 | (0.17) | 38 | (1.3) | 16.0 | (0.56) |
| 2 and over | 5985 | 53 | (1.6) | 14.9 | (0.32) | 2.9 | (0.11) | 19 | (0.6) | 14.5 | (0.33) | | (0.14) | 38 | (1.2) | 15.3 | (0.48) |
| | | | | | | | | | | | | | | | | | |
| Males and Females: | | | | | | | | | Ì | | | | | | | | |
| 2 - 19 | 4091 | 50 | (1.6) | 14.1 | (0.29) | 2.7 | (0.15) | 19 | (0.9) | 14.6 | (0.49) | 5.4 | | 37 | (1.2) | 13.6 | (0.35) |
| 20 and over | 7707 | 55 | (1.7) | 16.6 | (0.32) | 3.6 | (0.18) | 22 | (0.9) | 16.3 | (0.31) | 6.6 | (0.20) | 40 | (0.9) | 17.0 | (0.44) |
| 2 and over | 11798 | 54 | (1.5) | 16.0 | (0.27) | 3.4 | (0.16) | 21 | (0.8) | 15.9 | (0.30) | 6.3 | (0.17) | 40 | (0.9) | 16.1 | (0.38) |
| | | | | | | | | | • | | | | | | | | |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | | | Tot | al | f a t | | | | | | | |
|----------------------------------|----------------|---------------|---------------------------|------------|------------------|------------------|--------------------|-----------------------|----------------|-------|------------------|----------|--------------------|-----------------------|----------------|--------------|------------------|
| | | | | | | -All Indi | viduals | 2 | | | —All R | estauran | t Consu | mers ³ — | | Non-con | sumers4 |
| Gender and age | Sample Size | Pero Repor | cent ting ⁵ | To Inta | otal ake | Intak All Res | e from taurants | Percentag All Rest | | | otal ake | | e from taurants | Percentag All Rest | | To Inta | otal ake |
| (years) | | % | (SE) | g | (SE) | g | (SE) | % | (SE) | g | (SE) | g | (SE) | % | (SE) | g | (SE) |
| 36.1 | | | | ı | | | | | | | | | | | ı | | |
| Males: | 160 | 15 | (2.0) | 62.7 | (2.00) | 11.2 | (1.20) | 10 | (1.7) | 60.9 | (4.02) | 25.4 | (2.40) | 26 | (2.7) | 507 | (0.05) |
| 2 - 5 6 - 11 | 468 701 | 45 41 | (2.8) (3.1) | 63.7 | (2.08) (1.92) | 11.3 14.0 | (1.20) (0.75) | 18 18 | (1.7) (1.0) | 86.7 | (4.03) (3.19) | 34.0 | (2.48) (1.69) | 36 39 | (2.7) | 58.7 74.1 | (2.25) (2.11) |
| 12 - 19 | 899 | 53 | (3.1) | 1 | (1.92) | 29.7 | ` , | 32 | (2.7) | 107.3 | (2.99) | | (3.11) | 59 52 | (1.4) | | |
| 12 - 19 | 099 | 33 | (3.2) | 93.3 | (1.91) | 29.1 | (2.79) | 32 | (2.7) | 107.3 | (2.99) | 33.0 | (3.11) | 32 | (2.2) | //./ | (3.46) |
| 20 - 39 | 1086 | 66 | (2.5) | 100.5 | (2.62) | 37.3 | (2.95) | 37 | (2.4) | 105.6 | (3.67) | 56.9 | (3.57) | 54 | (2.2) | 90.8 | (3.08) |
| 40 - 59 | 1221 | 56 | (2.6) | 104.4 | | | (2.50) | 31 | (1.9) | 114.3 | (4.15) | 57.5 | (2.85) | 50 | (1.4) | 91.7 | (3.08) |
| 60 and over | 1438 | 44 | (2.9) | 1 | (1.60) | | (1.76) | 20 | (1.8) | 104.2 | (3.03) | 44.5 | (2.73) | 43 | (2.1) | | (3.07) |
| | | | , , | | , , | | , | | · í | | , , | | ` / | | ` / | | , |
| 2 - 19 | 2068 | 47 | (2.1) | 82.4 | (1.21) | 20.5 | (1.33) | 25 | (1.5) | 93.9 | (2.17) | 43.3 | (1.90) | 46 | (1.5) | 72.1 | (1.61) |
| 20 and over | 3745 | 56 | (1.9) | 101.0 | (1.14) | 30.5 | (1.53) | 30 | (1.4) | 108.3 | (1.62) | 54.3 | (1.76) | 50 | (1.3) | 91.7 | (1.53) |
| 2 and over | 5813 | 54 | (1.8) | 96.4 | (1.00) | 28.0 | (1.31) | 29 | (1.2) | 105.2 | (1.58) | 52.0 | (1.44) | 49 | (1.0) | 86.2 | (1.17) |
| Females: | | | | | | | | | | | | | | | • | | |
| 2 - 5 | 472 | 40 | (3.0) | 53.2 | (1.01) | 87 | (0.91) | 16 | (1.6) | 57.5 | (1.41) | 22.0 | (1.13) | 38 | (1.9) | 50.3 | (1.44) |
| 6 - 11 | 710 | 50 | (3.0) | 1 | (1.63) | | (0.91) (1.51) | 23 | (1.8) | 85.1 | (2.54) | 34.8 | | 41 | (1.8) | 65.9 | (2.04) |
| 12 - 19 | 841 | 60 | (2.5) | 74.7 | (2.90) | | (1.31) (1.32) | 32 | (1.4) | 82.0 | | | (2.19) | 50 | (1.8) | 63.9 | (2.40) |
| 12 - 17 | 071 | 00 | (2.3) | / / | (2.70) | 27.2 | (1.52) | 32 | (1.4) | 02.0 | (4.03) | 40.0 | (2.17) | 30 | (1.)) | 03.7 | (2.40) |
| 20 - 39 | 1272 | 65 | (2.4) | 81.1 | (1.14) | 27.8 | (1.25) | 34 | (1.3) | 85.5 | (1.37) | 43.0 | (1.64) | 50 | (1.6) | 73.1 | (2.66) |
| 40 - 59 | 1327 | 52 | (2.3) | 1 | (1.66) | | (0.99) | 27 | (1.3) | 79.1 | (2.15) | 38.9 | (1.64) | 49 | (1.4) | 71.4 | (2.68) |
| 60 and over | 1363 | 42 | (2.7) | | (2.08) | | (1.14) | 20 | (1.4) | | (2.40) | | (1.43) | 44 | (1.5) | | (2.67) |
| | | | () | | (, | | (') | | | | | | (' - / | | (/ | | ('/ |
| 2 - 19 | 2023 | 52 | (1.9) | 70.3 | (1.58) | 18.7 | (1.04) | 27 | (1.2) | 79.0 | (2.52) | 35.8 | (1.42) | 45 | (1.1) | 60.9 | (1.17) |
| 20 and over | 3962 | 54 | (1.9) | 76.3 | (1.01) | | (0.69) | 28 | (0.8) | 81.1 | | 39.4 | (0.93) | 49 | (1.1) | 70.8 | (1.79) |
| 2 and over | 5985 | 53 | (1.6) | 75.0 | (0.70) | 20.6 | (0.61) | 27 | (0.8) | 80.6 | (1.05) | 38.6 | (0.74) | 48 | (0.8) | 68.5 | (1.32) |
| Malanatha | | | | | | | | | | | | | | | | | |
| Males and Females: 2 - 19 | 4091 | 50 | (1.6) | 76.5 | (1.00) | 19.6 | (1.03) | 26 | (1.1) | 86.2 | (1.84) | 39.4 | (1.40) | 16 | (1.0) | 66.9 | (0.99) |
| 2 - 19 20 and over | 7707 | 55 | (1.6) (1.7) | 88.2 | (0.72) | 25.6 | (0.96) | 29 | (1.1) (1.0) | 94.5 | (0.86) | 46.7 | (0.97) | 46 49 | (1.0) (0.9) | 80.6 | (0.99) |
| | | 53 54 | (1.7) | 85.4 | (0.72) (0.60) | | ` , | 29 | (0.9) | 94.3 | (0.80) (0.82) | 45.1 | (0.97) (0.73) | 49 | (0.9) (0.7) | 77.1 | (0.97) |
| Z aliu ovel | 11/70 | 54 | (1.3) | 65.4 | (0.00) | 24.2 | (0.63) | 20 | (0.9) | 94.1 | (0.64) | 45.1 | (0.73) | 49 | (0.7) | //.1 | (0.97) |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | | \mathbf{S} | atur | a t e | d f | a t | | | | | | |
|--------------------|----------------|---------------|---------------------------|------|-------------|------------------|--------------------|-----------------------|-------|------|-------------|----------|--------------------|-----------------------|-------|---------|-------------|
| | | | | | | -All Indi | viduals | 2 | | | —All R | estauran | t Consu | mers ³ — | | Non-con | isumers 4 |
| Gender and age | Sample Size | Pero Repor | cent ting ⁵ | | otal ake | Intak All Res | e from taurants | Percentag All Rest | | | otal ake | | e from taurants | Percentag All Rest | | | otal ake |
| (years) | | % | (SE) | g | (SE) | g | (SE) | % | (SE) | g | (SE) | g | (SE) | % | (SE) | g | (SE) |
| Males: | | | | 1 | | | | | ı | | | | | | I | | |
| 2 - 5 | 468 | 45 | (2.8) | 22.3 | (0.76) | 3.5 | (0.35) | 16 | (1.5) | 24.0 | (1.57) | 7.8 | (0.68) | 33 | (2.5) | 21.0 | (1.04) |
| 6 - 11 | 701 | 41 | (3.1) | 27.9 | (0.73) | 4.9 | (0.28) | 18 | (1.0) | 30.2 | ` / | 11.9 | (0.61) | 40 | (1.5) | 26.3 | (1.08) |
| 12 - 19 | 899 | 53 | (3.2) | 32.2 | (0.62) | 9.9 | (0.93) | 31 | (2.7) | 36.5 | (1.01) | 18.6 | (1.07) | 51 | (2.4) | 27.3 | (1.22) |
| 20 - 39 | 1086 | 66 | (2.5) | 32.8 | (0.82) | 12.2 | (0.91) | 37 | (2.3) | 34.5 | (1.11) | 18.6 | (1.09) | 54 | (2.3) | 29.4 | (1.07) |
| 40 - 59 | 1221 | 56 | (2.6) | 33.3 | (0.80) | 10.4 | (0.83) | 31 | (2.1) | 36.5 | ` / | 18.6 | (1.02) | 51 | (1.9) | 29.2 | (1.03) |
| 60 and over | 1438 | 44 | (2.9) | 32.2 | (0.76) | | | 20 | (2.0) | 34.0 | ` / | 14.4 | (0.88) | 42 | (1.9) | 30.9 | |
| 2 - 19 | 2068 | 47 | (2.1) | 28.7 | (0.44) | 6.9 | (0.43) | 24 | (1.4) | 32.2 | (0.70) | 14.5 | (0.60) | 45 | (1.6) | 25.5 | (0.57) |
| 20 and over | 3745 | 56 | (1.9) | 32.8 | (0.39) | 9.9 | (0.49) | 30 | (1.4) | 35.1 | (0.52) | 17.7 | (0.57) | 50 | (1.2) | 29.9 | (0.57) |
| 2 and over | 5813 | 54 | (1.8) | 31.8 | (0.35) | 9.2 | (0.43) | 29 | (1.2) | 34.5 | (0.50) | 17.0 | (0.49) | 49 | (1.0) | 28.6 | (0.44) |
| Females: | | | | } | | | | | | | | | | | | | |
| 2 - 5 | 472 | 40 | (3.0) | 18.3 | (0.46) | 2.6 | (0.29) | 14 | (1.5) | 19.4 | (0.63) | 6.6 | (0.40) | 34 | (2.0) | 17.6 | (0.60) |
| 6 - 11 | 710 | 50 | (3.1) | 1 | (0.52) | | (0.50) | 21 | (1.7) | 29.1 | (0.82) | 11.1 | (0.63) | 38 | (1.8) | 23.7 | (0.71) |
| 12 - 19 | 841 | 60 | (2.5) | 1 | ` / | 7.9 | (0.52) | 32 | (1.7) | 27.0 | ` / | 13.2 | ` / | 49 | (1.8) | 22.0 | (0.96) |
| 20 - 39 | 1272 | 65 | (2.4) | 26.5 | (0.40) | 9.0 | (0.41) | 34 | (1.3) | 28.1 | (0.52) | 13.9 | (0.54) | 49 | (1.6) | 23.5 | (0.87) |
| 40 - 59 | 1327 | 52 | (2.3) | 24.4 | (0.61) | 6.5 | (0.29) | 27 | (1.2) | 25.5 | (0.70) | 12.4 | (0.44) | 49 | (1.3) | 23.1 | (1.11) |
| 60 and over | 1363 | 42 | (2.7) | 1 | (0.91) | | (0.36) | 19 | (1.4) | 24.3 | | 10.4 | ` / | 43 | (1.3) | | (1.17) |
| 2 - 19 | 2023 | 52 | (1.9) | 24.0 | (0.51) | 6.0 | (0.40) | 25 | (1.4) | 26.4 | (0.85) | 11.5 | (0.56) | 43 | (1.3) | 21.4 | (0.56) |
| 20 and over | 3962 | 54 | (1.9) | 24.7 | (0.42) | 6.7 | (0.23) | 27 | (1.0) | 26.3 | (0.43) | 12.5 | (0.26) | 48 | (0.9) | 22.9 | (0.81) |
| 2 and over | 5985 | 53 | (1.6) | 1 | | 6.6 | (0.21) | 27 | (0.9) | 26.3 | (0.41) | 12.3 | (0.24) | 47 | (0.7) | 22.6 | (0.62) |
| Males and Females: | | | | | | | | | | | | | | | | | |
| 2 - 19 | 4091 | 50 | (1.6) | 26.4 | (0.33) | 6.4 | (0.35) | 24 | (1.1) | 29.2 | (0.52) | 12.9 | (0.48) | 44 | (1.2) | 23.6 | (0.41) |
| 20 and over | 7707 | 55 | (1.7) | 28.6 | (0.32) | 8.3 | (0.31) | 29 | (1.1) | 30.6 | (0.29) | 15.1 | (0.28) | 49 | (0.8) | 26.2 | (0.61) |
| 2 and over | | 54 | (1.5) | 28.1 | (0.26) | 7.8 | (0.28) | 28 | (0.9) | 30.3 | (0.27) | | (0.24) | 48 | (0.6) | 25.5 | (0.49) |
| | | | (/ | 1 | () | | (/ | | (/ | | (/ | | () | | () | | (/ |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

Monounsaturated fat -All Individuals ²-—All Restaurant Consumers ³ ——— Non-consumers⁴ Gender Sample Percent Total Intake from Percentages from ⁶ Intake from Percentages from 6 Total Total and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake g (SE) (SE) g (SE) (SE) (years) % (SE) g (SE) g (SE) % g (SE) Males: 19 22.7 (1.24) (0.86)38 19.0 2 - 5..... 468 45 (2.8)20.7 (0.71)3.9 (0.41)(1.8)8.7 (2.8)(0.78)701 6 - 11..... 41 26.0 (0.64) 4.7 (0.25) 18 29.0 (1.07) 11.5 (0.54)40 24.0 (3.1)(1.0)(1.5)(0.69)899 53 35.4 (1.21) 52 12 - 19..... (3.2)30.9 (0.69) 9.8 (0.88) (2.7)18.3 (1.00) (2.1)25.8 (1.32) 1086 19.4 20 - 39..... 66 (2.5)34.4 (0.95) 12.7 (1.06)37 (2.4)36.4 (1.30) (1.31)53 (2.4)30.6 (1.06) 40 - 59..... 1221 56 36.4 (1.30) (0.86)30 39.7 (1.77) (0.99)49 32.1 (1.14)(2.6)10.9 (1.7)19.4 (1.6)33.1 (0.56) 31.3 (1.15) 60 and over..... 1438 44 (2.9)6.6 (0.59) 20 (1.8)35.4 (0.97) 15.2 (0.88) 43 (1.9)2 - 19..... 2068 47 (2.1)27.1 (0.45)6.8 (0.43)25 (1.5)31.0 (0.83) 14.4 (0.62)46 (1.4)23.6 (0.60)20 and over... 3745 56 (1.9)34.7 (0.50)10.4 (0.56)30 (1.4)37.3 (0.73) 18.5 (0.66)49 31.4 (0.56)(1.4)5813 49 2 and over... 54 (1.8)32.9 (0.43) 9.5 (0.47) (1.2)36.0 (0.68) 17.6 (0.53) (1.1)29.2 (0.43) Females: 472 17.5 (0.40) 18.9 (0.52) 7.5 (0.37)39 2 - 5..... 40 (3.0)3.0 (0.30) 17 (1.6)(2.0)16.6 (0.58)6 - 11..... 710 24.4 (0.56)23 27.6 (0.95) 41 21.2 50 (0.50)11.3 (0.54)(3.1)5.7 (1.9)(2.1)(0.71)12 - 19..... 841 60 33 13.4 (0.83) 51 20.9 (2.5)24.0 (0.91) 8.0 (0.45) (1.4)26.1 (1.18) (1.8)(0.86)20 - 39..... 1272 65 (2.4)27.4 (0.51) 9.2 (0.44) 34 (1.3)28.6 (0.53) 14.3 (0.56)50 25.2 (1.15) (1.7)40 - 59..... 1327 52 25.7 (0.61) 26 26.9 (0.76) 13.0 48 24.3 (2.3)6.8 (0.35) (1.3)(0.56)(1.4)(0.95)60 and over..... 24.4 (0.73) 1363 (2.7)4.8 (0.39) (1.4)26.3 (0.91) 11.4 (0.52) 43 (1.8)22.9 (0.93) 2 - 19..... 2023 (1.9)22.7 (0.47) 6.2 (0.34) 27 (1.3)25.4 (0.75) 11.8 (0.49)46 (1.3)19.8 (0.41)20 and over... 3962 54 (1.9)25.9 (0.37)7.0 (0.25) 27 (0.8)27.5 (0.41) 13.1 (0.34)48 (1.2)24.0 (0.63)2 and over... 5985 53 25.2 (0.27) 6.8 (0.22) 27 (0.8)27.0 (0.40) 12.8 (0.27) 48 (1.0)23.1 (0.46) (1.6)Males and Females: 2 - 19..... 4091 50 25.0 (0.26) 6.5 (0.33) 26 28.1 (0.51) 13.0 (0.44) 46 21.8 (0.37)(1.6)(1.2)(1.1)7707 30.1 8.6 (0.36) 29 32.3 (0.38) 15.8 (0.39)49 27.5 20 and over... 55 (1.7)(0.31)(1.0)(1.0)(0.45)28.9 (0.26) 48 2 and over... 11798 8.1 (0.30) 31.4 (0.34) 26.0 (0.36) (1.5)(0.9)15.2 (0.29) (0.8)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

Polvunsaturated fat -All Individuals ²-----All Restaurant Consumers 3 ----Non-consumers⁴ Gender Sample Percent Total Intake from Percentages from ⁶ Intake from Percentages from 6 Total Total and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake g (SE) (SE) (SE) (SE) (years) % (SE) g (SE) g (SE) % g (SE) Males: 21 15.8 (1.01) (0.79)12.5 2 - 5..... 468 45 (2.8)14.0 (0.54)2.9 (0.36)(2.2)6.4 41 (0.38)(3.6)701 39 6 - 11..... 41 17.4 (0.72) 3.1 (0.19) 18 18.9 (0.95) 7.4 (0.48)(3.1)(1.1)(1.6)16.4 (0.80)899 20.8 (0.70) 53 54 12 - 19..... (3.2)7.1 (0.74) (3.0)24.6 (1.01) 13.3 (0.88)(2.2)16.4 (0.94) 1086 (0.72)23.9 (1.04) 13.2 (0.90)21.3 20 - 39..... 66 (2.5)23.0 (0.71)8.7 38 (2.7)55 (2.0)(1.15)40 - 59..... 1221 56 24.3 (0.93) (0.68)33 (2.2)27.0 (1.30) 14.2 (0.83)53 20.8 (0.91)(2.6)8.0 (1.8)21.5 (0.62) 60 and over..... 1438 44 (2.9)22.9 (0.66) 4.6 (0.45) 20 (1.8)24.8 (1.31) 10.6 (0.81) 43 (3.5)2 - 19..... 2068 47 (2.1)18.2 (0.39)4.8 (0.35)27 (1.7)21.2 (0.71) 10.2 (0.56)48 (1.5)15.5 (0.48)20 and over... 3745 56 (1.9)23.4 (0.39) 7.3 (0.38) 31 25.2 (0.51) 13.0 (0.47)51 21.2 (0.51)(1.5)(1.6)5813 51 2 and over... 54 (1.8)22.1 (0.34) 6.7 (0.32) 30 (1.3)24.3 (0.49) 12.4 (0.38) (1.3)19.6 (0.40) Females: 472 5.8 (0.39)2 - 5..... 40 (3.0)11.6 (0.31) $2.3 \quad (0.26)$ (2.0)13.3 (0.47) 44 (2.2)10.5 (0.42)6 - 11..... 710 17.2 (0.51) 27 20.4 (0.83) 50 4.7 (0.45)(2.2)9.3 (0.57)46 14.0 (3.1)(2.4)(0.56)12 - 19..... 841 60 18.5 (1.27) (0.62)48 (2.5) $6.1 \quad (0.35)$ 33 (1.8)21.3 (2.01) 10.3 (3.8)14.4 (0.64) 20 - 39..... 1272 65 (2.4)19.2 (0.44) 6.9 (0.36)36 (1.5)20.5 (0.50) 10.7 (0.50)52 (2.0)16.8 (0.85)40 - 59..... 1327 52 17.8 (0.54) 5.2 29 19.0 (0.75) 52 (2.3)(0.31)(1.8)9.8 (0.56)(1.8)16.4 (0.81)60 and over..... 18.3 (0.57) 48 1363 (2.7)17.2 (0.45) 3.7 (0.30)(1.7)8.8 (0.42) (2.0)16.5 (0.65)2 - 19..... 2023 (1.9)16.6 (0.61) 4.8 (0.25)29 (1.3)19.7 (1.12) 9.2 (0.38)47 (2.1)13.2 (0.26)20 and over... 3962 54 (1.9)18.1 (0.32)5.3 (0.18) 30 (0.9)19.4 (0.34)10.0 (0.31)51 (1.3)16.5 (0.50)2 and over... 5985 53 17.8 (0.29) 5.2 (0.15) (0.8)19.5 (0.37) 9.8 (0.23) 50 15.8 (0.38) (1.6)(1.2)Males and Females: 2 - 19..... 4091 50 17.4 (0.41) 4.8 (0.27) 28 20.4 (0.82) 9.7 (0.39)48 (1.1)14.5 (0.30)(1.6)(1.1)7707 20.7 (0.26)6.3 (0.23) 30 22.3 (0.29)51 18.7 20 and over... 55 (1.7)(1.0)(0.33)11.4 (1.2)(0.34)19.9 (0.25) 2 and over... 11798 5.9 (0.20) 30 21.9 (0.35) 51 (0.9)17.6 (0.27) (1.5)(0.8)11.1 (0.21)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

Cholesterol -All Individuals ²-----All Restaurant Consumers ³ -----Non-consumers 4 Gender Sample Percent Total Intake from Percentages from ⁶ Total Intake from Percentages from 6 Total and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake (SE) (SE) (SE) (years) % (SE) mg mg (SE) (SE) mg mg (SE) % mg (SE) Males: 30 15 32 188 2 - 5..... 468 45 (2.8)195 (9.9)(3.8)205 (14.3) 66 (2.8)(14.9)(1.9)(7.4)701 40 35 6 - 11..... 41 238 17 277 (14.7) 97 (6.2)211 (3.1)(10.2)(3.5)(1.4)(2.9)(13.6)899 30 53 286 (11.3) 325 (13.6) 49 12 - 19..... (3.2)86 (7.9)(2.6)161 (9.6)(3.0)242 (15.2)20 - 39..... 1086 122 186 66 (2.5)372 (12.0)(9.7)33 (2.2)370 (17.7) (12.5)50 (2.4)376 (25.2)40 - 59..... 1221 56 370 117 (9.4)32 (2.1)392 209 (13.2)53 (14.8)(2.6)(10.3)(13.8)(2.0)342 60 and over..... 1438 44 (2.9)337 (10.7) 75 (6.0)22 (1.9)371 (12.3) 171 (12.7) 46 (2.4)310 (14.9) 2 - 19..... 2068 47 (2.1)251 (7.0)58 (4.3)23 (1.5)287 (9.6)123 (6.4)43 (2.3)218 (8.4)20 and over... 3745 56 361 107 (4.7)30 (1.2)378 191 (7.6)50 340 (10.2)(1.9)(5.7)(7.3)(1.6)5813 95 176 49 2 and over... 54 (1.8)334 (3.8)(4.0)28 (1.1)359 (5.9)(6.1)(1.4)306 (5.9)**Females:** 472 181 184 (15.0) 179 2 - 5..... 40 (3.0)(10.6)19 (2.5)11 (1.3)(3.9)27 (3.2)(12.9)6 - 11..... 710 211 40 19 219 80 36 204 50 (4.3)(5.0)(3.1)(7.9)(1.8)(12.0)(1.9)(11.1)12 - 19..... 841 60 215 70 33 230 (14.1) 118 (10.0)51 194 (10.7) (2.5)(8.5)(5.4)(2.1)(2.6)20 - 39..... 283 (11.5) 1272 65 (2.4)280 (8.6)89 32 (1.7)138 (6.5)49 275 (15.8)(5.7)(1.6)40 - 59..... 1327 52 274 71 26 282 (14.5) 136 48 (2.3)(12.5)(4.8)(1.9)(9.3)(3.2)266 (20.9)60 and over..... 21 129 1363 (2.7)256 (8.2)55 (4.9)(1.9)273 (11.4) (6.1)(2.5)244 (10.5)2 - 19..... 2023 (1.9)207 (5.3)50 (4.0)24 (1.7)219 (10.3)95 (6.6)43 (1.7)193 (6.4)20 and over... 3962 54 (1.9)271 (6.4)72 (3.4)27 (1.1)280 (8.5)135 (4.7)48 260 (10.4)(1.4)2 and over... 5985 53 256 67 (3.0)26 (1.0)266 126 (3.9)47 245 (1.6)(4.7)(7.6)(1.1)(8.3)Males and Females: 2 - 19..... 4091 50 229 54 (3.4)24 (1.3)252 109 43 207 (1.6)(5.0)(7.1)(4.7)(1.6)(4.7)7707 314 89 (3.0)28 (0.9)328 49 298 20 and over... 55 (1.7)(5.0)(5.0)162 (4.0)(1.0)(9.7)2 and over... 11798 294 27 312 48 274 (1.5)(3.2)81 (2.5)(0.8)(4.4)151 (3.1)(0.8)(6.6)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

Vitamin A $(\mathbf{R} \mathbf{A} \mathbf{E})$ −All Individuals ² −−− -All Restaurant Consumers 3 ----Non-consumers 4 Gender Sample Percent Total Intake from Percentages from ⁶ Intake from Percentages from 6 Total Total and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake (SE) μg (SE) (years) % (SE) ug (SE) (SE) (SE) นช ug (SE) % (SE) Males: 8 2 - 5..... 468 45 (2.8)574 (28.9)45 598 (36.7)102 (14.1)17 555 (34.9)(7.1)(1.1)(2.1)52 8 6 - 11..... 701 41 612 (32.7) (4.0)624 (47.1) 126 20 603 (3.1)(0.7)(7.5)(1.7)(32.2)899 53 598 (17.4) 643 (38.5) 33 12 - 19..... (3.2)115 (11.4) 19 (2.0)215 (14.7) (3.0)547 (32.2)1086 25 232 38 20 - 39..... 66 (2.5)612 (16.3) 152 (9.4)(1.7)609 (25.7)(11.9)(2.3)617 (45.7)40 - 59..... 1221 56 679 24 706 (51.2)290 (28.4)41 (2.6)(37.2)163 (19.2)(2.0)(2.4)645 (43.7)60 and over..... 1438 44 (2.9)701 (27.7) 93 (8.3)13 (1.4)698 (54.0) 213 (15.5) 31 (2.8)703 (28.4)2 - 19..... 2068 47 (2.1)598 (13.6)79 (5.3)13 (0.9)629 (25.8)167 (8.0)27 (1.5)570 (22.9)20 and over... 3745 56 661 (19.1)139 (7.7)21 663 (22.6)248 (10.4)37 658 (20.5)(1.9)(1.1)(1.2)5813 230 35 2 and over... 54 (1.8)645 (14.7) 124 (6.4)19 (0.9)655 (19.5) (9.2)(1.0)633 (13.9)**Females:** 2 - 5..... 472 34 40 (3.0)520 (22.3)(4.3)6 (0.8)471 (22.6)85 (7.4)18 (1.7)551 (33.9)6 - 11..... 710 583 58 20 599 50 (6.9)10 568 116 (11.4)(3.1)(25.5)(1.5)(24.8)(2.2)(48.6)12 - 19..... 841 60 484 36 (2.5)(21.2)106 (9.6)(1.7)495 (33.5)178 (13.5) (3.2)467 (20.4)592 20 - 39..... 1272 65 (2.4)(25.2)146 (9.4)25 593 (34.3)225 (13.5)38 (1.9)590 (42.0)(1.2)40 - 59..... 1327 52 578 18 559 198 35 (2.3)(23.0)104 (7.3)(1.4)(24.1)(15.6)(2.1)598 (44.0)60 and over..... 633 (27.3) 35 1363 (2.7)84 (9.1)13 (1.4)565 (30.4) 197 (16.7)(2.1)683 (36.7)2 - 19..... 2023 (1.9)524 (13.3)75 (6.6)14 (1.3)514 (17.5) 143 (10.7)28 (2.2)535 (23.2)20 and over... 3962 54 (1.9)600 (15.6)112 (5.2)19 (0.8)575 (20.8)209 (9.2)36 (1.0)629 (22.7)2 and over... 5985 53 583 (13.0) 104 (4.4)18 561 (17.0) 195 (7.7)35 (1.0)607 (18.5) (1.6)(0.7)Males and Females: 2 - 19..... 4091 50 562 (8.9)77 (4.9)14 (0.8)570 (15.0) 155 27 (1.3)554 (17.7) (1.6)(7.4)629 125 (5.1)228 37 20 and over... 7707 55 (1.7)(13.9)20 (0.8)618 (16.5)(6.5)(0.7)642 (16.4)613 (11.4) 2 and over... 11798 607 (14.3) 212 35 620 (13.0) (1.5)114 (4.2)(0.6)(5.7)(0.7)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

Beta carotene -All Individuals 2 ---All Restaurant Consumers 3 ---- Non-consumers 4 Gender Sample Percent Total Intake from Percentages from ⁶ Total Intake from Percentages from 6 Total and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake % (SE) ug (SE) % (SE) µg (SE) (SE) (vears) μg (SE) ug (SE) % μg (SE) Males: 1162 (227.6) 9* 23 1251 (361.1) 2 - 5..... 468 45 (2.8)107 (30.4)(2.8)1053 (166.9) 241 (66.1)(5.3)701 6 - 11..... 41 1041 (122.1) 93 (15.7) 9 1274 (291.2) 227 (36.2)18 878 (89.9) (3.1)(1.6)(4.1)899 53 1087 (89.6) 532 (84.5) 12 - 19..... (3.2)284 (49.0) 26 (4.5)1148 (110.0) 46 (6.3)1018 (125.2) 1086 2014 (145.2) 473 (49.1) 24 1815 (153.4) 721 (77.5) 2393 (354.9) 20 - 39..... 66 (2.5)(2.7)40 (5.2)40 - 59..... 1221 56 2490 (304.5) 693 (123.9) 28 2530 (270.8) 1235 (199.8) 49 2438 (454.5) (2.6)(2.6)(3.8)60 and over..... 1438 44 (2.9)2312 (177.1) 352 (51.9) 15 (2.2)2253 (184.3) 803 (83.9) 36 (4.3)2358 (250.6) 2 - 19..... 2068 47 (2.1)1088 (63.0) 183 (23.4)17 (1.8)1165 (91.8) 385 (47.4)33 (3.5)1018 (78.2) 20 and over... 3745 56 (1.9)2264 (151.5) 515 (50.3)23 (1.7)2161 (144.2) 918 (77.9) 42 (2.7)2396 (203.8) 5813 54 1975 (125.8) 2 and over... (1.8)433 (41.5) 22 (1.6)1946 (129.2) 803 (69.7) 41 (2.6)2008 (143.5) **Females:** 472 1319 (194.7) 140 (24.8) 1602 (304.0) 2 - 5..... 40 (3.0)55 (10.6) (1.0)888 (134.9) 16 (3.3)6 - 11..... 710 228 18 50 1312 (113.7) 115 (20.4)1252 (164.7) (38.8)1373 (187.2) (3.1)(1.7)(3.3)12 - 19..... 841 60 1178 (104.8) 280 (32.0) 1120 (97.6) 470 (53.6) 42 1264 (211.1) (2.5)(3.7)(5.5)20 - 39..... 1272 65 (2.4)2431 (217.5) 531 (56.2) 22 (2.5)2322 (330.3) 822 (89.2)35 2631 (352.6) (5.7)40 - 59..... 1327 52 2474 (215.4) 18 2152 (241.2) 40 2828 (473.7) (2.3)456 (56.8) (2.9)871 (117.2) (4.1)1363 12 60 and over..... 42 (2.7)2813 (188.1) 335 (40.7) (1.7)2166 (175.1) 789 (89.5) 36 (3.5)3290 (335.7) 2 - 19..... 2023 (1.9)1252 (53.5) 178 (18.9)14 (1.7)1124 (69.1) 340 (36.8)30 (3.8)1393 (124.0) 20 and over... 3962 54 (1.9)2564 (120.9) 445 (32.5)17 (1.3)2228 (206.5) 830 (63.3)37 (3.2)2953 (206.8) 2 and over... 5985 53 2267 (101.2) 384 (26.5) 17 (1.2)1983 (167.6) 721 (51.8) 36 (3.0)2591 (170.2) (1.6)Males and Females: 2 - 19..... 4091 50 (1.6)1169 (48.7) 180 (17.0) 15 (1.4)1144 (60.3) 362 (32.9) 32 (3.1)1193 (86.9) 7707 2420 (122.7) (33.1)20 2195 (155.9) 873 (51.3)40 2692 (151.1) 20 and over... 55 (1.7)479 (1.1)(2.0)39 2 and over... 11798 2124 (103.3) 19 1965 (132.0) 761 (45.4) 2309 (119.4) (1.5)408 (27.0) (1.0)(1.9)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | L y | сор | e n e | | | | |
|--------------------|----------------|--------------|---------------------------|-----------------|-------------------------------|----------------|-----------------------------------|-----------------|--------------------------------|-------------------------|---------------|-----------------|
| | | | | | -All Individual | s ² | | All R | estaurant Consu | mers ³ — | | Non-consumers 4 |
| Gender and age | Sample Size | Per Repor | cent ting ⁵ | Total Intake | Intake from All Restaurant | | ges from ⁶ taurants | Total Intake | Intake from All Restaurants | Percentage All Resta | | Total Intake |
| (years) | | % | (SE) | μg (SE) | μg (SE) |) % | (SE) | μg (SE) | μg (SE) | % | (SE) | μg (SE) |
| Males: | | | | ı | | | ı | | | | İ | 1 |
| 2 - 5 | 468 | 45 | (2.8) | 4317 (537.4) | 776 (151.6) | 18 | (3.7) | 4138 (736.3) | 1743 (322.8) | 42 | (9.9) | 4461 (615.8) |
| 6 - 11 | 701 | 41 | (3.1) | 3983 (292.4) | 778 (123.5) | | (2.9) | 4013 (430.7) | 1893 (270.1) | 47 | (4.5) | 3963 (495.2) |
| 12 - 19 | 899 | 53 | (3.2) | 6062 (630.6) | 1623 (193.6) | | (4.7) | 6003 (541.3) | 3038 (310.9) | 51 | (6.5) | 6130(1207.2) |
| 20 - 39 | 1086 | 66 | (2.5) | 5360 (400.9) | 1678 (183.4) | 31 | (2.9) | 5216 (484.3) | 2556 (255.5) | 49 | (2.8) | 5633 (636.2) |
| 40 - 59 | | 56 | (2.6) | 5956 (489.4) | 1925 (283.3) | | (3.1) | 6681 (619.1) | 3430 (473.0) | 51 | (4.7) | 5029 (701.9) |
| 60 and over | | 44 | (2.9) | 4976 (311.1) | 1120 (134.6) | | (2.9) | 5602 (422.2) | 2559 (296.5) | 46 | (4.6) | 4489 (447.8) |
| 2 - 19 | 2068 | 47 | (2.1) | 4995 (338.0) | 1160 (121.6) | 23 | (2.8) | 5053 (369.5) | 2448 (221.5) | 48 | (4.0) | 4942 (539.8) |
| 20 and over | 3745 | 56 | (1.9) | 5457 (266.2) | 1605 (87.2) | | (1.3) | 5811 (254.7) | 2860 (167.6) | 49 | (1.8) | 5005 (412.7) |
| 2 and over | 5813 | 54 | (1.8) | 5344 (190.5) | 1495 (79.1) | | (1.3) | 5648 (225.6) | 2771 (144.9) | 49 | (1.6) | 4988 (294.1) |
| Females: | | | | | | | | | | | | |
| 2 - 5 | 472 | 40 | (3.0) | 3024 (295.7) | 533 (88.8) | 18 | (3.0) | 2856 (314.0) | 1345 (206.2) | 47 | (5.7) | 3134 (483.4) |
| 6 - 11 | | 50 | (3.1) | 4367 (357.3) | 897 (127.9) | | (3.1) | 4649 (371.9) | 1785 (253.6) | 38 | (4.4) | 4083 (499.7) |
| 12 - 19 | 841 | 60 | (2.5) | 3658 (260.7) | 1226 (197.3) | | (4.5) | 3154 (407.5) | 2057 (333.2) | 65 | (4.5) | 4400 (490.6) |
| 20 - 39 | 1272 | 65 | (2.4) | 4569 (327.5) | 1472 (202.2) | 32 | (3.5) | 4646 (429.0) | 2278 (309.6) | 49 | (4.9) | 4428 (442.1) |
| 40 - 59 | 1327 | 52 | (2.3) | 4034 (206.1) | 1070 (138.5) | | (3.3) | 3850 (271.6) | 2043 (241.2) | 53 | (5.9) | 4237 (437.1) |
| 60 and over | 1363 | 42 | (2.7) | 4038 (322.2) | 800 (112.2) | | (3.1) | 3823 (360.3) | 1885 (219.3) | 49 | (5.7) | 4197 (431.4) |
| 2 - 19 | 2023 | 52 | (1.9) | 3754 (191.1) | 969 (98.8) | 26 | (2.9) | 3576 (225.2) | 1855 (197.3) | 52 | (3.4) | 3948 (374.8) |
| 20 and over | 3962 | 54 | (1.9) | 4225 (167.8) | 1129 (89.3) | | (2.1) | 4183 (195.9) | 2104 (153.2) | 50 | (3.4) (3.3) | 4273 (252.2) |
| 2 and over | 5985 | 53 | (1.6) | 4118 (132.9) | 1093 (83.7) | | (2.1) | 4048 (158.3) | 2049 (145.0) | 51 | (3.0) | 4198 (225.7) |
| Males and Females: | | | | | | | - | | | | | |
| 2 - 19 | | 50 | (1.6) | 4385 (185.4) | 1066 (85.4) | 24 | (2.4) | 4291 (214.0) | 2142 (159.3) | 50 | (2.9) | 4478 (359.7) |
| 20 and over | 7707 | 55 | (1.7) | 4818 (162.1) | 1358 (68.3) | | (1.3) | 4985 (149.0) | 2477 (113.6) | 50 | (2.5) (1.5) | 4616 (222.4) |
| 2 and over | | 54 | (1.7) | 4716 (126.8) | 1289 (64.5) | | (1.4) | 4833 (130.4) | 2403 (106.1) | 50 | (1.4) | 4580 (187.1) |
| 2 una 0 ver | 11//0 | 5 1 | (1.5) | I ./10 (120.0) | 1207 (04.5) | | (17) | 1000 (100.4) | 2103 (100.1) | 50 | (1.7) | 1.500 (107.1) |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | Th | i a m | i n | | | | |
|---|----------------------|----------------|-------------------------|--|--|-----------------------|---------------------------------------|--|--|-----------------------|-------------------------|--|
| | | | | | -All Individuals | 2 | · · · · · · · · · · · · · · · · · · · | All R | estaurant Consu | mers ³ — | | Non-consumers ⁴ |
| Gender and age | Sample Size | Pero Repor | | Total Intake | Intake from All Restaurants | Percentag All Rest | | Total Intake | Intake from All Restaurants | Percentag All Rest | | Total Intake |
| (years) | | % | (SE) | mg (SE) | mg (SE) | % | (SE) | mg (SE) | mg (SE) | % | (SE) | mg (SE) |
| Males: | | | | 1 | | | ı | | | | ı | 1 |
| 2 - 5 | 468 701 899 | 45 41 53 | (2.8) (3.1) (3.2) | 1.31 (0.041) 1.60 (0.041) 1.82 (0.042) | 0.18 (0.018) 0.22 (0.016) 0.48 (0.049) | 14 14 26 | (1.2) (1.1) (2.7) | 1.41 (0.071) 1.63 (0.049) 2.01 (0.089) | 0.40 (0.040) 0.54 (0.024) 0.89 (0.064) | 29 33 44 | (2.3) (1.5) (3.3) | 1.23 (0.038) 1.59 (0.052) 1.61 (0.075) |
| 20 - 39 40 - 59 | 1086 1221 | 66 56 | (2.5) (2.6) | 1.84 (0.044) 1.86 (0.051) | 0.60 (0.043) 0.49 (0.035) | 33 26 | (2.0) (1.9) | 1.91 (0.059) 1.92 (0.065) | 0.89 (0.064) 0.91 (0.046) 0.86 (0.036) | 48 45 | (1.9) (1.7) | 1.72 (0.090) 1.77 (0.064) |
| 60 and over | 1438 | 44 | (2.0) | 1.80 (0.031) | 0.49 (0.033) | 17 | (1.6) | 1.87 (0.094) | 0.70 (0.052) | 37 | (2.9) | 1.77 (0.064) |
| 2 - 19 20 and over 2 and over | 2068 3745 5813 | 47 56 54 | (2.1) (1.9) (1.8) | 1.64 (0.027) 1.84 (0.025) 1.79 (0.020) | 0.33 (0.025) 0.48 (0.022) 0.44 (0.020) | 20 26 25 | (1.5) (1.2) (1.1) | 1.78 (0.053) 1.91 (0.029) 1.88 (0.024) | 0.69 (0.039) 0.85 (0.019) 0.81 (0.019) | 39 45 43 | (2.0) (1.1) (0.9) | 1.52 (0.037) 1.75 (0.041) 1.68 (0.031) |
| Females: 2 - 5 | | 40 | (3.0) | 1.14 (0.032) | 0.14 (0.015) | 12 | (1.3) | 1.16 (0.054) | 0.34 (0.026) | 30 | (2.0) | 1.13 (0.039) |
| 6 - 11 12 - 19 | 710 841 | 50 60 | (3.1) (2.5) | 1.50 (0.037) 1.35 (0.040) | 0.24 (0.022) 0.35 (0.015) | 16 26 | (1.4) (1.2) | 1.53 (0.044) 1.46 (0.061) | 0.49 (0.026) 0.59 (0.023) | 32 40 | (1.6) (2.3) | 1.46 (0.059) 1.17 (0.043) |
| 20 - 39 40 - 59 60 and over | 1272 1327 1363 | 65 52 42 | (2.4) (2.3) (2.7) | 1.39 (0.024) 1.34 (0.033) 1.26 (0.028) | 0.42 (0.020) 0.30 (0.017) 0.21 (0.014) | 30 23 16 | (1.4) (1.2) (1.2) | 1.42 (0.032) 1.34 (0.045) 1.28 (0.036) | 0.65 (0.030) 0.58 (0.024) 0.48 (0.019) | 46 43 38 | (1.7) (1.5) (1.3) | 1.34 (0.052) 1.35 (0.046) 1.25 (0.029) |
| 2 - 19 20 and over 2 and over | 2023 3962 5985 | 52 54 53 | (1.9) (1.9) (1.6) | 1.35 (0.024) 1.34 (0.017) 1.34 (0.014) | 0.27 (0.013) 0.31 (0.009) 0.30 (0.009) | 20 24 23 | (0.9) (0.8) (0.7) | 1.43 (0.037) 1.36 (0.025) 1.38 (0.021) | 0.52 (0.017) 0.59 (0.017) 0.57 (0.014) | 36 43 41 | (1.1) (0.8) (0.7) | 1.26 (0.028) 1.31 (0.026) 1.30 (0.023) |
| Males and Females: 2 - 19 20 and over 2 and over | 4091 7707 | 50 55 54 | (1.6) (1.7) (1.5) | 1.50 (0.014) 1.58 (0.014) 1.56 (0.011) | 0.30 (0.015) 0.39 (0.013) 0.37 (0.012) | 20 25 24 | (1.0) (0.9) (0.8) | 1.60 (0.021) 1.63 (0.019) 1.62 (0.014) | 0.60 (0.022) 0.72 (0.010) 0.69 (0.010) | 38 44 43 | (1.2) (0.7) (0.5) | 1.40 (0.025) 1.51 (0.026) 1.48 (0.021) |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

Riboflavin —All Individuals ²———— -All Restaurant Consumers 3 ----- Non-consumers 4 Gender Percentages from ⁶ Sample Percent Total Intake from Percentages from 6 Total Intake from Total Intake and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants % (SE) mg (SE) mg (SE) % (SE) (SE) mg (SE) (SE) (vears) mg % mg (SE) Males: 468 45 1.65 (0.062) 0.20 (0.033) 12 0.46 (0.061) 1.58 (0.047) 2 - 5..... (2.8)(1.7)1.75 (0.125) 26 (2.3)6 - 11..... 701 12 28 41 1.86 (0.058) 0.22 (0.017) (0.9)1.89 (0.089) 0.53 (0.039) 1.84 (0.061) (3.1)(1.7)899 38 12 - 19..... 53 23 0.89 (0.062) (3.2)2.09 (0.046) 0.47 (0.055) (2.6)2.30 (0.067) (3.1)1.85 (0.087) 20 - 39..... 1086 2.47 (0.070) 0.66 (0.051) 27 2.52 (0.085) 1.00 (0.059) 40 2.36 (0.122) 66 (2.5)(1.9)(2.3)23 40 - 59..... 1221 56 2.47 (0.090) 0.57 (0.057) (2.4)2.48 (0.086) 1.01 (0.078) 41 (2.6)2.45 (0.178) (2.6)1438 2.39 (0.071) 33 60 and over..... 44 (2.9)2.26 (0.043) 0.35 (0.026) 15 (1.2)0.79 (0.043) (2.1)2.16 (0.075) 2 - 19..... 2068 47 (2.1)1.92 (0.031) 0.33 (0.026) 17 (1.3)2.07 (0.053) 0.70(0.037)34 (1.8)1.79 (0.046) 20 and over... 3745 56 (1.9)2.41 (0.044) 0.54 (0.029) 22 (1.3)2.48 (0.041) 0.96 (0.037) 39 2.32 (0.078) (1.5)2 and over... 5813 54 2.29 (0.036) 0.49 (0.025) 21 2.39 (0.034) 0.90 (0.030) 38 2.17 (0.060) (1.8)(1.2)(1.3)**Females:** 2 - 5..... 472 1.46 (0.042) 0.16 (0.023) 1.49 (0.065) 0.39 (0.039) 1.44 (0.044) 40 (3.0)11 (1.5)26 (2.5)710 50 1.77 (0.033) 0.27 (0.033) 15 0.54 (0.045) 30 (2.2)1.71 (0.071) 6 - 11..... (3.1)(1.9)1.83 (0.056) 841 12 - 19..... 60 1.54 (0.063) 0.42 (0.036) 27 1.67 (0.093) 0.70 (0.047) 42 1.35 (0.051) (2.5)(1.8)(2.2)20 - 39..... 1272 65 (2.4)1.76 (0.042) 0.47 (0.018) 27 (0.9)1.79 (0.054) 0.73(0.024)41 1.70 (0.058) (1.5)40 - 59..... 1327 52 1.81 (0.052) 0.35 (0.017) 19 (0.9)1.75 (0.038) 0.67 (0.028) 38 1.88 (0.079) (2.3)(1.3)1363 42 1.69 (0.045) 0.26 (0.021) 15 35 60 and over..... (2.7)(1.2)1.70 (0.050) 0.60 (0.023) (1.2)1.69 (0.053) 2 - 19..... 2023 (1.9)1.60 (0.031) 0.31 (0.026) 20 (1.5)1.69 (0.052) 0.60 (0.039) 35 (1.7)1.50 (0.037) 20 and over... 3962 54 (1.9)1.76 (0.035) 0.36 (0.010) 21 (0.6)1.75 (0.036) 0.68 (0.014) 39 (0.7)1.76 (0.047) 2 and over... 5985 53 1.72 (0.028) 0.35 (0.011) 20 (0.6)1.74 (0.032) 0.66 (0.015) 38 (0.6)1.70 (0.038) (1.6)Males and Females: 2 - 19..... 4091 50 (1.6)1.76 (0.022) 0.32 (0.021) 18 (1.1)1.88 (0.030) 0.65 (0.030) 34 (1.3)1.65 (0.029) 20 and over... 7707 55 2.07 (0.032) 0.45 (0.017) 22 (0.9)2.11 (0.023) 0.82 (0.019) 39 (0.9)2.02 (0.052) (1.7)2.00 (0.026) 21 38 2 and over... 11798 0.42 (0.015) (0.8)2.06 (0.021) 0.78 (0.016) 1.93 (0.041) (1.5)(0.7)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | | | N | i a c i | i n | | | | | | | |
|---------------------------|----------------|---------------|---------------------------|-----------|-----------------|------------------|--------------------|-----------------------|---------|--------------|-----------------|--------------|--------------------|-----------------------|---------------|--------------|------------------|
| | | | | | | -All Indi | viduals | 2 | | | —All R | estauran | t Consu | mers ³ — | | Non-con | sumers 4 |
| Gender and age | Sample Size | Pero Repor | cent ting ⁵ | | otal ake | Intak All Res | e from taurants | Percentag All Rest | | | otal ake | | e from taurants | Percentag All Rest | | To Inta | otal ake |
| (years) | | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) |
| Malan | | | | ı | | | | | ı | | | | | | ı | | |
| Males: 2 - 5 | 468 | 45 | (2.8) | 16.9 | (0.47) | 2.9 | (0.29) | 17 | (1.5) | 19.1 | (0.97) | 6.6 | (0.58) | 34 | (2.6) | 15.1 | (0.42) |
| 6 - 11 | 701 | 41 | (3.1) | 21.1 | (0.47) (0.58) | 3.4 | (0.24) | 16 | (1.2) | 22.6 | (0.97) (1.08) | 8.3 | (0.38) (0.42) | 37 | (2.0) (2.0) | 20.1 | (0.42) (0.58) |
| 12 - 19 | 899 | 53 | (3.2) | 27.7 | (0.55) | 7.9 | (0.72) | 29 | (2.4) | 31.0 | ` / | 14.9 | (0.72) | 48 | (2.2) | | |
| , | | | (=) | | (0.00) | | (==, | | (=) | | (011.1) | | (31, 2) | | () | | (-100) |
| 20 - 39 | 1086 | 66 | (2.5) | 33.8 | (1.00) | 10.5 | (0.75) | 31 | (2.0) | 35.0 | (1.23) | 16.0 | (0.80) | 46 | (2.4) | 31.6 | (1.19) |
| 40 - 59 | 1221 | 56 | (2.6) | 31.4 | (0.93) | 8.1 | (0.56) | 26 | (2.1) | 31.7 | (0.97) | 14.4 | (0.57) | 46 | (1.9) | 31.0 | (1.84) |
| 60 and over | 1438 | 44 | (2.9) | 27.9 | (1.30) | 4.9 | (0.44) | 18 | (1.4) | 31.3 | (2.63) | 11.3 | (0.65) | 36 | (3.6) | 25.2 | (0.64) |
| 2 10 | 2069 | 47 | (2.1) | 22.2 | (0.22) | <i>5</i> 1 | (0.26) | 22 | (1.5) | 26.2 | (0.64) | 11.2 | (0.40) | 12 | (1.6) | 20.6 | (0.55) |
| 2 - 19 | 2068 3745 | 47 56 | (2.1) | 23.2 | (0.33) | 5.4 | (0.36) | 23 | (1.5) | 26.2 33.0 | ` / | 11.3 | (0.48) | 43 | (1.6) | 20.6 29.0 | (0.55) |
| 20 and over 2 and over | 5813 | 56 54 | (1.9) | 31.3 29.3 | (0.58) | 8.1 7.4 | (0.39) | 26 25 | (1.1) | 31.5 | (0.79) | 14.4 13.7 | (0.38) (0.34) | 44 44 | (1.3) | 26.6 | (0.73) (0.55) |
| Z alid over | 3613 | 34 | (1.8) | 29.3 | (0.45) | 7.4 | (0.36) | 23 | (1.1) | 31.3 | (0.64) | 13.7 | (0.34) | 44 | (1.2) | 20.0 | (0.33) |
| Females: | | | | | | | | | | | | | | | | | |
| 2 - 5 | 472 | 40 | (3.0) | 14.7 | (0.40) | 2.2 | (0.22) | 15 | (1.5) | 14.5 | (0.56) | 5.6 | (0.32) | 39 | (2.0) | 14.9 | (0.60) |
| 6 - 11 | 710 | 50 | (3.1) | 20.1 | (0.61) | 4.0 | (0.40) | 20 | (2.0) | 21.1 | (0.57) | 7.9 | (0.42) | 38 | (1.9) | 19.1 | (0.95) |
| 12 - 19 | 841 | 60 | (2.5) | 20.3 | (0.83) | 6.1 | (0.43) | 30 | (1.5) | 22.4 | (1.34) | 10.3 | (0.87) | 46 | (3.0) | 17.1 | (0.63) |
| | | | | | | | | | | | | | | | | | |
| 20 - 39 | 1272 | 65 | (2.4) | 22.3 | (0.40) | 7.3 | (0.28) | 33 | (1.3) | 23.5 | ` / | 11.3 | (0.40) | 48 | (1.9) | 20.3 | (0.58) |
| 40 - 59 | 1327 | 52 | (2.3) | 20.7 | (0.50) | 5.1 | (0.27) | 24 | (1.3) | 20.6 | (0.41) | 9.6 | (0.38) | 47 | (1.7) | 20.7 | (0.86) |
| 60 and over | 1363 | 42 | (2.7) | 19.2 | (0.61) | 3.4 | (0.26) | 18 | (1.5) | 19.1 | (0.52) | 8.0 | (0.36) | 42 | (1.9) | 19.2 | (0.77) |
| 2 - 19 | 2023 | 52 | (1.9) | 19.0 | (0.53) | 4.6 | (0.30) | 24 | (1.2) | 20.7 | (0.85) | 8.8 | (0.49) | 43 | (1.5) | 17.2 | (0.52) |
| 20 and over | 3962 | 54 | (1.9) | 20.8 | (0.35) | 5.3 | (0.36) | 26 | (0.9) | 21.4 | (0.33) (0.37) | 10.0 | (0.47) (0.24) | 46 | (1.2) | 20.0 | (0.32) (0.49) |
| 2 and over | 5985 | 53 | (1.6) | | (0.33) (0.27) | 5.2 | (0.16) | 25 | (0.8) | 21.3 | | | (0.24) (0.21) | 46 | (1.0) | 19.4 | (0.49) |
| 2 and 6 (61 | 2702 | 23 | (1.0) | 20 | (0.27) | 3.2 | (0.10) | 25 | (0.0) | 21.5 | (0.20) | <i>7.7</i> | (0.21) | 10 | (1.0) | 17.1 | (0.57) |
| Males and Females: | | | | | | | | | ŀ | | | | | | | | |
| 2 - 19 | 4091 | 50 | (1.6) | 21.2 | (0.35) | 5.0 | (0.27) | 24 | (1.1) | 23.4 | (0.64) | 10.0 | (0.39) | 43 | (1.0) | 19.0 | (0.44) |
| 20 and over | 7707 | 55 | (1.7) | 25.8 | (0.34) | 6.7 | (0.24) | 26 | (0.9) | 27.1 | (0.38) | 12.1 | (0.24) | 45 | (0.9) | 24.2 | (0.52) |
| 2 and over | 11798 | 54 | (1.5) | 24.7 | (0.29) | 6.3 | (0.22) | 25 | (0.8) | 26.3 | (0.35) | 11.7 | (0.20) | 44 | (0.7) | 22.9 | (0.40) |
| | | | | • | | | | | | | | | | | ı | | |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | | Vita | miı | n B 6 | | | | | |
|--------------------|----------------|--------------|---------------------------|-----------------|-------------|---------------------|-----------------------|---------------|-----------------|--------------------------------|-----------------------|-------|------------|----------|
| | | | | | -All Indivi | duals | 2 | | All Re | estaurant Consu | mers ³ — | | Non-con | sumers 4 |
| Gender and age | Sample Size | Per Repor | cent ting ⁵ | Total Intake | Intake t | | Percentag All Rest | | Total Intake | Intake from All Restaurants | Percentag All Rest | | To Inta | |
| (years) | | % | (SE) | mg (SE) | mg | (SE) | % | (SE) | mg (SE) | mg (SE) | % | (SE) | mg | (SE) |
| Males: | | | | I | | | | | | | | ı | ı | |
| 2 - 5 | 468 | 45 | (2.8) | 1.47 (0.041) | 0.15 (0 | 014) | 10 | (0.8) | 1.55 (0.094) | 0.34 (0.028) | 22 | (1.6) | 1.40 | (0.035) |
| 6 - 11 | 701 | 41 | (3.1) | 1.65 (0.065) | 0.13 (0 | | 11 | (0.8) (0.8) | 1.61 (0.094) | 0.43 (0.026) | 27 | (1.0) | | (0.033) |
| 12 - 19 | 899 | 53 | (3.1) (3.2) | 2.09 (0.065) | 0.16 (0 | | 21 | (2.0) | 2.31 (0.120) | 0.43 (0.020) | 36 | (2.5) | | (0.073) |
| 12 - 17 | 0// | 33 | (3.2) | 2.07 (0.003) | 0.77 (0 |).U 1 3) | 21 | (2.0) | 2.31 (0.120) | 0.03 (0.037) | 30 | (2.3) | 1.04 (| (0.00) |
| 20 - 39 | 1086 | 66 | (2.5) | 2.85 (0.118) | 0.64 (0 |).042) | 22 | (1.7) | 2.84 (0.155) | 0.97 (0.049) | 34 | (2.6) | 2.87 | (0.158) |
| 40 - 59 | | 56 | (2.6) | 2.49 (0.111) | 0.53 (0 | | 21 | (2.3) | 2.43 (0.094) | 0.95 (0.053) | 39 | (2.4) | | (0.200) |
| 60 and over | 1438 | 44 | (2.9) | 2.47 (0.251) | 0.33 (0 | , | 13 | (1.3) | 2.95 (0.517) | 0.75 (0.044) | 25 | (4.7) | 2.09 | |
| | | | , , | ` ′ | ` | , | | · ´ | , | , , | | ` / | ı | , |
| 2 - 19 | 2068 | 47 | (2.1) | 1.81 (0.035) | 0.29 (0 |).022) | 16 | (1.2) | 1.96 (0.072) | 0.62 (0.033) | 31 | (1.7) | 1.68 | (0.048) |
| 20 and over | 3745 | 56 | (1.9) | 2.62 (0.075) | 0.51 (0 | 0.025) | 20 | (1.0) | 2.72 (0.111) | 0.91 (0.027) | 34 | (1.7) | 2.48 | (0.090) |
| 2 and over | 5813 | 54 | (1.8) | 2.42 (0.059) | 0.46 (0 | 0.023) | 19 | (0.9) | 2.56 (0.086) | 0.85 (0.025) | 33 | (1.5) | 2.26 | (0.068) |
| | | | | | | | | | | | | | ı | |
| Females: | 470 | 40 | (2.0) | 1 22 (0.025) | 0.12 (0 | 014 | 0 | (1.1) | 1 02 (0.050) | 0.22 (0.021) | 26 | (1.0) | 1 40 | (0.040) |
| 2 - 5 | | 40 | (3.0) | 1.33 (0.035) | 0.13 (0 | | 9 | (1.1) | 1.23 (0.052) | 0.32 (0.021) | 26 | (1.8) | | (0.049) |
| 6 - 11 | 710 841 | 50 | (3.1) | 1.61 (0.067) | 0.23 (0 | | 14 25 | (1.8) | 1.61 (0.056) | 0.45 (0.034) | 28 37 | (1.8) | | (0.115) |
| 12 - 19 | 841 | 60 | (2.5) | 1.59 (0.083) | 0.39 (0 |).047) | 25 | (2.4) | 1.76 (0.139) | 0.66 (0.087) | 3/ | (4.1) | 1.34 (| (0.047) |
| 20 - 39 | 1272 | 65 | (2.4) | 1.83 (0.057) | 0.47 (0 | 022) | 26 | (1.3) | 1.84 (0.073) | 0.73 (0.029) | 40 | (2.1) | 1.81 | (0.070) |
| 40 - 59 | 1327 | 52 | (2.3) | 1.69 (0.055) | 0.32 (0 | | 19 | (1.3) (1.1) | 1.56 (0.044) | 0.60 (0.032) | 39 | (1.9) | | (0.070) |
| 60 and over | 1363 | 42 | (2.7) | 1.58 (0.051) | 0.24 (0 | | 15 | (1.4) | 1.47 (0.044) | 0.56 (0.024) | 38 | (2.0) | | (0.066) |
| oo and over | 1303 | .2 | (2.7) | 1.50 (0.051) | 0.2. (0 | | 10 | (1.1) | 1117 (0.011) | 0.00 (0.021) | 20 | (2.0) | 1.00 | (0.000) |
| 2 - 19 | 2023 | 52 | (1.9) | 1.54 (0.052) | 0.28 (0 |).026) | 18 | (1.4) | 1.63 (0.080) | 0.54 (0.048) | 33 | (2.2) | 1.45 | (0.053) |
| 20 and over | 3962 | 54 | (1.9) | 1.71 (0.035) | 0.35 (0 | | 20 | (0.9) | 1.66 (0.038) | 0.65 (0.019) | 39 | (1.3) | | (0.047) |
| 2 and over | 5985 | 53 | (1.6) | 1.67 (0.032) | 0.33 (0 | | 20 | (0.8) | 1.65 (0.034) | 0.62 (0.020) | 38 | (1.2) | | (0.037) |
| | | | ` ′ | Ì | ` | ŕ | | Ì | , , | , , | | , í | ı | ` ′ |
| Males and Females: | | | | | | | | Ì | | | | | ı | |
| 2 - 19 | 4091 | 50 | (1.6) | 1.68 (0.035) | 0.29 (0 | , | 17 | (1.0) | 1.79 (0.060) | 0.57 (0.031) | 32 | (1.3) | | (0.040) |
| 20 and over | 7707 | 55 | (1.7) | 2.14 (0.042) | 0.43 (0 | , | 20 | (0.7) | 2.18 (0.058) | 0.78 (0.016) | 36 | (1.0) | | (0.049) |
| 2 and over | 11798 | 54 | (1.5) | 2.03 (0.036) | 0.39 (0 | 0.016) | 19 | (0.7) | 2.10 (0.049) | 0.73 (0.016) | 35 | (0.9) | 1.96 | (0.040) |
| | | | | • | | | | į | | | | | | |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic *(continued)*

Folate (DFE)-All Individuals ²----------All Restaurant Consumers ³ -----Non-consumers 4 Gender Sample Percent Total Intake from Percentages from ⁶ Intake from Percentages from 6 Total Total and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake ug (SE) (SE) (SE) μg (SE) (years) % (SE) (SE) (SE) นช ug (SE) % Males: 389 13 28 369 2 - 5..... 468 45 (2.8)52 (15.2)(15.5)(15.5)(6.7)(1.3)414 (26.8)117 (2.5)701 6 - 11..... 41 501 (16.6) 65 13 500 (22.7) 157 (8.1)31 502 (3.1)(5.1)(1.2)(2.0)(21.9)899 53 593 (31.6) 42 511 (31.1) 12 - 19..... (3.2)555 (17.6) 134 (12.1) (2.5)251 (14.6) (3.2)20 - 39..... 1086 31 (20.7)66 (2.5)568 (17.3)179 (12.8)(2.0)585 272 (13.9)47 (2.0)535 (32.2)40 - 59..... 1221 56 559 (18.6)(10.2)26 (2.0)593 (20.8)263 (9.8)44 (25.2)(2.6)147 (2.1)516 60 and over..... 1438 44 (2.9)526 (15.0) 85 (9.3)16 (1.6)540 (22.4) 193 (13.4) 36 (2.3)516 (23.3) 2 - 19..... 2068 47 (2.1)502 (10.0)93 (6.4)19 (1.3)531 (19.8)197 (9.8)37 (2.0)476 (14.3)20 and over... 3745 56 553 141 (7.2)26 578 (10.2)251 (6.6)44 522 (13.8)(1.9)(7.4)(1.3)(1.2)5813 540 129 240 2 and over... 54 (1.8)(6.0)(6.6)24 (1.2)567 (9.8)(6.7)42 (1.2)509 (11.0) **Females:** 2 - 5..... 472 40 (3.0)346 (15.2)39 (4.1)11 (1.3)358 (37.1) 99 (7.7)28 (3.1)337 (14.5)6 - 11..... 710 473 69 14 29 474 50 (1.1)472 136 (7.2)(19.7)(3.1)(12.3)(5.4)(14.2)(1.4)12 - 19..... 841 60 437 23 172 36 385 (2.5)(25.5)103 (5.4)(1.3)472 (37.8) (6.6)(2.8)(16.0)20 - 39..... 1272 65 (2.4)437 (11.5)121 28 (1.5)445 (12.2) 187 (9.7)42 (2.2)422 (21.8)(6.3)40 - 59..... 1327 52 415 92 22 42 (2.3)(13.1)(6.0)(1.3)415 (17.6) 175 (8.7)(2.0)416 (15.7)60 and over..... 393 (10.7) 62 37 1363 (2.7)(5.0)16 (1.2)389 (12.7) 145 (7.0)(1.5)395 (13.9) 2 - 19..... 2023 (1.9)429 (11.4)78 (4.2)18 (0.8)454 (21.0)149 (5.2)33 (1.3)403 (11.3)20 and over... 3962 54 (1.9)416 (7.0)93 (3.2)22 (0.8)422 (7.6)173 (5.3)41 410 (12.1)(1.2)2 and over... 5985 53 419 89 (3.0)21 (0.7)429 (8.4)168 (4.5)39 408 (10.5) (1.6)(6.4)(1.1)Males and Females: 2 - 19..... 4091 50 466 86 (4.3)18 (0.9)491 172 35 (1.1)442 (9.3)(1.6)(5.8)(11.7)(6.3)7707 (0.9)212 42 (0.9)20 and over... 55 (1.7)482 (5.3)116 (4.8)24 498 (7.9)(4.4)462 (7.1)2 and over... 11798 478 109 23 497 203 41 457 (1.5)(4.7)(4.3)(0.8)(6.9)(4.2)(0.8)(5.8)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | | | C h | o l i | n e | | | | | | | |
|--------------------|----------------|---------------|-------|-------------|--|------------|---------|-----|---------|-------------|--------|--------------------|-----------------------|---------------------|-------|-------------|-----------|
| | | | | | | -All Indiv | riduals | 2 | | | —All R | estauran | t Consu | mers ³ — | | Non-con | isumers 4 |
| Gender and age | Sample Size | Pero Repor | | | Total Intake from Percentages from ⁶ Intake All Restaurants All Restaurants mg (SE) mg (SE) % (SE) | | | | | otal ake | | e from taurants | Percentag All Rest | | | otal ake | |
| (years) | | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) | mg | (SE) | <u>%</u> | (SE) | mg | (SE) |
| Males: | | | | I | | | | | ı | | | | | | | I | |
| 2 - 5 | 468 | 45 | (2.8) | 227 | (9.2) | 30 | (3.2) | 13 | (1.3) | 240 | (14.5) | 68 | (6.0) | 28 | (1.9) | 217 | (10.5) |
| 6 - 11 | 701 | 41 | (3.1) | 252 | (7.6) | 36 | (2.7) | 14 | (1.1) | 275 | (10.4) | 88 | (5.1) | 32 | (2.1) | 236 | (9.7) |
| 12 - 19 | 899 | 53 | (3.2) | 305 | (9.1) | 81 | (7.4) | 27 | (2.1) | 342 | (10.7) | 152 | (8.7) | 44 | (2.3) | 262 | (13.2) |
| 20 - 39 | 1086 | 66 | (2.5) | 390 | (10.0) | 121 | (9.4) | 31 | (2.1) | 396 | (13.8) | 184 | (11.7) | 46 | (2.1) | 380 | (15.6) |
| 40 - 59 | 1221 | 56 | (2.6) | 407 | (7.9) | 113 | (9.0) | 28 | (2.0) | 419 | (12.2) | 202 | (11.7) | 48 | (1.7) | 391 | (11.5) |
| 60 and over | 1438 | 44 | (2.9) | 371 | (8.0) | 71 | (5.4) | 19 | (1.5) | 389 | (8.8) | 161 | (9.9) | 41 | (2.1) | 358 | (13.9) |
| 2 - 19 | 2068 | 47 | (2.1) | 271 | (5.9) | 55 | (3.8) | 20 | (1.2) | 302 | (7.9) | 117 | (5.5) | 39 | (1.7) | 242 | (7.2) |
| 20 and over | 3745 | 56 | (1.9) | 391 | (4.5) | 104 | (4.7) | 27 | (1.1) | 402 | (6.0) | 185 | (6.7) | 46 | (1.3) | 376 | (8.2) |
| 2 and over | 5813 | 54 | (1.8) | 361 | (3.0) | 92 | (4.0) | 25 | (1.0) | 381 | (5.0) | 170 | (5.5) | 45 | (1.2) | 338 | (4.8) |
| Females: | | | | , | | | | | | | | | | | | } | |
| 2 - 5 | 472 | 40 | (3.0) | 211 | (7.5) | 24 | (2.8) | 11 | (1.3) | 212 | (10.8) | 60 | (4.0) | 28 | (2.5) | 210 | (9.1) |
| 6 - 11 | 710 | 50 | (3.1) | 236 | (5.6) | 43 | (4.6) | 18 | (1.7) | 247 | (8.5) | 85 | (5.2) | 34 | (1.5) | 225 | (8.4) |
| 12 - 19 | 841 | 60 | (2.5) | 224 | (9.6) | 68 | (4.5) | 30 | (1.5) | 240 | (15.0) | 114 | (8.1) | 48 | (2.2) | 202 | (7.7) |
| 20 - 39 | 1272 | 65 | (2.4) | 292 | (7.3) | 87 | (4.3) | 30 | (1.3) | 291 | (8.6) | 135 | (4.9) | 46 | (1.3) | 292 | (11.2) |
| 40 - 59 | 1327 | 52 | (2.3) | 290 | (9.1) | 67 | (4.1) | 23 | (1.3) | 289 | (11.2) | 128 | (7.4) | 44 | (2.3) | 292 | (12.6) |
| 60 and over | 1363 | 42 | (2.7) | 280 | (6.8) | 52 | (4.0) | 19 | (1.5) | 287 | (8.3) | 123 | (3.9) | 43 | (1.6) | 275 | (9.2) |
| 2 - 19 | 2023 | 52 | (1.9) | 225 | (4.7) | 50 | (3.5) | 22 | (1.3) | 237 | (8.4) | 96 | (5.3) | 40 | (1.3) | 212 | (3.6) |
| 20 and over | 3962 | 54 | (1.9) | 288 | (5.2) | 69 | (2.8) | 24 | (0.9) | 289 | (6.5) | 130 | (3.3) | 45 | (1.1) | 285 | (7.1) |
| 2 and over | 5985 | 53 | (1.6) | 273 | (4.1) | 65 | (2.6) | 24 | (0.8) | 278 | (6.1) | 122 | (3.0) | 44 | (0.9) | 268 | (5.6) |
| Males and Females: | | | | | | | | | | | | | | | | } | |
| 2 - 19 | 4091 | 50 | (1.6) | 248 | (4.3) | 53 | (3.1) | 21 | (1.0) | 269 | (6.3) | 106 | (4.3) | 39 | (1.2) | 228 | (4.1) |
| 20 and over | 7707 | 55 | (1.7) | 337 | (4.0) | 86 | (3.0) | 26 | (0.8) | 345 | (4.3) | 157 | (3.6) | 45 | (0.8) | 328 | (7.0) |
| 2 and over | | 54 | (1.5) | 316 | (2.7) | 78 | (2.5) | 25 | (0.7) | 328 | (4.0) | 146 | (2.8) | 44 | (0.7) | 302 | (4.7) |
| | | | | ' | . , | | | | · · · I | | . , | | . , | | | 1 | |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | 7 | <i>I</i> i t a | m i n | B 1 2 | | | | |
|--------------------|----------------|---------------|---------------------------|-----------------|--------------------------------|-----------------------|---------------|-----------------|--------------------------------|-----------------------|-------------|-----------------|
| | | | | | -All Individuals | 2 | | All R | estaurant Consu | mers ³ — | | Non-consumers 4 |
| Gender and age | Sample Size | Pero Repor | cent ting ⁵ | Total Intake | Intake from All Restaurants | Percentag All Rest | | Total Intake | Intake from All Restaurants | Percentag All Rest | | Total Intake |
| (years) | | % | (SE) | μg (SE) | μg (SE) | % | (SE) | μg (SE) | μg (SE) | % | (SE) | μg (SE) |
| Males: | | | | I | | | | | | | ı | I |
| 2 - 5 | 468 | 45 | (2.8) | 3.96 (0.134) | 0.37 (0.042) | 9 | (1.0) | 4.13 (0.246) | 0.83 (0.086) | 20 | (2.0) | 3.82 (0.161) |
| 6 - 11 | 701 | 41 | (3.1) | 4.46 (0.186) | 0.57 (0.042) | 11 | (1.0) (1.1) | 4.46 (0.282) | 1.24 (0.097) | 28 | (1.6) | 4.45 (0.217) |
| 12 - 19 | 899 | 53 | (3.2) | 5.55 (0.154) | 1.16 (0.121) | 21 | (1.9) | 6.08 (0.196) | 2.16 (0.167) | 36 | (2.5) | 4.94 (0.258) |
| 20 - 39 | 1086 | 66 | (2.5) | 6.13 (0.308) | 1.50 (0.102) | 24 | (1.9) | 6.19 (0.371) | 2.28 (0.131) | 37 | (2.8) | 6.03 (0.436) |
| 40 - 59 | 1221 | 56 | (2.6) | 5.69 (0.346) | 1.27 (0.090) | 22 | (2.1) | 5.57 (0.308) | 2.26 (0.107) | 41 | (1.9) | 5.84 (0.594) |
| 60 and over | 1438 | 44 | (2.9) | 5.64 (0.333) | 0.94 (0.087) | 17 | (1.7) | 6.46 (0.674) | 2.14 (0.163) | 33 | (4.4) | 5.00 (0.306) |
| 2 - 19 | 2068 | 47 | (2.1) | 4.85 (0.111) | 0.77 (0.063) | 16 | (1.2) | 5.22 (0.152) | 1.63 (0.103) | 31 | (1.7) | 4.51 (0.163) |
| 20 and over | 3745 | 56 | (1.9) | 5.84 (0.184) | 1.26 (0.054) | 22 | (1.1) | 6.03 (0.205) | 2.24 (0.065) | 37 | (1.5) | 5.59 (0.259) |
| 2 and over | 5813 | 54 | (1.8) | 5.59 (0.149) | 1.14 (0.050) | 20 | (1.0) | 5.86 (0.165) | 2.11 (0.061) | 36 | (1.3) | 5.28 (0.202) |
| Females: | | | | | | | | | | | | |
| 2 - 5 | 472 | 40 | (3.0) | 3.33 (0.130) | 0.28 (0.036) | 8 | (1.0) | 3.26 (0.159) | 0.71 (0.064) | 22 | (1.9) | 3.38 (0.167) |
| 6 - 11 | | 50 | (3.1) | 4.16 (0.145) | 0.54 (0.059) | 13 | (1.5) | 4.10 (0.150) | 1.06 (0.074) | 26 | (1.8) | 4.23 (0.287) |
| 12 - 19 | 841 | 60 | (2.5) | 3.47 (0.178) | 0.78 (0.056) | 23 | (1.8) | 3.74 (0.277) | 1.31 (0.100) | 35 | (3.6) | 3.07 (0.192) |
| 20 - 39 | 1272 | 65 | (2.4) | 3.71 (0.100) | 1.09 (0.061) | 29 | (1.4) | 3.77 (0.134) | 1.68 (0.096) | 45 | (2.2) | 3.60 (0.139) |
| 40 - 59 | 1327 | 52 | (2.3) | 3.84 (0.148) | 0.77 (0.039) | 20 | (1.3) | 3.65 (0.147) | 1.46 (0.084) | 40 | (2.9) | 4.06 (0.250) |
| 60 and over | 1363 | 42 | (2.7) | 3.63 (0.183) | 0.60 (0.052) | 17 | (1.5) | 3.57 (0.198) | 1.42 (0.087) | 40 | (2.3) | 3.68 (0.216) |
| 2 - 19 | 2023 | 52 | (1.9) | 3.67 (0.100) | 0.59 (0.037) | 16 | (1.0) | 3.77 (0.162) | 1.14 (0.056) | 30 | (1.7) | 3.55 (0.133) |
| 20 and over | 3962 | 54 | (1.9) | 3.73 (0.094) | 0.83 (0.035) | 22 | (1.0) | 3.68 (0.103) | 1.54 (0.054) | 42 | (1.3) | 3.79 (0.131) |
| 2 and over | 5985 | 53 | (1.6) | 3.72 (0.073) | 0.78 (0.030) | 21 | (0.8) | 3.70 (0.078) | 1.45 (0.048) | 39 | (1.2) | 3.73 (0.115) |
| Males and Females: | | | | | | | | | | | | |
| 2 - 19 | | 50 | (1.6) | 4.27 (0.073) | 0.68 (0.040) | 16 | (0.8) | 4.48 (0.097) | 1.37 (0.060) | 31 | (1.1) | 4.06 (0.104) |
| 20 and over | 7707 | 55 | (1.7) | 4.75 (0.113) | 1.04 (0.038) | 22 | (0.9) | 4.84 (0.116) | 1.89 (0.047) | 39 | (1.0) | 4.63 (0.158) |
| 2 and over | 11798 | 54 | (1.5) | 4.63 (0.094) | 0.95 (0.032) | 21 | (0.7) | 4.76 (0.091) | 1.78 (0.040) | 37 | (0.9) | 4.48 (0.134) |
| | | | | | | | • | | | | ' | |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | | | V i t | a m i | n (| | | | | | | |
|----------------------------------|----------------|---------------|---------------------------|------------|------------------|------------------|--------------------|-----------------------|-------|------|-------------------|------------------|--------------------|-----------------------|-------|--------------|------------------|
| | | | | | | -All Indi | viduals | 2 | | | —All R | estauran | t Consu | mers ³ — | j | Non-con | sumers 4 |
| Gender and age | Sample Size | Pero Repor | cent ting ⁵ | To Inta | otal ake | Intak All Res | e from taurants | Percentag All Rest | | | otal ake | Intak All Res | e from taurants | Percentag All Rest | | To Inta | otal ake |
| (years) | | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) |
| 3.6.1 | | | | | | | | | | | | | | | | | |
| Males: | 160 | 15 | (2.9) | 015 | (0.75) | 62 | (1.20) | 7 | (1.5) | 00.6 | (1 (02) | 14.2 | (2.70) | 1.4 | (2.2) | 72.4 | (2.07) |
| 2 - 5 6 - 11 | 468 701 | 45 41 | (2.8) (3.1) | 84.5 | (8.75) (6.02) | 6.3 3.9 | (1.28) (0.69) | 7 5 | (1.5) | | (16.92) (6.49) | 9.4 | (2.78) (1.77) | 14 14 | (3.2) | 79.2 | (3.87) (9.29) |
| 12 - 19 | 899 | 53 | (3.1) | | (3.64) | | (0.69) (1.34) | 13 | (1.1) | | (6.49) | | (2.19) | 25 | (2.8) | | (7.28) |
| 12 - 19 | 099 | 33 | (3.2) | 07.1 | (3.04) | 9.1 | (1.34) | 13 | (2.1) | 00.8 | (4.99) | 10.9 | (2.19) | 23 | (3.1) | 07.4 | (7.28) |
| 20 - 39 | 1086 | 66 | (2.5) | 76.5 | (3.83) | 14.2 | (1.44) | 19 | (1.5) | 72.8 | (5.09) | 21.6 | (2.33) | 30 | (2.2) | 83.6 | (4.68) |
| 40 - 59 | 1221 | 56 | (2.6) | 86.5 | (4.46) | | (2.57) | 19 | (2.5) | 89.7 | | | (4.15) | 32 | (3.4) | 82.5 | (5.19) |
| 60 and over | 1438 | 44 | (2.9) | 82.1 | (3.23) | 7.0 | (0.79) | 9 | (1.0) | 78.6 | (4.11) | | (1.33) | 20 | (1.9) | 84.8 | (4.33) |
| • 40 | 20.60 | 4.7 | | 72.0 | | 6.7 | (00) | 0 | | 72.0 | | 1.1.0 | | 10 | | 72. 0 | |
| 2 - 19 | 2068 | 47 | (2.1) | 72.9 | (3.58) | 6.7 | (0.60) | 9 | (1.1) | 72.9 | (5.05) | | (1.13) | 19 | (2.1) | 73.0 | (4.61) |
| 20 and over | 3745 | 56 | (1.9) | 81.6 | (2.47) | 12.8 | (1.16) | 16 | (1.2) | 80.0 | (3.94) | 22.9 | (1.99) | 29 | (1.5) | 83.6 | (2.79) |
| 2 and over | 5813 | 54 | (1.8) | 79.5 | (2.07) | 11.3 | (0.94) | 14 | (1.0) | 78.4 | (3.43) | 21.0 | (1.67) | 27 | (1.3) | 80.6 | (2.67) |
| Females: | | | | } | | | | | | | | | | | } | | |
| 2 - 5 | 472 | 40 | (3.0) | 87.1 | (3.65) | 5.3 | (1.21) | 6 | (1.3) | 80.4 | (6.81) | 13.4 | (2.79) | 17 | (2.9) | 91.4 | (5.88) |
| 6 - 11 | 710 | 50 | (3.1) | 73.5 | (5.00) | | (1.17) | 7 | (1.2) | 73.7 | (8.75) | 10.8 | (1.99) | 15 | (1.8) | 73.3 | (3.58) |
| 12 - 19 | 841 | 60 | (2.5) | 59.2 | (4.03) | | (1.06) | 15 | (1.5) | 62.9 | (5.64) | 14.9 | (2.09) | 24 | (2.7) | 53.9 | (4.51) |
| 20. 20 | 1070 | <i></i> | (a. t) | 72.0 | (2.0.0) | 10.0 | (4.40) | 10 | | 71.0 | (7.5.1) | 20.4 | /4 5 0\ | 20 | | 767 | (4.04) |
| 20 - 39 | 1272 | 65 52 | (2.4) | | (3.86) | | (1.10) | 18 | (1.4) | | (5.24) | | (1.53) | 29 | (2.5) | 76.7 | (4.04) |
| 40 - 59 | 1327 | 52 | (2.3) | | (2.89) | 8.8 | (0.74) | 12 | (1.0) | | (3.11) | 16.8 | (1.15) | 26 | (1.9) | 83.2 | (4.32) |
| 60 and over | 1363 | 42 | (2.7) | /3.4 | (2.80) | 0.0 | (0.68) | 9 | (1.0) | 00.2 | (3.49) | 15.0 | (1.33) | 24 | (2.0) | 78.7 | (3.98) |
| 2 - 19 | 2023 | 52 | (1.9) | 69.9 | (2.45) | 7.0 | (0.69) | 10 | (0.8) | 69.1 | (4.04) | 13.4 | (1.31) | 19 | (1.7) | 70.7 | (2.91) |
| 20 and over | 3962 | 54 | (1.9) | 73.3 | (2.13) | 9.7 | (0.56) | 13 | (0.6) | 67.7 | | 18.1 | (0.85) | 27 | (1.2) | 79.7 | (2.69) |
| 2 and over | 5985 | 53 | (1.6) | | (1.82) | 9.1 | (0.46) | 13 | (0.5) | 68.0 | ` / | | (0.73) | 25 | (1.1) | 77.6 | |
| | | | | | | | | | | | | | | | Ţ | | |
| Males and Females: 2 - 19 | 4091 | 50 | (1.6) | 71.4 | (2.45) | 6.9 | (0.37) | 10 | (0.6) | 71.0 | (3.77) | 13.8 | (0.65) | 19 | (1.2) | 71.9 | (2.77) |
| 2 - 19 20 and over | 7707 | | (1.6) | 77.3 | | 11.2 | | 10 | (0.6) | 73.7 | | 20.4 | | 28 | (1.3) | 81.5 | |
| | | 55 54 | (1.7) | 75.9 | (1.89) | | (0.73) | 13 | (0.7) | 73.1 | (2.70) | | (1.17) | 28 26 | (1.0) | 79.1 | (1.96) |
| 2 and over | 11798 | 34 | (1.5) | 13.9 | (1.64) | 10.2 | (0.57) | 13 | (0.6) | /3.1 | (2.46) | 19.0 | (0.96) | 20 | (1.0) | 19.1 | (1.76) |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| Males: 2 - 5 | | | | | | | | | Vit | a m i | n D |) | | | | | | |
|---|-------------|-------|----|-------|-------------|--------|-----------|---------|-----|-------|-------------|--------|----------|---------|---------------------|-------------|---------|-----------------|
| Size Reporting Size Size Reporting Size Size Size Size Reporting Size | | | | | | -All Indi | viduals | 2 | | | —All R | estauran | t Consu | mers ³ — | | Non-con | nsumers 4 |
| Males: 2 - 5 | | | | | | | | | | | | | | | | | | |
| 2 - 5 | (years) | | % | (SE) | μg | (SE) | μg | (SE) | % | (SE) | μg | (SE) | μg | (SE) | % | (SE) | μg | (SE) |
| 2 - 5 | Malan | | | | ı | | | | | | | | | | | | ı | |
| 6-11 | | 160 | 15 | (2.8) | 5.0 | (0.21) | 0.2 | (0.04) | 1* | (0.7) | 5 0 | (0.56) | 0.5 | (0.08) | Q * | (1.5) | 5.0 | (0.35) |
| 12-19 | | | | | I . | ` / | | ` , | | | | ` / | | ` / | | ` ′ | ı | (0.33) (0.27) |
| 20 - 39 | | | | | | | | ` , | | , , | | | | ` / | | | | |
| 40 - 59 | 12 - 17 | 0// | 33 | (3.2) | 3.2 | (0.21) | 0.5 | (0.00) | 11 | (1.0) | Э. - | (0.47) | 1.0 | (0.13) | 1) | (2.0) | 3.0 | (0.57) |
| 40 - 59 | 20 - 39 | 1086 | 66 | (2.5) | 4.5 | (0.23) | 0.8 | (0.07) | 19 | (1.5) | 4.3 | (0.27) | 1.3 | (0.11) | 30 | (2.7) | 4.9 | (0.51) |
| 60 and over | | | | | | | | ` , | | | | | | | | | | (0.37) |
| 2-19 | 60 and over | 1438 | 44 | | 1 | ` / | | ` / | | , , | | ` / | | ` / | | | | |
| 20 and over 3745 56 (1.9) 4.9 (0.17) 0.8 (0.05) 16 (0.9) 4.6 (0.15) 1.4 (0.07) 31 (1.3) 5.4 (0. 2 and over 5813 54 (1.8) 5.0 (0.13) 0.7 (0.03) 14 (0.7) 4.7 (0.14) 1.3 (0.06) 27 (1.2) 5.4 (0. 5.4) | | | | , , | | , , | | , | | · / | | , , | | ` / | | , | | , , |
| Pemales: 2 and over 5813 54 (1.8) 5.0 (0.13) 0.7 (0.03) 14 (0.7) 4.7 (0.14) 1.3 (0.06) 27 (1.2) 5.4 (0.05) Females: 2 - 5 | 2 - 19 | 2068 | 47 | (2.1) | 5.4 | (0.17) | 0.4 | (0.04) | 7 | (0.7) | 5.3 | (0.29) | 0.8 | (0.07) | 15 | (1.4) | 5.5 | (0.24) |
| Females: 2 - 5 | 20 and over | 3745 | 56 | (1.9) | 4.9 | (0.17) | 0.8 | (0.05) | 16 | (0.9) | 4.6 | (0.15) | 1.4 | (0.07) | 31 | (1.3) | 5.4 | (0.27) |
| 2 - 5 | 2 and over | 5813 | 54 | (1.8) | 5.0 | (0.13) | 0.7 | (0.03) | 14 | (0.7) | 4.7 | (0.14) | 1.3 | (0.06) | 27 | (1.2) | 5.4 | (0.18) |
| 2 - 5 | Fomologe | | | | | | | | | | | | | | | | | |
| 6-11 | | 472 | 40 | (3.0) | 5.0 | (0.24) | 0.3 | (0.06) | 5 | (1.1) | 10 | (0.30) | 0.7 | (0.13) | 1.4 | (2.4) | 5 1 | (0.26) |
| 12 - 19 | | | | | | | | | | | | | | . , | | | | (0.20) (0.42) |
| 20 - 39 | | | | | 1 | ` / | | . , | | ` ′ | | ` / | | ` , | | | | , , |
| 40 - 59 | 12 - 17 | 041 | 00 | (2.3) | 3.4 | (0.21) | 0.5 | (0.03) | 13 | (1.4) | 3.3 | (0.20) | 0.0 | (0.00) | 23 | (2.7) | 3.0 | (0.31) |
| 40 - 59 | 20 - 39 | 1272 | 65 | (2.4) | 3.6 | (0.18) | 0.8 | (0.05) | 22 | (1.7) | 3.4 | (0.16) | 1.2 | (0.08) | 36 | (2.2) | 3.9 | (0.32) |
| 60 and over 1363 | | | | | 1 | | | | | | | | | . , | | | | (0.28) |
| 2 - 19 2023 52 (1.9) 4.2 (0.12) 0.3 (0.02) 8 (0.5) 3.9 (0.18) 0.7 (0.04) 17 (0.9) 4.5 (0.2) 20 and over 3962 54 (1.9) 3.8 (0.14) 0.6 (0.04) 16 (1.2) 3.5 (0.11) 1.1 (0.06) 33 (1.3) 4.1 (0.2) 2 and over 5985 53 (1.6) 3.9 (0.11) 0.6 (0.03) 14 (0.9) 3.6 (0.10) 1.0 (0.05) 29 (1.1) 4.2 (0.20) | | | | | 1 | ` / | | ` / | | | | ` , | | ` , | | | ı | (0.31) |
| 20 and over 3962 54 (1.9) 3.8 (0.14) 0.6 (0.04) 16 (1.2) 3.5 (0.11) 1.1 (0.06) 33 (1.3) 4.1 (0.2) 4.2 (0.3) 4.2 (0.3) 4.2 (0.3) 4.2 (0.3) 4.2 (0.3) 4.2 (0.3) 4.3 (0.4) 4.2 (0.3) 4.3 (0.4) 4.2 (0.3) 4.3 (0.4) 4.2 (0.3) 4.3 (0.4) 4.2 (0.3) 4.3 (0.4) 4.2 (0.3) 4.3 (0.4) 4.2 (0.3) 4.3 (0.4) 4.2 (0.3) 4.3 (0.4) 4.3 (| | | | ` / | | ` / | | , | | · / | | ` / | | ` / | | , | | , , |
| 20 and over 3962 54 (1.9) 3.8 (0.14) 0.6 (0.04) 16 (1.2) 3.5 (0.11) 1.1 (0.06) 33 (1.3) 4.1 (0.2) 4.2 (0.3) 4.2 (0.3) 4.2 (0.3) 4.2 (0.3) 4.2 (0.3) 4.2 (0.3) 4.3 (0.4) 4.2 (0.3) 4.3 (0.4) 4.2 (0.3) 4.3 (0.4) 4.2 (0.3) 4.3 (0.4) 4.2 (0.3) 4.3 (0.4) 4.2 (0.3) 4.3 (0.4) 4.2 (0.3) 4.3 (0.4) 4.2 (0.3) 4.3 (0.4) 4.3 (| 2 - 19 | 2023 | 52 | (1.9) | 4.2 | (0.12) | 0.3 | (0.02) | 8 | (0.5) | 3.9 | (0.18) | 0.7 | (0.04) | 17 | (0.9) | 4.5 | (0.19) |
| 2 and over 5985 53 (1.6) 3.9 (0.11) 0.6 (0.03) 14 (0.9) 3.6 (0.10) 1.0 (0.05) 29 (1.1) 4.2 (0. | | 3962 | 54 | | 3.8 | (0.14) | | (0.04) | 16 | | 3.5 | | 1.1 | . , | 33 | (1.3) | 4.1 | (0.23) |
| | 2 and over | 5985 | 53 | (1.6) | 3.9 | (0.11) | 0.6 | (0.03) | 14 | | 3.6 | (0.10) | 1.0 | (0.05) | 29 | | 4.2 | (0.19) |
| M. L 1 E 1 | Malanathan | | | | | | | | | | | | | | | | | |
| Males and Females: 2 - 19 | | | 50 | (1.6) | 1 10 | (0.10) | 0.4 | (0.02) | 7 | (0.5) | 16 | (0.15) | 0.7 | (0.04) | 16 | (0,0) | 5.0 | (0.15) |
| | | | | | ı | | | | | | | | | | | | 1 | (0.13) (0.21) |
| | | | | | 1 | ` ′ | | ` ′ | | · · · | | ` ′ | | ` ′ | | | 1 | (0.21) (0.15) |
| $2 \text{ and over} 11770 37 (1.3) \mid 7.7 (0.10) 0.0 (0.02) 14 (0.7) \mid 4.2 (0.00) 1.1 (0.04) 20 (0.9) \mid 4.0 (0.10) 1.1 (0.10) 20 20 (0.10) 20 (0.10) 20 (0.10) 20 (0.10) 20 (0.10) 20 (0.10) 20 (0.10) 20 (0.10) 20 (0.10) 20 (0.10) 20 (0.10) 20 (0.10) 20 (0.10) 20 (0.10) 20 (0.10) 20 (0.10) 20 (0.10) 20 (0.10) 20 20 (0.10)$ | Z and over | 11/70 | 54 | (1.3) | I 4.4 | (0.10) | 0.0 | (0.02) | 14 | (0.7) | 4.2 | (0.00) | 1.1 | (0.04) | 20 | (0.9) | 1 4.0 | (0.13) |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

Vitamin E (alphatocopherol) -All Individuals ²---------All Restaurant Consumers ³ -----Non-consumers 4 Gender Sample Total Intake from Percentages from ⁶ Intake from Percentages from 6 Total Percent Total and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake mg (SE) (SE) (SE) (years) % (SE) mg (SE) (SE) mg mg (SE) % mg (SE) Males: 15 31 5.9 2 - 5..... 468 45 (2.8)0.9 (0.11)7.0 (0.37) 2.1 (0.23)(0.26)6.4 (0.25)(1.5)(3.1)701 6 - 11..... 41 8.4 (0.86) 1.0 (0.07) 12 7.9 (0.47) 2.5 (0.14)31 8.7 (3.1)(1.5)(1.8)(1.30)899 53 8.7 (0.28) 43 12 - 19..... (3.2)2.3 (0.21) 26 (2.5)9.8 (0.42) 4.2 (0.23) (2.5)7.5 (0.39)1086 9.9 (0.20)10.0 (0.34) 4.3 (0.25)9.8 (0.62)20 - 39..... 66 (2.5)(0.32)2.8 28 (2.0)43 (2.0)40 - 59..... 1221 56 11.2 (0.24)24 11.9 4.9 (0.27)41 (0.59)(2.6)(0.47)2.7 (1.9)(0.66)(2.3)10.4 60 and over..... 1438 44 (2.9)9.9 (0.21) 1.7 (0.16) 17 (1.5)10.2 (0.32) 3.8 (0.26) 38 (2.1)9.6 (0.27) 2 - 19..... 2068 47 (2.1)8.1 (0.26)1.6 (0.11)19 (1.5)8.7 (0.23)3.3 (0.15)38 (1.6)7.6 (0.50)20 and over... 3745 56 10.4 (0.22)2.5 (0.12)24 10.7 (0.28)4.4 (0.14)41 9.9 (0.29)(1.9)(1.2)(1.2)5813 10.3 (0.24) 40 2 and over... 54 (1.8)9.8 (0.18) 2.2 (0.11) 23 (1.2) $4.2 \quad (0.12)$ (1.2)9.3 (0.26) Females: 2 - 5..... 472 1.9 40 (3.0)5.5 (0.19)0.8(0.08)14 5.8 (0.24) (0.13)33 (2.5)5.3 (0.31)(1.6)6 - 11..... 710 7.5 20 3.0 35 50 (0.22)1.5 (0.16)8.5 (0.33) (0.21)6.4 (0.26)(3.1)(1.9)(2.0)12 - 19..... 841 60 8.2 (0.93) 8.9 (1.53) 3.3 (0.20)37 (2.5)2.0 (0.11)(2.4)(6.3)7.1 (0.36)20 - 39..... 1272 65 (2.4)9.0 (0.26)2.4 (0.13)27 (1.2)9.2 (0.28) 3.8 (0.14)41 8.4 (0.48)(1.8)40 - 59..... 1327 52 8.5 20 3.2 38 8.3 (2.3)(0.28)1.7 (0.09)(1.1)8.6 (0.28) (0.15)(1.6)(0.43)60 and over..... 38 8.2 1363 (2.7)8.1 (0.27)1.3 (0.11) 16 (1.4)8.1 (0.32) 3.1 (0.15)(1.9)(0.30)2 - 19..... 2023 (1.9)7.4 (0.44)1.6 (0.09)21 (1.4)8.3 (0.83) 3.0 (0.13)36 (3.5)6.4 (0.21)20 and over... 3962 54 (1.9)8.5 (0.17)1.8 (0.07)22 (0.7)8.7 (0.16)3.4 (0.10)39 8.3 (0.27)(1.1)2 and over... 5985 53 8.3 (0.19) 1.8 (0.06) 21 (0.6)8.6 (0.27) 3.3 (0.08) 39 7.9 (0.20) (1.6)(1.4)Males and Females: 2 - 19..... 4091 50 7.8 (0.24)1.6(0.09)20 8.5 (0.45) 3.1 (0.12)37 7.0 (0.31)(1.6)(1.1)(1.8)7707 9.4 (0.09)23 (0.9)3.9 (0.09)40 9.1 20 and over... 55 (1.7)(0.14)2.1 9.7 (0.16)(1.0)(0.21)9.0 (0.14) 2 and over... 11798 $2.0 \quad (0.08)$ 9.4 (0.20) 3.7 (0.08) 8.5 (0.17) (1.5)(0.8)(1.0)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | | Vit | a m i | n K | | | | | | |
|---------------------|----------------|---------------|----------------------------|-----------------|------------------|--------------------|-----------------------|----------------|-----------------------------|-----------|--------------------|-------------------------|-------------|------------------------------|--------------|
| | | | | | -All Indi | viduals | 2 | | All | Restauran | t Consu | mers ³ — | | Non-consum | ners 4 |
| Gender and age | Sample Size | Pero Repor | cent rting ⁵ | Total Intake | Intak All Res | e from taurants | Percentag All Rest | | Total Intake | | e from taurants | Percentage All Resta | | ⁶ Total Intake | |
| (years) | | % | (SE) | μg (SE) | μg | (SE) | % | (SE) | μg (SE) | μg | (SE) | % | (SE) | μg (| SE) |
| Malaa | | | | 1 | | | | ı | | | | | | ı | |
| Males: 2 - 5 | 468 | 15 | (2.9) | 50.2 (3.04) | 7.6 | (0,00) | 15 | (1.0) | 50 4 (4.50) | 17.2 | (2.36) | 33 | (2.9) | 19.4 (2 | 74) |
| 6 - 11 | 701 | 45 41 | (2.8) (3.1) | 73.9 (10.85) | | (0.99) (1.12) | 13 | (1.8) (2.5) | 52.4 (4.58) 91.4 (26.58) | | (2.30) | 27* | (3.8) (8.2) | 48.4 (3. 61.6 (5. | .74) .28) |
| 12 - 19 | 899 | 53 | (3.1) | 83.0 (5.61) | | (2.85) | 32 | (3.3) | 95.1 (6.02) | | | 52 | (3.5) | 69.1 (8. | |
| 12 - 19 | 077 | 33 | (3.2) | 05.0 (5.01) | 20.3 | (2.63) | 32 | (3.3) | 93.1 (0.02) | 47.2 | (3.97) | 32 | (3.3) | 09.1 (8. | .02) |
| 20 - 39 | 1086 | 66 | (2.5) | 107.7 (5.04) | 37.3 | (2.47) | 35 | (2.4) | 109.9 (6.46) | 56.9 | (3.46) | 52 | (2.6) | 103.5 (8. | .19) |
| 40 - 59 | 1221 | 56 | (2.6) | 139.8 (11.75) | | (5.30) | 32 | (2.4) | 145.0 (9.47) | | | 55 | (3.0) | 133.2 (17. | |
| 60 and over | 1438 | 44 | (2.9) | 127.8 (6.12) | | (3.69) | 19 | (2.6) | 123.7 (8.26) | | ` / | 44 | (4.0) | 130.9 (8. | |
| | | | . , | ` ′ | | , | | · ´ | | | , | | ` / | ` | , |
| 2 - 19 | 2068 | 47 | (2.1) | 73.0 (5.32) | 17.0 | (1.29) | 23 | (2.4) | 85.6 (8.40) | 35.8 | (2.22) | 42 | (4.8) | 61.6 (4. | .41) |
| 20 and over | 3745 | 56 | (1.9) | 124.6 (5.95) | 36.0 | (2.39) | 29 | (1.4) | 125.2 (5.35) | 64.2 | (3.29) | 51 | (1.5) | 123.8 (7. | .93) |
| 2 and over | 5813 | 54 | (1.8) | 111.9 (5.38) | 31.3 | (1.93) | 28 | (1.4) | 116.6 (5.15) | 58.1 | (2.85) | 50 | (1.7) | 106.3 (6. | .20) |
| 17 1 | | | | | | | | | | | | | | | |
| Females: | 472 | 40 | (2.0) | 40.0 (2.75) | 67 | (1.01) | 1.4 | (1.0) | 47.4 (2.95) | 17.0 | (1.07) | 26 | (2.9) | 515 (2 | 07) |
| 2 - 5 | 472 710 | 40 50 | (3.0) | 49.9 (2.75) | | (1.01) | 14 | (1.8) | 47.4 (2.85) | | (1.97) | 36 | (3.8) | | .97) |
| 6 - 11 | 841 | 60 | (3.1) | 71.4 (4.64) | | (1.43) (1.88) | 21 29 | (1.9) | 74.9 (3.79) 86.5 (8.59) | | (1.99) | 40 46 | (2.6) | , | .59) |
| 12 - 19 | 041 | 00 | (2.5) | 81.5 (6.85) | 23.9 | (1.88) | 29 | (2.0) | 86.5 (8.59) | 40.2 | (3.65) | 40 | (3.9) | 74.1 (8. | .37) |
| 20 - 39 | 1272 | 65 | (2.4) | 138.0 (15.50) | 38.0 | (3.05) | 28 | (3.1) | 143.2 (23.38) | 58.8 | (4.54) | 41 | (7.0) | 128.7 (12. | 30) |
| 40 - 59 | 1327 | 52 | (2.3) | 127.6 (7.76) | | | 21 | (1.9) | 110.1 (8.83) | | | 47 | (3.3) | 146.9 (11. | |
| 60 and over | 1363 | 42 | (2.7) | 119.0 (5.83) | | (2.63) | 19 | (2.2) | 110.1 (8.38) | | (5.37) | 48 | (2.9) | 125.0 (8. | |
| oo and over | 1505 | | (2.7) | 117.0 (3.03) | 22.0 | (2.03) | 17 | (2.2) | 110.0 (0.50) | 22.2 | (3.37) | 10 | (2.)) | 120.0 (0. | . 10) |
| 2 - 19 | 2023 | 52 | (1.9) | 71.4 (3.82) | 17.4 | (1.02) | 24 | (0.8) | 76.5 (4.57) | 33.2 | (1.96) | 43 | (2.2) | 65.8 (4. | .38) |
| 20 and over | 3962 | 54 | (1.9) | 128.6 (6.13) | | (1.28) | 23 | (1.2) | 124.4 (10.13) | | (2.53) | 44 | (3.8) | | .89) |
| 2 and over | 5985 | 53 | (1.6) | 115.7 (5.01) | | (1.05) | 23 | (1.0) | 113.7 (8.21) | | (1.91) | 44 | (3.3) | 117.9 (4. | |
| | | | ` / | ` ′ | | , | | ` ′ | | | , | | ` , | ` | , |
| Males and Females: | | | | | | | | Ì | | | | | | | |
| 2 - 19 | 4091 | 50 | (1.6) | 72.2 (3.80) | 17.2 | (1.00) | 24 | (1.4) | 80.9 (5.22) | 34.5 | (1.66) | 43 | (2.6) | 63.6 (3. | .76) |
| 20 and over | 7707 | 55 | (1.7) | 126.7 (5.57) | 32.7 | (1.49) | 26 | (1.0) | 124.8 (7.34) | 59.7 | (1.93) | 48 | (2.1) | 129.0 (5. | .08) |
| 2 and over | 11798 | 54 | (1.5) | 113.8 (4.78) | 29.0 | (1.24) | 26 | (1.0) | 115.2 (6.36) | 54.2 | (1.69) | 47 | (2.0) | 112.3 (4. | .21) |
| | | | | • | | | | ' | | | | | | • | |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | | | C a | l c i | u m | | | | | | | |
|---------------------|----------------|---------------|---------------------------|------|------------------|-----------|--------------------|-----------------------|-------------|------|------------------|------------|--------------------|-----------------------|----------------|---------|------------------|
| | | | | | | -All Indi | viduals | 2 | | | —All R | estauran | t Consu | mers ³ — | | Non-con | isumers 4 |
| Gender and age | Sample Size | Pero Repor | cent ting ⁵ | | otal ake | | e from taurants | Percentag All Rest | | | otal ake | | e from taurants | Percentag All Rest | | 5 To | otal ake |
| (years) | | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) |
| Malan | | | | | | | | | ı | | | | | | | ı | |
| Males: 2 - 5 | 468 | 15 | (2.9) | 1026 | (42.2) | 02 | (10.5) | 0 | (1.0) | 1083 | (04.0) | 210 | (10.0) | 19 | (1.0) | 979 | (24.6) |
| 6 - 11 | 701 | 45 41 | (2.8) (3.1) | 1020 | (43.2) (38.7) | 93 113 | (10.5) (7.7) | 9 11 | (1.0) (0.8) | 1003 | (94.9) (41.5) | 210 275 | (19.9) (10.0) | 27 | (1.9) (1.1) | 1067 | (34.6) (48.2) |
| 12 - 19 | 899 | 53 | (3.1) | 1105 | (24.1) | 251 | (22.5) | 23 | (2.0) | 1164 | (42.5) | 469 | (27.5) | 40 | (2.1) | 1037 | (48.6) |
| 12 - 19 | 077 | 33 | (3.2) | 1103 | (24.1) | 231 | (22.3) | 23 | (2.0) | 1104 | (42.3) | 409 | (27.3) | 40 | (2.1) | 1037 | (46.0) |
| 20 - 39 | 1086 | 66 | (2.5) | 1088 | (25.6) | 323 | (20.4) | 30 | (1.7) | 1131 | (39.2) | 492 | (23.3) | 44 | (1.9) | 1005 | (45.1) |
| 40 - 59 | 1221 | 56 | (2.6) | 1076 | (33.8) | 259 | (21.9) | 24 | (2.0) | 1115 | (36.6) | 461 | (28.1) | 41 | (1.9) | 1026 | (48.7) |
| 60 and over | 1438 | 44 | (2.9) | 992 | (27.4) | 144 | (13.0) | 15 | (1.3) | 1022 | (46.7) | 329 | (22.3) | 32 | (1.5) | 970 | (37.7) |
| | | | , , | | , , | | , | | ` ′ | | , , | | ` / | | ` / | | , |
| 2 - 19 | 2068 | 47 | (2.1) | 1067 | (21.1) | 171 | (10.7) | 16 | (1.0) | 1101 | (32.6) | 361 | (15.0) | 33 | (1.3) | 1035 | (32.7) |
| 20 and over | 3745 | 56 | (1.9) | 1056 | (18.2) | 250 | (12.6) | 24 | (1.2) | 1101 | (21.2) | 445 | (14.1) | 40 | (1.1) | 999 | (27.0) |
| 2 and over | 5813 | 54 | (1.8) | 1059 | (15.4) | 230 | (11.1) | 22 | (1.1) | 1101 | (18.7) | 427 | (13.2) | 39 | (1.0) | 1010 | (22.0) |
| T 1 | | | | | | | | | | | | | | | | | |
| Females: | 472 | 40 | (2.0) | 970 | (20.7) | 90 | (10.6) | 0 | (1.2) | 882 | (12.5) | 202 | (10.2) | 22 | (2.2) | 070 | (25.2) |
| 2 - 5 | 472 | 40 | (3.0) | 879 | (30.7) | 80 | | 9 | (1.2) | | (43.5) | 202 | (19.3) | 23 | (2.2) | 878 | (35.2) |
| 6 - 11 | 710 841 | 50 | (3.1) | 978 | (27.3) | 129 | (12.4) | 13 23 | (1.2) | 1000 | (39.4) | 257 | (16.2) | 26 38 | (1.6) | 956 | (42.5) |
| 12 - 19 | 841 | 60 | (2.5) | 822 | (27.2) | 190 | (12.3) | 23 | (1.4) | 828 | (29.8) | 318 | (13.8) | 38 | (1.6) | 814 | (37.6) |
| 20 - 39 | 1272 | 65 | (2.4) | 879 | (16.1) | 231 | (9.4) | 26 | (1.1) | 905 | (23.1) | 357 | (13.3) | 39 | (1.5) | 831 | (27.8) |
| 40 - 59 | 1327 | 52 | (2.3) | 844 | (25.9) | 162 | (7.8) | 19 | (1.0) | 827 | (23.1) (21.7) | 309 | (15.3) (15.1) | 37 | (1.8) | 863 | (42.6) |
| 60 and over | 1363 | 42 | (2.7) | 798 | (28.7) | 109 | (9.9) | 14 | (1.1) | 787 | (30.9) | 257 | (14.0) | 33 | (1.0) | 806 | (36.8) |
| oo and over | 1505 | | (2.7) | ,,,, | (20.7) | 10) | (2.2) | 1. | (1.1) | , 0, | (30.7) | 20, | (1 1.0) | 55 | (1.0) | 000 | (30.0) |
| 2 - 19 | 2023 | 52 | (1.9) | 886 | (15.0) | 146 | (9.8) | 17 | (1.0) | 891 | (18.5) | 280 | (13.1) | 31 | (1.3) | 880 | (21.7) |
| 20 and over | 3962 | 54 | (1.9) | 842 | (16.3) | 170 | (4.9) | 20 | (0.7) | 850 | (18.5) | 316 | (7.8) | 37 | (0.8) | 832 | (27.7) |
| 2 and over | 5985 | 53 | (1.6) | 1 | (12.1) | 164 | (5.2) | 19 | (0.6) | 859 | (15.5) | 308 | (7.7) | 36 | (0.8) | 843 | (20.5) |
| | | | , , | | , , | | , , | | ` ′ | | , , | | ` / | | ` / | | , |
| Males and Females: | | | | Ì | | | | | | | | | | | | | |
| 2 - 19 | 4091 | 50 | (1.6) | 978 | (13.4) | 159 | (7.9) | 16 | (0.8) | 993 | (16.6) | 319 | (11.4) | 32 | (1.0) | 963 | (22.1) |
| 20 and over | 7707 | 55 | (1.7) | 945 | (13.1) | 208 | (7.4) | 22 | (0.9) | 974 | (13.4) | 380 | (6.6) | 39 | (0.7) | 911 | (19.3) |
| 2 and over | 11798 | 54 | (1.5) | 953 | (10.6) | 197 | (6.5) | 21 | (0.7) | 978 | (10.5) | 367 | (6.4) | 37 | (0.7) | 924 | (15.5) |
| | | | | • | | | | | ' | | | | | | | | |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic *(continued)*

Phosphorus -All Individuals ²-----All Restaurant Consumers 3 ----Non-consumers 4 Gender Sample Total Intake from Percentages from ⁶ Intake from Percentages from 6 Total Percent Total and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake (SE) (years) % (SE) mg (SE) mg (SE) (SE) mg mg (SE) % (SE) mg (SE) Males: 29 2 - 5..... 468 45 (2.8)1186 (38.2)163 (16.7)14 1270 (78.0) 365 (31.3)1119 (38.6)(1.2)(1.7)6 - 11..... 701 41 1289 (32.6) 14 1332 (45.7) 454 (18.1)34 1259 (3.1)187 (11.1)(0.9)(1.3)(38.4)1505 (31.2) 899 53 28 1664 (38.4) 47 12 - 19..... (3.2)416 (38.5) (2.3)778 (38.8) (1.9)1324 (57.4)1588 (48.0)800 (40.8)49 1494 20 - 39..... 1086 66 (2.5)(31.4)525 (36.0)33 (2.1)1637 (2.1)(44.3)40 - 59..... 1221 56 1634 (33.3)448 (33.5)27 (2.0)1706 799 (36.4)47 1541 (2.6)(43.6)(1.7)(48.3)60 and over..... 1438 44 (2.9)1480 (28.3) 268 (23.4)18 (1.5)1546 (43.9) 613 (36.6) 40 (1.9)1428 (48.6)2 - 19..... 2068 47 (2.1)1365 (21.9)285 (18.8)21 (1.3)1489 (33.5)602 (24.1)40 (1.3)1254 (31.4)20 and over... 3745 56 (1.9)1573 (15.1)425 (20.7)27 (1.3)1641 (20.3)758 (19.9)46 1486 (22.8)(1.1)2 and over... 5813 54 (1.8)1522 (14.5) 391 (18.6) 26 (1.1)1608 (19.5) 724 (17.5) 45 (1.0)1421 (18.2) Females: 472 327 998 2 - 5..... 40 (3.0)1016 (24.0) 130 (14.5) 13 (1.3)1044 (36.5) (20.5)31 (2.1)(27.9)6 - 11..... 710 1231 18 438 34 50 (25.1)220 (21.5) 1304 (22.3)1158 (3.1)(1.6)(33.2)(1.4)(38.9)12 - 19..... 841 60 1129 (65.4) 1213 (95.7) 528 (22.9) 44 1005 (2.5)315 (13.6) 28 (1.5)(3.3)(35.0)380 (14.3) 20 - 39..... 1272 65 (2.4)1227 (16.8) 31 (1.1)1269 (24.4) 587 46 1150 (31.0)(19.7)(1.6)40 - 59..... 1327 52 1171 (28.3) 23 524 45 (2.3)274 (14.1) (1.1)1174 (25.9)(26.0)(1.8)1168 (40.7)60 and over..... 1138 (31.8) 17 40 1363 (2.7)193 (15.0)(1.3)1127 (30.3) 454 (16.1)(1.1)1145 (41.1)2 - 19..... 2023 (1.9)1138 (34.9) 244 (13.2)21 (1.0)1214 (50.8) 467 (16.5)38 (1.4)1055 (20.5)20 and over... 3962 54 1180 (17.0) 286 (9.0)24 (0.8)1203 (19.6)534 (12.4)44 (0.9)1154 (25.0)(1.9)2 and over... 5985 53 1171 (13.0) 277 (8.5)24 (0.7)1205 (17.0) 519 (10.3) 43 (0.8)1131 (18.5) (1.6)Males and Females: 2 - 19..... 4091 50 1254 (23.1)265 (13.3) 21 (0.8)1347 (34.8) 532 (17.0) 40 (0.9)1161 (21.0)(1.6)1369 353 (13.0) 26 (0.9)1419 644 (10.9)45 20 and over... 7707 55 (1.7)(10.4)(12.0)(0.8)1310 (17.1)1342 2 and over... 11798 332 (11.4) 1403 (12.7) 620 44 1272 (13.2) (1.5)(9.9)(0.8)(8.8)(0.6)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | | | Mag | n e s | i u n | n | | | | | | |
|---|----------------|----------------|---------------------------|-------------------|-------------------------|--------------------|-------------------------|-----------------------|-------------------------|-------------------|-------------------------|--------------------|-------------------------|-----------------------|-------------------------|-------------------|-------------------------|
| | | | | | | -All Indiv | riduals | 2 | | | —All R | estaurant | Consu | mers ³ — | . | Non-con | sumers 4 |
| Gender and age | Sample Size | Pero Repor | cent ting ⁵ | To Inta | | Intake All Rest | from aurants | Percentag All Rest | | | otal ake | Intake All Rest | | Percentag All Rest | | To Inta | |
| (years) | | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) |
| Males: | | | | I | | | | | 1 | | | | | | ĺ | | |
| 2 - 5 | 468 | 45 | (2.8) | 220 | (6.8) | 23 | (2.3) | 11 | (0.9) | 228 | (10.2) | 53 | (4.4) | 23 | (1.6) | 213 | (8.2) |
| 6 - 11 | 701 | 41 | (3.1) | 238 | (6.9) | 27 | (1.6) | 11 | (0.7) | 238 | (8.8) | 65 | (3.0) | 27 | (1.1) | 238 | (8.2) |
| 12 - 19 | 899 | 53 | (3.2) | 276 | (6.9) | 61 | (5.9) | 22 | (2.1) | 296 | (10.8) | 114 | (7.3) | 39 | (2.0) | 253 | (10.5) |
| 20 - 39 | 1086 | 66 | (2.5) | 333 | (5.8) | 88 | (5.6) | 26 | (1.7) | 340 | (8.8) | 134 | (6.1) | 39 | (1.9) | 319 | (8.3) |
| 40 - 59 | 1221 | 56 | (2.6) | 354 | (7.0) | 75 | (5.9) | 21 | (1.6) | 359 | (10.6) | 134 | (6.1) | 37 | (1.5) | 348 | (8.6) |
| 60 and over | 1438 | 44 | (2.9) | 329 | (5.6) | 44 | (3.6) | 13 | (1.0) | 329 | (9.2) | 99 | (5.2) | 30 | (1.6) | 329 | (8.7) |
| 2 - 19 | 2068 | 47 | (2.1) | 251 | (3.8) | 42 | (2.8) | 17 | (1.1) | 265 | (6.5) | 88 | (4.1) | 33 | (1.3) | 238 | (5.9) |
| 20 and over | 3745 | 56 | (1.9) | 339 | (3.2) | 71 | (3.5) | 21 | (1.0) | 344 | (4.6) | 126 | (3.4) | 37 | (1.1) | 333 | (4.6) |
| 2 and over | 5813 | 54 | (1.8) | 318 | (3.0) | 64 | (3.1) | 20 | (0.9) | 327 | (4.5) | 118 | (3.1) | 36 | (0.9) | 306 | (3.9) |
| Females: 2 - 5 | 472 | 40 | (3.0) | 195 | (4.1) | 20 | (2.0) | 10 | (1.1) | 192 | (5.9) | 51 | (2.5) | 26 | (1.4) | 197 | (6.0) |
| | 710 | 50 | (3.1) | 232 | (5.0) | 35 | (3.5) | 15 | (1.4) | 239 | (7.9) | 70 | (3.9) | 29 | (1.1) | 224 | (6.1) |
| | 841 | 60 | (2.5) | 222 | (10.5) | 52 | (2.9) | 23 | (1.0) | 231 | (14.8) | 87 | (4.8) | 38 | (2.4) | 210 | (7.5) |
| 20 - 39 | 1272 | 65 | (2.4) | 272 | (6.0) | 67 | (2.8) | 25 | (1.0) | 272 | (7.8) | 103 | (3.7) | 38 | (1.9) | 272 | (8.2) |
| 40 - 59 | 1327 | 52 | (2.3) | 273 | (7.0) | 47 | (2.6) | 17 | (0.9) | 262 | (5.9) | 89 | (4.3) | 34 | (1.3) | 285 | (9.7) |
| 60 and over | 1363 | 42 | (2.7) | 264 | (6.7) | 34 | (2.8) | 13 | (1.1) | 252 | (7.6) | 81 | (3.1) | 32 | (1.0) | 273 | (8.3) |
| 2 - 19 | 2023 | 52 | (1.9) | 220 | (5.3) | 39 | (2.2) | 18 | (0.8) | 227 | (7.8) | 76 | (3.0) | 33 | (1.2) | 211 | (3.9) |
| 20 and over | 3962 | 54 | (1.9) | 270 | (4.5) | 50 | (1.7) | 18 | (0.6) | 264 | (4.5) | 93 | (1.8) | 35 | (0.8) | 277 | (6.4) |
| 2 and over | 5985 | 53 | (1.6) | 259 | (3.6) | 48 | (1.6) | 18 | (0.6) | 256 | (4.1) | 89 | (1.7) | 35 | (0.8) | 262 | (5.1) |
| Males and Females: 2 - 19 20 and over 2 and over | 4091 7707 | 50 55 54 | (1.6) (1.7) (1.5) | 236 303 287 | (3.3) (3.1) (2.6) | 41 60 55 | (2.1) (2.3) (2.0) | 17 20 19 | (0.8) (0.7) (0.6) | 246 303 291 | (5.9) (3.4) (3.5) | 81 109 103 | (2.8) (1.9) (1.6) | 33 36 35 | (0.8) (0.7) (0.6) | 226 303 283 | (3.9) (4.1) (3.3) |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | | |] | roi | 1 | | | | | | | |
|---------------------|----------------|---------------|---------------------------|-------------|------------------|------------------|--------------------|-----------------------|----------------|------|------------------|------------|--------------------|-----------------------|----------------|------------|------------------|
| | | | | | | -All Indi | viduals | 2 | | | —All R | estauran | t Consu | mers ³ — | . | Non-con | sumers 4 |
| Gender and age | Sample Size | Pero Repor | cent ting ⁵ | To Inta | otal ake | Intak All Res | e from taurants | Percentag All Rest | | | otal ake | | e from taurants | Percentag All Rest | | To Inta | otal ake |
| (years) | | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) |
| N. 1 | | | | ı | | | | | ı | | | | | | | | |
| Males: 2 - 5 | 468 | 45 | (2.9) | 11.0 | (0.40) | 1.2 | (0.12) | 12 | (1.0) | 11.8 | (0.92) | 2.0 | (0.25) | 24 | (2.1) | 10.4 | (0.47) |
| 6 - 11 | 701 | 43 | (2.8) (3.1) | 14.2 | (0.49) (0.53) | 1.3 1.7 | (0.12) (0.11) | 12 | (1.0) (0.9) | 14.6 | (0.82) (0.53) | 2.9 4.2 | (0.25) (0.17) | 29 | (2.1) (1.2) | 14.0 | (0.47) (0.74) |
| 12 - 19 | 899 | 53 | (3.1) | 15.8 | (0.35) | 3.7 | (0.11) (0.35) | 23 | (2.4) | 17.2 | (0.53) (0.58) | 6.9 | (0.17) (0.42) | 40 | (2.7) | 14.0 | (0.74) (0.79) |
| 12 - 19 | 677 | 33 | (3.2) | 15.6 | (0.55) | 3.1 | (0.55) | 23 | (2.4) | 17.2 | (0.56) | 0.7 | (0.42) | 40 | (2.7) | 14.2 | (0.79) |
| 20 - 39 | 1086 | 66 | (2.5) | 15.8 | (0.44) | 4.8 | (0.35) | 30 | (2.0) | 16.1 | (0.53) | 7.4 | (0.39) | 46 | (1.9) | 15.4 | (0.87) |
| 40 - 59 | 1221 | 56 | (2.6) | 16.2 | (0.51) | 4.1 | (0.32) | 25 | (2.2) | 16.7 | (0.60) | 7.2 | (0.32) | 43 | (2.2) | 15.6 | (0.76) |
| 60 and over | 1438 | 44 | (2.9) | 15.7 | (0.29) | 2.5 | (0.23) | 16 | (1.5) | 16.0 | (0.45) | 5.7 | (0.32) | 36 | (1.7) | 15.5 | (0.55) |
| | | | | | | | | | | | | | | | | | |
| 2 - 19 | 2068 | 47 | (2.1) | 14.3 | (0.28) | 2.5 | (0.17) | 18 | (1.3) | 15.4 | (0.44) | 5.3 | (0.26) | 35 | (1.8) | 13.3 | (0.43) |
| 20 and over | 3745 | 56 | (1.9) | 15.9 | (0.24) | 3.9 | (0.21) | 24 | (1.3) | 16.3 | (0.30) | 6.9 | (0.21) | 43 | (1.2) | 15.5 | (0.39) |
| 2 and over | 5813 | 54 | (1.8) | 15.5 | (0.19) | 3.6 | (0.19) | 23 | (1.2) | 16.1 | (0.25) | 6.6 | (0.20) | 41 | (1.1) | 14.9 | (0.30) |
| Females: | | | | | | | | | | | | | | | | | |
| 2 - 5 | 472 | 40 | (3.0) | 9.7 | (0.30) | 1.0 | (0.10) | 10 | (1.1) | 9.6 | (0.39) | 2.5 | (0.15) | 26 | (1.9) | 9.8 | (0.43) |
| 6 - 11 | 710 | 50 | (3.1) | 13.3 | (0.34) | 1.9 | (0.15) | 14 | (1.2) | 13.3 | (0.36) | 3.8 | (0.16) | 29 | (1.2) | 13.3 | (0.56) |
| 12 - 19 | 841 | 60 | (2.5) | 12.2 | (0.61) | 2.8 | (0.15) | 23 | (1.0) | 13.0 | (0.89) | 4.7 | (0.20) | 36 | (2.5) | 11.0 | (0.33) |
| | | | (/ | | () | | () | | ()) | | () | | (/ | | ()) | | () |
| 20 - 39 | 1272 | 65 | (2.4) | 12.1 | (0.23) | 3.3 | (0.14) | 27 | (1.2) | 12.1 | (0.28) | 5.1 | (0.20) | 42 | (1.6) | 12.2 | (0.43) |
| 40 - 59 | 1327 | 52 | (2.3) | 12.0 | (0.34) | 2.6 | (0.14) | 21 | (1.2) | 11.9 | (0.34) | 4.9 | (0.20) | 41 | (1.9) | 12.1 | (0.48) |
| 60 and over | 1363 | 42 | (2.7) | 11.7 | (0.28) | 1.7 | (0.13) | 15 | (1.0) | 11.5 | (0.31) | 4.1 | (0.17) | 36 | (1.2) | 11.9 | (0.35) |
| 2 10 | 2022 | <i>5</i> 2 | (1.0) | 12.0 | (0.20) | 2.1 | (0.11) | 10 | (0.0) | 10.5 | (0.40) | 4.1 | (0.15) | 22 | (1.1) | 11 / | (0.20) |
| 2 - 19 | 2023 | 52 | (1.9) | 12.0 | (0.29) | 2.1 | (0.11) | 18 | (0.8) | 12.5 | (0.49) | 4.1 | (0.15) | 32 | (1.1) | 11.4 | (0.29) |
| 20 and over | 3962 | 54 | (1.9) | 12.0 | (0.17) | 2.6 | (0.09) | 21 | (0.7) | 11.9 | (0.19) | 4.8 | (0.12) | 40 | (1.0) | 12.0 | (0.27) |
| 2 and over | 5985 | 53 | (1.6) | 12.0 | (0.15) | 2.5 | (0.08) | 21 | (0.7) | 12.0 | (0.19) | 4.6 | (0.11) | 38 | (1.0) | 11.9 | (0.24) |
| Males and Females: | | | | | | | | | | | | | | | | | |
| 2 - 19 | 4091 | 50 | (1.6) | 13.2 | (0.21) | 2.3 | (0.12) | 18 | (0.9) | 13.9 | (0.32) | 4.7 | (0.17) | 34 | (1.1) | 12.4 | (0.29) |
| 20 and over | 7707 | 55 | (1.7) | 13.9 | (0.13) | 3.2 | (0.13) | 23 | (1.0) | 14.0 | (0.18) | 5.8 | (0.12) | 42 | (0.8) | 13.6 | (0.21) |
| 2 and over | | 54 | (1.5) | 13.7 | (0.12) | | (0.12) | 22 | (0.8) | 14.0 | (0.16) | 5.6 | (0.11) | 40 | (0.7) | 13.3 | (0.19) |
| 3, 01 | | | () | 1/ | () | 2.70 | (===) | = - | (=.=/ | | () | 2.0 | () | . 0 | (/ | 0 | (/ |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | | | 2 | Zin | c | | | | | | | |
|---------------------------|----------------|---------------|---------------------------|-------------|-----------------|------------------|--------------------|-----------------------|----------------|------|------------------|----------|--------------------|-----------------------|----------------|--------------|-----------------|
| | | | | | | -All Indi | viduals | 2 | | | —All R | estauran | t Consu | mers ³ — | - | Non-con | isumers 4 |
| Gender and age | Sample Size | Pero Repor | cent ting ⁵ | | otal ake | Intak All Res | e from taurants | Percentag All Rest | | | otal ake | | e from taurants | Percentag All Rest | | | otal ake |
| (years) | | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) |
| Malage | | | | ı | | | | | ı | İ | | | | | ı | ı | |
| Males: 2 - 5 | 468 | 45 | (2.8) | 7.8 | (0.21) | 0.9 | (0.08) | 12 | (1.1) | 7.9 | (0.32) | 2.1 | (0.17) | 27 | (2.0) | 7.8 | (0.34) |
| 6 - 11 | 701 | 41 | (3.1) | 9.6 | (0.21) (0.42) | 1.4 | (0.08) | 14 | (1.1) (1.1) | 9.7 | (0.32) (0.39) | 3.3 | (0.17) (0.17) | 34 | (2.0) (1.4) | 9.6 | (0.54) (0.62) |
| 12 - 19 | 899 | 53 | (3.2) | 11.8 | (0.32) | | (0.32) | 26 | (2.2) | 13.1 | (0.53) | 5.8 | (0.17) (0.44) | 44 | (2.4) | 10.4 | (0.52) |
| , | | | (=/ | | (0.02) | | (===) | | (=-=) | | (3.22) | | (0111) | | (=) | | (0.00-) |
| 20 - 39 | 1086 | 66 | (2.5) | 12.8 | (0.27) | 4.1 | (0.29) | 32 | (2.0) | 13.1 | (0.44) | 6.3 | (0.36) | 48 | (2.3) | 12.3 | (0.39) |
| 40 - 59 | 1221 | 56 | (2.6) | 13.1 | (0.44) | 3.5 | (0.28) | 27 | (1.9) | 13.5 | (0.59) | 6.3 | (0.32) | 46 | (1.6) | 12.6 | (0.50) |
| 60 and over | 1438 | 44 | (2.9) | 11.6 | (0.22) | 2.1 | (0.20) | 18 | (1.7) | 12.2 | (0.40) | 4.9 | (0.24) | 40 | (1.8) | 11.2 | (0.41) |
| 2 10 | 2069 | 47 | (2.1) | 10.2 | (0.22) | 2.1 | (0.16) | 20 | (1.4) | 110 | (0.25) | 1.2 | (0.25) | 20 | (1.7) | 0.5 | (0.25) |
| 2 - 19 | 2068 3745 | 47 5.0 | (2.1) | 10.2 | (0.23) | 2.1 | (0.16) | 20 27 | (1.4) | 11.0 | (0.35) | 4.3 | (0.25) | 39 | (1.7) | 9.5 | (0.35) |
| 20 and over 2 and over | 5813 | 56 54 | (1.9) | 12.6 | (0.17) | 3.3 | (0.17) | 27 | (1.2) | 13.0 | (0.26) | 6.0 | (0.17) | 46 44 | (1.2) | 12.0 11.3 | (0.20) |
| 2 and over | 3813 | 34 | (1.8) | 12.0 | (0.16) | 3.0 | (0.16) | 23 | (1.2) | 12.6 | (0.24) | 5.6 | (0.17) | 44 | (1.0) | 11.3 | (0.19) |
| Females: | | | | | | | | | | | | | | | | | |
| 2 - 5 | 472 | 40 | (3.0) | 7.0 | (0.18) | 0.8 | (0.08) | 11 | (1.2) | 6.9 | (0.31) | 1.9 | (0.13) | 28 | (2.2) | 7.1 | (0.22) |
| 6 - 11 | 710 | 50 | (3.1) | 8.9 | (0.24) | 1.5 | (0.17) | 17 | (1.7) | 9.2 | (0.33) | 3.0 | (0.24) | 33 | (1.9) | 8.7 | (0.34) |
| 12 - 19 | 841 | 60 | (2.5) | | (0.31) | 2.2 | (0.10) | 27 | (1.3) | 8.5 | (0.48) | | (0.20) | 42 | (2.9) | 7.6 | (0.25) |
| | | | | | | | | | | | | | | | | | |
| 20 - 39 | 1272 | 65 | (2.4) | 1 | (0.16) | 2.7 | (0.12) | 29 | (1.1) | 9.4 | ` , | 4.2 | (0.17) | 44 | (1.3) | 9.3 | (0.27) |
| 40 - 59 | 1327 | 52 | (2.3) | 9.1 | (0.23) | 2.1 | (0.13) | 23 | (1.3) | 8.7 | (0.21) | 4.0 | (0.22) | 46 | (2.0) | 9.6 | (0.40) |
| 60 and over | 1363 | 42 | (2.7) | 8.6 | (0.27) | 1.4 | (0.11) | 16 | (1.4) | 8.6 | (0.26) | 3.3 | (0.15) | 39 | (1.7) | 8.7 | (0.33) |
| 2 - 19 | 2023 | 52 | (1.0) | 8.2 | (0.17) | 1.6 | (0,00) | 20 | (1.0) | 8.5 | (0.20) | 3.1 | (0.14) | 37 | (1.5) | 7.8 | (0.15) |
| 20 and over | 3962 | 54 | (1.9) (1.9) | 9.1 | (0.17) (0.12) | 2.1 | (0.09) (0.09) | 23 | (1.0) (0.9) | 9.0 | (0.29) (0.14) | 3.1 | (0.14) (0.11) | 44 | (1.5) (1.1) | 9.2 | (0.13) (0.19) |
| 2 and over | 5985 | 53 | (1.6) | 8.9 | (0.12) (0.10) | 2.1 | (0.09) | 23 | (0.9) (0.8) | 8.9 | (0.14) (0.11) | 3.8 | (0.11) (0.10) | 42 | (0.9) | 8.9 | (0.19) (0.16) |
| 2 and over | 3703 | 33 | (1.0) | 0.7 | (0.10) | 2.0 | (0.08) | 23 | (0.8) | 0.7 | (0.11) | 5.0 | (0.10) | 72 | (0.9) | 0.7 | (0.10) |
| Males and Females: | | | | | | | | | | | | | | | | | |
| 2 - 19 | 4091 | 50 | (1.6) | 9.2 | (0.16) | 1.9 | (0.10) | 20 | (0.9) | 9.7 | (0.27) | 3.7 | (0.15) | 38 | (1.1) | 8.7 | (0.20) |
| 20 and over | 7707 | 55 | (1.7) | 10.8 | (0.10) | 2.7 | (0.12) | 25 | (1.0) | 11.0 | (0.12) | 4.9 | (0.11) | 45 | (0.9) | 10.5 | (0.16) |
| 2 and over | 11798 | 54 | (1.5) | 10.4 | (0.10) | 2.5 | (0.11) | 24 | (0.9) | 10.7 | (0.13) | 4.7 | (0.11) | 44 | (0.7) | 10.0 | (0.14) |
| | | | | ' | | | | | , , | l | | | | | , , | | |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | | | \mathbf{C} | рр | e r | | | | | | | |
|--------------------|----------------|---------------|-------|------------|------------|-----------|--------------------|-----------------------|-------|-----|-------------|----------|--------------------|-----------------------|-------|---------|-------------|
| | | | | | | -All Indi | viduals | 2 | | | —All R | estauran | t Consu | mers ³ — | | Non-con | nsumers 4 |
| Gender and age | Sample Size | Pero Repor | | To Inta | tal ake | | e from taurants | Percentag All Rest | | | otal ake | | e from taurants | Percentag All Rest | | | otal ake |
| (years) | | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) |
| Males: | | | | I | | | | | ı | | | | | | | l | |
| 2 - 5 | 468 | 45 | (2.8) | 0.8 | (0.03) | 0.1 | (0.01) | 12 | (1.1) | 0.8 | (0.04) | 0.2 | (0.02) | 26 | (2.1) | 0.8 | (0.04) |
| 6 - 11 | 701 | 41 | (3.1) | 0.9 | (0.03) | 0.1 | (0.01) | 13 | (1.3) | 0.9 | (0.04) | 0.3 | (0.02) | 30 | (1.8) | 0.9 | (0.04) |
| 12 - 19 | 899 | 53 | (3.2) | 1.1 | (0.03) | 0.3 | (0.03) | 24 | (2.2) | 1.2 | (0.05) | 0.5 | (0.03) | 40 | (2.2) | 0.9 | (0.04) |
| 20 - 39 | 1086 | 66 | (2.5) | 1.3 | (0.03) | 0.3 | (0.02) | 26 | (1.8) | 1.3 | (0.03) | 0.5 | (0.03) | 39 | (1.8) | 1.3 | (0.05) |
| 40 - 59 | 1221 | 56 | (2.6) | 1.4 | (0.04) | 0.3 | (0.03) | 22 | (1.8) | 1.4 | | 0.5 | (0.04) | 37 | (1.7) | 1.3 | (0.04) |
| 60 and over | 1438 | 44 | (2.9) | 1.3 | (0.05) | 0.2 | (0.02) | 14 | (1.3) | 1.4 | (0.10) | 0.4 | (0.03) | 31 | (2.8) | 1.3 | (0.04) |
| 2 - 19 | 2068 | 47 | (2.1) | 1.0 | (0.02) | 0.2 | (0.01) | 18 | (1.3) | 1.0 | (0.03) | 0.4 | (0.02) | 35 | (1.5) | 0.9 | (0.03) |
| 20 and over | 3745 | 56 | (1.9) | 1.3 | (0.02) | 0.3 | (0.02) | 21 | (1.1) | 1.4 | (0.03) | 0.5 | (0.02) | 36 | (1.3) | 1.3 | (0.02) |
| 2 and over | 5813 | 54 | (1.8) | 1.2 | (0.02) | 0.3 | (0.01) | 20 | (1.0) | 1.3 | (0.03) | 0.5 | (0.02) | 36 | (1.1) | 1.2 | (0.02) |
| Females: | | | | | | | | | | | | | | | | | |
| 2 - 5 | 472 | 40 | (3.0) | 0.7 | (0.02) | 0.1 | (0.01) | 11 | (1.2) | 0.7 | (0.03) | 0.2 | (0.01) | 28 | (1.9) | 0.7 | (0.02) |
| 6 - 11 | 710 | 50 | (3.1) | 0.9 | (0.03) | 0.1 | (0.02) | 17 | (1.6) | 0.9 | (0.03) | 0.3 | (0.02) | 32 | (1.7) | 0.8 | (0.02) |
| 12 - 19 | 841 | 60 | (2.5) | 0.9 | (0.08) | 0.2 | (0.01) | 22 | (1.5) | 1.0 | | 0.4 | (0.02) | 35 | (4.0) | 0.9 | (0.04) |
| 20 - 39 | 1272 | 65 | (2.4) | 1.1 | (0.02) | 0.2 | (0.01) | 22 | (0.9) | 1.1 | (0.03) | 0.4 | (0.01) | 35 | (1.6) | 1.1 | (0.04) |
| 40 - 59 | 1327 | 52 | (2.3) | 1.1 | (0.03) | 0.2 | (0.01) | 17 | (1.0) | 1.0 | (0.03) | 0.4 | (0.02) | 34 | (1.3) | 1.1 | (0.04) |
| 60 and over | 1363 | 42 | (2.7) | 1.1 | (0.03) | 0.1 | (0.01) | 12 | (0.9) | 1.0 | (0.03) | 0.3 | (0.01) | 30 | (1.1) | 1.1 | (0.05) |
| 2 - 19 | 2023 | 52 | (1.9) | 0.9 | (0.04) | 0.2 | (0.01) | 18 | (0.9) | 0.9 | (0.07) | 0.3 | (0.01) | 33 | (2.1) | 0.8 | (0.02) |
| 20 and over | 3962 | 54 | (1.9) | 1.1 | (0.02) | 0.2 | (0.01) | 17 | (0.6) | 1.0 | (0.02) | 0.4 | (0.01) | 34 | (0.8) | 1.1 | (0.03) |
| 2 and over | 5985 | 53 | (1.6) | 1.0 | (0.02) | | (0.01) | 18 | (0.6) | 1.0 | (0.02) | 0.3 | (0.01) | 33 | (0.9) | 1.0 | (0.02) |
| Males and Females: | | | | | | | | | | | | | | | | | |
| 2 - 19 | 4091 | 50 | (1.6) | 0.9 | (0.02) | 0.2 | (0.01) | 18 | (0.8) | 1.0 | (0.05) | 0.3 | (0.01) | 34 | (1.2) | 0.9 | (0.02) |
| 20 and over | 7707 | 55 | (1.7) | 1.2 | (0.01) | 0.2 | (0.01) | 19 | (0.8) | 1.2 | (0.02) | 0.4 | (0.01) | 35 | (0.7) | 1.2 | (0.02) |
| 2 and over | 11798 | 54 | (1.5) | 1.1 | (0.01) | 0.2 | (0.01) | 19 | (0.7) | 1.2 | (0.02) | 0.4 | (0.01) | 35 | (0.6) | 1.1 | (0.02) |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | | | Sel | e n i | u m | | | | | | | |
|--------------------|----------------|---------------|---------------------------|------------|-------------|------------------|--------------------|-----------------------|-------|-------|-------------|----------|--------------------|-----------------------|-------|------------|-------------|
| | | | | | | -All Indi | viduals | 2 | | | —All R | estauran | t Consu | mers ³ — | | Non-con | sumers 4 |
| Gender and age | Sample Size | Pero Repor | cent ting ⁵ | To Inta | otal ake | Intak All Res | e from taurants | Percentag All Rest | | | otal ake | | e from taurants | Percentag All Rest | | To Inta | otal ake |
| (years) | | % | (SE) | μg | (SE) | μg | (SE) | % | (SE) | μg | (SE) | μg | (SE) | % | (SE) | μg | (SE) |
| Males: | | | | ı | | | | | ı | | | | | | ı | | |
| 2 - 5 | 468 | 45 | (2.8) | 75.1 | (2.37) | 12.8 | (1.34) | 17 | (1.6) | 80.1 | (4.13) | 28.6 | (2.79) | 36 | (2.7) | 71.1 | (2.52) |
| 6 - 11 | 701 | 41 | (3.1) | 92.0 | (2.26) | | (1.22) | 18 | (1.3) | 100.1 | (3.09) | 40.5 | (1.70) | 41 | (1.6) | 86.4 | (2.85) |
| 12 - 19 | 899 | 53 | (3.2) | 122.8 | (3.36) | | (3.52) | 30 | (2.7) | 134.0 | . , | 70.1 | (3.60) | 52 | (2.4) | 110.0 | (5.62) |
| 20 - 39 | 1086 | 66 | (2.5) | 136.2 | (3.20) | 48 5 | (3.48) | 36 | (2.2) | 138.6 | (4.40) | 73.8 | (3.90) | 53 | (2.1) | 131.7 | (4.74) |
| 40 - 59 | 1221 | 56 | (2.6) | 135.4 | (2.52) | | (2.71) | 30 | (1.9) | 140.5 | (3.32) | 72.4 | (2.65) | 52 | (1.5) | 129.0 | (3.45) |
| 60 and over | 1438 | 44 | (2.9) | 122.9 | (2.66) | | (2.40) | 20 | (1.8) | 126.8 | (4.09) | | (3.52) | 45 | (2.2) | 119.8 | (3.91) |
| 2 - 19 | 2068 | 47 | (2.1) | 102.4 | (1.59) | 25.2 | (1.81) | 25 | (1.6) | 113.4 | (2.42) | 53.2 | (2.46) | 47 | (1.8) | 92.4 | (2.27) |
| 20 and over | 3745 | 56 | (1.9) | 132.2 | (1.55) | | (1.83) | 30 | (1.3) | 136.6 | ` / | 69.7 | (1.73) | 51 | (1.2) | 126.4 | (1.89) |
| 2 and over | 5813 | 54 | (1.8) | 124.8 | (1.39) | | (1.68) | 29 | (1.2) | 131.6 | ` ′ | 66.1 | (1.68) | 50 | (1.1) | 116.9 | (1.58) |
| Females: | | | | | | | | | | | | | | | | | |
| 2 - 5 | 472 | 40 | (3.0) | 64.3 | (1.39) | 9.3 | (0.93) | 15 | (1.3) | 65.5 | (2.53) | 23.6 | (1.43) | 36 | (2.3) | 63.5 | (2.02) |
| 6 - 11 | 710 | 50 | (3.1) | 89.8 | (3.09) | | (1.81) | 20 | (1.8) | 96.7 | (4.99) | 36.0 | ` , | 37 | (2.4) | 82.9 | (2.94) |
| 12 - 19 | 841 | 60 | (2.5) | 90.6 | (4.94) | | (1.43) | 30 | (1.8) | 97.1 | . , | 46.0 | ` / | 47 | (4.2) | 81.1 | (2.19) |
| 20 - 39 | 1272 | 65 | (2.4) | 98.4 | (1.49) | 32.8 | (1.30) | 33 | (1.1) | 102.0 | (2.21) | 50.7 | (1.74) | 50 | (1.6) | 91.6 | (3.22) |
| 40 - 59 | 1327 | 52 | (2.3) | 95.3 | (2.18) | | | 27 | (1.4) | 97.0 | ` / | 48.2 | (2.27) | 50 | (2.2) | 93.3 | (3.55) |
| 60 and over | 1363 | 42 | (2.7) | | (1.96) | | (1.46) | 20 | (1.8) | 91.3 | . , | | (1.94) | 46 | (2.1) | | (2.94) |
| 2 - 19 | 2023 | 52 | (1.9) | 84.7 | (2.68) | 20.5 | (1.26) | 24 | (1.2) | 91.8 | (4.48) | 39.2 | (1.78) | 43 | (1.8) | 76.9 | (1.48) |
| 20 and over | 3962 | 54 | (1.9) | 94.2 | (1.11) | 25.7 | (0.90) | 27 | (0.9) | 97.8 | . , | 47.9 | (1.20) | 49 | (1.2) | 90.1 | (1.82) |
| 2 and over | 5985 | 53 | (1.6) | 92.1 | (0.99) | | (0.85) | 27 | (0.8) | | (1.85) | 45.9 | (1.05) | 48 | (1.2) | | (1.44) |
| Males and Females: | | | | | | | | | | | | | | | | | |
| 2 - 19 | 4091 | 50 | (1.6) | 93.7 | (1.66) | 22.9 | (1.26) | 24 | (1.1) | 102.3 | (2.84) | 46.0 | (1.68) | 45 | (1.0) | 85.2 | (1.42) |
| 20 and over | 7707 | 55 | (1.7) | 112.5 | (0.86) | 32.1 | (1.19) | 29 | (1.0) | 116.9 | (1.00) | 58.6 | (1.04) | 50 | (0.9) | 107.1 | (1.72) |
| 2 and over | | 54 | (1.5) | 108.0 | (0.80) | | | 28 | (0.9) | 113.7 | (1.25) | 55.8 | (0.94) | 49 | (0.7) | 101.5 | (1.34) |
| | | - | · ·-/ | 1 | \/ | | / | - | ` ' / | | ` -/ | | ` ' / | - | ` '/ | | ` / |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | | | P o t | a s s | i u m | | | | | | | |
|---|----------------------|----------------|-------------------------|----------------------|----------------------------|-------------------|----------------------------|-----------------------|-------------------------|--------------|-----------------------------|----------------------|----------------------------|-----------------------|-------------------------|----------------------|----------------------------|
| | | | | | | -All Indi | viduals | 2 | | | −All R | estauran | t Consu | mers ³ — | j | Non-con | sumers 4 |
| Gender and age | Sample Size | Pero Repor | | To Inta | | Intak All Res | e from taurants | Percentag All Rest | | To: Inta | | Intake All Res | e from taurants | Percentag All Rest | | To Inta | otal ake |
| (years) | | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) |
| Males: | | | | I | | | | | ı | | | | | | 1 | | |
| 2 - 5 6 - 11 12 - 19 | 468 701 899 | 45 41 53 | (2.8) (3.1) (3.2) | 2085 2086 2404 | (63.0) (50.7) (54.9) | 255 263 595 | (25.8) (16.8) (58.3) | 12 13 25 | (1.0) (0.8) (2.2) | | (140.9) (97.2) (82.6) | 573 641 1114 | (47.1) (36.0) (70.7) | 26 30 43 | (1.5) (1.6) (2.2) | 1961 2046 2160 | (55.4) (44.2) (95.0) |
| 20 - 39 40 - 59 60 and over | 1086 1221 1438 | 66 56 44 | (2.5) (2.6) (2.9) | 2769 3011 2932 | (48.1) (60.4) (47.5) | 834 747 453 | (60.4) (61.0) (35.5) | 30 25 15 | (1.9) (1.8) (1.2) | 2792 3084 | (76.5) (94.8) (71.0) | 1271 1330 1035 | (71.0) (71.2) (51.5) | 46 43 35 | (1.8) (1.6) (1.6) | 2725 2917 2887 | (82.7) (67.8) (69.2) |
| 2 - 19 20 and over 2 and over | 2068 3745 5813 | 47 56 54 | (2.1) (1.9) (1.8) | 2230 2900 2735 | (40.1) (28.9) (26.2) | 412 695 625 | (27.9) (34.9) (30.5) | 18 24 23 | (1.2) (1.1) (1.0) | 2404 2937 | (70.7) (37.4) (39.7) | 869 1239 1159 | (40.5) (39.9) (35.0) | 36 42 41 | (1.5) (1.0) (1.0) | 2073 2851 2632 | (48.1) (39.3) (27.7) |
| Females: 2 - 5 | 472 710 841 | 40 50 60 | (3.0) (3.1) (2.5) | 1886 2068 1875 | (37.5) (44.5) (74.4) | 222 349 510 | (26.3) (38.8) (25.7) | 12 17 27 | (1.3) (1.7) (1.0) | | (65.1) (58.9) (109.8) | 561 695 855 | (37.6) (46.3) (53.5) | 30 32 43 | (1.9) (1.7) (2.3) | 1890 1953 1720 | (60.3) (71.8) (44.6) |
| 20 - 39 40 - 59 60 and over | 1272 1327 1363 | 65 52 42 | (2.4) (2.3) (2.7) | 2313 2312 2313 | (47.6) (53.0) (55.4) | 646 460 346 | (27.8) (25.1) (28.2) | 28 20 15 | (1.1) (1.1) (1.3) | 2224 | (51.0) (51.8) (61.5) | 1000 878 815 | (37.0) (42.4) (29.6) | 43 39 37 | (1.8) (1.6) (1.3) | 2326 2409 2381 | (68.9) (75.6) (67.7) |
| 2 - 19 20 and over 2 and over | 2023 3962 5985 | 52 54 53 | (1.9) (1.9) (1.6) | 1940 2313 2229 | (38.9) (36.2) (28.8) | 395 491 469 | (21.0) (16.4) (15.0) | 20 21 21 | (0.8) (0.7) (0.7) | 2259 | (57.3) (33.7) (29.3) | 757 915 880 | (30.6) (18.8) (15.6) | 37 40 40 | (1.1) (0.9) (0.7) | 1846 2376 2253 | (33.2) (51.3) (40.4) |
| Males and Females: 2 - 19 20 and over 2 and over | 4091 7707 | 50 55 54 | (1.6) (1.7) (1.5) | 2088 2595 2475 | (32.9) (25.9) (21.3) | 404 589 545 | (19.4) (22.5) (19.1) | 19 23 22 | (0.8) (0.8) (0.7) | 2593 | (52.3) (26.5) (26.9) | 811 1074 1017 | (26.1) (21.2) (16.8) | 37 41 41 | (0.9) (0.7) (0.6) | 1967 2598 2437 | (35.8) (34.0) (24.7) |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| Clender and age Size Percent Fermina Percent | | | | | | | | | So | diu | m | | | | | | | |
|--|-------------|-------|------------|-------|--------|---------|-----------|-----------|-----|-------|------|---------|----------|---------|---------------------|---------------|---------|-----------|
| Males Size Reporting Size Reporting Size Siz | | | | | | | -All Indi | viduals | 2 | | | —All R | estauran | t Consu | mers ³ — | . | Non-cor | isumers 4 |
| Males: 2 - 5 | | | | | | | | | | | | | | | | | | |
| 2 - 5 | (years) | | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) | mg | (SE) | % | (SE) | mg | (SE) |
| 2 - 5 | Malan | | | | ı | | | | | ı | | | | | | | ı | |
| 6-11 | | 160 | 15 | (2.9) | 2221 | (67.1) | 420 | (29.2) | 10 | (1.6) | 2526 | (122.0) | 042 | (70.2) | 27 | (2.4) | 2167 | (76.0) |
| 12-19 | | | | | | ` / | | , | | ` / | | ` , | | ` , | | , , | | ` , |
| 20 - 39 | | | | | | | | | | | | | | ` / | | , , | | |
| 40 - 59 | 12 - 19 | 077 | 33 | (3.2) | 3021 | (90.2) | 1202 | (110.7) | 33 | (2.7) | 4300 | (121.0) | 2302 | (143.3) | 33 | (2.3) | 3203 | (129.0) |
| 40 - 59 | 20 - 39 | 1086 | 66 | (2.5) | 4224 | (90.8) | 1585 | (119.1) | 38 | (2.3) | 4423 | (137.5) | 2415 | (141.8) | 55 | (2.2) | 3844 | (135.5) |
| 60 and over 1438 | | | | | | ` / | | | | | | | | | | , , | | |
| 2-19 | | | | | | | | . , | | | | ` , | | ` / | | , , | | |
| 20 and over 3745 56 (1.9) 4019 (42.3) 1294 (65.1) 32 (1.4) 4343 (59.2) 2306 (67.8) 53 (1.3) 3604 (52.5) 2 and over 5813 54 (1.8) 3824 (38.0) 1184 (56.9) 31 (1.3) 4192 (56.1) 2194 (55.9) 52 (1.1) 3394 (36.5) Females: 2 - 5 | | | | (/ | | () | | (, , , , | | () | | () | | (' ' ' | | ('-') | | |
| 20 and over 3745 56 (1.9) 4019 (42.3) 1294 (65.1) 32 (1.4) 4343 (59.2) 2306 (67.8) 53 (1.3) 3604 (52.5) 2 and over 5813 54 (1.8) 3824 (38.0) 1184 (56.9) 31 (1.3) 4192 (56.1) 2194 (55.9) 52 (1.1) 3394 (36.5) Females: 2 - 5 | 2 - 19 | 2068 | 47 | (2.1) | 3228 | (57.0) | 846 | (58.4) | 26 | (1.6) | 3641 | (92.9) | 1785 | (83.9) | 49 | (1.6) | 2855 | (62.4) |
| Females: 2 - 5 | 20 and over | 3745 | 56 | (1.9) | | | 1294 | (65.1) | 32 | (1.4) | 4343 | (59.2) | 2306 | (67.8) | 53 | (1.3) | 3604 | (52.5) |
| 2 - 5 | 2 and over | 5813 | 54 | (1.8) | 3824 | (38.0) | 1184 | (56.9) | 31 | (1.3) | 4192 | (56.1) | 2194 | (55.9) | 52 | (1.1) | 3394 | (36.5) |
| 2 - 5 | El | | | | | | | | | ļ | | | | | | | | |
| 6-11 | | 472 | 40 | (2.0) | 2012 | (45.0) | 2/12 | (24.0) | 17 | (1.5) | 2121 | (50.5) | 962 | (54.0) | 41 | (2.4) | 1042 | (77.1) |
| 12 - 19 | | | | | | | | | | | | | | . , | | | | |
| 20 - 39 | | | | | | | | . , | | , , | | | | ` / | | , , | | ` ' |
| 40 - 59 | 12 - 19 | 041 | 00 | (2.3) | 2913 (| (123.9) | 900 | (31.3) | 33 | (1.5) | 3104 | (109.9) | 1011 | (93.4) | 31 | (2.4) | 2319 | (00.4) |
| 40 - 59 | 20 - 39 | 1272 | 65 | (2.4) | 3215 | (44.1) | 1150 | (51.5) | 36 | (14) | 3377 | (65.0) | 1779 | (68.7) | 53 | (1.5) | 2920 | (73.9) |
| 60 and over 1363 | | | | | ı | | | ` , | | | | | | ` / | | | l | |
| 2 - 19 | | | | | | ` ′ | | ` , | | | | ` / | | ` / | | , , | | ` , |
| 20 and over 3962 54 (1.9) 2946 (38.1) 869 (32.6) 29 (1.0) 3126 (49.7) 1620 (46.1) 52 (1.1) 2739 (50.3) 2 and over 5985 53 (1.6) 2891 (30.2) 835 (29.9) 29 (0.9) 3096 (46.3) 1567 (39.5) 51 (0.9) 2656 (37.0) Males and Females: 2 - 19 4091 50 (1.6) 2968 (52.9) 784 (42.2) 26 (1.1) 3306 (90.5) 1575 (60.1) 48 (0.9) 2634 (41.3) 20 and over 7707 55 (1.7) 3463 (28.1) 1073 (43.5) 31 (1.1) 3726 (38.6) 1958 (44.3) 53 (0.9) 3143 (38.5) | | | | (=, | | (= ===) | | (10.0) | | (=, | | () | | (====) | | (210) | | (0)/ |
| 20 and over 3962 54 (1.9) 2946 (38.1) 869 (32.6) 29 (1.0) 3126 (49.7) 1620 (46.1) 52 (1.1) 2739 (50.3) 2 and over 5985 53 (1.6) 2891 (30.2) 835 (29.9) 29 (0.9) 3096 (46.3) 1567 (39.5) 51 (0.9) 2656 (37.0) Males and Females: 2 - 19 4091 50 (1.6) 2968 (52.9) 784 (42.2) 26 (1.1) 3306 (90.5) 1575 (60.1) 48 (0.9) 2634 (41.3) 20 and over 7707 55 (1.7) 3463 (28.1) 1073 (43.5) 31 (1.1) 3726 (38.6) 1958 (44.3) 53 (0.9) 3143 (38.5) | 2 - 19 | 2023 | 52 | (1.9) | 2700 | (72.8) | 721 | (40.0) | 27 | (1.2) | 2991 | (115.7) | 1379 | (60.4) | 46 | (1.2) | 2381 | (44.2) |
| 2 and over 5985 53 (1.6) 2891 (30.2) 835 (29.9) 29 (0.9) 3096 (46.3) 1567 (39.5) 51 (0.9) 2656 (37.0) Males and Females: 2 - 19 4091 50 (1.6) 2968 (52.9) 784 (42.2) 26 (1.1) 3306 (90.5) 1575 (60.1) 48 (0.9) 2634 (41.3) 20 and over 7707 55 (1.7) 3463 (28.1) 1073 (43.5) 31 (1.1) 3726 (38.6) 1958 (44.3) 53 (0.9) 3143 (38.5) | | | | | | | | | | | | ` ' | | ` / | | , , | | |
| 2 - 19 | 2 and over | 5985 | 53 | | | | | | | | | | | . , | | | | |
| 2 - 19 | | | | | İ | | | | | ļ | | | | | | | | |
| 20 and over 7707 55 (1.7) 3463 (28.1) 1073 (43.5) 31 (1.1) 3726 (38.6) 1958 (44.3) 53 (0.9) 3143 (38.5) | | | 5 0 | | 20.60 | | 704 | | 2.6 | | 2206 | | 1555 | | 40 | | 2524 | |
| | | | | | | | | | | , , | | | | . , | | | | , , |
| 2 and over 11/98 34 (1.5) 3346 (26.2) 1003 (37.7) 30 (1.0) 3634 (38.7) 1874 (35.9) 52 (0.7) 3013 (28.0) | | | | | | ` / | | , , | | ` ' | | ` , | | ` ′ | | ` ′ | | |
| · | 2 and over | 11/98 | 54 | (1.5) | 3346 | (26.2) | 1005 | (37.7) | 30 | (1.0) | 3634 | (38.7) | 18/4 | (35.9) | 52 | (0.7) | 3013 | (28.0) |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| | | | | | | | C a | ffei | i n e | | | | | | |
|---|----------------------|----------------|-------------------------|---|-------------------|----------------------------|-----------------------|-------------------------|--|----------------------|----------------------------|-----------------------|-------------------------|------------------------|-------------------------------|
| | | | | | -All Indiv | iduals | 2 | | All R | estauran | t Consu | mers ³ — | | Non-cor | nsumers 4 |
| Gender and age | Sample Size | Pero Repor | | Total Intake | Intake All Res | e from taurants | Percentag All Rest | | Total Intake | | e from taurants | Percentag All Rest | | | otal take |
| (years) | | % | (SE) | mg (SE) | mg | (SE) | % | (SE) | mg (SE) | mg | (SE) | % | (SE) | mg | (SE) |
| Males: | | | | I | | | | ı | | | | | | ı | |
| 2 - 5 6 - 11 | 468 701 | 45 41 | (2.8) (3.1) | 10.2 (2.27) 18.5 (2.66) | 3.3 | (1.35) (0.39) | 32 18 | (8.5) (3.0) | 14.6 (3.86) 24.6 (3.10) | 8.0 | (2.84) (1.09) | 51 33 | (9.5) (5.3) | 14.2 | ` ' |
| 12 - 19 | 899 | 53 | (3.2) | 47.0 (3.21) | 12.3 | (2.29) | 26 | (4.7) | 60.1 (5.26) | 23.0 | (3.34) | 38 | (5.1) | 31.9 | (6.02) |
| 20 - 39 40 - 59 | 1086 1221 | 66 56 | (2.5) (2.6) | 154.7 (12.51) 210.5 (8.25) | 37.3 | (4.02) (6.63) | 22 18 | (2.6) (2.8) | 161.2 (14.70) 207.7 (12.27) | 66.6 | (5.75) (11.74) | 32 32 | (3.7) (4.9) | 214.2 | (18.21) (9.82) |
| 60 and over | 1438 | 44 | (2.9) | 208.5 (5.45) | 23.9 | (2.75) | 11 | (1.2) | 214.2 (12.56) | 54.7 | (7.79) | 26 | (3.6) | 204.1 | (12.09) |
| 2 - 19 20 and over 2 and over | 2068 3745 5813 | 47 56 54 | (2.1) (1.9) (1.8) | 29.6 (2.29) 189.4 (6.23) 150.1 (4.87) | 32.1 | (1.05) (2.65) (2.02) | 25 17 17 | (3.4) (1.3) (1.3) | 40.7 (3.69) 189.2 (7.13) 157.1 (5.76) | | (1.86) (5.42) (4.09) | 38 30 31 | (3.7) (2.3) (2.2) | 19.6 189.8 142.0 | ` ′ |
| | | | , , | | | | | | | | | | , , | | , , |
| Females: 2 - 5 | 472 710 841 | 40 50 60 | (3.0) (3.1) (2.5) | 5.2 (0.71) 13.8 (1.21) 34.9 (2.64) | 4.1 | (0.11) (0.62) (1.91) | 9 30 40 | (1.5) (3.5) (4.1) | 6.0 (1.13) 18.4 (1.76) 39.9 (4.43) | 8.2 | (0.25) (1.15) (3.26) | 21 45 58 | (3.2) (4.2) (5.1) | | (0.66) (1.45) (2.68) |
| 20 - 39 40 - 59 60 and over | 1272 1327 1363 | 65 52 42 | (2.4) (2.3) (2.7) | 124.1 (9.73) 173.4 (11.03) 152.1 (7.63) | 27.1 | (2.88) (4.37) (2.41) | 27 16 12 | (1.9) (2.4) (1.5) | 124.1 (11.14) 172.2 (6.76) 163.2 (11.07) | 51.8 | (4.28) (7.58) (3.97) | 42 30 26 | (3.5) (3.8) (2.7) | 174.8 | (14.57) (19.00) (11.24) |
| 2 - 19 20 and over 2 and over | 2023 3962 5985 | 52 54 53 | (1.9) (1.9) (1.6) | 21.6 (1.50) 149.4 (7.29) 120.4 (6.04) | 26.5 | (0.92) (2.35) (1.84) | 36 18 19 | (3.2) (1.4) (1.4) | 27.6 (2.34) 149.5 (6.50) 122.4 (5.93) | 14.9 49.5 41.8 | (1.66) (3.65) (2.90) | 54 33 34 | (3.9) (2.3) (2.2) | 149.2 | (1.46) (11.52) (9.06) |
| Males and Females: 2 - 19 20 and over 2 and over | 4091 7707 | 50 55 54 | (1.6) (1.7) (1.5) | 25.7 (1.40) 168.7 (6.01) 134.9 (4.80) | 29.2 | (0.81) (2.05) (1.58) | 29 17 18 | (2.7) (1.1) (1.1) | 34.0 (2.46) 169.0 (5.07) 139.4 (4.32) | 15.2 53.3 44.9 | (1.49) (3.88) (2.95) | 45 32 32 | (3.1) (2.0) (1.9) | 17.5 168.2 129.7 | |

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2017-March 2020 Prepandemic (continued)

| Gender and age | | | | Alcohol | | | | | | | | | | | | | |
|---------------------|----------------|-----------------------------------|---------------|------------------------------|--------|--------------------------------|--------|--|-------|---------------------------------------|--------|--------------------------------|--------|---|---------------|-----------------|-----------------|
| | | | | All Individuals ² | | | | | | All Restaurant Consumers ³ | | | | | . | Non-consumers 4 | |
| | Sample Size | Percent Reporting ⁵ | | Total Intake | | Intake from All Restaurants | | Percentages from ⁶ All Restaurants | | Total Intake | | Intake from All Restaurants | | Percentages from ⁶ All Restaurants | | | Total Intake |
| (years) | | % | (SE) | g | (SE) | g | (SE) | % | (SE) | g | (SE) | g | (SE) | % | (SE) | g | (SE) |
| 34.1 | | | | | | | | | | | | | | | | | |
| Males: 2 - 5 | 468 | 45 | (2.8) | <u> </u> | | | | | } | | | | | | | | |
| 6 - 11 | 701 | 41 | (3.1) | | | | | | } | | | | | | | | |
| 12 - 19 | 899 | 53 | (3.1) (3.2) | | | | | | - | | | | | | | | |
| 12 - 17 | 0// | 33 | (3.2) | | | | | | } | | | | | | | | |
| 20 - 39 | 1086 | 66 | (2.5) | 17.1 | (1.58) | 3.7 | (0.81) | 22 | (4.8) | 20.2 | (2.48) | 5.7 | (1.23) | 28 | (5.3) | 11.2 | (2.09) |
| 40 - 59 | | 56 | (2.6) | 17.0 | (1.43) | 3.6 | (0.57) | 21 | (3.0) | | (2.21) | 6.4 | (0.96) | 34 | (5.5) | | |
| 60 and over | 1438 | 44 | (2.9) | 9.5 | (1.02) | 0.9 | (0.19) | 10 | (1.9) | | (1.21) | 2.1 | (0.45) | 23 | (4.2) | | (1.47) |
| | | | | İ | | | | | İ | | | | | | | | |
| 2 - 19 | 2068 | 47 | (2.1) | | | | | | Ì | | | | | | | | |
| 20 and over | 3745 | 56 | (1.9) | 14.9 | (0.82) | 2.9 | (0.37) | 19 | (2.2) | 17.1 | (1.50) | 5.1 | (0.66) | 30 | (3.0) | 12.0 | (1.21) |
| 2 and over | 5813 | 54 | (1.8) | | | | | | | | | | | | | | |
| Females: | | | | | | | | | | | | | | | | | |
| 2 - 5 | 472 | 40 | (3.0) | | | | | | ŀ | | | | | | | | |
| 6 - 11 | 710 | 50 | (3.0) (3.1) | | | | | | } | | | | | | | | |
| 12 - 19 | 841 | 60 | (2.5) | | | | | | } | | | | | | | | |
| 12 17 | 0.11 | 00 | (2.0) | | | | | | ł | | | | | | | | |
| 20 - 39 | 1272 | 65 | (2.4) | 6.6 | (0.83) | 2.2 | (0.40) | 33 | (5.0) | 6.7 | (0.92) | 3.3 | (0.62) | 50 | (5.4) | 6.4 | (1.54) |
| 40 - 59 | 1327 | 52 | (2.3) | 7.6 | (0.76) | 1.6 | (0.38) | 22 | (4.8) | 8.7 | (1.10) | 3.1 | (0.72) | 36 | (7.1) | 6.3 | (1.11) |
| 60 and over | 1363 | 42 | (2.7) | 5.5 | (1.38) | 1.0* | (0.30) | 18* | (6.1) | 7.0* | (2.42) | 2.3 | (0.66) | 33* | (13.1) | 4.4 | (0.75) |
| | | | | | | | | | | | | | | | | | |
| 2 - 19 | 2023 | 52 | (1.9) | | | | | | ļ | | | | | | | | |
| 20 and over | 3962 | 54 | (1.9) | 6.6 | (0.60) | 1.6 | (0.15) | 25 | (2.8) | 7.4 | (0.75) | 3.0 | (0.30) | 41 | (4.4) | 5.6 | (0.69) |
| 2 and over | 5985 | 53 | (1.6) | | | | | | - | | | | | | | | |
| Males and Females: | | | | | | | | | } | | | | | | | | |
| 2 - 19 | 4091 | 50 | (1.6) | | | | | | } | | | | | | | | |
| 20 and over | 7707 | 55 | (1.7) | 10.6 | (0.50) | 2.2 | (0.21) | 21 | (1.9) | 12.2 | (0.86) | 4.1 | (0.40) | 33 | (2.5) | 8.6 | (0.74) |
| 2 and over | | 54 | (1.5) | | () | | () | | ` " | | () | | () | | ` '-' | | (/ |
| 2 4110 0 101 | 11.70 | ٥. | (1.0) | I | | | | | ı | | | | | | ı | | |

Symbol Legend

* Indicates an estimate that may be less statistically reliable than estimates that are not flagged. The rules for flagging estimated means and percentages are as follows:

Mean: An estimated mean is flagged when the relative standard error is greater than 30 percent.

Percent reporting: An estimated percentage between 25 and 75 percent is flagged when based on a sample size of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect, or when the relative standard error is greater than 30 percent. An estimated percentage less than or equal to 25 or greater than or equal to 75 is flagged when the smaller of np and n(1-p) is less than 8 times the VIF, where n is the sample size and p is the percentage expressed as a fraction. The VIF used in this table is 2.76.

Nutrient ratios expressed as percentages: An estimated ratio between 25 and 75 percent is flagged when based on a sample size n^* of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect and n^* is the number of individuals in the sample reporting non-zero intake of the respective nutrient from any source. An estimated ratio less than or equal to 25 percent or greater than or equal to 75 percent, is flagged when the smaller of n^*p and n^* (1-p) is less than 8 times the VIF, where p is the percentage expressed as a fraction. Additionally, an estimated ratio is flagged when either the relative standard error or p/(1-p) times the relative standard error is greater than 30 percent.

Indicates a non-zero value too small to report.

-- Estimated mean not presented where sample size is less than 30 times the variance inflation factor (VIF), i.e., sample size less than 83 for VIF = 2.76.

Footnotes

- Respondents were asked the source of each food and beverage where it was obtained. **All Restaurants** include source coded as: "Restaurant with waiter/waitress", "Bar/tavern/lounge", "Restaurant no additional information", "Cafeteria NOT in a K-12 school", "Restaurant fast food/pizza", "Sport, recreation, or entertainment facility", or "Street vendor, vending truck".
- ² All Individuals include both individuals who reported and individuals who did not report at least one food/beverage item from All Restaurants.
- ³ All Restaurant Consumers include individuals who reported at least one food or beverage item from All Restaurants.
- ⁴ Non-consumers include individuals who did not report any food or beverage item from All Restaurants.
- ⁵ The weighted percentage of respondents in the income/age group who reported at least one food/beverage item from All Restaurants.
- ⁶ Percentages are estimated as a ratio of total nutrient intake from All Restaurants to total daily nutrient intake from all sources.

Abbreviations

SE = standard error; RAE = retinol activity equivalents; DFE = dietary folate equivalents.

Notes Applicable to All Tables in Series: What We Eat in America, NHANES 2017-March 2020 Prepandemic

The 2017–March 2020 files represent a unique public-use data release from NHANES. The coronavirus disease 2019 (COVID-19) pandemic required suspension of data collection in March 2020. As a result, the partially completed NHANES 2019–2020 cycle was not nationally representative. Therefore, the 2019–March 2020 data were combined with the data from the 2017–2018 cycle to create the nationally representative 2017–March 2020 prepandemic data files.

Sample weights designed for dietary analysis were used to allow estimates representative of the U. S. population for the years of collection.

The statistics in this table are estimated from Day 1 dietary recall interviews conducted in the *What We Eat in America*, National Health and Nutrition Examination Survey (NHANES) 2017-March 2020 Prepandemic. The 24-hour dietary recalls were conducted in-person, by trained interviewers, using the USDA 5-step Automated Multiple-Pass Method. Food intakes were coded and nutrient values were determined using the USDA Food and Nutrient Database for Dietary Studies 2017-2018 and 2019-2020 as applicable www.ars.usda.gov/nea/bhnrc/fsrg.

Intakes of nutrients and other dietary components are based on the consumption of food and beverages, including water, and do not include intake from supplements or medications.

The table includes data from individuals 2 years and over. Breast-fed children were excluded because breast milk was not quantified in dietary recall interviews.

Although alchohol data are collected for all individuals, estimates are not presented for age groups under 20 years due to extreme variability and/or inadequate sample size.

Suggested Citation

U.S. Department of Agriculture, Agricultural Research Service. 2022. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants, by Gender and Age, What We Eat in America, NHANES 2017-March 2020 Prepandemic. Available: www.ars.usda.gov/nea/bhnrc/fsrg.